

સાધો જરૂરી વિષય

- Artun,J., and Bergland, S. Clinical trials with crystal growth conditioning as an alternative to acid-etch enamel pretreatment. Am.J.Orthod. 85(1984):333-340.
- Barkmeier, W.W., Gwinnett, A.J., and Shaffer, S.E. Effects of enamel etching time on bond strength and morphology. J.Clin.Orthod. 19(1985):36-38.
- Bishara, S.E., Swift, Jr.E.J., and Chan, D.C.N. Evaluation of fluoride release from an orthodontic bonding system. Am.J.Orthod.Dentofac.Orthop. 100(1991): 106-109.
- Blight, S.J., and Lynch, E. Bond strengths of ceramic brackets using different bonding techniques. Br.J.Orthod. 22(1995): 35-40.
- Brannstrom, M., Malmgren, O., and Nordenvall, J. Etching on young permanent teeth with acid gel. Am.J.Orthod. 82(1982): 379-383.
- Carter, N.E., and McCabe, J.F. Laboratory studies of a dual-cured glass-ionomer cement as an orthodontic bonding agent. J.Dent.Res. 74(1995): 852(Abstract).
- Ceen, R.F., and Gwinnett, A.J. Microscopic evaluation of the thickness of sealants used in orthodontic bonding. Am.J.Orthod.Dentofac.Orthop. 78(1980): 623-629.
- Chadwick, S.M., and Gordon, P.H.H. An investigation into the fluoride release of a variety of orthodontic bonding agents. Br.J.Orthod. 22(1995): 29-33.
- Chan, D.C.N., Swift, Jr.E.H., and Bishara, S.E. In vitro evaluation of a fluoride-releasing orthodontic resin. J.Dent.Res. 69(1990): 1576-1579.
- Combe, E.C. Notes on dental materials. pp.62-69, Sixth edition. Churchill Livingstone, Edinburgh, 1992.
- Compton, A.M., Meyers, C.E.Jr., Hondrum, S.O., and Lorton, L. Comparison of the shear bond strength of a light-cured glass ionomer and a chemically cured glass ionomer for use as an orthodontic bonding agent. Am.J.OrthodDentofac.Orthop. 101(1992): 138-144.
- Cook, P.A. Direct bonding with glass ionomer cement. J.Clin.Orthod. 24(1990): 509-511
- Cook, P.A.,Luther, F., and Youngson, C.C. An in vitro study of the bond strength of light-cured glass ionomer cement in the bonding of orthodontic brackets. Br.J.Orthod. 18(1996): 199-204.

- Cook, P.A., and Youngson, C.C. An in vitro study of the bond strength of glass ionomer cement in the direct bonding of orthodontic brackets. Br.J.Orthod. 15(1988): 247-253.
- Cooley, R.L., Barkmeier, W.W., and Hicks, J.L. Fluoride release from orthodontic adhesives. Am.J.Dent. 2(1989): 86-88.
- Cortes, O., Garcia-Gordoy, F., and Boj, J.R. Bond strength of resin-reinforced glass ionomer cements after enamel etching. Am.J.Dent. 6(1993): 299-301.
- Eliades, T., Viazis, A.D., and Eliades, G. Enamel fluoride uptake from an experimental fluoride-releasing orthodontic adhesive. Am.J.Orthod.Dentofac.Orthop. 101(1992): 421-424.
- Espinosa, H.D. In vitro study of resin-supported internally etched enamel. J.Prosth.Dent. 40(1978):526-530.
- Evans, R., and Oliver, R. Orthodontic bonding using glass ionomer cement: An in vitro study. Eur.J.Orthod. 13(1991): 493-500.
- Ewoldsen, N., Beatty, M.W., Erickson, L., and Feely, D. Effect of enamel conditioning on bond strength with a restorative light-cured glass ionomer. J.Clin.Orthod. 29(1995): 621-624.
- Fajen, V.B., Nanda, R. S., and Angolkar, P.V. An in vitro evaluation of bond strength of three glass ionomer cements. Am.J.Orthod.Dentofac.Orthop. 97(1990): 316-322.
- Fitzpatrick, D.A., and Way, D.C. The effect of wear, acid etching and bond removal on human enamel. Am.J.Orthod. 72(1987): 78-81.
- Fox, N.A., McCabe, J.F., and Buckley, J.G. A critique of bond strength testing in orthodontics. Br.J.Orthod. 21(1994): 33-43.
- Fricke, J.P. A 12-month clinical evaluation of a light-activated glass polyalkenoate (ionomer) cement for the direct bonding of orthodontic brackets. Am.J.Orthod.Dentofac.Orthop. 105(1994): 502-505.
- Fross, H., and Seppa, L. Prevention of enamel demineralization adjacent to glass ionomer filling materials. Scand.J.Dent.Res. 98(1990): 173-178.
- Frosten, L., Short and Long-term fluoride release from glass ionomers and other fluoride-containing filling materials in vitro. Scan.J.Dent.Res. 98(1990): 179-185.
- Goreklick, L., Geiger, A.M., and Gwinnett A.J. Incidence of white spot formation after bonding and banding. Am.J.Orthod. 81(1982): 93-98.

- Gottlieb, E.L., Nelson, A.H., and Vogels, D. JCO study of orthodontic diagnosis and treatment procedures. J.Clin.Orthod. 14(1986): 694-709.
- Greenlaw, R., Way, D.C., and Galil, K.A. An in vitro evaluation of a visable light-cured resin as an alternative to conventional resin bonding systems. Am.J.Orthod.Dentofac.Orthop. 96(1989):214-220.
- Gwinnett, A.J. State of art and science of bonding in orthodontic teratment. Council on materials, instrument and equipment. J.Am.Dent.Assoc. 105(1982):844-850.
- Hallgren, A., Oliveby, A., and Twetman, S. Caries associated microflora in plaque from orthodontic appliances retained with glass ionomer cement. Scand.J.Dent.Res. 100(1992): 140-143.
- Hallgren, A., Oliveby, A., and Twetman, S. Fluoride concentration in plaque adjacent to orthodontic appliances retained with glass ionomer cement. Caries Res. 27(1993): 51-54.
- International Standard Organization 1994 Dental materials - guidance on testing of adhesion to tooth structure. ISO TR 11405.
- Jaochakarasiri, P., Techasombooranakit, K., Nathason, D., Gianelly, A., and Giordano, R. Shear bond strength of orthodontic brackets using a new glass ionomer. J.Dent.Res. 74(1995): 461(Abstract).
- Joseph, V.P.,and Rossouw, P.E. The shear bond strengrhs of stainless steel and ceramic brackets used with chemically and light-activated composite resins. Am.J.Orthod.Dentofac.Orthod. 97(1990):121-125.
- Joseph, V.P.,Rossouw, P.E., and Basson, N.J. Some "sealant" seal- A scanning electron microscopy(SEM) investigation. Am.J.Orthod.Dentofac.Orthop. 105(1994): 362-368.
- Jou, G.E., Leung, R.L., White, S.N., and Zernik, J.H. Bonding ceramic brackets with light-cured glass ionomer cements. J.Clin.Orthod. 29(1995): 184-187.
- Kerby, R.E., and Knobloch, L. The relative shear bond strength of visible light-curing and chemically curing glass-ionomer cement to composite resin. Quintessence Int. 23 (1992): 641-644.
- Klockowski, R., and Wieczkowski, G. Bond strength and durability of glass ionomer cement used as bonding agents in the placement of orthodontic brackets. Am.J.Orthod.Dentofac.Orthop. 96(1989): 60-64.

- Knoll, M., Gwinnett, A., and Wolff, H. Shear bond strength of bracket bonded to anterior and posterior teeth. Am.J.Orthod. 89(1986): 476-479.
- Komori, A., and Ishikawa, H. Evaluation of a resin-reinforced glass ionomer cement for use as an orthodontic bonding agent. Angle Orthod. 67(1997): 189-196.
- Korch, G., and Kofman, S.H. Glass ionomer cement as a fluoride release system in vivo. Swed.Dent.J. 14(1990): 267-273.
- Lopez, J.I. Retentive shear strengths of various bonding attachment bases. Am.J.Orthod. 77(1980):669-678.
- Maijer, R., and Smith, D.C. Crystal growth on the outer enamel surface- An alternative to acid etching. Am.J.Orthod. 89(1986): 183-193.
- McCarthy, M.F., and Hondrum, S.O. Mechanical and bond strength properties of light-cured glass ionomer cements. Am.J.Orthod.Dentofac.Orthop. 105(1994): 135-141.
- Miguel, J.A.M., Almeida, M.A., and Chevitarese, O. Clinical comparison between a glass ionomer cement and a composite for direct bonding of orthodontic brackets. Am.J.Orthod.Dentofac.Orthop. 107(1995): 484-487.
- Millett, D.T., and McCabe, J.F. Orthodontic bonding with glass ionomer cement - a review. Eur.J.Orthod. 18(1996): 385-399.
- Mitchell, C.A., O'Hagen, E., and Walker, J.M. Probability of failure of orthodontic brackets bonded with different cementing agents. Dent.Mater. 11(1995): 317-322.
- Mitra, S.B. Adhesion to dentin and physical properties of a light-cured glass-ionomer liner/base. J.Dent.Res. 70(1991): 72-74.
- Mitra, S.B. In vitro fluoride release from light-cured glass ionomer liner/base. J.Dent.Res. 70(1991): 75-78.
- Mitra, S.B., and Kedrowski, B.L. Long-term mechanical properties of glass ionomers. Dent.Mater. 10(1994): 78-82.
- Momoi, Y., and McCabe, J.F. Fluoride release from light-activated glass ionomer restorative cements. Dent.Mater. 9(1993): 151-154.
- Mount, J.G. Glass-ionomer cements: Past,present and future. Oper.Dent. 19(1994): 82-90.
- Oen, J.O., Gjerdet, N.R., and Wisth, P.J. Glass ionomer cements used as bonding materials for metal orthodontic brackets. An in vitro study. Eur.J.Orthod. 13(1991): 187-191.
- Ogaard, B., Rolla, G.,and Arends, J. Orthodontic appliances and enamel demineralization. Part I.Lesion development. Am.J.Orthod.Dentofac.Orthop. 94(1988): 68-73.

- Percinoto, C., Cuhna, R.F., Delbem, A.C.B., and Aragomes, A. Penetration of a light-cured glass ionomer and a resin sealant into occlusal fissures and etched enamel. Am.J.Dent. 8(1995): 20-22.
- Proffit, W.R. Contemporary orthodontics. pp.223-236,342-347 : C.V. Mosby, St.Louis, 1986.
- Reynolds, I.R. A review of direct orthodontic bonding. Br.J.Orthod. 2(1975): 171-178.
- Rezk-Lega, F., and Ogaard, B. Tensile bond force of glass ionomer cements in direct bonding of orthodontic brackets: An in vitro comparative study. Am.J.Orthod.Dentofac.Orthop. 100(1991): 357-361.
- Scott, G.G., Gracia-Godoy, F., and Summitt, J.B. Shear bond strength of brackets bonded with glass ionomer cements. J.Dent.Res. 74(1995): 187(Abstract).
- Shin, K.S., and Lee, K.S. The effects of surface treatments on shear bond strengths of light-cured glass ionomer cements to enamel. J.Dent.Res. 74(1995): 992(Abstract).
- Sidhu, S.K., and Watson, T.F. Resin-modified glass ionomer materials: A status report for the American journal of dentistry. Am.J.Dent. 8(1985): 59-67.
- Silverman, E., Cohen, M., Demke, R.S., and Silverman, M. A new light-cured glass ionomer cement that bonds brackets to teeth without etching in the present of saliva. Am.J.Orthod.Dentofac.Orthop. 108(1995): 231-236.
- Silverman, E., Cohen, M., Demke, R.S., and Silverman, M. A new self curing hybrid glass ionomer. J.Clin.Orthod. 31(1997): 315-318.
- Sinha, P.K., Nanda, R.S., Duncanson, M.G., and Hosier,M.J. Bond strengths and remnant adhesive resin on debonding for orthodontic bonding techniques. Am.J.Orthod.Dentofac.Orthop. 108(1995): 302-307.
- Tavas, M.A., and Salem, N.S. Glass ionomers for direct bonding: An in vitro assessment. Br.J.Orthod. 17(1990): 223-228.
- Um, C.M., and Olio, G. The Effect of early water contact on glass-ionomer cement. Quintessence.Int. 23(1992): 209-214.
- Uno, S., Finger, W.J., and Fritz, U. Long term mechanical characteristics of resin-modified glass ionomer restorative materials. Dent.Mater. 12(1996): 64-69.
- Wang, W.N. bond strength with various etching time on young permanent teeth. Am.J.Orthod.Dentofac.Orthop. 100 (1991): 72-79.
- Wang, W.N., and Tarn, T.H. Evaluation of the sealant in orthodontic bonding. Am.J.Orthod.Dentofac.Orthop. 100(1991): 209-211.

- Wang, W.N., and Meng,C.L. A study of bond strength between light- and self-cured orthodontic resin. Am.J.Orthod.Dentofac.Orthop. 101(1992): 350-354.
- Weerheijm, K.L., de Soet,J.J., van Amerogen, W.E., and de Graaff, J. The effect of glass ionomer cement on carious dentin. Caries.Res. 98(1993): 417-123.
- White, L.W. Glass ionomer cement. J.Clin.Orthod. 20(1986): 387-391.
- Wilson, H.J. Resin-based restoratives. Br.Dent.J. 164(1988): 326-330.
- Wilson, A.D. Resin-modified glass ionomer cement. Int.J.Prosth.Dent. 123(1990): 425-429.
- Wilson, A.D., and McLean, J.W. Glass ionomer cement, pp.38-39 : Quintessence Publishing Co., Inc., Illinois, 1988.
- Witshire, W.A. Shear bnd strengths of a glass ionomer for direct bonding in orthodontics. Am.J.Orthod.Dentofac.Orthop. 106(1994): 127-130.
- Zachrisson, B.U.,and Artun, J. Enamel surface appearance after various debonding techniques. Am.J.Orthod. 75(1979): 121-137.
- Zachrisson, B.U., Skogan, O.,and Homyhr, S. Enamel cracks in debonded, debanded and orthodontically treated teeth. Am.J.Orthod. 77(1980): 307-319.

สถาบันวิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย



ภาคพนวก

สถาบันวิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย

ภาคผนวก

**ตารางแสดงค่ากำลังแรงยึดชนิดเฉื่อน/ปอกระหว่างแบรอกเกตกับพิวเกลือบฟันเมื่อใช้วัสดุยึดติด
และวิธีการเตรียมพิวเกลือบฟันที่ต่างกัน**

ตัวอย่าง	กตุ่นทดสอบ	กำลังแรงยึดชนิดเฉื่อน/ปอก (MPa)	ดัชนีการเหตืออยู่ของวัสดุยึดติด (ARI)
1	1	20.35	2
2	1	14.5	1
3	1	14.75	1
4	1	20.35	1
5	1	16.78	3
6	1	13.22	1
7	1	20.35	1
8	1	17.04	1
9	1	17.04	1
10	1	16.78	1
11	1	15.26	1
12	1	16.02	1
13	1	15.51	2
14	1	19.33	2
15	1	12.72	1
16	1	13.99	1
17	1	17.04	2
18	1	17.29	2
19	1	16.28	1
20	1	13.73	1
21	1	15.26	1
22	1	14.24	1
23	1	14.5	2
24	1	13.73	1

ตัวอย่าง	กตุ่นทดสอบ	กำลังแรงดันน้ำที่แตกหัก/ปอก (MPa)	ค่าเฉลี่ยของการเหตุการณ์ของวัสดุชีคิด (ARI)
25	1	15.51	3
26	1	19.58	2
27	1	15.26	2
28	1	18.31	1
29	1	15	2
30	1	19.07	2
31	2	4.83	0
32	2	4.32	0
33	2	4.32	0
34	2	9.66	0
35	2	9.41	1
36	2	3.31	0
37	2	8.39	1
38	2	4.58	0
39	2	9.16	0
40	2	5.59	0
41	2	4.07	0
42	2	8.39	0
43	2	9.92	0
44	2	7.38	0
45	2	2.8	0
46	2	3.81	0
47	2	4.58	0
48	2	4.83	0
49	2	4.32	0
50	2	10.43	0
51	2	3.81	0
52	2	8.14	0
53	2	4.07	0

ตัวอย่าง	กตุนทดกอง	กำลังแรงดันน้ำดื่มน้ำ/ปอก (MPa)	ดัชนีการเหลืองผู้ของวัสดุชีคิด (ARI)
54	2	3.89	0
55	2	3.31	0
56	2	3.56	0
57	2	3.81	0
58	2	4.83	0
59	2	9.66	0
60	2	7.12	0
61	3	13.48	3
62	3	10.94	3
63	3	15.51	3
64	3	15.26	3
65	3	15	3
66	3	13.73	2
67	3	14.5	3
68	3	11.7	3
69	3	13.48	3
70	3	11.19	2
71	3	14.24	3
72	3	13.48	2
73	3	12.72	3
74	3	13.99	3
75	3	11.7	3
76	3	10.68	3
77	3	15	2
78	3	13.73	3
79	3	13.99	1
80	3	11.19	3
81	3	15.26	3
82	3	15.26	3

ตัวอย่าง	กําลังทดสอบ	กําลังแรงขีดชนิดเฉือน/ปอก (MPa)	ดัชนีการเหลืออยู่ของวัสดุขีดติด (ARI)
83	3	15	3
84	3	16.02	2
85	3	14.5	3
86	3	13.48	3
87	3	10.68	2
88	3	13.73	3
89	3	12.21	3
90	3	10.94	3
91	4	13.99	2
92	4	16.02	2
93	4	12.72	3
94	4	12.82	3
95	4	11.95	3
96	4	14.24	3
97	4	12.46	2
98	4	15	3
99	4	11.7	3
100	4	10.94	3
101	4	13.99	3
102	4	14.75	3
103	4	12.97	3
104	4	11.19	3
105	4	11.44	3
106	4	18.56	2
107	4	15	3
108	4	18.31	2
109	4	13.73	3
110	4	17.55	2
111	4	11.44	3

ตัวอย่าง	กทุ่มทดสอบ	กำลังแรงขีดชนิดเฉือน/ปอก (MPa)	ดัชนีการเหลืออยู่ของวัสดุขีดติด (ARI)
112	4	13.22	1
113	4	10.17	3
114	4	15.77	3
115	4	12.46	3
116	4	11.95	3
117	4	13.99	2
118	4	11.44	3
119	4	15.51	3
120	4	15.77	3

กทุ่มที่ 1 ขีดแบบรากเกตด้วยคอม ໄປสิติธรรม

กทุ่มที่ 2 ไม่เครื่ยมผิวเกลือบพื้น ขีดแบบรากเกตด้วย กذاสໄไอโอนเมอร์ซีเมนต์ชนิดบ่มด้วยแสง

กทุ่มที่ 3 เครื่ยมผิวเกลือบพื้นด้วยการใช้กรดกัด ขีดแบบรากเกตด้วย กذاสໄไอโอนเมอร์ซีเมนต์ ชนิดบ่มด้วยแสง

กทุ่มที่ 4 เครื่ยมผิวเกลือบพื้นด้วยการใช้กรดกัด และทابอนดิจิเรชัน ขีดแบบรากเกตด้วย กذاสໄไอโอนเมอร์ซีเมนต์ชนิดบ่มด้วยแสง

สถาบันวิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย

ประวัติผู้เขียน

นายชัชพันธุ์ พูดทวีเกียรติ เกิดวันที่ 6 มิถุนายน พ.ศ. 2510 ที่ จังหวัดนครสวรรค์ สำเร็จการศึกษาทั้นดแพทยศาสตร์บัณฑิตจากคณะทั้นดแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ในปีการศึกษา 2534 เข้ารับราชการที่ภาควิชาทั้นดกรรมอนุรักษ์ คณะทั้นดแพทยศาสตร์ มหาวิทยาลัยสงขลานครินทร์ในปีพ.ศ.2535-2537 เข้ารับการศึกษาต่อในระดับปริญญาโทที่ ภาควิชาทั้นดกรรมจัดพิเศษ คณะทั้นดแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัยเมื่อปีการศึกษา 2539.



**สถาบันวิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย**