

REFERENCES

- Achari, B., Chakrabarty, S., Bandyopadhyay, S. and Pakrashi, S.C. 1982. A new 4,5-dioxoaporphine and other constituents of *Aristolochia indica*. Heterocycles 19(7): 1203-1206.
- Achenbach, H., Frey, D. and Waibel, R. 1991. 6a,7-Dehydro-2-hydroxy-4,5-dioxoaporphine and other alkaloids from *Monoclanthus vegnei*: ^{13}C -NMR studies on 4,5-dioxoaporphines. J. Nat. Prod. 54(5): 1331-1336.
- Ahmad, F.B., Tukul, W. A., Omar. S. and Sharif A.M. 1991. 5-Acetyl-goniothalamine, a styryl dihydropyrone from *Goniothalamus uvaroides*. Phytochemistry 30(7): 2430-2431.
- Akasu, M., Itokawa, H. and Fujita, M. 1974. Four new fluorescent components isolated from the callus tissue of *Stephania cepharantha*. Tetrahedron Lett. 41: 3609-3612.
- Akasu, M., Itokawa, H. and Fujita, M. 1975. Oxoaporphine alkaloids from the callus tissue of *Stephania cepharantha*. Phytochemistry 14: 1673-1674.
- Alkofahi, A., Ma, W.W., Mckenzie, A.T., Bryn, S.R. and McLaughlin J.L. 1989. Goniatriol from *Goniothalamus giganteus*. J. Nat. Prod. 52(6): 1371-1373.
- Alkofahi, A., Rupprecht, J.K., Lin, Y.-M., Chang, C.-J., Smith, D.L. and McLaughlin, J.L. 1990. Gigantecin : a novel antimiotic and cytotoxic acetogenin, with nonadjacent tetrahydrofuran rings, from *Goniothalamus giganteus* (Annonaceae). Experientia 46: 539-541.
- Alkofahi, A., Rupprecht, J.K., Smith, D.L., Chang, C.-J. and McLaughlin, J.L. 1988. Goniotalamicin and annonacin: Bioactive acetogenins from *Goniothalamus giganteus* (Annonaceae). Experientia 44: 83-85.
- Castedo, L., Suau, R. and Mourino, A. 1976. A revised structure for pontevedrine. Tetrahedron Lett. 6: 501-502.
- Colegate, S.M., Din, L.B., Latiff, A. Salleh, K.M., Samsudin, M.W., Skelton, B.W., Tadano, K., White, A.H. and Zakaria, Z. 1990. (+)-Isoaltholactone : a furanopyrone isolated from *Goniothalamus species*. Phytochemistry 29(5): 1701-1704.

- Cordell, G.A. Introduction to alkaloids: a biogenetic approach. New York: Wiley-interscience, 1981.
- Cortes, D., Hocquemiller, R. Leboeuf, M. Cave, A. and Moretti, C. 1986. Alcaloides des Annonacees, 68: alcaloides des feuilles de *Guatteria ouregou*. J. Nat. Prod. 49(5): 878-884.
- Crohare, R., Priestap, H.A., Farina, M., Cedola, M. and Ruveda, E.A. 1974. Aristolactams of *Aristolochia argentina*. Phytochemistry 13: 1957-1962.
- Desai, S.J., Chatutvedi, R.N., Badheka, L.P. and Mulchandani, N.B. 1989. Aristolactams and 4,5-dioxoaporphines from Indian *Piper* species. Indian J. Chem. 28B: 775-777.
- Desai, S.J., Prabhu, B.R. and Mulchandani, N.B. 1988. Aristolactams and 4,5-dioxoaporphines from *Piper longum*. Phytochemistry 27(5): 1511-1515.
- Desjardins, R.E., Canfield, C.J., Haynes, J.D. and Chulay, J.D. 1979. Quantitative assessment of antimalarial activity in vitro by a semiautomated microdilution technique. Antimicrob. Agents Chemother. 16(6): 710-718.
- Din, L.B., Colegate S.M. and Razak, D.A. 1990. Scorazanone, a 1-aza-anthraquinone from *Goniothalamus scortechinii*. Phytochemistry 29(1): 346-348.
- Dyke, S.E. and Gellert, E. 1978. The structure of alkaloid Y from *Schefferomitra subaequalis*. Phytochemistry 17: 599.
- El-zayat, A.E., Ferrigni, N.R., McCloud, T.G., Mckenzie, A.T., Byrn, S.R., Cassady, J.M., Chang, C.-J. and McLaughlin, J.L. 1985. Goniothalenol: a novel, bioactive, tetrahydrofurano-2-pyrone from *Goniothalamus giganteus* (Annonaceae). Tetrahedron Lett. 26(8): 955-956.
- Fang, X.-P., Anderson, J.E., Chang, C.-J. Fanwick, P.E. and McLaughlin, J.L. 1990. Novel bioactive styryl-lactones: goniofufurone, goniopypyrone and 8-acetylgoniotriol from *Goniothalamus giganteus* (Annonaceae). X-Ray molecular structure of goniofufurone and of goniopypyrone. J. Chem. Soc. Perkin Trans. I 1655-1661.

- Fang, X.-P., Anderson, J.E., Chang, C.-J., Fanwick, P.E. and McLaughlin, J.L. 1991. Three new bioactive styryllactones from *Goniothalamus giganteus* (Annonaceae). Tetrahedron Lett. 47(47): 9751-9758.
- Fang, X.-P., Anderson, J.E., Chang, C.-J., McLaughlin, J.L. and Fanwick, P.E. 1991. Two new styryl lactones, 9-deoxygoniopypyrone and 7-epi-goniofufurone, from *Goniothalamus giganteus*. J. Nat. Prod. 54(4): 1034-1043.
- Fang, X.-P., Anderson, J. E., Qiu, X.-X., Kozlowski, J.F., Chang, C.-J. and McLaughlin, J.L. 1993. Gonioheptolides A and B: novel eight-membered ring lactones from *Goniothalamus giganteus* (Annonaceae). Tetrahedron 49 (8): 1563-1570.
- Fang, X.-P., Anderson, J.E., Smith, D.L., McLaughlin, J.L. and Wood, K.V. 1992. Gigantetronenin and gigantrionenin : novel cytotoxic acetogenins from *Goniothalamus giganteus*. J. Nat. Prod. 55(11): 1655-1663.
- Fang, X.-P., Anderson, J.E., Smith, D.L., Wood, K.V. and McLaughlin, J.L. 1992. Giganenin, a highly potent monotetrahydrofuran acetogenin and 4-deoxygigantecin from *Goniothalamus giganteus*. Heterocycles 34(6): 1075-1083.
- Fang, X.-P., Rupprecht, J.K., Alkofahi, A., Hui, Y.-H., Liu, Y.-M., Smith, D.L., Wood, K.V. and McLaughlin, J.L. 1991. Gigantetrocin and gigantriocin : two novel bioactive annonaceous acetogenins from *Goniothalamus giganteus*. Heterocycles 32(1): 11-17.
- Goh, S.H., Ee, G.C.L., Chuah, C.H. and Chen, W. 1995. Styrylpyrone derivatives from *Goniothalamus dolichocarpus*. Aust. J. Chem. 48: 199-205.
- Gu, Z.M., Fang, X., Zeng, L. and McLaughlin, J.L. 1994. Goniocin from *Goniothalamus giganteus*: the first tri-THF annonaceous acetogenin. Tetrahedron Lett. 35(30): 5367-5368.
- Hasan, C.M., Cia, M.Y., Rashid M.A. and Connolly, J.D. 1994. 5-Acetoxyisogoniothalamine oxide, an epoxystyryl lactone from *Goniothalamus sesquipedalis*. Phytochemistry 37(6): 1763-1764.

- Jewers, K., Davis, J.B., Dougan, J. and Manchanda, A.H. 1972. Goniotalamin and its distribution in four *Goniotalamus* species. Phytochemistry 29(5): 1701-1704.
- Jiang, Z and Yu, D.-Q. 1997. New type of mono-tetrahydrofuran ring acetogenins from *Goniotalamus donnaiensis*. J. Nat. Prod. 60: 122-125.
- Leboeuf, M., Cave, A., Bhaumik, P.K., Mukherjee, B. and Mukherjee, R. 1982. The phytochemistry of the Annonaceae. Phytochemistry 21(12): 2783-2813.
- Lu, S.-Y., Wu, Y.-C. and Leou, S.-P. 1985. Alkaloids of formosan *Fissistigma* and *Goniotalamus* species. Phytochemistry 24(8): 1829-1834.
- Malaria Division of Public Health Ministry of Thailand. Malaria Situation. Bangkok: Malaria Division, 1996. (Mimeographed)
- Mix, D.B., Guinaudeau, H. and Shamma, M. 1982. The aristolochic acids and aristolactams. J. Nat. Prod. 45(6): 657-666.
- Murray, M.C. and Perkins, M.E. Chemotherapy of Malaria. In Bristol, J.A. (ed.), Annual Reports in Medicinal Chemistry Volume 31, pp. 141-149. Academic Press, 1996.
- Omar, S., Chee, C.L., Ahmad, F., Ni, J.X., Jaber, H., Huang, J and Nakatsu, T. 1992. Phenanthrene lactams from *Goniotalamus velutinus*. Phytochemistry 31 (12): 4395-4397.
- Phillipson, J.D., Wright, C.W., Kirby, G.C. and Warhurst, D.C. Phytochemistry of some plants used in traditional medicine for the treatment of protozoal diseases. In Hostettmann, K., Marston, A. Maillard, M. and Hamburge, M. (eds.), Phytochemistry of Plants Used in Traditional Medicine, pp. 95-135 Oxford: Clarendon Press, 1995.
- Priestap, H.A. 1985. Seven aristolactams from *Aristolochia argentina*. Phytochemistry 24(4): 849-857.
- Probstel, A. and Bauer, R. 1992. Aristolactam and a 4,5-dioxoaporphine derivative from *Houttuynia cordata*. Planta Med. 58: 568-569.

- Rao, K.V. and Reedy, G.C.S. 1990. Chemistry of *Saururus cernuus*, V. Sauristolactam and other nitrogenous constituents. J. Nat. Prod. 53(2): 309-312.
- Rieckmann, K.H., Sax, L.I., Campbell, G.H. and Mrema, J.E. 1978. Drug sensitivity of *Plasmodium falciparum*: an *in vitro* microtechnique Lancet 22-23.
- Rupprecht, J.K., Hui, Y.-H. and MacLaughlin, J.L. 1990. Annonaceous acetogenins: a review. J. Nat. Prod. 53(2): 237-278.
- Sam, T.W., Chew, S.-Y., Matsjeh, E.K.G., Razak, D. and Mohamed, A.L. 1987. Goniotalamin oxide: an embryotoxic compound from *Goniothalamus macrophyllus* (Annonaceae) Tetrahedron Lett. 28(22): 2541-2544.
- Sinclair, J. A Revision of the Malayan Annonaceae. 1955. The Gardens' Bulletin Singapore 14(2): 149-516.
- Sun, N.-J., Anderson, M., Chang, C.-J. and Cassady, J.M. 1987. New cytotoxic aristolactam from *Pararistolochia flos-avis*. J. Nat. Prod. 50(5): 843-846.
- Talapatra, B., Deb, T. and Talapatra, S.K. 1985. Isolation of Pinocembrin from *Goniothalamus grifithii* & its biomimetic synthesis. Indian J. Chem. 24B: 561.
- Talapatra, S.K., Basu, D. Chattopadhyay, P. and Talapatra, B. 1988. Aristolactam of *Goniothalamus sesquipedalis* Wall. Revised structure of the 2-oxygenated aristolactam. 1988. Phytochemistry 27(3): 903-906.
- Trager W. and Jensen, J.B. 1976. Human malaria parasites in continuous culture. Sciences 193: 673-675.
- Wu, Y.-C., Chang, F.-R., Duh, C.-Y., Wang, S.-k. and Wu T.-S. 1992. Cytotoxic styrylpyrones of *Goniothalamus amuyon*. Phytochemistry 31(8): 2851-2853.
- Wu, Y.-C., Duh C.-Y., Chang, F.-R., Chang, G.-Y. Wang, S.-K., Chang, J.-J., McPhail, D.R., McPhail, A.T. and Lee, K.-H. 1991. The crystal structure and cytotoxicity of Goniodiol-7-monoacetate from *Goniothalamus amuyon*. J. Nat. Prod. 54(4): 1077-1081.

VITA

Miss Lalita Wirasathien was born on July 26, 1971 in Bangkok, Thailand. She received her Bachelor's degree of Science in Pharmacy in 1995 from the Faculty of Pharmaceutical Sciences, Prince of Songkhla University, Thailand. She was awarded a University Development Commission (UDC) scholarship with an obligation to serve, after the completion of her M.S. study, as a member at the Department of Pharmacognosy, Faculty of Pharmaceutical Sciences, Srinakharinwirot University.



สถาบันวิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย