

REFERENCES



1. Holland, C.D., G.P. Penton, and S.E. Gallun, "Solve More Distillation Problems: Part 3 - Application to Absorbers" Hydrocarbon Process., 54(1), (1975): 101-105.
2. _____, Fundamentals and Modeling of Separation Processes - Absorption, Distillation, Evaporation, and Extraction, Prentice-Hall Inc., Englewood Cliffs, N.J. 1975.
3. Packie, J.W., "Distillation Equipment in the Oil Refining Industry" AIChE Transactions 37, (1941): 51-78.
4. Nelson, W.L., Petroleum Refinery Engineering, 4th ed., McGraw-Hill Book Co., New York, 1958.
5. Watkins, R.N., "How to Design Crude Distillation", Hydrocarbon Process., 48(12), (1969): 93-106.
6. _____, Petroleum Refinery Distillation, 2nd ed., Gulf Publishing Co., Houston, Texas, 1981.
7. Lyster, W.N., S.L. Sullivan,Jr., D.S. Billingsley, and C.D. Holland,"Figure Distillation This New Way", Pet. Refiner, 38(6), (1959): 221-232.
8. _____, ibid., 38(7), (1959): 151-158.
9. _____, ibid., 38(10), (1959): 139-146.
10. Hardy, B.W., S.L. Sullivan, Jr., H.L. Bauni, and C.D. Holland, "Figure Distillation This New Way - A Convergence Method for Absorbers", Pet. Refiner, 40(9), (1961): 237-245.
11. Holland, C.D., Multicomponent Distillations, Prentice-Hall Inc., Englewood Cliffs, N.J. 1963.
12. Friday, J.R. and B.D. Smith, " An Analysis of the Equilibrium

- Stage Separation Problem - Formulation and Convergence",
AIChE J., 10(1964): 698-705.
13. Boynton, G.W., "Iteration Solves Distillation", Hydrocarbon Process., 49(1), (1970): 153-156.
14. Holland, C.D., Fundamentals of Multicomponent Distillation, McGraw-Hill Book Co., New York, 1981.
15. Amudson, N.R. and A.J. Pontinen, "Multicomponent Distillation Calculations on a Large Digital Computer", Ind.Eng.Chem., 50(1958): 730-738.
16. Greenstadt, J., Y. Bard, and B. Morse, "Multicomponent Distillation on the IBM704", Ind.Eng.Chem., 50(1958): 1644-1650.
17. Sujata, A.D., "Absorber Stripper Calculations Made Easier", Pet. Refiner, 40(12), (1961): 137-143.
18. Newman, J.S., "Temperature Computed for Distillation", Pet. Refiner, 42(4), (1963): 141-149.
19. Tierney, J.W. and J.A. Bruno, "Equilibrium Stage Calculations", AIChE J., 13(1967): 556-561.
20. _____, and J.L. Yanosik, "Simultaneous Flow and Temperature Correction in the Equilibrium Stage Problem", AIChE J., 15(1967): 897-902.
21. Orbach, O. and C.M. Crowe, "Convergence Promotion in the Simulation of Chemical Processes with Recycle - The Dominant Eigenvalue Method", Can.J.Chem.Eng., 49(1971): 509-605.
22. Tomich, J.F., "A New Simulation Method for Equilibrium Stage Processes", AIChE J., 16(1970): 229-234.
23. Hutchison, H.P. and C.F. Shewchuk, "A Computational Method for Multiple Distillation Towers", Trans.Inst.Chem.Eng., 52

- (1974): 325-330.
24. Boston, J.F. and S.L. Sullivan, Jr., "A New Class of Solution Methods for Multicomponent, Multistage Separation Processes", Can.J.Chem.Eng., 52(1974): 52-59.
25. Fredemslund, A., J. Gmehling, M.L. Michelson, P. Rasmussen and J.M. Prausnitz, "Computerized Design of Multicomponent Distillation Columns Using the UNIFAC Group Contribution Method for Calculation of Activity Coefficients", Ind. Eng.Chem. Process Des.Dev., 16(4), (1977): 450-462.
26. _____, _____, and P. Rasmussen, Vapor-Liquid Equilibrium Using UNIFAC, Elsevier, Amsterdam, 1977.
27. King, C.J., Separation Processes, 2nd ed., McGraw-Hill Book Co., New York, 1980.
28. Pierucci, S.J., E.M. Ranzi, G.E. Biardi and M. Dente, "T-method computes distillation", Hydrocarbon Process., 60(9), (1981): 179-183.
29. Kaufmann, S. and A. Montalvo, "The Application of a Modified Damped Newton Method for the Simulation of Vapor-Liquid Stagewise Processes", Comp.Chem.Eng., 7(2), (1983): 93-98.
30. Yamada, I., P.Q. Chan, M. Sawada, S. Hiraoka, H. Mori and R. Ishikawa, "EV-matrix Method for Solving Multicomponent Distillation Problems which involve Partial Condensation and Entrainment", Inter.Chem.Eng., 25(3), (1985): 507-516.
31. Prater, N.H. and C.W. Boyd, "How to Calculate Multidraw Towers", Oil and Gas J., 53(52), (1955): 72-86.
32. Van Winkle, M., Distillation, McGraw-Hill Book Co., 1969.
33. Dickey, B.R., C.D. Holland and R. Cechettii, "Figure Separations

This New Way - Part 8: Distillation With Side-Strippers"
Hydrocarbon Process. and Pet. Refiner, 41(2), (1962): 143
- 148.

34. Thiele, E.W. and R.L. Geddes, "Computation of Distillation Apparatus for Hydrocarbon Mixtures", Ind. Eng. Chem., 25(1933) : 289-298.
35. Amundson, N.R., A.J. Pontinen and J.W. Tierney, "Multicomponent Distillation Calculations on a large Digital Computer", Ind. Eng. Chem., 50(1958): 730-742.
36. Gilbert, R.J.H., J. Leather and J.F.G. Ellis, "The Application of the Gedded Fractionation Index to Crude Distillation Units", AIChE J., 12(3), (1966): 432-440.
37. Jacob, R.R., "Fractionation Index of Crude Distillation", Hydrocarbon Process., 50(5), (1971): 149-156.
38. Hariu, R.H. and R.C. Sage, "Crude Split Figured by Computer", Hydrocarbon Process., 48(4), (1969): 143-148.
39. Cecchetti, R., R.H. Johnston, J.L. Niedzwiecki and C.D. Holland, "Pipestill Products Verify These Computer Estimates", Hydrocarbon Process. and Pet. Refiner, 42(9), (1963): 159-167.
40. Hess, F.E., C.D. Holland, R. McDaniel and N.J. Tetlow, "Solve More Distillation Problem - Part 7: Absorber-Type Pipestills", Hydrocarbon Process., 56(5), (1977): 241-249.
41. Perry, R.H. and D. Green, editor, Perry's Chemical Engineers' Handbook, 6th ed., McGraw-Hill Book Co., New York, 1984.
42. Maxwell, J.B. and L.S. Bonnell, "Derivation and Precision of a New Vapor Pressure Correlation for Petroleum Hydrocarbon"



Ind. Eng. Chem., 49(7), (1957): 1187-1196.

43. Edmister, H.L., Applied Hydrocarbon Thermodynamics - Vol.I, Gulf Publishing Co., Texas, 1961.
44. Maxwell, J.B., Data Book on Hydrocarbons, D. Van Nostrand Co., Princeton, N.J., 1950.
45. Nelson, W.L., "Does crude boil at 1,400°F?", Oil and Gas J., 66 (12), (1968): 125-130.
46. Hastings, C. Jr., Approximations for Digital Computers, Princeton Univ. Press, Princeton, N.J., 1955.
47. Gandbhir, S.S. and P.S. Virk, "Rapid interconversion between ASTM and TBP Distillations", Oil and Gas J., 69(2), (1971): 53-55.
48. Encyclopedia of Chemical Technology, 3rd ed., 17(1980): 186-187.
49. Gary, J.H. and G.E. Handwerk, Petroleum Refining: Technology and Economics, Marcel Dekker, London, 1970.
50. Katz, D.L. and G.G. Brown, "Vapor Pressure and Vaporization of Petroleum Fractions", Ind. Eng. Chem., 25(12), (1933): 1373-1384.
51. Poettman, F.H. and J.B. Mayland, "Equilibrium Constants for High Boiling Hydrocarbon Fractions of Varying Characterization Factors", Pet. Refiner, 28(7), (1949): 101-126.
52. Bland, W.F., and R.L. Davidson, Petroleum Processing Handbook, McGraw-Hill Book Co., New York, 1967.
53. Smith, H.M., U.S.Bur.Mines, Tech. Paper, 610(1949).
54. Watson, K.M. and E.F. Nelson and G.B. Murphy, "Characterization of Petroleum Fractions", Ind. Eng. Chem., 27(12), (1935): 1460-1464.

55. Mills, I.W., A.E. Hirschler and S.S. Kurtz, "Molecular Weight - Physical Property Correlation for Petroleum Fractions", Ind. Eng. Chem., 38(4), (1946): 442-446.
56. Winn, F.W., "Physical Properties by Nomogram", Pet. Refiner, 36 (2), (1957): 157-159.
57. Fenske, M.R., McCluer, W.B. and M.R. Cannon, "Molecular Weights by the Cryoscopic Method and from Thermal Data", Ind. Eng. Chem., 26(9), (1934): 976-982.
58. FitzSimons, O., and E.W. Thiele, " Molecular Weight of Cracked Distillation", Ind. Eng. Chem., Anal. Ed., 7(1), (1935): 11-14.
59. White, R.R., and G.G. Brown, " Phase Equilibria at High Temperatures", Ind. Eng. Chem., 34(10), (1942): 1162-1174.
60. Hadden, S.T. and H.G. Grayson, "New Charts for Hydrocarbon Vapor -liquid Equilibria", Pet. Refiner, 40(9), (1961): 207-216.
61. Bauer, C.R. and J.F. Middleton, " Enthalpy of Vapor and Liquid Petroleum Fractions", Pet. Refiner, 38(10), (1959): 154-159.
62. Johnson, R.L. and H.G. Grayson, "Enthalpy of Petroleum Fractions" Pet. Refiner, 40(2), (1961): 123-129.
63. Lyderson, R.H., F.A. Greenkorn, and W.A. Hougen, "The Enthalpy Charts for Petroleum Fractions ", Pet. Refiner, 37(3), (1958): 167-175.
64. Ritchey, K.J., F.B. Canfield and T.B. Challand, "Heavy-oil Distillation via Computer Simulation", Chem. Eng., 83(16), (1976): 79-92.
65. Broyden, C.G., "A class of methods for solving nonlinear simul-

taneous equations", Math.Comp., 19(1965): 577-593.

66. Davidon, W.C., "Variable Metric Method for Minimization", A.E.C. Res. and Dev. Report ANL-5990, 1959.
67. Lucia, A., "A Note on the Broyden-Householder Algorithm", Comp. Chem. Eng., 7(2), (1983): 129-131.





APPENDICES

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

Appendix A. Relation between lb/gal, specific gravity, and °API

°API	Tenths of degrees									
	0	1	2	3	4	5	6	7	8	9
0	8.962	8.956	8.949	8.942	8.935	8.928	8.922	8.915	8.908	8.901
	1.0760	1.0752	1.0744	1.0736	1.0728	1.0720	1.0712	1.0703	1.0695	1.0687
1	8.895	8.888	8.881	8.875	8.868	8.861	8.855	8.848	8.841	8.835
	1.0679	1.0671	1.0663	1.0655	1.0647	1.0639	1.0631	1.0623	1.0615	1.0607
2	8.828	8.821	8.815	8.808	8.802	8.795	8.788	8.782	8.775	8.769
	1.0599	1.0591	1.0583	1.0575	1.0568	1.0560	1.0552	1.0544	1.0536	1.0528
3	8.762	8.750	8.749	8.743	8.736	8.730	8.723	8.717	8.710	8.704
	1.0520	1.0513	1.0505	1.0497	1.0489	1.0481	1.0474	1.0466	1.0458	1.0451
4	8.698	8.691	8.685	8.678	8.672	8.666	8.659	8.653	8.646	8.640
	1.0443	1.0435	1.0427	1.0420	1.0412	1.0404	1.0397	1.0389	1.0382	1.0374
5	8.634	8.627	8.621	8.615	8.608	8.602	8.596	8.590	8.583	8.577
	1.0366	1.0359	1.0351	1.0344	1.0336	1.0328	1.0321	1.0313	1.0306	1.0298
6	8.571	8.565	8.558	8.552	8.546	8.540	8.534	8.527	8.521	8.515
	1.0291	1.0283	1.0276	1.0269	1.0261	1.0254	1.0246	1.0239	1.0231	1.0224
7	8.509	8.503	8.497	8.490	8.484	8.478	8.472	8.466	8.460	8.454
	1.0217	1.0209	1.0202	1.0195	1.0187	1.0180	1.0173	1.0165	1.0158	1.0151
8	8.448	8.442	8.436	8.430	8.424	8.418	8.412	8.406	8.400	8.394
	1.0143	1.0136	1.0129	1.0122	1.0114	1.0107	1.0100	1.0093	1.0086	1.0078
9	8.388	8.382	8.376	8.370	8.364	8.358	8.352	8.346	8.340	8.334
	1.0071	1.0064	1.0057	1.0050	1.0043	1.0035	1.0028	1.0021	1.0014	1.0007
10	8.328	8.322	8.317	8.311	8.305	8.299	8.293	8.287	8.282	8.276
	1.0000	0.9993	0.9986	0.9979	0.9972	0.9965	0.9958	0.9951	0.9944	0.9937
11	8.270	8.264	8.258	8.252	8.246	8.241	8.235	8.229	8.223	8.218
	0.9930	0.9923	0.9916	0.9909	0.9902	0.9895	0.9888	0.9881	0.9874	0.9868
12	8.212	8.206	8.201	8.195	8.189	8.183	8.178	8.172	8.166	8.161
	0.9861	0.9854	0.9847	0.9840	0.9833	0.9826	0.9820	0.9813	0.9806	0.9799
13	8.155	8.150	8.144	8.138	8.132	8.127	8.122	8.116	8.110	8.105
	0.9792	0.9786	0.9779	0.9772	0.9765	0.9759	0.9752	0.9745	0.9738	0.9732
14	8.099	8.093	8.088	8.082	8.076	8.071	8.066	8.061	8.055	8.049
	0.9725	0.9718	0.9712	0.9705	0.9698	0.9692	0.9685	0.9679	0.9672	0.9665
15	8.044	8.038	8.033	8.027	8.021	8.016	8.011	8.006	8.000	7.995
	0.9659	0.9652	0.9646	0.9639	0.9632	0.9626	0.9619	0.9613	0.9606	0.9600
16	7.989	7.984	7.978	7.973	7.967	7.962	7.956	7.951	7.946	7.940
	0.9593	0.9587	0.9580	0.9574	0.9567	0.9561	0.9554	0.9548	0.9541	0.9535
17	7.935	7.930	7.925	7.919	7.914	7.909	7.903	7.898	7.893	7.887
	0.9529	0.9522	0.9516	0.9509	0.9503	0.9497	0.9490	0.9484	0.9478	0.9471
18	7.882	7.877	7.871	7.866	7.861	7.856	7.851	7.846	7.841	7.835
	0.9465	0.9459	0.9452	0.9446	0.9440	0.9433	0.9427	0.9421	0.9415	0.9408
19	7.830	7.825	7.820	7.814	7.809	7.804	7.799	7.793	7.788	7.783
	0.9402	0.9396	0.9390	0.9383	0.9377	0.9371	0.9365	0.9358	0.9352	0.9346
20	7.778	7.773	7.768	7.762	7.757	7.752	7.747	7.742	7.737	7.732
	0.9340	0.9334	0.9328	0.9321	0.9315	0.9309	0.9303	0.9297	0.9291	0.9285
21	7.727	7.722	7.717	7.711	7.706	7.701	7.696	7.691	7.686	7.681
	0.9279	0.9273	0.9267	0.9260	0.9254	0.9248	0.9242	0.9236	0.9230	0.9224
22	7.676	7.671	7.666	7.661	7.656	7.651	7.646	7.641	7.636	7.632
	0.9218	0.9212	0.9206	0.9200	0.9194	0.9188	0.9182	0.9176	0.9170	0.9165
23	7.627	7.622	7.617	7.612	7.607	7.602	7.597	7.592	7.587	7.583
	0.9159	0.9153	0.9147	0.9141	0.9135	0.9129	0.9123	0.9117	0.9111	0.9106
24	7.578	7.573	7.568	7.563	7.558	7.554	7.549	7.544	7.539	7.534
	0.9100	0.9094	0.9088	0.9082	0.9076	0.9071	0.9065	0.9059	0.9053	0.9047
25	7.529	7.524	7.519	7.514	7.509	7.505	7.500	7.495	7.491	7.486
	0.9042	0.9036	0.9030	0.9024	0.9018	0.9013	0.9007	0.9001	0.8990	0.8990

Appendix A. (continue)

°API	Tenths of degrees									
	0	1	2	3	4	5	6	7	8	9
51	6.455	6.451	6.448	6.445	6.441	6.437	6.434	6.430	6.427	6.423
	0.7753	0.7749	0.7745	0.7741	0.7736	0.7732	0.7728	0.7724	0.7720	0.7715
52	6.420	6.416	6.413	6.410	6.406	6.402	6.399	6.396	6.392	6.389
	0.7711	0.7707	0.7703	0.7699	0.7694	0.7690	0.7686	0.7682	0.7678	0.7674
53	6.385	6.381	6.378	6.375	6.371	6.368	6.365	6.361	6.357	6.354
	0.7669	0.7665	0.7661	0.7657	0.7653	0.7649	0.7645	0.7640	0.7636	0.7632
54	6.350	6.347	6.344	6.340	6.337	6.334	6.330	6.326	6.323	6.320
	0.7628	0.7624	0.7620	0.7616	0.7612	0.7608	0.7603	0.7599	0.7595	0.7591
55	6.316	6.313	6.310	6.306	6.303	6.300	6.296	6.293	6.290	6.287
	0.7587	0.7583	0.7579	0.7575	0.7571	0.7567	0.7563	0.7559	0.7555	0.7551
56	6.283	6.280	6.276	6.273	6.270	6.266	6.263	6.259	6.256	6.253
	0.7547	0.7543	0.7539	0.7535	0.7531	0.7527	0.7523	0.7519	0.7515	0.7511
57	6.249	6.246	6.243	6.240	6.236	6.233	6.229	6.226	6.223	6.219
	0.7507	0.7503	0.7499	0.7495	0.7491	0.7487	0.7483	0.7479	0.7475	0.7471
58	6.216	6.213	6.209	6.206	6.203	6.199	6.196	6.193	6.190	6.187
	0.7467	0.7463	0.7459	0.7455	0.7451	0.7447	0.7443	0.7440	0.7436	0.7432
59	6.184	6.180	6.177	6.174	6.170	6.167	6.164	6.161	6.158	6.154
	0.7428	0.7424	0.7420	0.7416	0.7412	0.7408	0.7405	0.7401	0.7397	0.7393
60	6.151	6.148	6.144	6.141	6.138	6.135	6.132	6.129	6.125	6.122
	0.7389	0.7385	0.7381	0.7377	0.7374	0.7370	0.7366	0.7362	0.7358	0.7354
61	6.119	6.116	6.113	6.109	6.106	6.103	6.100	6.097	6.094	6.090
	0.7351	0.7347	0.7343	0.7339	0.7335	0.7332	0.7328	0.7324	0.7320	0.7316
62	6.087	6.084	6.081	6.078	6.075	6.072	6.068	6.065	6.062	6.059
	0.7313	0.7309	0.7305	0.7301	0.7298	0.7294	0.7290	0.7286	0.7283	0.7279
63	6.056	6.053	6.050	6.047	6.044	6.040	6.037	6.034	6.031	6.028
	0.7275	0.7271	0.7268	0.7264	0.7260	0.7256	0.7253	0.7249	0.7245	0.7242
64	6.025	6.022	6.019	6.016	6.013	6.010	6.007	6.004	6.000	5.997
	0.7238	0.7234	0.7230	0.7227	0.7223	0.7219	0.7216	0.7212	0.7208	0.7205
65	5.994	5.991	5.988	5.985	5.982	5.979	5.976	5.973	5.970	5.967
	0.7201	0.7197	0.7194	0.7190	0.7186	0.7183	0.7179	0.7175	0.7172	0.7168
66	5.964	5.961	5.958	5.955	5.952	5.949	5.946	5.943	5.940	5.937
	0.7165	0.7161	0.7157	0.7154	0.7150	0.7146	0.7143	0.7139	0.7136	0.7132
67	5.934	5.931	5.928	5.925	5.922	5.919	5.916	5.913	5.910	5.907
	0.7128	0.7125	0.7121	0.7118	0.7114	0.7111	0.7107	0.7103	0.7100	0.7096
68	5.904	5.901	5.898	5.895	5.892	5.889	5.886	5.883	5.880	5.877
	0.7093	0.7089	0.7086	0.7082	0.7079	0.7075	0.7071	0.7068	0.7064	0.7061
69	5.874	5.871	5.868	5.865	5.863	5.860	5.857	5.854	5.851	5.848
	0.7057	0.7054	0.7050	0.7047	0.7043	0.7040	0.7036	0.7033	0.7029	0.7026
70	5.845	5.842	5.839	5.836	5.833	5.831	5.828	5.825	5.823	5.820
	0.7022	0.7019	0.7015	0.7012	0.7008	0.7005	0.7001	0.6998	0.6995	0.6991
71	5.817	5.814	5.811	5.808	5.805	5.802	5.799	5.796	5.793	5.791
	0.6988	0.6984	0.6981	0.6977	0.6974	0.6970	0.6967	0.6964	0.6960	0.6957
72	5.788	5.785	5.782	5.779	5.776	5.773	5.771	5.768	5.765	5.762
	0.6953	0.6950	0.6946	0.6943	0.6940	0.6936	0.6933	0.6929	0.6926	0.6923
73	5.759	5.757	5.754	5.751	5.748	5.745	5.743	5.740	5.737	5.734
	0.6919	0.6916	0.6913	0.6909	0.6906	0.6902	0.6899	0.6895	0.6892	0.6889
74	5.731	5.728	5.726	5.723	5.720	5.718	5.715	5.712	5.709	5.706
	0.6886	0.6882	0.6879	0.6876	0.6872	0.6869	0.6866	0.6862	0.6859	0.6856
75	5.703	5.701	5.698	5.695	5.693	5.690	5.687	5.685	5.682	5.679
	0.6852	0.6849	0.6846	0.6842	0.6839	0.6836	0.6832	0.6829	0.6826	0.6823

Appendix A. (continue)

°API	Tenths of degrees									
	0	1	2	3	4	5	6	7	8	9
26	7.481	7.476	7.472	7.467	7.462	7.458	7.453	7.448	7.443	7.438
	0.8984	0.8978	0.8973	0.8967	0.8961	0.8956	0.8950	0.8944	0.8939	0.8933
27	7.434	7.429	7.424	7.420	7.415	7.410	7.406	7.401	7.397	7.392
	0.8927	0.8922	0.8916	0.8911	0.8905	0.8899	0.8894	0.8888	0.8883	0.8877
28	7.387	7.383	7.378	7.373	7.368	7.364	7.360	7.355	7.351	7.346
	0.8871	0.8866	0.8860	0.8855	0.8849	0.8844	0.8838	0.8833	0.8827	0.8822
29	7.341	7.337	7.332	7.328	7.323	7.318	7.314	7.309	7.305	7.300
	0.8816	0.8811	0.8805	0.8800	0.8794	0.8789	0.8783	0.8778	0.8772	0.8767
30	7.296	7.291	7.287	7.282	7.278	7.273	7.268	7.264	7.259	7.255
	0.8762	0.8756	0.8751	0.8745	0.8740	0.8735	0.8729	0.8724	0.8718	0.8713
31	7.251	7.246	7.242	7.238	7.233	7.228	7.224	7.219	7.215	7.211
	0.8708	0.8702	0.8697	0.8692	0.8686	0.8681	0.8676	0.8670	0.8665	0.8660
32	7.206	7.202	7.198	7.193	7.188	7.184	7.180	7.176	7.171	7.167
	0.8654	0.8649	0.8644	0.8639	0.8633	0.8628	0.8623	0.8618	0.8612	0.8607
33	7.163	7.158	7.153	7.149	7.145	7.141	7.137	7.132	7.128	7.123
	0.8602	0.8597	0.8591	0.8586	0.8581	0.8576	0.8571	0.8565	0.8560	0.8555
34	7.119	7.115	7.111	7.106	7.102	7.098	7.093	7.089	7.085	7.081
	0.8550	0.8545	0.8540	0.8534	0.8529	0.8524	0.8519	0.8514	0.8509	0.8504
35	7.076	7.072	7.068	7.063	7.059	7.055	7.051	7.047	7.042	7.038
	0.8498	0.8493	0.8488	0.8483	0.8478	0.8473	0.8468	0.8463	0.8458	0.8453
36	7.034	7.030	7.026	7.022	7.018	7.013	7.009	7.005	7.001	6.997
	0.8448	0.8443	0.8438	0.8433	0.8428	0.8423	0.8418	0.8413	0.8408	0.8403
37	6.993	6.989	6.985	6.980	6.976	6.972	6.968	6.964	6.960	6.955
	0.8398	0.8393	0.8388	0.8383	0.8378	0.8373	0.8368	0.8363	0.8358	0.8353
38	6.951	6.947	6.943	6.939	6.935	6.930	6.926	6.922	6.918	6.914
	0.8348	0.8343	0.8338	0.8333	0.8328	0.8324	0.8319	0.8314	0.8309	0.8304
39	6.910	6.906	6.902	6.898	6.894	6.890	6.886	6.882	6.878	6.874
	0.8299	0.8294	0.8289	0.8285	0.8280	0.8275	0.8270	0.8265	0.8260	0.8256
40	6.870	6.866	6.862	6.858	6.854	6.850	6.846	6.842	6.838	6.834
	0.8251	0.8246	0.8241	0.8236	0.8232	0.8227	0.8222	0.8217	0.8212	0.8208
41	6.830	6.826	6.822	6.818	6.814	6.810	6.806	6.802	6.798	6.794
	0.8203	0.8198	0.8193	0.8189	0.8184	0.8179	0.8174	0.8170	0.8165	0.8160
42	6.790	6.768	6.782	6.779	6.775	6.771	6.767	6.763	6.759	6.756
	0.8155	0.8151	0.8146	0.8142	0.8137	0.8132	0.8128	0.8123	0.8118	0.8114
43	6.752	6.748	6.744	6.740	6.736	6.732	6.728	6.724	6.720	6.716
	0.8109	0.8104	0.8100	0.8095	0.8090	0.8086	0.8081	0.8076	0.8072	0.8067
44	6.713	6.709	6.705	6.701	6.697	6.694	6.690	6.686	6.682	6.679
	0.8063	0.8058	0.8054	0.8049	0.8044	0.8040	0.8035	0.8031	0.8026	0.8022
45	6.675	6.671	6.667	6.663	6.660	6.656	6.652	6.648	6.645	6.641
	0.8017	0.8012	0.8008	0.8003	0.7999	0.7994	0.7990	0.7985	0.7981	0.7976
46	6.637	6.633	6.630	6.626	6.622	6.618	6.615	6.611	6.607	6.604
	0.7972	0.7967	0.7963	0.7958	0.7954	0.7949	0.7945	0.7941	0.7936	0.7932
47	6.600	6.596	6.592	6.589	6.585	6.582	6.578	6.574	6.571	6.567
	0.7927	0.7923	0.7918	0.7914	0.7909	0.7905	0.7901	0.7896	0.7892	0.7887
48	6.563	6.560	6.556	6.552	6.548	6.545	6.541	6.537	6.534	6.530
	0.7883	0.7879	0.7874	0.7870	0.7865	0.7861	0.7857	0.7852	0.7848	0.7844
49	6.526	6.523	6.520	6.516	6.512	6.509	6.505	6.501	6.498	6.494
	0.7839	0.7835	0.7831	0.7826	0.7822	0.7818	0.7813	0.7809	0.7805	0.7800
50	6.490	6.487	6.484	6.480	6.476	6.473	6.469	6.466	6.462	6.459
	0.7796	0.7792	0.7788	0.7783	0.7779	0.7775	0.7770	0.7766	0.7762	0.7758

Appendix A. (continue)

°API	Tenths of degrees									
	0	1	2	3	4	5	6	7	8	9
76	5.676	5.673	5.671	5.668	5.665	5.662	5.660	5.657	5.654	5.652
	0.6819	0.6816	0.6813	0.6809	0.6806	0.6803	0.6800	0.6796	0.6793	0.6790
77	5.649	5.646	5.643	5.641	5.638	5.635	5.632	5.630	5.627	5.624
	0.6787	0.6783	0.6780	0.6777	0.6774	0.6770	0.6767	0.6764	0.6761	0.6757
78	5.622	5.619	5.617	5.614	5.611	5.608	5.606	5.603	5.600	5.598
	0.6754	0.6751	0.6748	0.6745	0.6741	0.6738	0.6735	0.6732	0.6728	0.6725
79	5.595	5.592	5.590	5.587	5.584	5.582	5.579	5.577	5.574	5.571
	0.6722	0.6719	0.6716	0.6713	0.6709	0.6706	0.6703	0.6700	0.6697	0.6693
80	5.568	5.566	5.563	5.561	5.558	5.556	5.553	5.550	5.548	5.545
	0.6690	0.6687	0.6684	0.6681	0.6678	0.6675	0.6671	0.6668	0.6665	0.6662
81	5.542	5.540	5.537	5.534	5.532	5.529	5.526	5.524	5.522	5.519
	0.6659	0.6656	0.6653	0.6649	0.6646	0.6643	0.6640	0.6637	0.6634	0.6631
82	5.516	5.514	5.511	5.508	5.506	5.503	5.501	5.498	5.496	5.493
	0.6628	0.6625	0.6621	0.6618	0.6615	0.6612	0.6609	0.6606	0.6603	0.6600
83	5.491	5.489	5.486	5.483	5.480	5.477	5.475	5.472	5.470	5.467
	0.6597	0.6594	0.6591	0.6588	0.6584	0.6581	0.6578	0.6575	0.6572	0.6569
84	5.465	5.462	5.460	5.458	5.455	5.453	5.450	5.448	5.445	5.443
	0.6566	0.6563	0.6560	0.6557	0.6554	0.6551	0.6548	0.6545	0.6542	0.6539
85	5.440	5.437	5.435	5.432	5.430	5.427	5.425	5.422	5.420	5.417
	0.6530	0.6533	0.6530	0.6527	0.6524	0.6521	0.6518	0.6515	0.6512	0.6509
86	5.415	5.412	5.410	5.407	5.405	5.402	5.400	5.397	5.395	5.392
	0.6506	0.6503	0.6500	0.6497	0.6494	0.6491	0.6488	0.6485	0.6482	0.6479
87	5.390	5.387	5.385	5.382	5.380	5.377	5.375	5.372	5.370	5.367
	0.6476	0.6473	0.6470	0.6467	0.6464	0.6461	0.6458	0.6455	0.6452	0.6449
88	5.365	5.363	5.361	5.358	5.356	5.353	5.351	5.348	5.346	5.343
	0.6446	0.6444	0.6441	0.6438	0.6435	0.6432	0.6429	0.6426	0.6423	0.6420
89	5.341	5.338	5.336	5.334	5.331	5.329	5.326	5.324	5.321	5.319
	0.6417	0.6414	0.6411	0.6409	0.6406	0.6403	0.6400	0.6397	0.6394	0.6391
90	5.316	5.314	5.312	5.310	5.307	5.305	5.302	5.300	5.297	5.295
	0.6388	0.6385	0.6382	0.6380	0.6377	0.6374	0.6371	0.6368	0.6365	0.6362
91	5.293	5.291	5.288	5.286	5.283	5.281	5.278	5.276	5.274	5.271
	0.6360	0.6357	0.6354	0.6351	0.6348	0.6345	0.6342	0.6340	0.6337	0.6334
92	5.269	5.266	5.264	5.262	5.260	5.257	5.254	5.252	5.250	5.248
	0.6331	0.6328	0.6325	0.6323	0.6320	0.6317	0.6314	0.6311	0.6309	0.6306
93	5.246	5.243	5.240	5.238	5.236	5.234	5.232	5.229	5.227	5.225
	0.6303	0.6300	0.6297	0.6294	0.6292	0.6289	0.6286	0.6283	0.6281	0.6278
94	5.222	5.220	5.217	5.215	5.213	5.210	5.208	5.206	5.204	5.201
	0.6275	0.6272	0.6269	0.6267	0.6264	0.6261	0.6258	0.6256	0.6253	0.6250
95	5.199	5.196	5.194	5.192	5.190	5.187	5.185	5.183	5.180	5.179
	0.6247	0.6244	0.6242	0.6239	0.6236	0.6233	0.6231	0.6228	0.6225	0.6223
96	5.176	5.174	5.172	5.170	5.167	5.164	5.162	5.160	5.158	5.156
	0.6220	0.6217	0.6214	0.6212	0.6209	0.6206	0.6203	0.6201	0.6198	0.6195
97	5.154	5.151	5.149	5.146	5.144	5.142	5.140	5.138	5.136	5.133
	0.6193	0.6190	0.6187	0.6184	0.6182	0.6179	0.6176	0.6174	0.6171	0.6168
98	5.131	5.129	5.126	5.124	5.122	5.120	5.118	5.116	5.113	5.111
	0.6166	0.6163	0.6160	0.6158	0.6155	0.6152	0.6150	0.6147	0.6144	0.6141
99	5.109	5.107	5.105	5.102	5.100	5.098	5.096	5.092	5.091	5.089
	0.6139	0.6136	0.6134	0.6131	0.6128	0.6126	0.6123	0.6120	0.6118	0.6115

Appendix A. (continue)

°API	Degrees									
	0	1	2	3	4	5	6	7	8	9
100	5.086	5.065	5.043	5.021	5.000	4.979	4.957	4.936	4.915	4.895
	0.6112	0.6086	0.6060	0.6034	0.6008	0.5983	0.5957	0.5932	0.5907	0.5883
110	4.876	4.855	4.835	4.815	4.795	4.776	4.757	4.738	4.719	4.699
	0.5659	0.5535	0.5511	0.55787	0.5763	0.5740	0.5717	0.5694	0.5671	0.5648
120	4.680	4.662	4.644	4.625	4.608	4.589	4.572	4.554	4.536	4.518
	0.5325	0.5603	0.5581	0.5559	0.5538	0.5516	0.5495	0.5473	0.5452	0.5431
130	4.502	4.484	4.468	4.450	4.434	4.417	4.400	4.384	4.368	4.352
	0.5411	0.5390	0.5370	0.5349	0.5329	0.5309	0.5289	0.5270	0.5250	0.5231
140	4.335	4.319	4.303	4.288	4.273	4.257	4.242	4.226	4.211	4.196
	0.5211	0.5192	0.5173	0.5154	0.5136	0.5117	0.5099	0.5080	0.5062	0.5044
150	4.181	4.166	4.152	4.137	4.122	4.108	4.093	4.079	4.065	4.051
	0.5026	0.5008	0.4991	0.4973	0.4956	0.4938	0.4921	0.4904	0.4887	0.4870
160	4.037									
	0.4854									

* Values from 0 to 100°API, American Petroleum Institute Tables. Values from 100 to 160°API calculated by The Lummus Co.

***** TEST PROBLEM - COUDE DISTILLATION *****

TOTAL NO. OF COMPONENTS	= 40
TOTAL NO. OF THEORETIC L STAGES	= 34
TOPPING + ACCUMULATOR + CONDENSER	= 26
STRIPPER NO. 1	= 2
STRIPPER NO. 2	= 2
STRIPPER NO. 3	= 2
STRIPPER NO. 4	= 2
CONDENSER PRESSURE	= 22.40 PSIA
ACCUMULATOR PRESSURE	= 23.90 PSIA
BOTTOM PRESSURE	= 25.50 PSIA
PRESSURE DROP ACROSS ACCUMULATOR	= 1.00 PSIA
REFERENCE PRESSURE OF K-VALUE	= 22.40 PSIA
FLASH PRESSURE	= 26.20 PSIA
FEED TEMPERATURE	= 500.00 DEG.F

STRIPPER NO.	LIQUID DRAWN TRAY	VAPOR RETURN TRAY	STEAM RATE M/HR	WITHDRAWN RATE T(F) MOLES/HF
1	6	5	44.40	680.00 465.82
2	12	11	22.20	680.00 293.64
3	17	16	44.40	680.00 571.20
4	21	20	11.10	680.00 43.73

*** MAIN COLUMN STEAM STRIPPER, RATE = 111.11 MOLE/HR, TEMP = 680.00 DEG.F

INTER/REFLUX LINE NO.	DRAWN TRAY	RETURN TRAY	INT/COOL DUTY BTU/HR	WITHDRAWN RATE MOLES/HF
1	17	16	0.250+06	1150.50
2	8	7	0.200+03	2178.50

TRAY NO.	INITIAL TEMP DEG.F	INITIAL LIQ VOL/HR	INITIAL VAP MOL/HR	LIQ/VAPOR RATIO	PRESSURE PSIA	THETA
1	160.00	1000.0000	470.0000	0.4700	23.90	1.00
2	220.00	2000.0000	4000.0000	2.0000	24.90	1.00
3	240.00	2000.0000	3900.0000	1.9500	24.97	1.00
4	260.00	2000.0000	3800.0000	1.9000	25.04	1.00
5	280.00	2000.0000	3700.0000	1.8500	25.11	1.00
6	300.00	1500.0000	3500.0000	2.4000	25.18	1.00
7	320.00	4000.0000	3500.0000	0.8750	25.25	1.00
8	340.00	1300.0000	3400.0000	1.0889	25.32	1.00
9	360.00	1300.0000	3300.0000	1.0333	25.39	1.00
10	380.00	1300.0000	3200.0000	1.0778	25.46	1.00
11	400.00	1300.0000	3100.0000	1.0222	25.53	1.00
12	420.00	1500.0000	2900.0000	1.0125	25.60	1.00
13	440.00	1500.0000	2800.0000	1.0167	25.67	1.00
14	460.00	1500.0000	2700.0000	1.0167	25.73	1.00
15	480.00	1000.0000	2500.0000	2.6000	25.80	1.00
16	500.00	2400.0000	2500.0000	1.0417	25.87	1.00
17	520.00	300.0000	2400.0000	3.0000	25.94	1.00
18	540.00	500.0000	2300.0000	3.8333	26.01	1.00
19	560.00	400.0000	2200.0000	5.5000	26.08	1.00
20	580.00	400.0000	2100.0000	5.2000	26.15	1.00
21	600.00	400.0000	2000.0000	5.0000	26.22	1.00
22	620.00	400.0000	1900.0000	4.7500	26.29	1.00
23	640.00	200.0000	1800.0000	9.0000	26.36	1.00
24	660.00	500.0000	300.0000	0.6667	26.43	1.00
25	660.00	500.0000	300.0000	0.6667	26.50	1.00
26	280.00	500.0000	200.0000	0.3333	25.18	1.00
27	260.00	500.0000	150.0000	0.2500	25.25	1.00
28	400.00	400.0000	100.0000	0.2500	25.50	1.00
29	380.00	400.0000	60.0000	0.1500	25.67	1.00
30	500.00	500.0000	200.0000	0.3333	25.94	1.00
31	480.00	600.0000	150.0000	0.2200	26.01	1.00
32	580.00	100.0000	100.0000	1.0000	26.22	1.00
33	560.00	100.0000	60.0000	0.6667	26.29	1.00

***** SOLUTION OF TEST PROBLEM *****

TRAY NO.	FINAL TEMP DEG.F	LIQUID FLOW MOL/HR	VAPOR FLOW MOL/HR
0	120.00	523.4833	126.1513
1	172.90	2170.5092	1020.1393
2	228.45	2322.7129	3248.3466
3	248.10	2280.5959	3400.5503
4	262.83	2193.9577	3357.9333
5	278.18	2073.4069	3271.7951
6	297.19	1399.4917	3026.2602
7	319.32	4489.7447	2398.7491
8	337.43	2351.3425	3810.5021
9	355.54	2288.8003	3450.5999
10	369.42	2209.8183	3788.0577
11	381.87	2115.7189	3709.0757
12	394.79	1669.2578	3546.9132
13	409.09	1561.4733	3439.9552
14	423.14	1437.1541	3332.1707
15	438.77	1226.8481	3207.8516
16	463.03	2905.5530	2997.5455
17	500.83	579.6780	3402.7460
18	572.16	476.5553	2977.1754
19	607.48	407.3621	2774.0527
20	622.27	356.4372	2734.8595
21	630.45	248.2940	2635.7046
22	637.82	179.8576	2578.4714
23	640.27	80.2108	2510.0351
24	654.47	408.2796	162.9097
25	649.76	382.6859	136.7037
26	284.03	503.9795	124.9840
27	271.24	465.8200	88.5595
28	384.92	318.9163	68.0631
29	373.54	293.6400	47.4763
30	494.72	515.2579	123.0044
31	486.57	571.2000	88.4579
32	624.97	47.6242	18.2301
33	616.76	43.7800	14.9442

WATER FLOW (MOL/HR) - CONDENSER = 270.507
- ACCUMULATOR = 57.593

COOLING DUTY (BTU/HR) - CONDENSER = 0.1437020+08
- ACCUMULATOR = 0.3938780+08



COMPONENT FEED DATA *****

COMPONENT	FX(I)	VFC(I)	LPC(I)
1	0.975029280+01	0.975285940+01	0.743341300-02
2	0.360310640+02	0.359510990+02	0.7495+6610-01
3	0.514318120+02	0.512861050+02	0.145706890+00
4	0.605204830+02	0.605126200+02	0.200862590+00
5	0.131551880+03	0.131047130+03	0.54746990+00
6	0.695355840+02	0.692181320+02	0.3474024+0+00
7	0.691111320+02	0.687383390+02	0.372737450+00
8	0.883302390+02	0.878020390+02	0.528199640+00
9	0.635521450+02	0.631331430+02	0.+19001000+00
10	0.695324360+02	0.690333200+02	0.493916050+00
11	0.797510500+02	0.791192350+02	0.531763510+00
12	0.694533390+02	0.686481190+02	0.510519890+00
13	0.847509630+02	0.829253370+02	0.830601140+00
14	0.783083250+02	0.774493320+02	0.359563010+00
15	0.865400950+02	0.854713480+02	0.106374710+01
16	0.796415580+02	0.785301560+02	0.111145250+01
17	0.764290770+02	0.752184970+02	0.121057970+01
18	0.764325840+02	0.751010380+02	0.138047520+01
19	0.670720730+02	0.656853190+02	0.138575370+01
20	0.425352430+02	0.410073390+02	0.377534170+00
21	0.609754350+02	0.594171530+02	0.155827070+01
22	0.480291210+02	0.4665394+0+02	0.137017690+01
23	0.464561460+02	0.449822430+02	0.148390320+01
24	0.501979200+02	0.+83982330+02	0.179944130+01
25	0.359171040+02	0.354270530+02	0.149005100+01
26	0.480185930+02	0.458303360+02	0.218824210+01
27	0.643677730+02	0.613775100+02	0.34910730+01
28	0.664505480+02	0.520219950+02	0.442855240+01
29	0.922699800+02	0.838912990+02	0.837853130+01
30	0.961724660+02	0.830580330+02	0.131143730+02
31	0.804496970+02	0.633081750+02	0.171415210+02
32	0.736337030+02	0.497608050+02	0.239278970+02
33	0.673310420+02	0.368433100+02	0.309877320+02
34	0.547478010+02	0.199415360+02	0.348062150+02
35	0.619077730+02	0.128465480+02	0.490612250+02
36	0.525970670+02	0.454185360+01	0.480552150+02
37	0.496047500+02	0.998755250+00	0.436059930+02
38	0.349046810+02	0.616423010-01	0.348430330+02
39	0.140323140+02	0.867333730-03	0.140314470+02
40	0.111111110+03	0.110872130+03	0.238933790+00
TOTAL	0.260175330+04	0.22477300+0+	0.33427+770+03

L14P04=11	V(1)	V(2)	V(3)	V(4)	V(5)	V(6)
1	0.976327790+01	0.98755+170+01	0.979501150+01	0.979252440+01	0.979115000+01	0.978150380+01
2	0.350293000+02	0.376595+10+02	0.354707120+02	0.364024030+02	0.362765140+02	0.36265440+02
3	0.514205790+02	0.583171210+02	0.532409230+02	0.528172330+02	0.526782470+02	0.522639000+02
4	0.6344+5010+02	0.3244920790+02	0.606+35800+02	0.444790800+02	0.638692590+02	0.627352600+02
5	0.133378250+03	0.2466500+03+03	0.470+3090+03	0.152001450+03	0.146686800+03	0.14646370+03
6	0.638409300+02	0.152900150+03	0.101539200+03	0.354951530+02	0.307384220+02	0.767504040+02
7	0.579295710+02	0.181686530+03	0.119005000+03	0.932700910+02	0.846303050+02	0.787542030+02
8	0.853000+50+02	0.302831920+03	0.20708+000+03	0.147572940+03	0.122080450+03	0.10774042+03
9	0.600729320+02	0.262470010+03	0.216810770+03	0.148085240+03	0.109392180+03	0.873599170+02
10	0.630440540+02	0.382707190+03	0.342032040+03	0.2430422+0+03	0.166928130+03	0.117286630+03
11	0.634927230+02	0.523541720+03	0.5355+77+0+02	0.478519850+02	0.335858970+03	0.269970490+02
12	0.34689+920+02	0.39786+940+03	0.533+82570+03	0.597705520+03	0.492511160+03	0.322746250+03
13	0.1247354+0+02	0.293631+80+03	0.4057+3200+03	0.551799550+03	0.587502690+03	0.4751469+0+03
14	0.184131740+01	0.45779+620+02	0.121734780+03	0.227253750+03	0.327515730+03	0.351949730+03
15	0.256310310+00	0.909088300+01	0.555757310+02	0.340630570+02	0.187490640+03	0.274766450+03
16	0.20+05260-01	0.14201+100+01	0.31109770+01	0.301122340+02	0.340113340+02	0.139895640+02
17	0.242273900-02	0.201465230+00	0.10803500+01	0.893073000+01	0.351598720+02	0.938806520+02
18	0.169056500-03	0.220484000-01	0.270327930+00	0.207345710+01	0.115900160+02	0.456015730+02
19	0.52210+600-05	0.12662+630-02	0.2339+600-01	0.259475090+00	0.206957400+01	0.114504640+02
20	0.289593820-05	0.79153+620-04	0.193734870-02	0.284593070-01	0.297232170+00	0.213023110+01
21	0.220588340-07	0.924273500-05	0.505214820-03	0.595394500-02	0.815366530-01	0.760056720+00
22	0.858+340-09	0.5102023220-05	0.23011350-04	0.597742440-03	0.107921760-01	0.130937350+00
23	0.345304710-17	0.297850550-07	0.130794510-05	0.627208230-04	0.149656740-02	0.237502540-01
24	0.124+11450-11	0.154701360-03	0.126039350-06	0.596422680-05	0.186923710-03	0.393943420-02
25	0.233332980-13	0.430695730-10	0.439500000-08	0.307598900-06	0.130072270-04	0.3583132+0-03
26	0.643932500-15	0.171974390-11	0.270262850-09	0.230409630-07	0.151233100-05	0.48055+200-04
27	0.389399110-17	0.175030330-13	0.430159400-11	0.361200780-09	0.479024630-07	0.255509880-05
28	0.523490040-20	0.293384120-15	0.131942190-13	0.29979+590-11	0.430494070-09	0.393083940-07
29	0.128494050-24	0.3438+5+10-20	0.38520020-17	0.191678020-14	0.614037320-12	0.118046710-09
30	0.377313360-31	0.11190010-25	0.409493140-22	0.664860980-19	0.627489930-16	0.337010670-13
31	0.602785380-38	0.4670099350-32	0.577930240-28	0.395553370-24	0.126072220-20	0.216549140-17
32	0.303989200-45	0.100672+0-33	0.300523500-34	0.221683720-29	0.329604660-25	0.714953230-22
33	0.285493000-53	0.491863250-40	0.1406250-40	0.919045700-36	0.365730050-31	0.713610540-27
34	0.340351550-65	0.43745+90-57	0.574222330-51	0.245506780-45	0.42332760-40	0.575391360-35
35	0.000000000+00	0.000000000+00	0.000000000+00	0.314659320-56	0.170517710-49	0.570602940-44
36	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.155701620-55
37	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00
38	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00
39	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.334225890+03	0.292186450+02
40	0.275579000+03	0.3510777+0+03	0.354796+00+03	0.334422340+03		
TOTAL	0.10201420+04	0.32482+920+04	0.35460055270+04	0.3355793510+04	0.327179660+04	0.302626190+04

COMPONENT	V(1)	V(3)	V(9)	V(10)	V(11)	V(12)
1	0.9731+9000+01	0.980407270+01	0.1783203+0+01	0.378708080+01	0.978650400+01	0.976173750+01
2	0.362553510+02	0.364952530+02	0.353133250+02	0.363031830+02	0.302969230+02	0.362472400+02
3	0.521379180+02	0.529475190+02	0.5232d510+02	0.522451850+02	0.522037500+02	0.520477800+02
4	0.5239+2100+02	0.5414111+70+02	0.5257+0200+02	0.522307920+02	0.52432350+02	0.517901960+02
5	0.139573430+03	0.145423310+03	0.139934550+03	0.138477330+03	0.137772320+03	0.136411050+03
6	0.7503+6070+02	0.79084+030+02	0.752633520+02	0.741533630+02	0.736329700+02	0.72723190+02
7	0.762335700+02	0.81878320D+02	0.753258830+02	0.747799510+02	0.740701670+02	0.729532510+02
8	0.1013d9190+03	0.110705130+03	0.101016570+03	0.979405370+02	0.965573350+02	0.946314870+02
9	0.77397650+02	0.855223300+02	0.759739390+02	0.725803380+02	0.710811710+02	0.693335450+02
10	0.929293950+02	0.1024079+0+03	0.377209950+02	0.32109+490+02	0.796972050+02	0.77277250+02
11	0.134573550+03	0.142383360+03	0.111724730+03	0.996487630+02	0.948631540+02	0.910554370+02
12	0.180760860+03	0.181721520+03	0.121777000+03	0.968108940+02	0.370566380+02	0.323834430+02
13	0.301744300+03	0.323383330+03	0.204897210+03	0.14351+140+03	0.118671480+03	0.106681270+03
14	0.2913386+0+03	0.30081+350+03	0.2517387+7+03	0.170913100+03	0.129650460+03	0.108715790+03
15	0.308461010+03	0.445365570+03	0.365111900+03	0.259651670+03	0.186537350+03	0.142764850+03
16	0.260841210+03	0.437523330+03	0.435841320+03	0.347319410+03	0.252024030+03	0.177943710+03
17	0.208740570+03	0.402743550+03	0.303845520+03	0.475128600+03	0.379598820+03	0.267376910+03
18	0.132946800+03	0.291343250+03	0.467136570+03	0.546384120+03	0.519841280+03	0.410647140+03
19	0.462037630+02	0.113539750+03	0.237531750+03	0.355889460+03	0.425446450+03	0.411403080+03
20	0.110307030+02	0.291833330+02	0.752935630+02	0.137667740+03	0.199459660+03	0.231782710+03
21	0.505348800+01	0.141023920+02	0.458057800+02	0.103210160+03	0.183282800+03	0.259504980+03
22	0.112332720+01	0.350733370+01	0.134750310+02	0.376934270+02	0.826904870+02	0.144024000+03
23	0.26354+190+00	0.331663340+00	0.418272220+01	0.146193380+02	0.396726420+02	0.859180310+02
24	0.557364110-01	0.167403270+00	0.119209300+01	0.523303050+01	0.178422950+02	0.478180410+02
25	0.674362350-02	0.231403300-01	0.1372+5920+00	0.103853550+01	0.444848540+01	0.149006990+02
26	0.118300250-02	0.421358440-02	0.436354920-01	0.307837730+00	0.16490890+01	0.700373540+01
27	0.932227700-0+	0.34+337+10-03	0.500310290-02	0.489230470-01	0.364061930+00	0.299078020+01
28	0.229565970-05	0.384342+0-05	0.199377820-03	0.297349480-02	0.334493980-01	0.236927370+00
29	0.141079770-07	0.571393440-07	0.2452+4920-05	0.674993520-04	0.139080550-02	0.213838170-01
30	0.106271240-10	0.454860300-10	0.+051238+0-08	0.296160700-06	0.135535850-04	0.456208680-02
31	0.205027390-14	0.921821350-14	0.255416850-11	0.424125940-09	0.492676420-07	0.411475800-05
32	0.207358260-13	0.969937320-13	0.701219450-15	0.346577180-12	0.107802300-09	0.236209180-07
33	0.687016830-23	0.33736+120-22	0.778399500-19	0.396453830-16	0.843101590-13	0.488941290-10
34	0.290825270-30	0.150183320-29	0.103536+0-25	0.937344800-22	0.341270940-18	0.821671390-15
35	0.159451240-38	0.849569990-38	0.438148740-33	0.147289210-28	0.266324490-24	0.306834500-20
36	0.300850020-49	0.156008000-43	0.72289+340-43	0.165704160-37	0.224480210-32	0.130138530-27
37	0.000000000+00	0.000000000+00	0.191325970-56	0.329438130-50	0.121735310-43	0.139795230-37
38	0.000000000+00	0.000000000+00	0.000010000+00	0.000000000+00	0.412412620-59	0.951676330-52
39	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00
40	0.291757120+03	0.295704750+03	0.29226670+03	0.292134830+03	0.292072980+03	0.271133130+03
TOTAL	0.239375190+04	0.381050220+04	0.335050030+04	0.37805770+04	0.370907550+04	0.354691320+04

COMPONENT	V(13)	V(14)	V(15)	V(15)	V(17)	V(18)
1	0.973152170+01	0.973095130+01	0.978001980+01	0.977789390+01	0.978037080+01	0.976971420+01
2	0.352455220+02	0.352363310+02	0.352298090+02	0.362039770+02	0.362313590+02	0.351291790+02
3	0.520223830+02	0.519873520+02	0.519435230+02	0.518796810+02	-0.519566090+02	0.516515300+02
4	0.61596030+02	0.615927200+02	0.614375130+02	0.612316750+02	0.614946310+02	0.608772640+02
5	0.135961310+03	0.135514210+03	0.135078930+03	0.134474950+03	0.135088500+03	0.132341710+03
6	0.723955810+02	0.720819150+02	0.71789150+02	0.713731630+02	0.717842610+02	0.703101510+02
7	0.725181780+02	0.721152370+02	0.717336830+02	0.712322330+02	-0.717329740+02	0.699673100+02
8	0.933755960+02	0.931607550+02	0.924090500+02	0.916539840+02	0.924794680+02	0.896405590+02
9	0.635137740+02	0.67824350+02	0.671953360+02	0.664247160+02	-0.671582460+02	0.646578510+02
10	0.750312360+02	0.75098420+02	0.742285370+02	0.731904850+02	0.741501530+02	0.729145330+02
11	0.890978280+02	0.875695230+02	0.852561300+02	0.847451590+02	0.860891350+02	0.8159829e0+02
12	0.797678100+02	0.779024870+02	0.753575020+02	0.746705180+02	0.761088760+02	0.713470010+02
13	0.101157500+03	0.977627200+02	0.951714070+02	0.924555840+02	-0.946161360+02	0.374869770+02
14	0.990322160+02	0.938993210+02	0.904106470+02	0.870312350+02	0.894912600+02	0.313320280+02
15	0.120355390+03	0.110035570+03	0.103845770+03	0.985705340+02	-0.101908920+03	0.906011650+02
16	0.133683660+03	0.112282380+03	0.101447100+03	0.939021840+02	0.975532420+02	0.842651740+02
17	0.180698860+03	0.132662070+03	-0.108801670+03	0.952494230+02	0.989210120+02	0.820539520+02
18	0.282907350+03	0.189703050+03	0.135703740+03	0.106008790+02	0.108096910+02	0.839255780+02
19	0.333535340+03	0.238449730+03	0.162541350+03	0.112137020+03	-0.10141780+03	0.763475050+02
20	0.223716830+03	0.180874230+03	0.129552210+03	0.856929870+02	0.823448670+02	0.507042140+02
21	0.304309150+03	0.286504230+03	0.225376920+03	0.150730350+03	-0.144845000+03	0.777870480+02
22	0.207045330+03	0.230405500+03	0.205375510+03	0.145149300+03	0.143737350+03	0.677622860+02
23	0.152386260+03	0.202427050+03	0.209455400+03	0.162587830+03	0.171551830+03	0.744304930+02
24	0.105131690+03	0.163084330+03	0.204985500+03	0.181419460+03	0.210096160+03	0.909793900+02
25	0.407375960+02	0.730852010+02	0.15346510+03	0.119653010+03	-0.155294370+03	0.728926000+02
26	0.239722710+02	0.56779d250+02	0.100256320+03	0.124433600+03	0.183008160+03	0.987118180+02
27	0.970010200+01	0.303434100+02	0.70201820+02	0.113112460+03	-0.197506090+03	0.134471410+02
28	0.197111110+01	0.885873150+01	0.293008470+02	0.669149020+02	0.143817610+03	0.135120240+03
29	0.259399090+00	0.199084100+01	0.11164930+02	0.426733420+02	0.119059470+03	0.179274240+03
30	0.118030550-01	0.180519700+00	0.216212690+01	0.165690280+02	0.605927100+02	0.171247430+03
31	0.259534960-03	0.970939740-02	0.257717800+00	0.446676480+01	-0.202850300+02	0.119795490+03
32	0.382341130-03	0.35867920-03	0.233337740-01	0.373762960+00	0.513361140+01	0.668163420+02
33	0.204040090-07	0.47773270-05	0.75902230-03	0.747889670-01	-0.437860580+00	0.122206730+02
34	0.137061440-11	0.12303250-08	0.720456070-06	0.250396710-03	0.166458610-02	0.138953000+00
35	0.235395790-16	0.925060550-13	0.226735950-09	0.313397210-06	-0.236524670-05	0.645831300-03
36	0.977424630-23	0.248559330-13	0.370856440-14	0.291551640-10	0.256698210-09	0.309296780-06
37	0.965538850-32	0.301464170-26	-0.512285170-21	0.420708560-16	-0.446405370-15	0.409087700-11
38	0.133670060-44	0.839473370-38	0.279327900-31	0.431296590-25	0.511011830-24	0.733875020-19
39	0.388347550-59	0.220429180-51	-0.745603020-44	0.133046150-36	-0.125280280-35	0.313520780-29
40	0.271012290+03	0.270949390+03	0.270871570+02	0.270708030+03	0.230252490+03	0.229105540+03
TOTAL	0.343995540+04	0.333217140+04	0.320735270+04	0.299754700+04	0.340274810+04	0.297717620+04

COMPONENT	V(19)	V(20)	V(21)	V(22)	V(23)	V(24)
1	0.973300940+01	0.976742120+01	0.976576330+01	0.976433530+01	0.976369870+01	0.899456240-02
2	0.3611142710+02	0.361083230+02	0.360936200+02	0.360804780+02	0.360679910+02	0.36771070-01
3	0.515933210+02	0.515733+20+02	0.515431270+02	0.515243260+02	0.514998280+02	0.17645510+06
4	0.607616120+02	0.607273+30+02	0.6065750830+02	0.606499410+02	0.606146280+02	0.243127390+00
5	0.132411130+03	0.13229120+03	0.132123160+03	0.132042990+03	0.131736670+03	0.730920070+00
6	0.70023120+02	0.699433130+02	0.69848170+02	0.697935030+02	0.697308280+02	0.420015730+00
7	0.69519940+02	0.695251530+02	0.69451100+02	0.693533360+02	0.692395960+02	0.450594160+00
8	0.340778700+02	0.343284300+02	0.337559250+02	0.336835550+02	0.335842870+02	0.637998140+00
9	0.541600200+02	0.540320500+02	0.539912420+02	0.538336670+02	0.537538290+02	0.365577910+00
10	0.702701210+02	0.701083370+02	0.699493540+02	0.698681340+02	0.697722510+02	0.607741300+00
11	0.807023770+02	0.804857870+02	0.802311270+02	0.801750900+02	0.800536550+02	0.753732180+00
12	0.703394550+02	0.70172510+02	0.699717870+02	0.698687530+02	0.697494670+02	0.733849030+00
13	0.830354530+02	0.857537330+02	0.8345538550+02	0.832154200+02	0.831496680+02	0.970095790+00
14	0.796335120+02	0.793257950+02	0.790327770+02	0.783825970+02	0.787113350+02	0.101908430+01
15	0.8823833+30+02	0.878123300+02	0.874493530+02	0.872497870+02	0.870340980+02	0.125835270+01
16	0.815141600+02	0.809755350+02	0.805734470+02	0.802745770+02	0.801468520+02	0.129703550+01
17	0.785432900+02	0.77894730+02	0.774491900+02	0.772203100+02	0.769675170+02	0.139677340+01
18	0.790071740+02	0.781702170+02	0.776433800+02	0.773783940+02	0.770791510+02	0.157917140+01
19	0.637731530+02	0.687844+50+02	0.632342670+02	0.6579513840+02	-0.676480660+02	0.154720320+01
20	0.446223940+02	0.438029340+02	0.434046200+02	0.431942470+02	0.429760140+02	0.107158920+01
21	0.6454504+0+02	0.529372+20+02	0.522594700+02	0.5192+600+02	0.515689710+02	0.167211110+01
22	0.516044400+02	0.497792010+02	0.491521780+02	0.488402260+02	0.485201480+02	0.143308910+01
23	0.510122390+02	0.48400350+02	0.4765538010+02	0.473137680+02	0.469584010+02	0.150317430+01
24	0.555550370+02	0.526072930+02	0.510202030+02	0.511814250+02	0.507389700+02	0.176000910+01
25	0.429333530+02	0.389691210+02	0.380393890+02	0.376834830+02	0.372318260+02	0.139565850+01
26	0.574332310+02	0.511125550+02	0.49659520+02	0.490795030+02	0.485100150+02	0.124837010+01
27	0.805512240+02	0.599715730+02	0.574+31260+02	0.533884030+02	0.554408500+02	0.236728710+01
28	0.867335650+02	0.732601060+02	0.6959+1590+02	0.680632100+02	0.668073650+02	0.32157330+01
29	0.131005150+03	0.1056+4320+03	0.931+01390+02	0.946032770+02	-0.919217610+02	0.489242350+01
30	0.158103750+03	0.12484330+03	0.107237550+03	0.990354540+02	0.938657370+02	0.538166730+01
31	0.159019230+03	0.135403350+03	0.1066330930+03	0.877366010+02	0.766542070+02	0.441981650+01
32	0.145379+0+03	0.159227230+03	0.144174970+03	0.107092260+02	0.757519180+02	0.378258420+01
33	0.457735380+02	0.345379310+02	0.109761750+03	0.109172440+02	0.301490600+02	0.317286520+01
34	0.120436050+01	0.486530510+01	0.134907170+02	0.231762490+02	0.368754570+02	0.163468160+01
35	0.144393930-01	0.1421843+0+01	0.932422600+00	0.454007230+01	0.126261300+02	0.89065010+00
36	0.2370134+0-04	0.729494720-03	0.144732010-01	0.209185990+00	0.162903370+01	0.270951670+00
37	0.130390550-08	0.289466470-05	0.28137107-04	0.204905160-02	0.757734970-01	0.547596330-01
38	0.422+53100-15	0.3308077390-12	0.10433400-08	0.846559710-06	0.395382800-03	0.229244460-02
39	0.4273663+30-2+	0.220093320-17	0.7112180+0-15	0.165111000-10	0.199404440-06	0.467029320-04
40	0.229317300+03	0.228930350+03	0.218221590+03	0.218151560+03	0.218030350+03	0.107095270+03
TOTAL	0.277+32420+04	0.270480120+0+	0.23232700+04	0.257847360+04	0.251003580+04	0.1629094+0+03

COMPONENT

V(25)

V(26)

V(27)

V(28)

V(29)

V(30)

1	0.111423570-03	0.327867550-02	0.156228170-03	0.+33704520-02	0.915210830-04	0.900248010-02
2	0.341592350-02	0.87741130-01	0.+52239380-02	0.+55555550-01	0.238793210-02	0.934437210-01
3	0.733607310-02	0.291011130+03	0.332784130-01	0.11835450+00	0.119243560-01	0.297342170+00
4	0.126370090-01	0.6819531+0+00	0.140131130+00	0.230977290+00	0.359721950-01	0.333849320+00
5	0.515333740-01	0.252559370+01	0.731452390+00	0.302524840+00	0.183097700+00	0.103552170+01
6	0.320933950-01	0.165947790+01	0.559371790+00	0.507340930+00	0.133045940+00	0.663160750+00
7	0.370143470-01	0.187122110+01	0.736003360+00	0.534536200+00	0.171659390+00	0.754597560+00
8	0.570471570-01	0.29040+300+01	0.127972310+01	0.386311150+00	0.295748820+00	0.112307730+01
9	0.493944230-01	0.256632310+01	0.122822230+01	0.732712110+00	0.270534520+00	0.919479740+00
10	0.633779540-01	0.363645590+01	0.134127350+01	0.391940210+00	0.355106170+00	0.111523330+01
11	0.831955330-01	0.5302870370+01	0.362395190+01	0.114507200+01	0.491961980+00	0.143181470+01
12	0.930114590-01	0.107997010+02	0.599133510+01	0.111507550+01	0.312491370+00	0.139330380+01
13	0.133352010+00	0.102281100+02	0.927754750+01	0.153443940+01	0.746306510+00	0.18919860+01
14	0.150734890+00	0.1216421070+02	0.710157710+01	0.154226200+01	0.842759650+00	0.195794640+01
15	0.213335230+00	0.957474730+01	0.554829710+01	0.22410+100+01	0.120047900+01	0.241438040+01
16	0.242997950+00	0.593649230+01	0.351842270+01	0.237623540+01	0.159611730+01	0.248581510+01
17	0.289320750+00	0.342745110+01	0.204552650+01	0.441652420+01	0.252145940+01	0.263407030+01
18	0.359791570+00	0.157221130+01	0.936504810+00	0.089002950+01	0.402187160+01	0.219797030+01
19	0.392189200+00	0.322077210+00	0.232437950+00	0.597907750+01	0.414318300+01	0.330437800+01
20	0.292890330+00	0.725163730-01	0.428004190-01	0.395374720+01	0.236990940+01	0.254233220+01
21	0.402505430+00	0.257111110-01	0.150934950-01	0.444387410+01	0.268469440+01	0.453151740+01
22	0.454475370+00	0.445060000-02	0.256778330-02	0.247273010+01	0.150133600+01	0.403804350+01
23	0.313343170+00	0.762801310-03	0.459515200-03	0.147703000+01	0.900134730+00	0.562649980+01
24	0.6445717540+00	0.130573460-03	0.731734710-04	0.322328330+00	0.502251150+00	0.693546210+01
25	0.547331470+00	0.17883820-04	0.573535110-05	0.256098690+00	0.156550970+00	0.521832860+01
26	0.818083640+00	0.156895590-05	0.389532730-06	0.120206400+00	0.734567240-01	0.620077350+01
27	0.131172210+01	0.8374914+0-07	0.+99319+00-07	0.357303350-01	0.218178160-01	0.674653320+01
28	0.162542310+01	0.124833930-08	0.583016760-09	0.488487040-02	0.296373210-02	0.494440720+01
29	0.279307780+01	0.365134240-11	0.195734810-11	0.350585490-03	0.216483280-03	0.411054260+01
30	0.379770830+01	0.100349300-14	0.515939790-15	0.750117790-05	0.447434190-05	0.279234210+01
31	0.317169610+01	0.518605730-19	0.304357210-19	0.57274+890-07	0.339443650-07	0.697858000+00
32	0.239276200+01	0.198223720-23	0.945412130-24	0.380250870-09	0.216153480-09	0.175483030+00
33	0.231135820+01	0.139300730-28	0.852101790-29	0.771062200-12	0.427801940-12	0.148449260-01
34	0.131321660+01	0.148753210-36	0.653573070-37	0.125928440-16	0.675659310-17	0.555851810-04
35	0.721319240+00	0.150489260-45	0.701532930-46	0.455837680-22	0.236212310-22	0.775568100-07
36	0.218774500+00	0.463611320-57	0.254001130-57	0.266340440-29	0.132738530-29	0.822352710-11
37	0.439044300-01	0.300000000+00	0.000000000+00	0.192144790-39	0.925824760-40	0.139047440-16
38	0.262329390-02	0.000000000+00	0.000000000+00	0.131694020-53	0.652175230-54	0.156493420-25
39	0.375738570-04	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.396529410-37
40	0.110333640+03	0.478509790+02	0.435028170+02	0.208205340+02	0.217247860+02	0.414435650+02
TOTAL	0.135703300+03	0.12+933730+03	0.335034300+02	0.030650170+02	0.47+762990+02	0.123004370+03

COMPONENT	V(31)	V(32)	V(33)	L(1)	L(2)	L(3)
1	0.210228360-13	0.941789510-03	0.121135330-04	0.116362760+00	0.357336140-01	0.322465060-01
2	0.580392120-02	0.1024070+0-01	0.178131520-03	0.162957560+01	0.440646100+00	0.372536930+00
3	0.194796600-01	0.190033290-01	0.9039320+0-02	0.689655070+01	0.192034490+01	0.1396654+0+01
4	0.413243760-01	0.264206450-01	0.147493700-02	0.220484130+02	0.520412490+01	0.403462410+01
5	0.183580190+00	0.8051810+0-01	0.5167+9100-02	0.115781440+03	0.394698440+02	0.211231930+02
6	0.131545490+00	0.459547000-01	0.394655500-02	0.340672170+02	0.326982590+02	0.166552140+02
7	0.104613620+00	0.509212070-01	0.454396550-02	0.113757060+03	0.510773280+02	0.253411200+02
8	0.275104800+00	0.728369000-01	0.730330910-02	0.217272870+03	0.121525020+03	0.618133900+02
9	0.249473220+00	0.580654930-01	0.44576330-02	0.222405030+03	0.156727750+03	0.880122560+02
10	0.325935700+00	0.692954100-01	0.331524990-02	0.319663140+03	0.279037990+03	0.179993190+03
11	0.456921830+00	0.873363230-01	0.115216350-01	0.60149000+03	0.522155020+03	0.415026130+03
12	0.430915850+00	0.848741330-01	0.2195530-02	0.3637474450+03	0.548793080+03	0.563017030+03
13	0.707703820+00	0.115360380+00	0.132172550-01	0.191157940+03	0.393319700+03	0.539326000+03
14	0.785614120+00	0.119131750+00	0.207236510-01	0.419381440+02	0.119893460+05	0.225412430+03
15	0.103926820+01	0.147807290+00	0.233757760-01	0.382407710+01	0.257189200+02	0.938062450+02
16	0.114215060+01	0.153122560+00	0.325044710-01	0.139373470+01	0.809057080+01	0.300355270+02
17	0.131213660+01	0.165800110+00	0.339316850-01	0.199040440+00	0.167892810+01	0.892830810+01
18	0.160137370+01	0.187440510+00	0.487790250-01	0.218794030-01	0.270658930+00	0.207325810+01
19	0.179552820+01	0.185687030+00	0.534875750-01	0.128032480-02	0.233881440-01	0.259464860+00
20	0.142842830+01	0.129051110+00	0.400789010-01	0.788340460-04	0.193727930-02	0.234595330-01
21	0.265245870+01	0.201918230+00	0.675256260-01	0.922057410-05	0.305292760-03	0.595392290-02
22	0.275734680+01	0.173359230+00	0.523227420-01	0.514169980-06	0.230210020-04	0.597741560-03
23	0.342470530+01	0.182199530+00	0.7025+300-01	0.297513750-07	0.180791060-05	0.627207890-04
24	0.433525910+01	0.212944710+00	0.378727390-01	0.154577150-08	0.128088120-06	0.596423750-05
25	0.329493770+01	0.168603680+00	0.742234270-01	0.430457390-10	0.489362970-08	0.307598830-06
26	0.397159060+01	0.234821230+00	0.109939040+00	0.171909200-11	0.270202210-09	0.230909870-07
27	0.438736230+01	0.344326350+00	0.174012440+00	0.175047170-13	0.430169010-11	0.501200780-09
28	0.325984750+01	0.385034810+00	0.212330640+00	0.298351270-16	0.131992150-13	0.299794590-11
29	0.274098100+01	0.390192770+00	0.359000070+00	0.343833560-20	0.368520610-17	0.191678020-14
30	0.140245450+01	0.688519040+00	0.462518940+00	0.111930300-25	0.409496140-22	0.654860980-19
31	0.466386380+00	0.709058020+00	0.510890030+00	0.467003750-32	0.577933240-28	0.395585370-24
32	0.116578910+00	0.971117710+00	0.727328320+00	0.111672410-38	0.600623690-34	0.121388720-29
33	0.975898650-02	0.741362010+00	0.564783130+00	0.491863220-46	0.114066260-40	0.919046700-36
34	0.358160870-04	0.905591520-01	0.690250490-01	0.437459390-57	0.547222880-51	0.245567800-45
35	0.487653280-07	0.619793839-02	0.407566330-02	0.000000000+00	0.000000000+00	0.000000000+00
36	0.500977830-11	0.950448370-04	0.705230840-04	0.000000000+00	0.000000000+00	0.000000000+00
37	0.815302900-17	0.186829410-06	0.136004160-06	0.000000000+00	0.000000000+00	0.000000000+00
38	0.896220160-26	0.673460060-11	0.434523670-11	0.000000000+00	0.000000000+00	0.000000000+00
39	0.237859200-37	0.452930100-17	0.339207130-17	0.000000000+00	0.000000000+00	0.000000000+00
40	0.434328110+02	0.107188470+02	0.110425800+02	0.000000000+00	0.371866260+01	0.334460300+01
TOTAL	0.884578710+02	0.182300200+02	0.149441700+02	0.217050840+04	0.232271190+04	0.228099430+04

COMPONENT	L(4)	L(5)	L(6)	L(7)	L(8)	L(9)
1	0.303721100+01	0.295095230+01	0.212141130+01	0.702593470+01	-0.279215130+01	-0.257939230+01
2	0.346653510+00	0.323220050+00	0.220130130+00	0.731970800+00	0.288110630+00	0.272967940+00
3	0.123560870+01	0.1134233370+01	0.701153210+00	0.235629920+01	0.901821420+00	0.812435450+00
4	0.342469340+01	0.2970500+00+01	0.139235730+01	0.555971860+01	0.207246730+01	0.178523960+01
5	0.161086100+02	0.132962110+02	0.307000500+01	0.227549850+02	0.845112740+01	0.697389650+01
6	0.118374830+02	0.951895530+01	0.564749130+01	0.156502200+02	0.583174690+01	0.471735240+01
7	0.167007350+02	0.127253570+02	0.715038300+01	0.198285320+02	-0.741035730+01	0.586441950+01
8	0.305214020+02	0.250862100+02	0.134700300+02	0.349284450+02	0.131014720+02	0.100254430+02
9	0.493191950+02	0.298532030+02	0.1+3056000+02	0.342700230+02	0.128869920+02	0.948334080+01
10	0.103334070+03	0.573700350+02	0.241039370+02	0.511042360+02	0.189065370+02	0.132849900+02
11	0.2723566250+03	0.153238550+03	0.500219930+02	0.345559760+02	0.331580860+02	0.210921160+02
12	0.457321670+03	0.293853500+03	0.112421760+03	0.153664110+03	0.538389940+02	0.238719890+02
13	0.575329140+03	0.476901670+03	0.219715390+03	0.355191290+03	0.122868210+03	0.614851330+02
14	0.325574+010+03	0.362272530+03	0.217315110+03	0.45026130+03	0.177265210+03	0.963895820+02
15	0.137233330+03	0.284057120+03	0.229527530+03	0.329647710+03	0.285178470+03	0.179698240+03
16	0.839349280+02	0.175775720+03	0.113126440+03	0.709339470+03	0.367866550+03	0.278504540+03
17	0.351574500+02	0.102305530+03	0.152589850+03	0.701379480+03	0.447695830+03	0.418977910+03
18	0.115393470+02	0.471735500+02	0.957477220+02	0.654423820+03	0.430955400+03	0.510182950+03
19	-0.206956780+01	0.118425280+02	0.335765490+02	0.3093003360+03	-0.224964520+03	0.343172220+03
20	0.297231900+00	0.220279720+01	0.798931670+01	0.930773120+02	0.722466120+02	0.134620790+02
21	0.816366310-01	0.785753510+00	0.305728490+01	0.540397470+02	-0.444035770+02	0.101807360+03
22	0.107921750-01	0.135337950+00	0.811063330+00	0.152508410+02	0.131633180+02	0.373811640+02
23	0.149556730-02	0.240430550-01	0.190115230+00	0.45038300+01	0.411028820+01	0.145459040+02
24	0.138323700-03	0.407007630-02	0.409347980-01	0.126132930+01	0.117624140+01	0.521795190+01
25	0.130072270-04	0.370101720-03	0.435350450-02	0.192990780+00	0.185560500+00	0.103675040+01
26	0.131233100-05	0.496347380-04	0.355534970-03	0.440523230-01	0.433530140-01	0.30750520+00
27	0.479024660-07	0.257884790-05	0.571032100-04	0.492955890-02	0.497698630-02	0.489019300-01
28	0.43549+570-09	0.4055567450-07	0.135174040-05	0.19325230-03	0.198734100-03	0.237785110-02
29	0.614037320-12	0.121693350-09	0.101401030-07	0.232187310-05	0.244869040-05	0.679953930-04
30	0.627483930-16	0.347345500-13	0.754376870-11	0.434907380-08	0.46482550-08	0.296157720-06
31	0.125072220-20	0.222733200-17	0.147450520-14	0.237452590-11	0.255359280-11	0.424125360-09
32	0.129604800-25	0.734675500-22	0.149500600-18	0.706121230-15	0.701161090-15	0.346577120-12
33	0.365730050-31	0.732540310-27	0.404105100-23	0.721944450-19	0.778880310-19	0.998453810-16
34	0.54233270-40	0.591267200-35	0.209162160-30	0.151574970-25	0.163585620-25	0.937544800-22
35	0.100517620-49	0.585711360-44	0.115047230-38	0.461538460-33	0.498148290-33	0.147289210-28
36	0.000000000+00	0.000000000+00	0.216971760-49	0.669757230-43	0.722894260-43	0.165704160-37
37	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.629437940-50
38	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00
39	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00	0.000000000+00
40	0.314815270+01	0.29596550+01	0.132733390+01	0.592032000+01	0.232667630+01	0.219474390+01
TOTAL	0.219375000+04	0.207340510+04	0.139949050+04	0.448974290+04	0.235134040+04	0.220879740+04

COMPONENT	L(10)	L(11)	L(12)	L(13)	L(14)	L(15)
1	0.253221010-01	0.257930770-01	0.213371780-01	0.20667370-01	0.197352350-01	0.176073350-01
2	0.255703500+00	0.260598050+00	0.215120020+00	0.208428830+00	0.195407290+00	0.178574510+00
3	0.776999840+00	0.74001510+00	0.594255220+00	0.559225090+00	0.519900670+00	0.45105310D+00
4	0.164058250+01	0.151962110+01	0.118456430+01	0.108122090+01	0.976013930+00	0.820173310+00
5	0.625389250+01	0.571017390+01	0.437133600+01	0.392493490+01	0.24839610D+01	0.28849d050+01
6	0.419535410+01	0.37938420+01	0.238046210+01	0.256673530+01	0.226503450+01	0.185804410+01
7	0.515463530+01	0.452225340+01	0.347950360+01	0.307655290+01	0.269501400+01	0.219355850+01
8	0.854224080+01	0.75527150+01	0.568952430+01	0.497473540+01	0.431308480+01	0.347301240+01
9	0.793917340+01	0.697425930+01	0.511846660+01	0.442412740+01	0.379602970+01	0.302440850+01
10	0.103757470+02	0.934861320+01	0.577486150+01	0.579205680+01	0.492217250+01	0.386406000+01
11	0.153115060+02	0.135441050+02	0.971139410+01	0.318303520+01	0.686959640+01	0.535672590+01
12	0.197177520+02	0.155595130+02	0.107563030+02	0.889097990+01	0.735605440+01	0.555901050+01
13	0.366424830+02	0.261867140+02	0.171706750+02	0.137758910+02	0.111845790+02	0.346835550+01
14	0.551269390+02	0.35834220+02	0.21731130+02	0.155982530+02	0.131095740+02	0.973015170+01
15	0.106603920+03	0.550724530+02	0.357113260+02	0.250810120+02	0.138912060+02	0.136209720+02
16	0.133039250+03	0.111805190+03	0.561292400+02	0.347234590+02	0.238926790+02	0.163477650+02
17	0.323248140+03	0.215642350+03	0.107153300+03	0.591315100+02	0.352711070+02	0.271986550+02
18	0.483640110+03	0.381336000+03	0.210735610+03	0.117535330+03	0.635320000+02	0.338370460+02
19	0.412729210+03	0.405724920+03	0.272396200+03	0.177310090+03	0.101401710+03	0.510473810+02
20	0.195412710+03	0.232689500+03	0.136629720+03	0.143817120+03	0.924951040+02	0.486558780+02
21	0.181380600+03	0.262648550+03	0.255406750+03	0.237601830+03	0.176974530+03	0.191927250+03
22	0.823842240+02	0.14613470+03	0.173848030+03	0.197207760+03	0.172677780+03	0.111951560+03
23	0.397992080+02	0.873217230+02	0.127797590+03	0.177833500+03	0.184376400+03	0.137999260+03
24	0.17326440+02	0.465245150+02	0.330334240+02	0.160985070+03	0.187887380+03	0.164321200+03
25	0.444660020+01	0.151549130+02	0.341052850+02	0.724029790+02	0.108564190+03	0.112980700+03
26	0.165457560+01	0.712361130+01	0.20020300+02	0.528273580+02	0.963043500+02	0.120481030+03
27	0.364035820+01	0.212653500+01	0.309537350+01	0.287325810+02	0.585934560+02	0.111501730+03
28	0.334437540-01	0.291811590+00	0.154203000+01	0.3529650+01	0.289717660+02	0.665858210+02
29	0.139030150-02	0.217443090-01	0.215857330+00	0.294729920+01	0.111209570+02	0.426295010+02
30	0.1355335820-04	0.463783350-03	0.936436620-02	0.186321010+00	0.216012830+01	0.155670290+02
31	0.492676470-07	0.419203250-05	0.215708100-03	0.966523050-02	0.257673990+00	0.44667210D+01
32	0.107802300-09	0.240015690-07	0.518158330-05	0.358032690-03	0.232981270-01	0.973762320+00
33	0.843101590-13	0.495651910-10	0.169501440-07	0.477387980-05	0.759059440-03	0.747889640-01
34	0.341270940-13	0.834264240-15	0.1133897570-11	0.123003990-08	0.720455830-06	0.253396710-03
35	0.265324490-24	0.311442370-20	0.195562350-16	0.925020810-13	0.226765940-09	0.33397210-06
36	0.224480210-32	0.188851940-27	0.812229150-23	0.248557670-18	0.370856440-14	0.291551640-10
37	0.121735310-43	0.1417156530-37	0.302351990-32	0.301+04000-26	0.512285170-21	0.420708560-16
38	0.000000000+00	0.964845190-52	0.111078320-44	0.839473850-38	0.279327900-31	0.431296590-25
39	0.000000000+00	0.000000000+00	0.000000000+00	0.220429180-51	0.745603020-44	0.133046150-36
40	0.213339130+01	0.207362360+01	0.158114990+01	0.151874820+01	0.144045480+01	0.127639020+01
TOTAL	0.220931520+04	0.211571690+04	0.166925550+04	0.156147150+04	0.143715280+04	0.122634710+04

COMPONENT	L(16)	L(17)	L(18)	L(19)	L(20)	L(21)
1	0.450394730+01	0.942313770+02	0.771336170+02	0.712913200+02	0.541403880+02	0.459407930+02
2	0.450752430+03	0.982723050+01	0.333543310+01	0.777211820+01	0.699598470+01	0.500551640+01
3	0.110362210+01	0.220237240+00	0.165478820+00	0.147499080+00	0.130817660+00	0.929324970+01
4	0.192241030+01	0.357667300+00	0.241916030+00	0.208347030+00	0.162907350+00	0.129344920+00
5	0.660365420+01	0.119483750+01	0.765108850+00	0.545105220+00	-0.561858530+00	0.295584160+00
6	0.420349370+01	0.748033360+00	0.431003520+00	0.381495990+00	0.329650770+00	0.231050250+00
7	0.490552500+01	0.860523130+00	0.513153620+00	0.418375390+00	0.359328690+00	0.251008450+00
8	0.764768530+01	0.131789300+01	0.755213110+00	0.505814020+00	0.517095340+00	0.359991450+00
9	0.556135730+01	0.111297930+01	0.515744370+00	0.437699820+00	-0.414427900+00	0.237834330+00
10	0.331575400+01	0.139229350+01	0.747856900+00	0.586572830+00	0.496864680+00	0.344524110+00
11	0.112375010+02	0.185277540+01	0.906856500+00	0.750265520+00	0.633443050+00	0.45849730+00
12	0.111718560+02	0.190653340+01	0.734152160+00	0.732261010+00	0.616248210+00	0.425894170+00
13	0.172009450+02	0.276033370+01	0.132794120+01	0.100709730+01	-0.844593730+00	0.592668970+00
14	0.193307750+02	0.306173530+01	0.141030350+01	0.105541270+01	0.881659800+00	0.607022910+00
15	0.263426420+02	0.412054400+01	0.130773030+01	0.133218890+01	0.110785370+01	0.760952370+00
16	0.304393790+02	0.470053790+01	0.194957750+01	0.141076740+01	0.116698040+01	0.799319280+00
17	0.377731860+02	0.572965340+01	0.221398200+01	0.157015420+01	-0.129068180+01	0.931134380+00
18	0.518755440+02	0.759278130+01	0.267435290+01	0.183739030+01	0.149900240+01	0.101942950+01
19	0.683265390+02	0.94410340+01	0.288970090+01	0.190104760+01	-0.153655680+01	0.154035940+01
20	0.618400130+02	0.827650720+01	0.219478710+01	0.137537760+01	0.110190660+01	0.743288310+00
21	0.129484870+03	0.171090750+02	0.386707080+01	0.225925880+01	-0.178942090+01	0.120203980+01
22	0.149104080+03	0.200+21+90+02	0.33d+30310+01	0.205905450+01	0.160540060+01	0.107326650+01
23	0.20059440+03	0.23558+2+0+02	0.494022090+01	0.232878150+01	-0.177693250+01	0.118162020+01
24	0.269263070+03	0.413417340+02	0.7017580+0+01	0.296983670+01	0.220639110+01	0.1+5797140+01
25	0.215542380+03	0.365163120+02	0.325756950+01	0.259333260+01	-0.187368390+01	0.122925270+01
26	0.272325700+03	0.516145790+02	0.103930210+02	0.401534670+01	0.282714400+01	0.183995640+01
27	0.323454410+03	0.713721050+02	0.175519090+02	0.637236370+01	-0.469013790+01	0.301515780+01
28	0.269356630+03	0.71+377+0+02	0.232051330+02	0.957762840+01	0.629671600+01	0.397146150+01
29	0.281735290+03	0.937304360+02	0.461213740+02	0.211010450+02	0.131966070+02	0.800778380+01
30	0.212685130+03	0.886164450+02	0.758345580+02	0.422132870+02	0.252949800+02	0.142259940+02
31	0.125254560+03	0.016003330+02	0.100324190+03	0.772132720+02	-0.491509020+02	0.251033850+02
32	0.632321030+02	0.342485530+02	0.112120160+03	0.133659460+03	0.112578310+03	0.626493940+02
33	0.110410150+02	0.625522370+01	0.398080880+02	-0.785724510+02	-0.104537660+03	0.862613750+02
34	0.122014640+03	0.710063010+01	0.113597370+01	0.4797+1610+01	0.135136890+02	0.234008290+02
35	0.561395780+03	0.330211240+03	0.1+1742730+01	-0.141869720+00	-0.938304920+00	0.377245310+01
36	0.267929550+03	0.158127560+06	0.235501740+04	0.729343550+03	0.145680950+01	0.173672230+00
37	0.354051250+11	0.209140630+11	0.180190010+08	0.289454070+06	-0.290055430+04	0.170055720+02
38	0.535032050+19	0.375182700+19	0.429417290+15	0.860857360+12	0.105256930+08	0.745673900+06
39	0.271312990+29	0.160282810+29	0.427534890+24	-0.220098320+19	-0.715847340+15	0.137017140+10
40	0.324169640+01	0.574093310+00	0.+760+9170+00	0.449210850+00	0.408994310+00	0.281295980+00
TOTAL	0.290555110+04	0.679677100+03	0.476555090+03	0.407362120+03	0.356457810+03	0.246294740+03

COMPONENT	L(22)	L(23)	L(24)	L(25)	L(26)	L(27)
1	0.340742470+02	0.156273370+02	0.112939790+03	0.156931890+05	0.160187040+03	0.395884460+05
2	0.3703732+0-01	0.169531370+01	0.355336540+02	0.141145800+03	0.497513880+02	0.349240080+03
3	0.684345450+01	0.311266300+01	0.330412710+02	0.418054060+03	0.394496470+01	0.617123340+02
4	0.94931+0+01	0.430513350+01	0.134235200+01	0.786511700+03	0.197122710+00	0.5699153.0 C1
5	0.289254000+00	0.1306424+0+00	0.560579390+01	0.446935460+02	0.140663020+01	0.625178120+00
6	0.168285470+00	0.7565452+0+01	0.351+01320+01	0.304128840+02	0.116504820+01	0.595576450+00
7	0.182268010+00	0.816610110+01	0.4081360+00	0.380431360+02	0.172196890+01	0.985961300+00
8	0.260645170+00	0.1163957+0+00	0.642444340+01	0.659725630+02	0.363577420+01	0.235604910+01
9	0.237996340+00	0.926893320+01	0.502175150+01	0.631330900+02	0.424723830+01	0.301901570+01
10	0.248340920+00	0.110651350+00	0.7280+050+01	0.332609650+02	0.761768010+01	0.577544460+01
11	0.315362140+00	0.140473710+00	0.101653740+00	0.134571420+01	0.186928760+02	0.150639240+02
12	0.305603840+00	0.13610+10+00	0.108736790+00	0.157755030+01	0.392412490+02	0.332424140+02
13	0.+16916250+00	0.18571220+00	0.194208020+00	0.252150130+01	0.788331020+02	0.595554540+00
14	0.435760800+00	0.19287213D+00	0.190335370+00	0.333510010+01	0.797838830+02	0.726922050+02
15	0.545262750+00	0.240855780+00	0.244625+0+00	0.512601770+01	0.853249190+02	0.796766220+02
16	0.571+9+030+00	0.251343330+00	0.309207360+00	0.662099020+01	0.725067920+02	0.639883690+02
17	0.623341470+00	0.276095150+00	0.379222290+00	0.899015270+01	-0.581937930+02	0.561482660+02
18	0.724742000+00	0.317370000+00	0.4879563+0+00	0.128174770+00	0.371375650+02	0.362010000+02
19	0.737041420+00	0.321493000+00	0.5323270+0+00	0.161048480+00	-0.129497210+02	0.127172330+02
20	0.52505480+00	0.228289060+00	0.42774320+00	0.134282930+00	0.308975090+01	0.304695050+01
21	0.845+50200+00	0.366748800+00	0.745+2100+00	0.252914630+00	0.141729560+01	0.140220310+01
22	0.753233560+00	0.325173+20+00	0.71673710+00	0.262201160+00	0.314331110+00	0.312263320+00
23	0.325253150+00	0.3552617470+00	0.347341550+00	0.333998330+00	0.738935700+01	0.734339540+01
24	0.101551650+01	0.434841520+00	0.11105030+01	0.474472710+00	0.159267890+01	0.150516140+01
25	0.852505770+00	0.363491500+00	0.10057900+01	0.45737+110+00	0.189185600+02	0.188511910+02
26	0.127036310+01	0.539104590+00	0.159703520+01	0.778946550+00	0.323366900+03	0.332477370+03
27	0.200676300+01	0.871675900+00	0.230527970+01	0.149455760+01	0.261534860+04	0.261165540+04
28	0.269551650+01	0.112593050+01	0.3964222+0+01	0.232879920+01	0.644407320+06	0.643719370+06
29	0.532326790+01	0.218925330+01	0.347256490+01	0.567448710+01	-0.396082580+08	0.395386850+08
30	0.900627680+01	0.358029500+01	0.148077150+02	0.113130060+02	0.298387170+11	0.298335570+11
31	0.140309920+02	0.509477560+01	0.209331780+02	0.178164820+02	-0.575699190+15	0.575668750+15
32	0.313309560+02	0.910203240+01	0.321331030+02	0.292463450+02	0.583685530+19	0.583676080+19
33	0.572379900+02	0.171051550+02	0.474313300+02	0.449199720+02	-0.192912590+23	0.192911730+23
34	0.321003070+02	0.168003+80+02	0.512905930+02	0.499723810+02	0.816631730+31	0.816631070+31
35	0.118685110+02	0.129695350+02	0.518514730+02	0.511401540+02	-0.449140160+39	0.449140090+39
36	0.159551390+01	0.477728750+01	0.527303270+02	0.525515520+02	0.844780990+50	0.844780970+50
37	0.754250030+01	0.105315540+01	0.496483060+02	0.496044020+02	0.000000000+00	0.000000000+00
38	0.393229910+03	0.649343530+01	0.349073070+02	0.349045810+02	0.000000000+00	0.000000000+00
39	0.199401630+00	0.914091560+03	0.140323520+02	0.140323140+02	0.000000000+00	0.000000000+00
40	0.210033930+00	0.971750340+01	0.377946260+01	0.4350841.0+01	0.236516780+01	0.326235090+01
TOTAL	0.179357000+03	0.802091530+02	0.108217360+03	0.332684520+03	0.509979070+03	0.465819550+03


COMPONENT	L(28)	L(29)	L(30)	L(31)	L(32)	L(33)
1	0.94131394+01	0.263031070+05	0.216752930+02	0.353462420+05	0.122913490+04	0.177810880+06
2	0.257519950+02	0.187257+90+03	0.031337000+02	0.504457450+03	0.394508770+03	0.163772540+04
3	0.138021380+01	0.187751240+02	0.221947490+01	0.271503350+02	0.953467390+03	0.515153000+04
4	0.459252710+01	0.99+607130+02	0.494225930+01	0.30977180+02	0.157509870+02	0.100161740+03
5	0.269544320+00	0.865421210+01	0.245527670+00	0.568474840+01	0.675972670+02	0.592234310+03
6	0.211549600+00	0.735036570+01	0.178547250+00	0.470017710+01	0.436831530+02	0.421739280+03
7	0.294302260+00	0.123142370+00	0.232721350+00	0.581082270+01	0.518937850+02	0.545412920+03
8	0.566625570+00	0.270875840+00	0.41230230+00	0.136695430+00	0.834242320+02	0.975534120+03
9	0.573845030+00	0.303311550+00	0.3940+5330+00	0.144572660+00	0.739725310+02	0.951486350+03
10	0.841072520+00	0.485900350+00	0.5+2775230+00	0.215829530+00	0.966186030+02	0.134561640+02
11	0.132176720+01	0.829785030+00	0.3051038780+00	0.349035950+00	0.135940870+01	0.207241230+02
12	0.158509340+01	0.107260210+01	0.999821150+00	0.423905290+00	0.146504650+01	0.245090590+02
13	0.27001370+01	0.195732230+01	0.144757430+01	0.739813440+00	0.222269850+01	0.410972210+02
14	0.302032010+01	0.2777550+01	0.17543330+01	0.969213910+00	0.280105290+01	0.528186710+02
15	0.622260320+01	0.502212930+01	0.256+323+0+01	0.152505520+01	0.365937100+01	0.821793350+02
16	0.101357630+02	0.853954610+01	0.315231780+01	0.201015720+01	0.432738640+01	0.107695920+01
17	0.199013280+02	0.173798690+02	0.410583690+01	0.279375030+01	0.538288540+01	0.148671700+01
18	0.379924400+02	0.359705580+02	0.376246470+01	0.410103900+01	0.703617440+01	0.215827160+01
19	0.525625820+02	0.484225990+02	0.753928710+01	0.574375890+01	0.811152250+01	0.276276490+01
20	0.363300680+02	0.340101590+02	0.579892600+01	0.537049720+01	0.634311930+01	0.233522920+01
21	0.501849870+02	0.475001930+02	0.144230350+02	0.117755770+02	0.112072380+00	0.445472570+01
22	0.343868120+02	0.323854750+02	0.172822450+02	0.145223980+02	0.109045850+00	0.467231640+01
23	0.254152390+02	0.245151340+02	0.249932060+02	0.214835000+02	0.130343390+00	0.600790840+01
24	0.175845580+02	0.17032+070+02	0.308754570+02	0.325591980+02	0.173357680+00	0.859959440+01
25	0.633597740+01	0.6680+2550+01	0.329334140+02	0.296934770+02	0.157676000+00	0.834415780+01
26	0.402309070+01	0.395163410+01	0.47116330+02	0.431452430+02	0.252381350+00	0.142442300+01
27	0.163252020+01	0.1610702+0+01	0.658759480+02	0.614985860+02	0.447918420+00	0.273905990+01
28	0.3320+190+00	0.329080+00+00	0.556132440+02	0.533533960+02	0.641301910+00	0.4292713+0+0
29	0.437581890+01	0.435417050+01	0.832412130+02	0.455002320+02	0.141131890+01	0.175171880+01
30	0.200316300+02	0.199863930+02	0.340315450+02	0.326290910+02	0.269088930+01	0.222837040+01
31	0.433558030+04	0.438163590+04	0.586519130+02	0.581950460+02	0.494901540+01	0.443812540+01
32	0.64694460+06	0.546723450+06	0.326343520+02	0.325677740+02	0.126019120+02	0.118745840+02
33	0.344829270+08	0.344785510+08	0.537520960+01	0.596545060+01	0.175104030+02	0.169455190+02
34	0.2310+540+12	0.231633700+12	0.579227590+01	0.678869420+01	0.47765580+01	0.47075380+01
35	0.397336780+17	0.397334410+17	0.315663830+03	0.315620060+03	0.771979290+00	0.767503620+00
36	0.165195610+23	0.165195490+23	0.151174240+06	0.151169230+06	0.355851350+01	0.352146070+01
37	0.103180860+32	0.103180350+32	0.1999478+0+11	0.199947020+11	0.348630420+03	0.348494420+03
38	0.225917350+45	0.225917350+45	0.358692410+19	0.358692320+19	0.152890650+06	0.15288580+06
39	0.000000000+00	0.000000000+00	0.153237970+29	0.153237970+29	0.280939010+11	0.280938670+11
40	0.121583590+01	0.16910+970+01	0.258311140+01	0.350030090+01	0.381409360+00	0.438829850+00
TOTAL	0.318915880+03	0.293651530+03	0.515257070+03	0.571199200+03	0.476238630+02	0.437796870+02


COMPONENT	AS(1)	AS(2)	AS(3)	AS(4)	WP(1)	WP(2)
1	0.828253530+02	0.433957550+02	0.900901480+02	0.941967320+03	0.159507560+01	0.25309054E+01
2	0.832304250+01	0.437523230+01	0.93551790+01	0.102622810+01	0.166347180+00	0.25693215D+00
3	0.297133170+00	0.120832980+00	0.210557250+00	0.190348250+01	0.372798520+00	0.83554033D+00
4	0.733950820+00	0.240923370+00	0.341947040+00	0.265208060+01	0.605428440+00	0.19201244D+01
5	0.315077480+01	0.889063360+00	0.114236920+01	0.311103440+01	0.202260210+01	0.79299023D+01
6	0.22351+7+0+01	0.53584+3D+00	0.715122530+00	0.47370+590+01	0.126320100+01	0.5+03366+0+01
7	0.285718440+01	0.707631070+00	0.822705790+00	0.514666200+01	0.145562760+01	0.68656362D+01
8	0.526069710+01	0.115713300+01	0.125376830+01	0.738124340+01	0.223031510+01	0.12133403D+02
9	0.553534380+01	0.104102200+01	0.106403240+01	0.590174850+01	0.188393970+01	0.11939093D+02
10	0.941286050+01	0.137790950+01	0.133110350+01	0.706410200+01	0.235676240+01	0.175167550+02
11	0.213726830+02	0.197515310+01	0.178090170+01	0.399092300+01	0.315314480+01	0.30729966D+02
12	0.440491140+02	0.21370770+01	0.132276910+01	0.373251900+01	0.322730780+01	0.45831395D+02
13	0.957335550+02	0.349223370+01	0.253901200+01	0.119477700+00	0.467245730+01	0.113636410+03
14	0.844844140+02	0.441980250+01	0.292715530+01	0.124463620+00	0.518264210+01	0.164234830+03
15	0.892241010+02	0.726317090+01	0.393943550+01	0.156025230+00	0.597489990+01	0.264215570+03
16	0.748943620+02	0.114153310+02	0.449398230+01	0.162891950+00	0.795674300+01	0.34082542D+03
17	0.595757200+02	0.217904930+02	0.547782070+01	0.180667280+00	0.969866110+01	0.414736610+03
18	0.377732460+02	0.428605970+02	0.725905990+01	0.209023230+00	0.128524030+02	0.394276740+03
19	0.131093030+02	0.554017760+02	0.904813690+01	0.213514680+00	0.160200220+02	0.20842783D+03
20	0.311946690+01	0.379639060+02	0.791282940+01	0.152403400+00	0.140099240+02	0.66935909D+02
21	0.142791500+01	0.519460570+02	0.163370330+02	0.240400540+00	0.289607000+02	0.41139555D+02
22	0.313063930+00	0.353582360+02	0.191012460+02	0.220031390+00	0.3925615D+02	0.12957050D+02
23	0.742257560+01	0.259922150+02	0.27112000+02	0.242275710+00	0.480016850+02	0.380814920+01
24	0.159821370+01	0.179047350+02	0.395246000+02	0.298941630+00	0.699797060+02	0.108977820+01
25	0.189590760+02	0.693052520+01	0.349118050+02	0.252045260+00	0.618249460+02	0.17735030D+02
26	0.34046330+03	0.407184240+01	0.493450160+02	0.377263570+00	0.373637400+02	0.401662210+01
27	0.262003030+04	0.104643270+01	0.82351210+02	0.518232340+00	0.120812520+02	0.40113810+02
28	0.64+9+760+05	0.333965330+00	0.329278940+02	0.314303120+00	0.120923660+03	0.18412556D+03
29	0.396251930+08	0.439022910+01	0.896107750+02	0.104191130+01	0.158658810+03	0.226869210+05
30	0.298435920+11	0.200627040+02	0.847214330+02	0.291688950+01	0.150002170+03	0.436657120+00
31	0.575730610+15	0.438841330+04	0.538929040+02	0.514713340+01	0.104271820+03	0.23653333D+11
32	0.583695900+19	0.647103700+06	0.327432570+02	0.128455980+02	0.579730100+02	0.70520965D+15
33	0.192913520+23	0.344863510+08	0.598029550+01	0.176809810+02	0.105882309D+02	0.721625380+19
34	0.816632550+31	0.231651290+12	0.679425230+01	0.479809210+01	0.120294470+00	0.15156077D+25
35	0.449140240+39	0.397333970+17	0.315697620+03	0.773501560+00	0.55895298D+03	0.46153041D+33
36	0.844731010+50	0.105195750+23	0.15117740+06	0.356095520+01	0.26766463D+06	0.66975572D+42
37	0.000000000+00	0.163185370+32	0.199948410+11	0.348681250+03	0.354015220+11	0.000000000+00
38	0.000000000+00	0.225917350+45	0.358692470+19	0.152892540+06	0.635076780+19	0.000000000+00
39	0.000000000+00	0.000000000+00	0.153237930+29	0.280939130+17	0.271312860+29	0.000000000+00
40	0.713329470+00	0.321533130+00	0.548905+3D+00	0.516167620+01	0.971784230+00	0.215564700+01
TOTAL	0.546403560+03	0.339502500+03	0.3498035670+03	0.509102070+02	0.115049850+04	0.21784931E+04

COMPUTER	V(J)	L(J)	***** DEI POINT FUNCTION VALUE *****
1	0.93153372J+01	0.444440700+00	F(1)= 0.1157194443J-04
2	0.29393915J+02	0.663095020+01	F(1)=-0.30045034071J-05
3	0.29516486J+02	0.219040930+02	F(2)=-0.117591390130-05
4	0.18529063J+02	0.419154930+02	F(3)=-0.13792902872J-05
5	0.17385314J+02	0.113492440+03	F(4)=-0.130599931500-05
6	0.663+97300+01	0.622053910+02	F(5)=-0.134237735170-05
7	0.46553370J+01	0.632742340+02	F(6)=-0.141169738910-05
8	0.36707557J+01	0.818832390+02	F(7)=-0.980266071730-00
9	0.16839172J+01	0.583890540+02	F(8)=-0.16693113563J-05
10	0.124515520+01	0.617933930+02	F(9)=-0.149355473930-05
11	0.84857134J+00	0.625441520+02	F(10)=-0.140185569820-05
12	0.31215556J+00	0.343773370+02	F(11)=-0.130047225200-05
13	0.74735022J-01	0.123937190+02	F(12)=-0.137794222110-05
14	0.72411520J-02	0.183407320+01	F(13)=-0.123342739110-05
15	0.54890225J-03	0.256151910+00	F(14)=-0.115378072310-05
16	0.41830150J-04	0.263643370-01	F(15)=-0.11508942330J-05
17	0.23543225J-05	0.242043530-02	F(16)=-0.117635197700-05
18	0.93337541J-07	0.158953110-03	F(17)=-0.1398353411J-05
19	0.21259087J-08	0.621892010-05	F(18)=-0.792433496910-06
20	0.61104492J-10	0.26933720-05	F(19)=-0.440831278380-06
21	0.32975443J-11	0.220555370-07	F(20)= 0.964276550040-06
22	0.84151303J-13	0.39380730-09	F(21)= 0.215210722490-05
23	0.22108580J-14	0.345782000-10	F(22)=-0.438173139540-05
24	0.51687352J-16	0.124406230-11	F(23)=-0.211745737430-04
25	0.64949007J-18	0.233320070-13	F(24)=-0.252828294470-05
26	0.11213192J-19	0.648921330-15	F(25)=-0.126330131370-05
27	0.35813338J-22	0.389030730-17	F(26)=-0.470756820540-05
28	0.1+181947J-25	0.328438120-20	F(27)=-0.214603754690-05
29	0.1638975+00-30	0.128493330-24	F(28)=-0.717560071080-06
30	0.204163400-37	0.877313150-31	F(29)=-0.557405938620-06
31	0.173+1331J-45	0.602785350-38	F(30)=-0.106738558140-05
32	0.17332381J-53	0.303939210-45	F(31)=-0.846036214240-06
33	0.12831722J-61	0.235498030-53	F(32)=-0.323449329420-04
34	0.234+3+24J-73	0.840361330-65	F(33)=-0.508382307020-05
35	0.000000000+00	-0.000000000+00	
36	0.000000000+00	0.000000000+00	
37	0.000000000+00	0.000000000+00	
38	0.000000000+00	0.000000000+00	
39	0.000000000+00	0.000000000+00	
40	0.23723902J+01	0.000000000+00	

***** CHECK ENTHALPY FUNCTION *****

STAGE	GL(I)	GU(I)	GG(I)
1	0.532138210+03	0.532137480+03	-0.233297220-06
2	0.437700150+03	0.437699920+03	0.902733570-07
3	0.471060720+03	0.471060520+03	0.735378350-07
4	0.471303310+03	0.471303170+03	-0.550731920-07
5	0.403330050+03	0.4033380520+03	0.429037420-07
6	0.430555170+03	0.430555440+03	0.103232690-06
7	0.621339740+03	0.621333410+03	0.510341310-06
8	0.561265630+03	0.561255810+03	0.630237930-07
9	0.577551430+03	0.577551720+03	0.896570230-07
10	0.574205160+03	0.574205340+03	0.591393170-07
11	0.565152310+03	0.565152440+03	0.31621240-07
12	0.543072500+03	0.543072790+03	0.108941580-06
13	0.523551100+03	0.523551320+03	0.339332640-07
14	0.512535030+03	0.512635180+03	0.576036630-07
15	0.491954490+03	0.491954540+03	0.564249590-07
16	0.703752950+03	0.703752130+03	0.314632790-06
17	0.521584550+03	0.521584780+03	0.459253430-07
18	0.444514910+03	0.444515330+03	0.859158770-07
19	0.409483990+03	0.409484540+03	0.208525450-06
20	0.395670480+03	0.395670570+03	0.318776430-07
21	0.380130130+03	0.280123570+03	-0.580547350-06
22	0.304997330+03	0.364995560+03	-0.893597300-06
23	0.345654970+03	0.345653990+03	0.13954070-05
24	0.233791230+02	0.233789450+02	-0.705555130-07
25	0.249117700+02	0.249117290+02	-0.159239100-07
26	0.195189950+02	0.196189390+02	-0.229420550-08
27	0.144835620+02	0.144885550+02	-0.203788920-08
28	0.113322330+02	0.113922300+02	-0.12957130-08
29	0.819160950+01	0.819150750+01	-0.735730790-09
30	0.212459840+02	0.212459740+02	-0.384451050-08
31	0.157741370+02	0.157741790+02	-0.239516580-08
32	0.334789300+01	0.334789350+01	-0.906274910-08
33	0.280371770+01	0.280371100+01	-0.257633920-08





Flowchart of the Function Evaluation Routine.