

การเพิ่มอัตรากาละลายของเพรคนิโซโลนและอินโคเมธาซินด้วยวิธีการตกตะกอนร่วม
โดยใช้ตัวพาซึ่งละลายน้ำได้สองชนิดร่วมกัน



นาย เพียรกิจ แดงประเสริฐ

ศูนย์วิทยทรัพยากร
วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาคตามหลักสูตรปริญญาเภสัชศาสตรมหาบัณฑิต
ภาควิชาเภสัชอุตสาหกรรม
บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย


พ.ศ. 2529

ISBN 974-566-169-4

013501

I167467b4

INCREASING DISSOLUTION RATES OF PREDNISOLONE AND INDOMETHACIN
BY COPRECIPITATION TECHNIQUE USING COMBINED WATER-SOLUBLE CARRIERS



MR. PIENKIT DANGPRASIRT

A Thesis Submitted in Partial Fulfillment of the Requirements
for the Degree of Master of Science in Pharmacy
Department of Manufacturing Pharmacy

Graduate School

Chulalongkorn University

1986

Thesis Title Increasing Dissolution Rates of Prednisolone and
Indomethacin by Coprecipitation Technique Using
Combined Water-Soluble Carriers
By Mr. Pienkit Dangprasirt
Department Manufacturing Pharmacy
Thesis Advisor Garnpimol Chongsathien, Ph. D.



Accepted by the Graduate School, Chulalongkorn University
in partial fulfillment of the requirements for the Master's degree

S. Rhin. IL
.....

(Associate Professor Sorachai Bhisalbutra, Ph.D.)

Thesis Committee

Pisidhi Sudhi-Aromna Chairman

(Professor Captain Pisidhi Sudhi-Aromna RTN.)

Parunee Thanomkiat Member

(Associate Professor Parunee Thanomkiat)

Mitr Pathipvanich Member

(Dr. Mitr Pathipvanich)

Garnpimol Chongsathien Member

(Dr. Garnpimol Chongsathien)

Copyright of the Graduate School, Chulalongkorn University



ACKNOWLEDGEMENT

My sincere gratitude is expressed to my advisor Dr. Garnpimol Chongsathien for her assistance and encouragement throughout this study. Without her valuable advices, this investigation would not be accomplished.

My appreciation also goes to my fellow graduate students for their warm friendship which enabled me to enjoy working on this research.

This investigation was supported in part by a grant from the Graduate School, Chulalongkorn University, to which I am grateful.

Finally, I wish to express my thanks to all instructors and personnel in the Department of Manufacturing Pharmacy for all their assistance.

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย



CONTENTS

	Page
THAI ABSTRACT	iv
ENGLISH ABSTRACT	vi
ACKNOWLEDGEMENTS	viii
LIST OF TABLES	x
LIST OF FIGURES	xvi
CHAPTER	
I INTRODUCTION	1
II MATERIALS AND METHODS	25
III RESULTS	40
IV DISCUSSION AND CONCLUSIONS	94
REFERENCES	111
APPENDIX	118
VITA	135



LIST OF TABLES

Table	Page
1. Materials Tested as Carriers for Solid Dispersions.....	18
2. Quantities of Prednisolone and Carrier(s) Used in Preparing Coprecipitates or Physical Mixtures.....	28
3. Quantities of Indomethacin and Carrier(s) Used in Preparing Coprecipitates or Physical Mixtures.....	29
4. Composition of Prednisolone Test Tablets.....	31
5. Composition of Indomethacin Test Tablets.....	34
<hr/>	
6. Average Disintegration Times of the Tablets Containing Various Ratios of Prednisolone:Dextrose System.....	41
7. The Dissolution Parameters of Prednisolone Tablets Containing Various Ratios of Drug:Dextrose System.....	42
8. Average Disintegration Times of the Tablets Containing Various Ratios of Prednisolone:PEG 4000 System.....	47
9. The Dissolution Parameters of Prednisolone Tablets Containing Various Ratios of Drug:PEG 4000 System.....	49
10. Average Disintegration Times of the Tablets Containing Various Ratios of Prednisolone:SLS System.....	54
11. The Dissolution Parameters of the Prednisolone Tablets Containing Various Ratios of Drug:SLS System.....	55
12. Average Disintegration Times of the Tablets Containing Various Systems of 1:5 Prednisolone:(dextrose-PEG 4000)	60

Table	Page
13. The Dissolution Parameters of Prednisolone Tablets Containing Various Systems of 1:5 Drug:(dextrose- PEG 4000).....	62
14. Average Disintegration Times of the Tablets Containing Various Systems of 1:5 Prednisolone:(dextrose-SLS).....	67
15. The Dissolution Parameters of Prednisolone Tablets Containing Various Systems of 1:5 Drug:(dextrose-SLS)	69
16. Average Disintegration Times of the Tablets Containing 1:1 Indomethacin:Single Carrier Systems.....	74
17. The Dissolution Parameters of Indomethacin Tablets Containing 1:1 Drug:Single Carrier Systems.....	76
18. Average Disintegration Times of the Tablets Containing Various Systems of 1:1 Indomethacin:(dextrose-PEG 4000)	81
19. The Dissolution Parameters of Indomethacin Tablets Containing Various Systems of 1:1 Drug:(dextrose- PEG 4000).....	83
20. Average Disintegration Times of the Tablets Containing Various Systems of 1:1 Indomethacin:(dextrose-SLS).....	88
21. The Dissolution Parameters of Indomethacin Tablets Containing Various Systems of 1:1 Drug:(dextrose-SLS)	90
22. Dissolution Parameters of Prednisolone Tablets Prepared from Some Coprecipitates.....	109
23. Dissolution Parameters of Indomethacin Tablets Prepared from Some Coprecipitates.....	109
24. Amount of Prednisolone Dissolved from Prednisolone Control Tablets in Distilled Water.....	119

Table	Page
25. Amount of Prednisolone Dissolved from Tablets Containing 1:1 Prednisolone:Dextrose Physical Mixture and Coprecipitate in Distilled Water.....	120
26. Amount of Prednisolone Dissolved from Tablets Containing 1:3 Prednisolone:Dextrose Physical Mixture and Coprecipitate in Distilled Water.....	120
27. Amount of Prednisolone Dissolved from Tablets Containing 1:5 Prednisolone:Dextrose Physical Mixture and Coprecipitate in Distilled Water.....	121
28. Amount of Prednisolone Dissolved from Tablets Containing 1:1 Prednisolone:PEG 4000 Physical Mixture and Coprecipitate in Distilled Water.....	121
29. Amount of Prednisolone Dissolved from Tablets Containing 1:3 Prednisolone:PEG 4000 Physical Mixture and Coprecipitate in Distilled Water.....	122
30. Amount of Prednisolone Dissolved from Tablets Containing 1:5 Prednisolone:PEG 4000 Physical Mixture and Coprecipitate in Distilled Water.....	122
31. Amount of Prednisolone Dissolved from Tablets Containing 1:1 Prednisolone:SLS Physical Mixture and Coprecipitate in Distilled Water.....	123
32. Amount of Prednisolone Dissolved from Tablets Containing 1:3 Prednisolone:SLS Physical Mixture and Coprecipitate in Distilled Water.....	123

Table	Page
33. Amount of Prednisolone Dissolved from Tablets Containing 1:5 Prednisolone:SLS Physical Mixture and Coprecipitate in Distilled Water.....	124
34. Amount of Prednisolone Dissolved from Tablets Containing 1:(1+4) Prednisolone:(dextrose+PEG 4000) Physical Mixture and Coprecipitate in Distilled Water	125
35. Amount of Prednisolone Dissolved from Tablets Containing 1:(2+3) Prednisolone:(dextrose+PEG 4000) Physical Mixture and Coprecipitate in Distilled Water	125
36. Amount of Prednisolone Dissolved from Tablets Containing 1:(3+2) Prednisolone:(dextrose+PEG 4000) Physical Mixture and Coprecipitate in Distilled Water	126
37. Amount of Prednisolone Dissolved from Tablets Containing 1:(4+1) Prednisolone:(dextrose+PEG 4000) Physical Mixture and Coprecipitate in Distilled Water	126
38. Amount of Prednisolone Dissolved from Tablets Containing 1:(1+4) Prednisolone:(dextrose+SLS) Physical Mixture and Coprecipitate in Distilled Water	127
39. Amount of Prednisolone Dissolved from Tablets Containing 1:(2+3) Prednisolone:(dextrose+SLS) Physical Mixture and Coprecipitate in Distilled Water	127
40. Amount of Prednisolone Dissolved from Tablets Containing 1:(3+2) Prednisolone:(dextrose+SLS) Physical Mixture and Coprecipitate in Distilled Water	128

Table	Page
41. Amount of Prednisolone Dissolved from Tablets Containing 1:(4+1) Prednisolone:(dextrose+SLS) Physical Mixture and Coprecipitate in Distilled Water	128
42. Amount of Indomethacin Dissolved from Indomethacin Control Tablets in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	129
43. Amount of Indomethacin Dissolved from Tablets Containing 1:1 Indomethacin:Dextrose Physical Mixture and Coprecipitate in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	129
44. Amount of Indomethacin Dissolved from Tablets Containing 1:1 Indomethacin:PEG 4000 Physical Mixture and Coprecipitate in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	130
45. Amount of Indomethacin Dissolved from Tablets Containing 1:1 Indomethacin:SLS Physical Mixture and Coprecipitate: in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	130
46. Amount of Indomethacin Dissolved from Tablets Containing 1:(0.2+0.8) Indomethacin:(dextrose+PEG 4000) Physical Mixture and Coprecipitate in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	131
47. Amount of Indomethacin Dissolved from Tablets Containing 1:(0.4+0.6) Indomethacin:(dextrose+PEG 4000) Physical Mixture and Coprecipitate in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	131

Table

Page

48.	Amount of Indomethacin Dissolved from Tablets Containing 1:(0.6+0.4) Indomethacin:(dextrose+PEG 4000) Physical Mixture and Coprecipitate in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	132
49.	Amount of Indomethacin Dissolved from Tablets Containing 1:(0.8+0.2) Indomethacin:(dextrose+PEG 4000) Physical Mixture and Coprecipitate in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	132
50.	Amount of Indomethacin Dissolved from Tablets Containing 1:(0.2+0.8) Indomethacin:(dextrose+SLS) Physical Mixture and Coprecipitate in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	133
51.	Amount of Indomethacin Dissolved from Tablets Containing 1:(0.4+0.6) Indomethacin:(dextrose+SLS) Physical Mixture and Coprecipitate in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	133
52.	Amount of Indomethacin Dissolved from Tablets Containing 1:(0.6+0.4) Indomethacin:(dextrose+SLS) Physical Mixture and Coprecipitate in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	134
53.	Amount of Indomethacin Dissolved from Tablets Containing 1:(0.8+0.2) Indomethacin:(dextrose+SLS) Physical Mixture and Coprecipitate in 4:1 Distilled Water:pH 7.2 Phosphate Buffer Solution.....	134

LIST OF FIGURES

Figure	Page
1. Schematic of (2-dimensional) of the types of substitution which may occur in crystalline material.	12
2. Standard curve plotting the concentration of prednisolone versus absorbance at 246 nm.....	38
3. Standard curve plotting the concentration of indomethacin versus absorbance at 318 nm.....	39
4. Dissolution profiles of tablets containing 1:1 prednisolone:dextrose.....	43
5. Dissolution profiles of tablets containing 1:3 prednisolone:dextrose.....	43
6. Dissolution profiles of tablets containing 1:5 prednisolone:dextrose.....	44
7. Dissolution profiles of tablets containing various ratios of prednisolone:dextrose physical mixtures.....	44
8. Dissolution profiles of tablets containing various ratios of prednisolone:dextrose coprecipitates.....	45
9. Dissolution profiles of tablets containing 1:1 prednisolone:PEG 4000.....	50
10. Dissolution profiles of tablets containing 1:3 prednisolone:PEG 4000.....	50
11. Dissolution profiles of tablets containing 1:5 prednisolone:PEG 4000.....	51

Figure	Page
12. Dissolution profiles of tablets containing various ratios of prednisolone:PEG 4000 physical mixtures.....	51
13. Dissolution profiles of tablets containing various ratios of prednisolone:PEG 4000 coprecipitates.....	52
14. Dissolution profiles of tablets containing 1:1 prednisolone:SLS.....	56
15. Dissolution profiles of tablets containing 1:3 prednisolone:SLS.....	56
16. Dissolution profiles of tablets containing 1:5 prednisolone:SLS.....	57
17. Dissolution profiles of tablets containing various ratios of prednisolone:SLS physical mixtures.....	57
18. Dissolution profiles of tablets containing various ratios of prednisolone:SLS coprecipitates.....	58
19. Dissolution profiles of tablets containing 1:(1+4) prednisolone:(dextrose+PEG 4000).....	63
20. Dissolution profiles of tablets containing 1:(2+3) prednisolone:(dextrose+PEG 4000).....	63
21. Dissolution profiles of tablets containing 1:(3+2) prednisolone:(dextrose+PEG 4000).....	64
22. Dissolution profiles of tablets containing 1:(4+1) prednisolone:(dextrose+PEG 4000).....	64
23. Dissolution profiles of tablets containing various systems of 1:5 prednisolone:(dextrose-PEG 4000) physical mixtures.....	65

Figure	Page
24. Dissolution profiles of tablets containing various systems of 1:5 prednisolone:(dextrose-PEG 4000) coprecipitates.....	65
25. Dissolution profiles of tablets containing 1:(1+4) prednisolone:(dextrose+SLS).....	70
26. Dissolution profiles of tablets containing 1:(2+3) prednisolone:(dextrose+SLS).....	70
27. Dissolution profiles of tablets containing 1:(3+2) prednisolone:(dextrose+SLS).....	71
28. Dissolution profiles of tablets containing 1:(4+1) prednisolone:(dextrose+SLS).....	71
29. Dissolution profiles of tablets containing various systems of 1:5 prednisolone:(dextrose-SLS) physical mixtures.....	72
30. Dissolution profiles of tablets containing various systems of 1:5 prednisolone:(dextrose-SLS) coprecipitates.....	72
31. Dissolution profiles of tablets containing 1:1 indomethacin:dextrose.....	77
32. Dissolution profiles of tablets containing 1:1 indomethacin:PEG 4000.....	77
33. Dissolution profiles of tablets containing 1:1 indomethacin:SLS.....	78
34. Dissolution profiles of tablets containing various systems of 1:1 indomethacin:single carrier physical mixtures.....	78

Figure	Page
35. Dissolution profiles of tablets containing various systems of 1:1 indomethacin:single carrier coprecipitates.....	79
36. Dissolution profiles of tablets containing 1:(0.2+0.8) indomethacin:(dextrose+PEG 4000).....	84
37. Dissolution profiles of tablets containing 1:(0.4+0.6) indomethacin:(dextrose+PEG 4000).....	84
38. Dissolution profiles of tablets containing 1:(0.6+0.4) indomethacin:(dextrose+PEG 4000).....	85
39. Dissolution profiles of tablets containing 1:(0.8+0.2) indomethacin:(dextrose+PEG 4000).....	85
40. Dissolution profiles of tablets containing various systems of 1:1 indomethacin:(dextrose+PEG 4000) physical mixtures.....	86
41. Dissolution profiles of tablets containing various systems of 1:1 indomethacin:(dextrose+PEG 4000) coprecipitates.....	86
42. Dissolution profiles of tablets containing 1:(0.2+0.8) indomethacin:(dextrose+SLS).....	91
43. Dissolution profiles of tablets containing 1:(0.4+0.6) indomethacin:(dextrose+SLS).....	91
44. Dissolution profiles of tablets containing 1:(0.6+0.4) indomethacin:(dextrose+SLS).....	92
45. Dissolution profiles of tablets containing 1:(0.8+0.2) indomethacin:(dextrose+SLS).....	92

Figure	Page
46. Dissolution profiles of tablets containing various systems of 1:1 indomethacin:(dextrose-SLS) physical mixtures.....	93
47. Dissolution profiles of tablets containing various systems of 1:1 indomethacin:(dextrose-SLS) coprecipitates.....	93



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย