

REFERENCES

- Backensfeld, T., Müller, B.W., Wiese, M. and Seydel, J.K. 1990. Effect of cyclodextrin derivatives on indomethacin stability aqueous solution. Pharm. Res. 7(5):484-490.
- Bekers, O., Uijtendaal, E.V., Beijnen, J.H., Bult, A. and Underberg, W.J.M. 1991. Cyclodextrins in the pharmaceutical field. Drug Dev. Ind. Pharm. 17(11): 1503-1549.
- Borka, L. 1974. The polymorphism of indomethacin. Acta. Pharm. Suecica. 11: 295-303.
- Brien, M.O., McCauley, J. and Cohen, E. 1984. Indomethacin. Analytical profiles of drug substances. 13: 211-238.
- Çelebi, N. and Erden, N. 1992. Interaction of naproxen with β -cyclodextrin in ground mixture. Int. J. Pharm. 78: 183-187.
- Connors, K.A., Amidon, G.L. and Stella, V.J. 1986. Indomethacin. Chemical stability of pharmaceuticals : a handbook for pharmacists. 2nd. New York : John Wiley : 509-516.
- Corrigan, O.I., Holahan, E.M. and Reilly, M.R. 1985. Physico-chemical properties of indomethacin and related compounds co-spray dried with polyvinylpyrrolidone. Drug Dev. Ind. Pharm. 11(2&3) : 677-695.

Duchêne, D. 1988. New trends in pharmaceutical applications of cyclodextrin inclusion compounds. In O. Huber and J. Szejtli(ed.), Advances in inclusion science, proceedings of the fourth international symposium on cyclodextrins. Netherlands : Kluwer Academic Publishers : 265-275.

— and Wouessidjewe, D. 1990 a. Pharmaceutical uses of cyclodextrins and derivatives. Drug Dev. Ind. Pharm. 16 (17) : 2487-2499.

— and Wouessidjewe, D. 1990b. Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, Part I. Pharm. Tech. 6:26,28,32,34.

— and Wouessidjewe, D. 1990c. Physicochemical characteristics and pharmaceutical uses of cyclodextrin derivatives, Part II. Pharm. Tech. 8: 22,24,26,28,30.

El-Gendy, G.A., Terada, K., Yamamoto, K. and Nakai, Y. 1986. Molecular behavior, dissolution characteristics and chemical stability of aspirin in the ground mixture and in the inclusion complex with di-O-methyl- β -cyclodextrin. Int. J. Pharm. 31 : 25-31.

EIShaboury, M.H. 1990. Physical properties and dissolution profiles of tablets directly compressed with β -cyclodextrins. Int. J. Pharm. 63: 95-100.

Fenyvesi, E., Shirakura, O. Szejtli, J. and Nagai, T. 1984.

Properties of cyclodextrin polymer as a tabletting aid.

Chem. Pharm. Bull. 32(2) : 665-669.

_____, Takayama, K., Szejtli, J. and Nagai, T. 1984.

Evaluation of cyclodextrin polymer as an additive for furosemide tablet. Chem. Pharm. Bull. 32(2) : 670-677.

Ford, J.L. and Rubinstein, M.H. 1981. An investigation into some pharmaceutical interactions by differential scanning calorimetry. Drug Dev. Ind. Pharm. 7(6) : 675-682.

_____, and Elliott, N.C.P. 1985. The effect of particle size on some IN-VITRO and IN-VIVO properties of indomethacin-polyethylene glycol 6000 solid dispersions. Drug Dev. Ind. Pharm. 11(2 & 3) : 537-549.

Gandhi, R.B. and Karara, A.H. 1988. Characterization, dissolution and diffusion properties of tolbutamide- β -cyclodextrin complex system. Drug Dev. Ind. Pharm. 14(5) 657-682.

Green, A.R., Miller, E.S. and Guillory, J.K. 1991. Physical properties of the complexes formed between heptakis (2,6-di-O-methyl- β -cyclodextrin, β -cyclodextrin and chlorambucil. J. Pharm. Sci. 80(2) : 186-189.

Hamada, Y., Nambu, N. and Nagai, T. 1975. Interaction of α - and β -CD with several non-steroidal antiinflammatory drugs in aqueous solution. Chem. Pharm. Bull. 23(6) : 1205-1211.

Helm, H., Backensfeld, T., Muller, B.W. and Waaler, T. 1991. The preparation and characterization of digoxin- β -cyclodextrin and 2-hydroxypropyl- β -cyclodextrin complex. Acta. Pharm. Nord. 3(4) : 199-204.

Higuchi, T. and Connors, K.A. 1965. Phase-solubility techniques. Adv. Anal. Chem. Instrum. 4: 117-212.

Hirayama, F., Hirashima, N., Abe, K., Uekama, K., Ijitsu, T. and Ueno, M. 1988. Utilization of diethyl- β -cyclodextrin as a sustained-release carrier for isosorbide dinitrate. J. Pharm. Sci. 77(3) : 233-236.

Imaizumi, H., Nambu, N. and Nagai, T. 1980. Stability and several physical properties of amorphous and crystalline forms of indomethacin. Chem. Pharm. Bull. 28(9) : 2565-2569.

Jodál, I., Nánási, P. and Szejtli, J. 1988. Investigation of the hemolytic effect of the cyclodextrin derivatives. In O. Huber and J. Szejtli (ed.), Advances in inclusion science, proceedings of the fourth international symposium on cyclodextrins. Netherlands : Kluwer Academic Publishers : 421-425.

Jones, S.P., Grant, D.J.W., Hadgraft, J. and Parr, G.D. 1984.

Cyclodextrins in the pharmaceutical sciences part I : preparation, structure and properties of cyclodextrins and cyclodextrin inclusion compounds. Acta. Pharm. Tech. 30(3) : 213-223.

Kaneniwa, N., Otsuka, M. Hayashi, T. 1985. Physicochemical characterization of indomethacin polymorphs and the transformation kinetics in ethanol. Chem. Pharm. Bull. 33(8) : 3447-3455.

Kedzierewicz, F., Hoffman, M. and Maincent, P. 1990. Comparison of tolbutamide β -cyclodextrin inclusion compounds and solid dispersions: Physicochemical characteristics and dissolution studies. Int. J. Pharm. 58 : 221-227.

Kurozumi, M., Nambu, N. and Nagai, T. 1975. Inclusion compounds of non-steroidal antiinflammatory and other slightly water soluble drugs with α - and β - cyclodextrins in powders form. Chem. Pharm. Bull. 23(12) : 3062-3068.

Lin, S-Y and Kao, Y-H. 1989. Solid particulates of drug- β -cyclodextrin inclusion complexes directly prepared by a spray-drying technique. Int. J. Pharm. 56 : 249-259.

_____, Kao, Y-H. and Yang, J-C. 1988. Grinding effect on some pharmaceutical properties of drugs by adding β -cyclodextrin. Drug Dev. Ind. Pharm. 14(1) : 99-118.

Lin, S-Z., Wouessidjewe, D., Poelman, M-C. and Duchene, D. 1991.

Indomethacin and cyclodextrin complexes. Int. J. Pharm.
69 : 211-219.

Loftsson, T., Friariksdottir, H., Olafsdottir, B.J. and Guamundsson, O. 1991. Solubilization and stabilization of drugs through cyclodextrin complexation. Acta. Pharm. Nord. 3(4) : 215-217.

Manna, A.L., Giordano, F. and Gazzaniga, A. 1990. Cyclodextrins as 'active' excipients in tabletting technology. In D. Duchene(ed.) MINUTES. of the fifth international symposium on cyclodextrins. France : Editions de Sante : 547-558.

Marques, H.M.C., Hadgraft, J. and Kellaway, I.W. 1990. Studies of cyclodextrin inclusion complexes. I. the salbutamol-cyclodextrin complex as studied by phase solubility and DSC. Int. J. Pharm. 63 : 259-266.

Müller, B.W. and Brauns, U. 1985. Solubilization of drugs by modified β -cyclodextrins. Int. J. Pharm. 26 : 77-88.

_____, Brauns, U. and Backensfeld, T. 1988. Cyclodextrin derivatives for solubilisation, stabilisation, and absorption of drugs. In O. Huber and J. Szejtli (ed.), Advances in inclusion science, proceedings of the fourth international symposium on cyclodextrins. Netherland : Kluwer Academic Publishers : 369-382.

Mura, P., Liguori, A., Bramanti, G. and Poggi, L. 1988.

Improvement of dissolution characteristics of picotamide by cyclodextrin complexation. Acta. Pharm. Technol. 34(2) : 77-79.

Myles, A.M.C., Lee, P.K.Y., France, G., Barlow, D.J. and Lawrence, M.J. 1990. Structural studies of indomethacin/cyclodextrin complexes. In D. Duchene(ed.), MINUTES, of the fifth international symposium on cyclodextrins. France : Editions de Sante : 173-179.

Nagai, Y. 1986. Molecular behavior of medicinals in ground mixtures with microcrystalline cellulose and cyclodextrins. Drug Dev. Ind. Pharm. 12(7) : 1017-1039.

Nakai, Y., Yamamoto, K., Terada, K., Oguchi, T., Saito, H. and Watanabe, D. 1989. New method for preparing cyclodextrin inclusion compound II. Effects of heating temperature, water content and drug properties on the inclusion formation. Chem. Pharm. Bull. 37(4) : 1055-1058.

_____, Yamamoto, K., Terada, K. and Watanabe, D. 1987. New methods for preparing cyclodextrin inclusion compounds. I. Heating in a sealed container. Chem. Pharm. Bull. 35 : 4609-4615.

Nozawa, Y. and Yamamoto. 1989. Effects of roll mixing with β -cyclodextrin on enhancing solubilities of water insoluble drugs. Pharm. Acta. Helv. 64, Nr. 1:24-29.

Oguchi, T., Yonemochi, E., Yamamoto, K. and Nakai, Y. 1990. Freeze-drying of drug with cyclodextrin-effects of freezing condition on the crystallinity. NUS-ISPS Seminar, Chiba : 278-286.

Otero-Espinar, F.J., Anguiano-Ilgea, S., Garcia-Gonzalez, N., Vilajato, J.L. and Blanco-Mendez, J. 1992. Interaction of naproxen with β -cyclodextrin in solution and in the solid state. Int. J. Pharm. 79 : 149-157.

Sea, H., Tsuruoka, M., Hashimoto, T., Fujinaga, T., Otagiri, M. and Uekama, K. 1983. Enhancement of oral bioavailability of spironolactone by β - and δ -cyclodextrin complexations. Chem. Pharm. Bull. 31(1) : 286-291.

Shangraw, R.F., Pande, G. and Gala, P. 1990. Characterization of the tabetting properties of β -cyclodextrin and the effects of processing variables on inclusion complex formation, compactibility and dissolution. In D. Duchene (ed.) MINUTES, of the fifth international symposium on cyclodextrins. France : Editions de Sante : 547-558.

Shefter, E. 1981. Solubilization by solid-state manipulation. In S.H. Yalkosky, S.H. Techniques of solubilization of drugs. Marcel Dekker : 159-182.

Singla, A.K. and Mediratta, D.K. 1988. Influence of sodium lauryl sulphate on indomethacin release pattern from zinc-indomethacin complex and indomethacin capsules. Drug Dev. Ind. Pharm. 14(13) : 1883-1888.

Somlak, K. 1991. Mechanisms of increasing dissolution of indomethacin solid dispersion and corresponding capsules prepared by various amount and types of carriers. Master's Thesis. Chulalongkorn University.

Suleiman, M.S. and Najib, N.M. 1990. Kinetics of alkaline hydrolysis of indomethacin in the presence of surfactants and cosolvents. Drug Dev. Ind. Pharm. 16(4) : 695-706.

Szatmari, I. and Vargay, Z. 1988. Pharmacokinetics of dimethyl-beta-cyclodextrin in rats. In O. Huber and J. Szejtli (ed.), Advances in inclusion science, proceedings of the fourth international symposium on cyclodextrins. Netherlands : Kluwer Academic Publishers : 407-413.

Szejtli, J. 1982. Cyclodextrins and their inclusion complexes. Hungary : Akademiai Kiado.

— . 1988. Cyclodextrin technology. Netherlands : Kluwer Academic Publishers.

— . 1991. Cyclodextrins in drug formulations : Part II. Pharm. Tech. 8: 24, 26, 28, 32, 36, 38.

Szeman, J., Szente, L., Szabo, T. and Szejtli, J. 1988. Highly soluble β -cyclodextrin derivatives, a comparative study. In O. Huber and J. Szejtli (ed.), Advances in inclusion science, proceedings of the fourth international symposium on cyclodextrins. Netherlands : Kluwer Academic Publishers : 393-398.

Szente, L. and Szejtli, J. 1987. Wettability of cyclodextrin complexes. Acta. Pharm. Hung. 57: 73-76.

Tarimci, N. and Celebi, N. 1988. Studies on cyclodextrin polymer, part I : the effect of CDP on indomethacin tablet formulation. Pharmazie. 43(5) : 323-325.

Tasic, L.J.M., Jovanovic, M.D. and Djuric, Z.R. 1991. The influence of β -cyclodextrin on the solubility and dissolution rate of paracetamol solid dispersions. J. Pharm. Pharmacol. 44 : 52-55.

The united states pharmacopeia. 22nd revision. The national formulary. 17th ed. 1990. Rockville Md. : The united states of pharmacopeia convention Inc. : 689-690.

Uekama, K., Imai, T., Maeda, T., Irie, T., Hirayama, F. and Otagiri, M. 1985. Improvement of dissolution and suppository release characteristics of flurbiprofen by inclusion complexation with heptakis (2,6-di-O-methyl)- β -cyclodextrin. J. Pharm. Sci. 74(8) : 841-845.

_____, Udo, K., Irie, T., Yoshida, A. and Otagiri, M. 1987. Improvement of dissolution and absorption characteristics of indomethacin by water-soluble α -cyclodextrin-epichlorohydrin polymer. Acta. Pharm. Suec. 24 : 27-36.

Weiszfeiler, V., Stadler-Szoke, A. and Szejtli, J. 1988. Solubility enhancement in ipriflavone by cyclodextrin complexation. In O. Huber and J. Szejtli(ed.), Advances in inclusion science, proceedings of the fourth international symposium on cyclodextrins. Netherlands : Kluwer Academic Publishers : 329-335.

Yamamoto, K., Hanawa, T., Yonemochi, E., Oguchi, T. and Nagai, Y. 1991. Preparation of cyclodextrin inclusion compound by sealed heating method-benzoic acid and dimethyl- β -cyclodextrin system. The second Japan-Thailand symposium on powder technology-applications to environmental protection. New materials, and industrial pharmacy. (22-23 August 1991) : IP-3-1-IP-3-6.



APPENDICES

គ្រឿងសាស្ត្រ និង ការបង្កើតរំភាព
សាខាអាស៊ាន នៃ សាខាថ្មាន និង សាខាទី

APPENDIX 1

Calibration Data of Indomethacin in
Phosphate Buffer of pH 7.2:DIW (1:4).

Conc.(ug/ml)	Absorbance*
10.36	0.203
15.54	0.305
20.72	0.411
31.08	0.618
41.44	0.818
51.80	1.023

* = Average from three determinations.

Regression Output:

Constant	-0.000356725
Std Err of Y Est	0.0025418524
R Squared	0.9999481538
No. of Observations	6
Degrees of Freedom	4
X Coefficient(s)	0.0197757908
Std Err of Coef.	0.000071199

APPENDIX 2




Figure 75 Standard curve of indomethacin in phosphate buffer
of pH 7.2 : DIW (1:4) at 318 nm.

APPENDIX 3

Calibration Data of Indomethacin in Phosphate Buffer of pH 7.0:Methanol (1:1).

Conc.(ug/ml)	Absorbance*
10.52	0.201
21.04	0.404
31.56	0.606
42.08	0.815
52.60	1.022

* = Average from three determinations.

Regression Output:

Constant	-0.0057
Std Err of Y Est	0.0024547761
R Squared	0.999957055
No. of Observations	5
Degrees of Freedom	3
X Coefficient(s)	0.0195025349
Std Err of Coef.	0.0000737898

APPENDIX 4




Figure 76 Standard curve of indomethacin in phosphate buffer
of pH 7.0 : methanol (1:1) at 318 nm.

APPENDIX 5



The percentage content of indomethacin in various preparations.

METHOD	CDS	RATIOS	%CONTENT	Avg	SD	%CV		
GM	ALPHA	1:0.5	96.72	99.62	95.30	97.21	1.80	1.85
		1:1	97.35	99.50	97.54	98.13	0.97	0.99
		1:2	98.56	98.91	98.11	98.53	0.33	0.33
		1:3	99.85	98.25	98.07	98.72	0.80	0.81
BETA	BETA	1:0.5	97.63	97.19	97.10	97.31	0.23	0.24
		1:1	96.81	96.20	97.02	96.68	0.35	0.36
		1:2	101.08	99.82	98.93	99.94	0.88	0.88
		1:3	98.64	98.48	97.57	98.23	0.47	0.48
		1:6	99.77	100.71	100.21	100.23	0.38	0.38
		1:10	96.17	97.25	98.57	96.66	0.45	0.46
GAMMA	GAMMA	1:0.5	99.12	96.18	99.18	98.16	1.40	1.43
		1:1	98.80	98.01	98.12	98.31	0.35	0.36
		1:2	99.42	99.63	100.25	99.77	0.35	0.35
		1:3	97.31	98.05	97.31	97.56	0.35	0.36
DIMEB	DIMEB	1:0.5	100.21	100.90	100.50	100.54	0.28	0.28
		1:1	100.71	100.62	100.96	100.76	0.14	0.14
		1:2	99.20	99.93	99.23	99.45	0.34	0.34
		1:3	99.86	100.43	101.79	100.69	0.81	0.80
KM	ALPHA	1:0.5	102.85	101.53	101.77	102.05	0.57	0.56
		1:1	99.10	98.89	98.47	98.82	0.26	0.27
		1:2	96.79	96.65	96.56	96.67	0.09	0.10
		1:3	96.81	97.32	96.75	96.96	0.26	0.26
BETA	BETA	1:0.5	99.46	100.14	100.09	99.90	0.31	0.31
		1:1	98.54	100.14	100.86	99.85	0.97	0.97
		1:2	96.62	97.27	97.23	97.04	0.30	0.31
		1:3	103.59	102.25	97.19	101.01	2.76	2.73
		1:6	99.59	99.32	99.62	99.51	0.13	0.14
		1:10	97.23	97.46	97.25	97.31	0.10	0.11
GAMMA	GAMMA	1:0.5	97.78	97.13	97.87	97.59	0.33	0.34
		1:1	98.62	97.10	97.97	97.90	0.62	0.64
		1:2	98.21	98.71	98.55	98.49	0.21	0.21
		1:3	98.03	99.77	98.92	98.91	0.71	0.72
DIMEB	DIMEB	1:0.5	102.22	99.63	99.91	100.59	1.16	1.15
		1:1	97.49	98.30	97.75	97.85	0.34	0.35
		1:2	99.46	98.41	99.37	99.08	0.48	0.48
		1:3	99.45	100.08	100.59	100.04	0.47	0.47

APPENDIX 5 (continued)

The percentage content of indomethacin in various preparations.

METHOD	CDS	RATIOS	%CONTENT			AVG	SD	%CV
SD	ALPHA	1:1	97.72	97.68	97.62	97.67	0.04	0.04
		1:2	97.12	98.09	97.01	97.41	0.49	0.50
		1:3	97.36	97.06	97.65	97.36	0.24	0.25
	BETA	1:1	97.11	97.02	97.05	97.06	0.04	0.04
		1:2	97.06	96.55	97.19	96.93	0.28	0.28
		1:3	96.00	96.77	96.70	96.49	0.35	0.36
	GAMMA	1:1	97.35	96.80	97.71	97.29	0.37	0.38
		1:2	97.50	97.24	96.46	97.07	0.44	0.46
		1:3	97.12	97.21	96.87	97.07	0.14	0.15
	DIMEB	1:1	97.76	98.16	98.53	98.15	0.31	0.32
		1:2	96.12	97.74	96.66	96.84	0.67	0.70
		1:3	101.06	99.33	99.04	99.81	0.89	0.89

APPENDIX 6

Dissolution data of indomethacin from pure drug, ground drug, kneaded drug and treated drug in phosphate buffer of pH 7.2:deionized water(1:4).

Type of drug	Time(min.)	% drug dissolved						avg.	SD	XCV
		#1	#2	#3	#4	#5	#6			
IDM	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	2.95	3.72	4.59	4.72	6.30	3.14	4.24	1.14	26.83
	4	9.79	10.50	13.32	13.48	12.30	11.98	11.90	1.36	11.43
	6	17.69	18.63	23.54	26.81	18.48	22.79	21.32	3.31	15.53
	8	24.52	26.45	33.31	35.72	23.55	33.67	29.54	4.83	16.36
	12	36.32	37.06	45.74	52.36	34.16	50.65	42.72	7.20	16.86
	16	46.74	46.19	55.13	64.74	44.85	63.48	53.52	8.19	15.31
	20	55.66	54.20	63.42	73.30	52.85	72.87	62.05	8.49	13.68
	25	64.64	61.78	71.11	79.50	62.35	80.40	69.96	7.69	10.99
	30	71.55	68.58	76.77	84.53	69.59	85.48	76.08	6.82	8.97
	35	76.94	73.77	81.55	87.79	75.56	88.68	80.71	5.82	7.21
	40	81.01	78.40	85.45	90.01	80.26	90.87	84.33	4.81	5.71
	50	86.68	84.24	89.77	92.69	87.76	93.37	89.08	3.24	3.63
	60	90.15	88.09	92.16	94.19	91.81	94.85	91.87	2.29	2.49
GD	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	6.27	5.71	5.16	4.05	3.35	3.26	4.64	1.15	24.89
	4	19.82	19.76	18.51	12.47	11.17	10.45	15.36	4.06	26.46
	6	34.36	37.15	33.49	22.88	21.19	19.52	28.10	7.06	25.11
	8	44.75	48.86	47.65	33.00	30.69	29.96	39.15	8.08	20.64
	12	60.67	64.61	64.37	46.96	44.74	42.22	53.93	9.48	17.57
	16	72.91	74.66	76.25	58.57	56.05	51.67	65.02	9.84	15.14
	20	80.67	81.52	83.10	67.95	65.49	58.66	72.90	9.32	12.78
	25	86.20	85.87	87.51	76.18	73.52	66.38	79.28	7.83	9.88
	30	89.64	88.41	90.40	82.27	79.36	72.76	83.81	6.36	7.59
	35	90.98	89.83	91.92	86.32	84.17	78.03	86.88	4.77	5.50
	40	92.17	90.69	92.82	89.44	87.25	81.77	89.02	3.72	4.18
	50	93.22	91.69	93.72	92.93	90.24	86.14	91.32	2.58	2.83
	60	93.66	92.42	94.31	94.62	91.89	89.23	92.69	1.82	1.97
KD	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	5.99	5.84	7.83	4.66	5.10	6.35	5.96	1.01	16.91
	4	9.95	9.53	12.35	7.76	9.03	10.20	9.80	1.39	14.13
	6	14.06	13.75	17.25	10.89	12.84	14.20	13.83	1.89	13.70
	8	18.19	17.75	21.94	14.18	16.67	18.36	17.85	2.31	12.94
	12	25.57	24.67	30.34	20.26	23.56	25.70	25.02	3.00	11.98
	16	33.22	31.89	37.41	27.15	31.07	32.96	32.28	3.04	9.43
	20	40.34	38.53	43.85	33.17	39.06	40.26	39.20	3.19	8.13
	25	48.09	45.83	50.89	40.29	48.54	48.93	47.10	3.38	7.19
	30	55.18	52.56	57.41	47.01	56.21	56.47	54.14	3.53	6.53
	35	61.25	58.45	62.48	53.30	62.78	62.74	60.17	3.42	5.68
	40	66.40	63.49	67.35	59.17	68.52	68.53	65.58	3.33	5.08
	50	74.68	71.83	75.01	68.00	77.19	76.85	73.93	3.17	4.29
	60	80.98	78.35	81.22	74.89	83.74	82.99	80.36	2.98	3.71

APPENDIX 6 (continued)

Dissolution data of indomethacin from pure drug, grounded drug, kneaded drug and treated drug in phosphate buffer of pH 7.2:deionized water(1:4).

Type of drug	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
TD	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	12.89	13.40	11.95	11.90	10.72	12.11	12.16	0.84	6.92
	4	20.36	19.75	19.16	18.56	17.31	19.24	19.07	0.96	5.04
	6	26.44	25.35	25.17	24.08	22.76	25.54	24.89	1.18	4.72
	8	31.58	30.17	30.65	29.12	27.35	31.01	29.98	1.40	4.67
	12	40.03	38.57	39.95	37.74	35.83	40.47	38.76	1.61	4.16
	16	48.04	45.89	48.75	45.88	43.47	48.97	46.84	1.95	4.16
	20	54.78	52.62	55.65	53.30	50.57	56.05	53.83	1.89	3.52
	25	62.04	59.23	63.43	60.36	57.12	63.47	60.94	2.30	3.77
	30	67.78	64.92	69.86	66.68	63.42	69.91	67.09	2.40	3.57
	35	72.70	69.84	74.79	72.25	69.02	74.92	72.25	2.24	3.10
	40	76.80	74.15	79.05	76.66	73.91	79.08	76.61	2.06	2.69
	50	82.99	80.41	85.15	83.21	85.94	84.88	83.76	1.83	2.18
	60	87.76	85.26	89.34	88.22	85.91	88.80	87.55	1.48	1.69

ศูนย์วิทยบรังษยการ
จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX 7

Dissolution data of indomethacin from indomethacin-alpha-CD grounded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:0.5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	9.08	9.96	13.25	11.22	11.70	9.99	10.87	1.37	12.62
	4	24.11	22.03	32.48	27.40	24.30	25.55	25.98	3.33	12.81
	6	36.81	33.28	49.32	43.85	37.60	43.17	40.67	5.32	13.09
	8	48.65	43.40	63.01	57.05	49.88	54.14	52.69	6.30	11.96
	12	67.45	58.84	79.14	74.33	66.70	68.19	69.11	6.36	9.20
	16	79.76	70.63	87.79	84.07	77.80	77.52	79.59	5.40	6.78
	20	87.02	78.45	93.06	90.36	85.01	83.90	86.30	4.69	5.43
	25	92.31	85.87	96.37	93.98	90.64	88.81	91.33	3.42	3.74
	30	95.61	90.93	98.08	96.18	94.33	92.54	94.61	2.36	2.50
	35	97.57	94.07	99.25	97.44	96.55	94.79	96.61	1.75	1.81
	40	98.33	95.72	99.89	98.23	97.92	96.46	97.76	1.35	1.38
	50	99.23	97.68	100.34	98.53	99.16	97.97	98.82	0.88	0.90
	60	99.46	98.61	100.62	98.84	99.54	99.35	99.40	0.64	0.64
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	22.12	20.08	16.60	11.51	10.33	12.16	15.47	4.47	28.88
	4	41.93	48.62	38.66	24.01	26.50	28.40	34.69	8.97	25.86
	6	57.66	62.91	54.84	37.42	42.63	43.01	49.75	9.22	18.53
	8	67.80	67.98	67.11	48.58	55.95	55.69	60.52	7.52	12.42
	12	81.16	79.45	80.38	62.15	71.50	70.63	74.21	6.82	9.20
	16	87.69	89.75	86.78	72.08	79.95	79.89	82.69	6.05	7.31
	20	91.27	95.77	90.44	78.77	85.53	85.31	87.85	5.41	6.15
	25	94.26	97.79	93.81	84.11	89.77	89.19	91.49	4.39	4.79
	30	95.17	97.64	94.42	88.11	92.04	91.50	93.15	3.03	3.26
	35	95.93	97.65	94.87	90.48	93.55	92.95	94.24	2.28	2.42
	40	96.24	100.44	95.48	92.16	94.30	93.69	95.39	2.61	2.73
	50	96.10	102.94	95.31	93.99	95.21	94.43	96.33	3.03	3.15
	60	97.16	103.44	95.14	95.00	95.81	94.88	96.90	3.02	3.12
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	19.04	16.77	15.26	17.08	16.30	13.70	16.36	1.64	10.04
	4	38.62	37.43	33.92	33.26	36.38	32.72	35.39	2.21	6.25
	6	55.09	54.09	52.27	50.51	54.05	50.26	52.71	1.84	3.50
	8	65.80	65.64	65.92	62.62	65.89	62.92	64.80	1.44	2.22
	12	78.58	78.80	80.09	76.60	78.24	77.13	78.24	1.14	1.46
	16	86.04	86.07	87.64	84.72	85.61	84.97	85.84	0.95	1.10
	20	90.62	90.92	91.86	89.57	90.34	89.64	90.49	0.78	0.87
	25	93.99	93.97	94.95	93.06	93.76	93.30	93.84	0.60	0.64
	30	95.83	95.80	96.29	94.91	95.86	95.23	95.65	0.45	0.47
	35	96.91	96.73	97.06	96.08	97.07	96.57	96.74	0.34	0.36
	40	97.37	97.65	97.82	96.83	97.84	97.34	97.48	0.35	0.36
	50	97.99	97.96	98.15	97.58	98.61	97.96	98.04	0.31	0.31
	60	98.30	98.12	98.04	97.78	98.94	98.43	98.27	0.36	0.37

APPENDIX 7 (continued)

Dissolution data of indomethacin from indomethacin-alpha-CD grounded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	17.39	26.01	22.34	26.61	26.59	24.45	23.90	3.27	13.67
	4	41.68	53.48	47.23	50.00	50.70	50.59	48.94	3.72	7.61
	6	63.13	69.11	65.98	65.05	64.30	66.20	65.63	1.87	2.84
	8	76.63	79.51	76.87	74.12	72.66	76.05	75.97	2.17	2.85
	12	88.37	88.48	87.52	83.11	81.98	85.11	85.76	2.55	2.97
	16	93.07	92.77	92.24	88.51	88.00	90.52	90.85	2.01	2.21
	20	95.81	95.01	94.53	91.97	91.93	93.68	93.82	1.47	1.56
	25	97.28	96.37	95.91	94.54	94.51	95.72	95.72	0.98	1.02
	30	97.91	96.99	96.68	96.06	96.04	96.76	96.74	0.63	0.65
	35	98.26	97.31	97.15	97.13	97.11	97.38	97.39	0.40	0.41
	40	98.45	97.48	97.15	97.59	97.57	97.72	97.66	0.39	0.40
	50	98.51	97.65	97.31	98.06	98.19	98.05	97.96	0.39	0.39
	60	98.56	97.52	97.30	98.37	98.35	98.24	98.06	0.47	0.48

ศูนย์วิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX 8

Dissolution data of indomethacin from indomethacin-beta-CD grounded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:0.5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	7.35	5.05	7.33	6.32	6.34	6.42	6.47	0.77	11.90
	4	16.74	18.13	22.37	18.62	16.76	14.94	17.93	2.31	12.87
	6	26.99	31.78	37.96	31.15	29.91	25.49	30.55	3.99	13.06
	8	36.68	45.36	50.94	43.48	44.88	35.20	42.76	5.37	12.55
	12	51.97	60.79	68.54	59.31	60.90	53.00	59.09	5.53	9.35
	16	64.04	72.15	79.44	73.19	71.35	67.59	71.29	4.78	6.71
	20	73.33	80.67	85.57	81.57	80.78	79.24	80.19	3.64	4.54
	25	81.41	87.48	89.76	87.56	86.97	87.94	86.85	2.59	2.98
	30	87.17	91.76	92.01	91.26	90.83	92.45	90.91	1.75	1.93
	35	91.38	94.12	93.21	93.76	93.15	95.17	93.47	1.15	1.23
	40	94.19	95.53	94.11	94.91	94.38	96.24	94.89	0.77	0.82
	50	96.85	96.47	94.41	96.06	95.14	97.31	96.04	0.99	1.04
	60	98.11	96.76	94.55	96.81	95.43	97.78	96.57	1.24	1.29
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	9.34	12.43	9.12	7.16	8.42	6.87	8.89	1.83	20.57
	4	20.55	23.07	23.76	16.47	17.23	16.76	19.64	2.99	15.24
	6	32.14	34.54	38.51	33.26	31.34	27.76	32.92	3.26	9.90
	8	44.27	45.18	50.74	49.55	43.31	38.70	45.29	4.01	8.84
	12	61.89	61.32	64.90	68.25	60.60	53.91	61.81	4.38	7.09
	16	73.76	72.44	76.54	79.36	72.64	65.81	73.42	4.17	5.69
	20	82.13	81.81	84.10	86.83	81.74	74.77	81.90	3.65	4.46
	25	89.17	89.14	89.72	92.49	88.42	82.61	88.59	2.97	3.35
	30	93.93	93.79	92.60	95.57	92.53	87.87	92.71	2.39	2.58
	35	95.78	96.36	95.04	97.11	95.48	91.72	95.25	1.71	1.79
	40	97.01	98.49	95.66	98.35	97.01	94.54	96.84	1.40	1.45
	50	98.25	100.32	97.03	99.14	98.55	97.38	98.44	1.09	1.11
	60	98.41	100.36	96.57	99.46	99.05	98.65	98.75	1.16	1.17
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	11.42	8.38	7.67	10.49	11.64	10.17	9.96	1.47	14.78
	4	23.02	20.71	23.26	21.57	23.16	25.25	22.83	1.43	6.26
	6	36.06	32.69	40.60	33.14	34.91	40.28	36.28	3.15	8.67
	8	50.70	44.31	55.06	43.66	45.11	53.57	48.74	4.58	9.39
	12	68.01	60.97	70.81	59.61	60.67	68.94	64.84	4.52	6.97
	16	77.71	72.62	80.69	72.14	73.69	78.44	75.88	3.23	4.25
	20	83.68	80.84	86.45	81.22	82.53	84.93	83.27	1.99	2.39
	25	88.16	87.07	90.15	88.24	89.38	89.77	88.79	1.07	1.20
	30	90.86	90.85	92.23	92.62	93.33	92.80	92.12	0.95	1.03
	35	92.51	93.19	93.27	95.48	95.84	94.63	94.15	1.24	1.32
	40	93.55	94.38	94.32	97.50	97.49	95.85	95.52	1.56	1.63
	50	94.45	96.15	94.77	99.40	99.14	96.92	96.80	1.93	1.99
	60	94.90	96.32	95.37	100.31	99.92	97.53	97.39	2.10	2.15

APPENDIX 8 (continued)

Dissolution data of indomethacin from indomethacin-beta-CD grounded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:3	0	0	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	12.43	14.26	12.70	16.59	17.63	14.50	14.69	1.89	12.90
	4	28.52	28.10	30.91	32.25	35.31	31.18	31.04	2.41	7.75
	6	42.90	41.42	47.56	46.29	50.81	46.40	45.90	3.06	6.68
	8	55.56	52.66	61.28	56.87	61.01	58.75	57.69	3.04	5.27
	12	69.36	68.60	76.30	71.07	74.82	74.87	72.50	2.96	4.08
	16	79.18	77.86	85.79	81.24	82.86	84.43	81.89	2.79	3.40
	20	85.13	83.77	91.07	88.33	88.95	90.36	87.94	2.65	3.01
	25	90.07	88.95	94.86	93.18	93.23	94.64	92.49	2.22	2.41
	30	93.37	92.46	97.31	95.93	95.99	96.81	95.31	1.78	1.87
	35	95.78	94.91	98.54	97.68	97.69	98.57	97.20	1.38	1.42
	40	97.45	96.45	99.33	98.88	98.78	99.48	98.39	1.09	1.11
	50	99.13	98.30	99.96	99.94	99.87	100.54	99.62	0.72	0.72
	60	99.76	98.92	100.29	100.43	100.34	101.03	100.13	0.66	0.65
1:6	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	22.39	22.48	22.95	21.41	21.67	22.03	22.16	0.51	2.32
	4	42.79	43.27	44.32	38.55	40.51	42.17	41.94	1.91	4.54
	6	55.58	57.22	56.60	50.80	52.76	54.35	54.55	2.22	4.08
	8	64.44	65.62	64.70	59.09	61.14	63.26	63.04	2.26	3.58
	12	75.29	77.34	75.28	69.92	72.06	74.66	74.09	2.42	3.27
	16	83.08	83.93	81.99	78.33	79.55	82.17	81.51	1.96	2.40
	20	87.49	88.19	86.17	84.30	84.89	87.29	86.39	1.41	1.63
	25	91.48	91.44	89.46	89.37	89.24	91.51	90.42	1.07	1.18
	30	94.01	93.07	91.70	92.91	92.00	94.40	93.01	0.97	1.04
	35	95.66	94.11	93.05	95.22	94.06	96.22	94.72	1.08	1.14
	40	96.71	94.86	93.94	96.61	95.39	97.60	95.85	1.24	1.29
	50	97.77	95.46	94.99	98.16	96.72	98.98	97.02	1.43	1.48
	60	98.09	95.92	95.59	99.56	97.48	99.76	97.73	1.61	1.65
1:10	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	50.19	45.04	50.08	43.39	47.84	45.50	47.01	2.57	5.46
	4	68.13	66.34	69.48	62.16	63.57	64.97	65.77	2.52	3.84
	6	75.50	76.02	78.07	71.27	72.86	74.22	74.66	2.20	2.95
	8	81.34	81.70	82.96	76.55	78.17	80.43	80.19	2.19	2.73
	12	88.79	88.66	89.61	83.27	84.90	87.29	87.09	2.28	2.62
	16	92.67	92.68	93.32	88.00	89.19	91.11	91.16	1.96	2.15
	20	95.00	95.17	96.89	91.06	92.11	93.40	93.94	1.97	2.10
	25	96.87	97.19	97.52	93.98	94.41	94.93	95.82	1.42	1.48
	30	97.81	97.97	98.61	95.82	95.95	95.85	97.00	1.15	1.19
	35	98.59	98.60	99.24	96.90	96.88	96.46	97.78	1.06	1.09
	40	98.90	99.07	99.71	97.67	97.49	96.76	98.27	1.03	1.05
	50	98.58	99.06	99.87	98.29	97.95	96.91	98.44	0.92	0.93
	60	98.57	98.90	100.81	98.59	98.25	97.21	98.72	1.08	1.09

APPENDIX 9

Dissolution data of indomethacin from indomethacin-gamma-CD grounded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:0.5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	11.47	11.08	10.48	8.92	9.41	10.64	10.33	0.89	8.65
	4	31.25	26.88	27.56	26.73	26.21	30.03	28.11	1.86	6.63
	6	48.65	42.17	40.90	40.79	41.38	46.69	43.43	3.08	7.10
	8	62.27	54.33	55.12	51.22	53.39	60.16	56.08	3.87	6.90
	12	79.89	69.69	71.02	69.01	70.23	76.16	72.67	3.98	5.48
	16	86.34	79.99	81.69	80.63	80.81	85.53	82.50	2.49	3.02
	20	91.60	87.35	87.90	87.74	87.09	90.52	88.70	1.72	1.94
	25	94.70	91.88	92.44	92.75	91.40	93.98	92.86	1.15	1.24
	30	96.25	94.03	94.97	94.92	93.62	95.59	94.90	0.88	0.93
	35	97.18	95.84	96.15	96.25	94.72	95.92	96.01	0.72	0.75
	40	97.65	96.46	96.88	96.87	95.33	96.39	96.59	0.70	0.72
	50	98.27	97.19	97.38	97.34	95.81	96.86	97.14	0.73	0.75
	60	98.42	97.69	97.66	97.39	96.17	97.04	97.39	0.69	0.71
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	16.50	14.18	14.08	10.71	12.04	9.60	12.85	2.32	18.08
	4	35.05	30.39	35.22	24.29	30.10	31.80	31.14	3.67	11.79
	6	49.47	45.71	51.46	40.07	48.87	50.20	47.63	3.81	8.00
	8	59.86	59.29	65.22	52.19	61.63	62.96	60.19	4.08	6.78
	12	74.44	74.24	79.68	69.50	75.37	76.41	74.94	3.03	4.05
	16	84.43	82.92	87.22	79.71	83.21	83.59	83.51	2.22	2.65
	20	89.67	87.85	90.99	85.94	87.80	87.62	88.31	1.61	1.83
	25	93.09	91.53	94.33	90.40	91.22	90.31	91.81	1.45	1.58
	30	94.82	92.97	95.85	92.94	93.16	92.11	93.64	1.28	1.37
	35	95.72	94.27	96.01	94.59	94.21	93.16	94.66	0.96	1.02
	40	96.47	94.74	96.32	95.50	94.96	93.60	95.26	0.98	1.03
	50	97.65	95.20	96.78	96.26	95.56	94.04	95.92	1.16	1.21
	60	97.42	96.08	96.78	96.87	96.02	94.49	96.27	0.93	0.97

จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX 9 (continued)

Dissolution data of indomethacin from indomethacin-gamma-CD grounded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	21.09	17.56	20.76	21.58	23.74	20.49	20.87	1.82	8.73
	4	45.12	41.78	47.97	49.36	48.33	49.43	47.00	2.74	5.83
	6	63.30	59.26	66.04	64.65	64.69	66.67	64.10	2.42	3.77
	8	74.69	71.03	76.83	73.77	73.65	76.49	74.41	1.94	2.61
	12	85.85	82.12	86.21	83.12	82.82	85.20	84.22	1.59	1.89
	16	90.62	88.20	90.32	87.93	87.92	89.28	89.05	1.11	1.24
	20	92.71	91.47	92.39	90.80	91.15	91.36	91.65	0.68	0.74
	25	93.91	93.56	93.28	92.76	93.50	92.63	93.27	0.45	0.48
	30	94.67	94.61	93.89	94.12	94.55	93.39	94.20	0.46	0.49
	35	95.12	95.22	94.19	95.03	95.30	93.82	94.78	0.56	0.60
	40	95.28	95.68	94.35	95.48	95.91	94.08	95.13	0.68	0.71
	50	95.28	95.99	94.20	95.93	96.22	94.17	95.30	0.84	0.88
	60	95.43	96.14	94.50	96.08	96.68	94.43	95.54	0.84	0.88
1:3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	25.09	19.24	21.19	28.52	34.21	30.54	26.47	5.21	19.68
	4	55.58	44.85	54.19	52.12	55.75	58.21	53.45	4.26	7.96
	6	73.52	66.33	73.68	66.92	69.79	73.77	70.67	3.17	4.49
	8	83.03	79.82	83.11	75.89	78.45	82.49	80.46	2.68	3.33
	12	91.97	90.17	91.22	84.48	87.02	90.11	89.16	2.60	2.91
	16	95.99	94.45	94.75	89.08	91.56	93.88	93.28	2.30	2.47
	20	98.02	96.60	96.29	91.11	94.20	95.65	95.31	2.20	2.31
	25	98.81	97.84	97.22	92.85	95.91	96.70	96.56	1.89	1.95
	30	99.29	98.32	97.85	93.59	96.66	97.33	97.17	1.79	1.85
	35	99.46	98.49	97.70	93.90	97.14	97.37	97.34	1.72	1.77
	40	99.62	98.65	98.01	94.21	97.35	97.55	97.57	1.68	1.72
	50	99.63	98.81	98.02	94.37	97.42	97.74	97.66	1.64	1.68
	60	99.63	98.82	98.32	94.53	97.62	97.77	97.78	1.60	1.64

จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX 10

Dissolution data of indomethacin from indomethacin-DIMEB grounded mixtures
in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:0.5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	43.95	44.84	42.49	41.91	45.34	41.88	43.40	1.39	3.19
	4	64.69	64.10	64.22	62.80	62.75	62.87	63.57	0.79	1.24
	6	75.72	74.53	75.96	73.33	73.11	75.06	74.62	1.09	1.47
	8	82.19	80.99	82.42	80.08	79.32	81.92	81.15	1.14	1.40
	12	88.41	86.75	89.06	86.88	86.15	88.95	87.70	1.15	1.31
	16	91.97	90.30	92.33	90.91	89.68	92.65	91.30	1.09	1.19
	20	93.76	92.23	94.12	93.16	92.08	94.60	93.33	0.93	1.00
	25	95.11	93.87	95.02	94.91	93.63	96.16	94.79	0.84	0.89
	30	96.02	94.92	95.63	96.04	94.80	96.92	95.72	0.72	0.75
	35	96.34	95.23	95.80	96.39	95.69	97.40	96.14	0.69	0.71
	40	96.65	95.83	95.96	97.00	96.20	97.61	96.54	0.62	0.64
	50	96.66	96.14	96.11	97.23	96.71	97.95	96.80	0.64	0.66
	60	96.67	96.14	95.97	97.33	97.03	97.89	96.84	0.67	0.69
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	50.19	53.10	49.53	53.46	55.60	51.88	52.29	2.05	3.92
	4	66.36	67.28	67.58	68.21	73.01	69.85	68.72	2.20	3.20
	6	75.13	75.65	78.09	77.11	82.62	79.52	78.02	2.52	3.24
	8	80.63	80.99	84.14	82.46	88.80	85.10	83.69	2.78	3.33
	12	87.27	87.20	90.22	88.81	95.83	91.02	90.06	2.94	3.26
	16	91.59	91.19	93.36	92.57	100.21	93.92	93.81	3.01	3.21
	20	94.13	93.67	95.10	94.42	102.74	95.45	95.92	3.11	3.24
	25	95.98	95.70	96.28	96.13	104.74	96.52	97.56	3.22	3.30
	30	97.02	96.43	96.76	96.75	105.95	96.99	98.32	3.42	3.48
	35	97.63	97.28	97.23	97.51	106.90	97.45	99.00	3.53	3.57
	40	98.11	97.66	97.56	97.43	107.31	97.61	99.28	3.60	3.62
	50	98.45	98.04	97.75	97.91	107.71	97.92	99.63	3.62	3.63
	60	98.65	98.30	98.08	97.83	108.12	98.07	99.84	3.71	3.72

คุณภาพการณ์มหาวิทยาลัย

APPENDIX 10 (continued)

Dissolution data of indomethacin from indomethacin-DIMEB grounded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	56.72	57.41	57.49	48.87	52.71	50.06	53.88	3.53	6.55
	4	73.75	74.31	73.30	68.57	72.78	69.63	72.05	2.16	3.00
	6	82.33	82.46	82.34	78.33	81.76	79.78	81.17	1.57	1.93
	8	86.39	87.80	87.61	84.64	86.85	85.86	86.53	1.08	1.24
	12	92.61	92.58	92.77	90.84	92.58	91.84	92.20	0.68	0.74
	16	95.35	95.29	95.51	94.33	95.46	95.14	95.18	0.40	0.42
	20	96.12	96.66	96.90	96.62	97.15	96.90	96.72	0.32	0.33
	25	97.81	97.58	97.52	98.01	98.08	97.95	97.83	0.21	0.21
	30	98.44	98.21	97.99	98.79	98.70	98.58	98.45	0.28	0.28
	35	98.76	98.38	98.31	99.27	98.88	98.64	98.71	0.32	0.32
	40	98.92	98.85	98.78	99.44	99.05	98.98	99.00	0.21	0.21
	50	99.09	99.02	98.79	99.76	99.21	99.17	99.17	0.29	0.30
	60	99.25	99.19	98.95	99.77	99.38	99.22	99.29	0.25	0.25
1:3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	53.33	54.21	54.58	48.43	48.76	49.42	51.45	2.63	5.11
	4	71.09	72.02	72.92	65.60	64.96	66.91	68.91	3.19	4.63
	6	80.71	80.51	81.23	75.06	74.07	76.61	78.03	2.89	3.71
	8	84.85	85.40	85.97	81.08	79.88	82.59	83.30	2.28	2.73
	12	91.11	91.17	90.89	87.00	86.69	88.75	89.27	1.90	2.13
	16	93.95	93.03	93.22	90.67	90.73	92.37	92.33	1.24	1.34
	20	92.91	94.20	94.41	93.01	93.18	94.33	93.67	0.65	0.69
	25	96.06	95.22	95.16	94.55	94.85	95.55	95.23	0.48	0.51
	30	95.78	95.83	95.91	95.57	95.73	96.47	95.88	0.28	0.29
	35	96.84	96.02	95.94	96.04	96.47	96.93	96.37	0.40	0.41
	40	97.00	96.07	95.97	96.51	96.82	97.24	96.60	0.47	0.48
	50	97.01	96.11	96.43	96.85	96.76	97.55	96.78	0.45	0.47
	60	97.31	96.29	96.60	97.05	97.36	97.70	97.05	0.48	0.50
	60	97.31	96.29	96.60	97.05	97.36	97.70	97.05	0.48	0.50

จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX 11

Dissolution data of indomethacin from indomethacin-alpha-CD kneaded mixtures
in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:0.5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	23.97	22.65	25.91	24.48	26.74	24.98	24.79	1.32	5.31
	4	38.77	36.21	41.65	38.13	39.21	41.07	39.17	1.81	4.63
	6	48.59	45.64	52.49	47.93	48.13	53.14	49.32	2.65	5.37
	8	55.79	52.58	60.35	54.98	53.76	61.31	56.46	3.26	5.77
	12	65.42	59.55	69.78	63.35	61.38	72.18	65.28	4.47	6.84
	16	72.58	65.51	76.49	71.63	67.79	78.55	72.09	4.53	6.29
	20	79.03	70.61	80.88	78.41	72.98	83.34	77.54	4.41	5.69
	25	84.47	76.49	84.61	85.38	78.34	86.83	82.69	3.84	4.65
	30	87.56	81.51	86.82	89.45	82.62	89.31	86.21	3.09	3.58
	35	89.32	84.90	88.49	91.85	85.39	90.92	88.48	2.59	2.93
	40	90.94	87.85	89.47	93.42	87.61	91.94	90.20	2.11	2.34
	50	92.71	91.27	90.32	94.43	89.98	92.67	91.90	1.54	1.68
	60	93.60	92.91	91.03	95.03	91.25	93.26	92.84	1.38	1.48
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	17.46	27.57	25.80	23.15	25.90	23.29	23.86	3.25	13.63
	4	28.90	43.21	48.54	35.41	40.71	40.71	39.58	6.16	15.56
	6	42.73	51.25	63.55	45.35	50.32	50.67	50.65	6.55	12.94
	8	52.30	56.65	72.61	52.02	58.13	58.44	58.36	6.87	11.77
	12	63.96	64.46	82.02	58.42	71.28	68.39	68.09	7.40	10.86
	16	72.51	70.53	87.25	64.37	82.02	76.14	75.47	7.51	9.95
	20	80.53	75.01	90.40	74.19	90.50	82.61	82.20	6.52	7.93
	25	86.27	79.06	92.65	83.59	95.91	88.86	87.72	5.58	6.36
	30	89.74	81.95	94.15	91.30	98.71	93.55	91.57	5.12	5.60
	35	91.76	83.82	94.91	95.71	99.66	96.41	93.71	5.00	5.33
	40	93.08	85.54	95.82	97.76	100.14	97.69	95.00	4.75	4.99
	50	94.69	88.46	96.42	99.02	100.31	98.31	96.20	3.90	4.06
	60	95.29	91.55	96.88	99.33	100.48	98.54	97.01	2.96	3.05

จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX 11 (continued)

Dissolution data of indomethacin from indomethacin-alpha-CD kneaded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	XCV
		#1	#2	#3	#4	#5	#6			
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	25.65	27.39	27.12	27.35	25.66	24.96	26.36	0.96	3.66
	4	45.37	46.88	48.70	48.52	47.58	46.11	47.19	1.21	2.56
	6	60.36	59.91	63.19	63.04	61.47	60.17	61.36	1.33	2.17
	8	69.39	68.49	73.36	72.60	70.67	70.14	70.78	1.71	2.42
	12	79.85	79.91	84.70	83.34	81.32	80.47	81.60	1.82	2.23
	16	85.82	86.72	90.13	89.56	87.41	86.53	87.70	1.60	1.82
	20	90.32	91.08	93.55	92.83	91.06	90.08	91.49	1.27	1.39
	25	93.79	93.87	95.89	95.17	94.12	92.31	94.19	1.13	1.20
	30	96.21	95.21	97.14	96.41	95.81	93.66	95.74	1.10	1.15
	35	97.28	96.25	97.76	97.19	97.04	94.28	96.63	1.15	1.19
	40	98.05	96.87	98.23	97.49	97.81	94.56	97.17	1.25	1.28
	50	98.52	97.77	98.37	97.95	98.28	95.01	97.65	1.21	1.24
	60	98.69	98.24	98.52	98.56	98.59	95.16	97.96	1.26	1.29
1:3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	40.55	42.14	45.29	45.71	40.41	38.84	42.15	2.55	6.05
	4	64.86	64.31	67.74	66.72	63.40	62.33	64.89	1.85	2.85
	6	75.78	74.29	77.73	76.99	75.42	73.40	75.60	1.48	1.95
	8	81.23	79.56	83.47	83.39	81.64	79.51	81.47	1.60	1.96
	12	86.72	85.02	89.56	89.69	87.89	85.81	87.45	1.77	2.02
	16	90.05	88.35	92.61	92.99	91.41	89.33	90.79	1.69	1.86
	20	92.24	90.61	94.44	94.96	93.55	90.95	92.79	1.65	1.78
	25	94.29	93.05	95.66	96.48	94.92	92.42	94.47	1.41	1.49
	30	95.63	93.80	96.28	97.10	96.00	93.16	95.33	1.39	1.46
	35	96.38	95.02	96.74	97.41	96.76	93.46	95.96	1.33	1.39
	40	96.85	96.08	97.04	97.58	97.07	93.76	96.40	1.26	1.31
	50	97.31	96.99	97.34	97.89	97.83	94.05	96.90	1.31	1.35
	60	97.78	97.60	97.49	98.05	97.98	94.20	97.18	1.35	1.39

บุพลงกรณ์มหาวิทยาลัย

APPENDIX 12

Dissolution data of indomethacin from indomethacin-beta-CD kneaded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:0.5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	8.93	9.05	10.06	8.18	9.05	10.45	9.28	0.76	8.13
	4	16.39	15.58	19.62	16.14	17.70	17.69	17.19	1.34	7.78
	6	24.13	23.88	27.81	23.73	25.34	25.13	25.00	1.39	5.57
	8	32.26	30.19	36.44	32.02	32.76	33.20	32.81	1.88	5.72
	12	43.06	41.12	47.99	44.10	44.93	44.10	44.22	2.07	4.68
	16	53.14	51.17	58.19	54.62	51.94	54.35	53.90	2.27	4.22
	20	61.46	60.02	66.76	63.55	63.43	62.46	62.95	2.09	3.32
	25	69.61	68.14	74.35	71.22	71.90	70.19	70.90	1.95	2.75
	30	75.76	74.58	79.90	77.40	78.01	76.06	76.95	1.73	2.24
	35	80.69	79.48	84.06	82.19	82.82	80.80	81.67	1.52	1.86
	40	84.40	83.31	87.59	85.91	86.44	84.55	85.37	1.43	1.67
	50	89.61	88.42	91.54	90.86	91.29	89.33	90.18	1.13	1.25
	60	92.81	91.82	94.33	93.86	94.29	92.69	93.30	0.93	0.99
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	16.39	18.58	16.78	17.68	16.70	15.93	17.01	0.88	5.16
	4	32.41	36.00	31.34	32.38	32.57	32.89	32.93	1.45	4.41
	6	46.24	49.06	44.87	45.21	45.72	47.75	46.48	1.48	3.18
	8	58.59	59.72	55.94	56.29	57.47	59.39	57.90	1.45	2.51
	12	73.31	73.55	69.63	69.73	72.57	72.90	71.95	1.63	2.27
	16	82.68	82.06	79.30	80.82	82.86	82.64	81.73	1.28	1.56
	20	88.52	87.54	85.77	87.58	88.90	88.43	87.79	1.03	1.17
	25	92.97	91.97	90.30	92.25	93.20	92.45	92.19	0.94	1.02
	30	95.15	94.57	93.58	94.68	95.58	94.57	94.69	0.61	0.65
	35	96.62	95.95	94.61	95.74	96.94	95.87	95.96	0.74	0.77
	40	97.52	96.88	95.64	96.35	97.71	96.35	96.74	0.72	0.74
	50	98.14	97.49	95.96	96.82	98.33	96.55	97.22	0.85	0.88
	60	98.48	97.80	96.29	96.97	98.66	96.74	97.49	0.89	0.91
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	39.60	45.86	37.80	52.90	56.85	52.30	47.55	7.06	14.84
	4	72.05	75.87	70.41	71.59	74.20	72.54	72.78	1.79	2.46
	6	84.33	86.07	83.82	78.07	80.16	80.92	82.23	2.74	3.33
	8	90.09	91.32	89.76	81.67	84.06	85.71	87.10	3.53	4.05
	12	95.13	96.46	95.28	86.67	89.09	91.13	92.29	3.59	3.89
	16	97.44	98.65	97.45	91.09	92.62	94.16	95.23	2.79	2.93
	20	98.38	99.92	98.85	93.84	95.04	95.98	97.00	2.19	2.25
	25	99.32	100.40	99.49	96.14	96.92	97.36	98.27	1.55	1.57
	30	99.34	100.58	99.67	97.68	98.10	98.29	98.94	1.01	1.02
	35	99.36	100.75	99.84	98.61	99.01	98.76	99.39	0.73	0.73
	40	99.38	100.76	100.01	99.23	99.35	99.39	99.69	0.54	0.54
	50	99.39	100.61	100.02	99.86	99.84	99.86	99.93	0.36	0.36
	60	99.70	100.93	100.03	100.02	100.04	99.88	100.10	0.39	0.39

APPENDIX 12 (continued)

Dissolution data of indomethacin from indomethacin-beta-CD kneaded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	60.52	62.12	66.09	66.72	63.90	65.50	64.14	2.22	3.46
	4	82.51	83.46	84.79	79.12	77.63	77.19	80.78	2.94	3.64
	6	89.27	89.29	90.10	82.95	81.20	81.21	85.67	3.93	4.59
	8	92.07	92.36	92.77	85.80	83.47	84.08	88.43	4.04	4.57
	12	94.75	94.87	95.31	89.53	86.81	87.99	91.54	3.53	3.85
	16	95.81	95.64	95.93	92.28	89.77	91.19	93.43	2.47	2.64
	20	96.28	96.26	96.40	94.31	92.08	93.24	94.76	1.68	1.77
	25	96.60	96.44	96.72	95.78	93.73	95.01	95.72	1.06	1.11
	30	96.78	96.61	96.75	96.97	94.87	95.91	96.32	0.73	0.76
	35	96.65	96.93	96.92	97.73	95.74	96.82	96.80	0.59	0.61
	40	96.67	96.81	96.93	98.21	96.47	97.57	97.11	0.60	0.61
	50	96.98	96.83	96.95	98.82	97.21	98.19	97.50	0.74	0.76
	60	96.70	96.70	96.96	99.01	97.69	98.51	97.59	0.90	0.92
1:6	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	74.81	73.64	73.51	69.36	71.52	69.03	71.98	2.20	3.05
	4	84.28	83.31	82.64	81.20	81.46	81.35	82.37	1.14	1.39
	6	88.03	86.57	86.06	84.59	85.06	85.32	85.94	1.14	1.32
	8	90.13	88.50	88.60	86.57	87.14	87.88	88.14	1.14	1.30
	12	92.84	90.58	91.00	89.84	89.85	91.02	90.86	1.01	1.11
	16	94.66	92.23	92.65	91.85	91.81	92.90	92.68	0.97	1.05
	20	95.88	93.57	94.00	93.44	93.32	94.22	94.07	0.87	0.92
	25	96.50	95.08	94.91	94.75	94.53	95.11	95.15	0.64	0.67
	30	96.96	95.53	95.21	95.36	95.14	95.86	95.68	0.62	0.65
	35	97.12	95.99	95.52	95.96	95.74	96.33	96.11	0.52	0.54
	40	97.28	96.14	95.82	96.28	96.34	96.79	96.44	0.47	0.49
	50	97.59	96.75	95.96	96.74	96.64	97.11	96.80	0.49	0.51
	60	97.59	96.90	96.10	97.06	97.09	97.43	97.03	0.47	0.49
1:10	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	76.50	81.65	76.67	77.02	76.22	76.05	77.35	1.95	2.52
	4	88.17	89.78	88.17	85.88	85.12	86.92	87.34	1.56	1.78
	6	91.24	92.23	91.23	88.46	87.55	90.29	90.17	1.65	1.83
	8	93.23	94.08	93.22	89.81	89.06	92.43	91.97	1.87	2.03
	12	95.24	95.78	95.22	92.26	91.36	95.20	94.17	1.71	1.81
	16	96.48	96.71	96.62	94.09	93.50	96.59	95.67	1.33	1.39
	20	97.26	97.49	97.09	95.94	95.20	97.68	96.77	0.90	0.93
	25	97.73	97.50	97.56	97.02	96.59	98.31	97.45	0.54	0.56
	30	98.19	98.12	97.71	98.10	97.36	98.94	98.07	0.48	0.49
	35	98.35	98.27	98.02	98.57	98.13	99.41	98.46	0.46	0.47
	40	98.66	98.43	98.33	99.19	98.60	99.73	98.82	0.49	0.49
	50	98.97	98.73	98.33	99.66	99.37	99.89	99.16	0.54	0.54
	60	98.81	98.73	98.47	99.97	99.68	100.05	99.28	0.63	0.64

APPENDIX 13

Dissolution data of indomethacin from indomethacin-gamma-CD kneaded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:0.5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	28.32	30.24	30.12	31.29	32.83	30.93	30.62	1.36	4.45
	4	46.91	50.21	49.89	49.90	51.23	50.84	49.83	1.39	2.79
	6	59.98	62.05	63.98	61.67	64.10	63.97	62.63	1.53	2.44
	8	69.42	71.02	72.77	70.74	72.65	72.92	71.59	1.29	1.81
	12	80.37	81.45	83.18	81.41	82.22	83.69	82.05	1.12	1.37
	16	87.36	88.21	89.54	87.20	88.27	89.53	88.35	0.93	1.05
	20	91.80	92.20	93.39	91.63	92.29	93.35	92.44	0.69	0.75
	25	95.14	95.14	95.98	94.70	95.09	96.01	95.34	0.48	0.51
	30	96.89	96.68	97.45	96.40	96.81	97.22	96.91	0.34	0.35
	35	97.83	97.61	98.21	97.32	97.84	98.13	97.83	0.30	0.31
	40	98.62	98.24	98.56	97.94	98.46	98.61	98.40	0.24	0.25
	50	98.92	98.70	98.89	98.41	99.09	98.94	98.83	0.22	0.22
	60	99.06	99.01	99.37	98.72	99.57	99.27	99.17	0.27	0.28
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	60.36	60.36	61.14	59.68	65.13	60.23	61.15	1.83	2.99
	4	81.50	82.35	82.00	77.06	77.68	77.35	79.66	2.31	2.91
	6	89.05	88.81	89.19	85.27	84.47	83.82	86.77	2.29	2.64
	8	92.38	92.05	92.21	87.69	87.21	86.99	89.76	2.47	2.75
	12	95.05	94.73	94.44	90.83	90.55	90.32	92.65	2.10	2.26
	16	95.81	96.08	95.33	92.28	92.17	91.79	93.91	1.85	1.97
	20	96.56	96.56	95.67	93.02	92.91	92.67	94.57	1.73	1.83
	25	96.36	96.59	95.75	93.62	93.21	93.27	94.80	1.46	1.54
	30	96.43	96.76	95.95	93.65	93.52	93.57	94.98	1.42	1.50
	35	96.49	96.78	96.16	93.81	93.82	93.73	95.13	1.36	1.43
	40	96.69	96.65	95.68	93.83	93.97	93.89	95.12	1.27	1.33
	50	96.47	96.96	95.87	93.99	94.13	94.04	95.24	1.23	1.29
	60	96.52	96.83	95.93	94.15	94.13	94.33	95.31	1.14	1.20

APPENDIX 13 (continued)

Dissolution data of indomethacin from indomethacin-gamma-CD kneaded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	71.21	73.87	73.83	69.74	70.77	68.49	71.32	1.98	2.78
	4	86.79	86.54	86.00	83.84	84.52	83.27	85.16	1.35	1.59
	6	90.99	90.50	90.10	88.89	89.71	88.44	89.77	0.88	0.98
	8	93.41	92.79	92.39	91.88	92.62	91.41	92.41	0.64	0.69
	12	95.53	95.09	94.53	94.88	96.00	94.69	95.12	0.51	0.53
	16	96.60	96.18	96.07	96.69	97.86	96.50	96.65	0.59	0.61
	20	97.23	96.80	96.07	97.62	98.80	97.27	97.30	0.83	0.85
	25	97.70	97.11	96.69	98.25	99.29	98.05	97.85	0.83	0.85
	30	97.87	97.42	96.69	98.58	99.77	98.38	98.12	0.96	0.98
	35	98.34	97.58	96.85	98.75	99.94	98.70	98.36	0.97	0.99
	40	98.21	98.35	96.84	99.08	100.41	98.88	98.63	1.07	1.09
	50	98.22	97.58	96.99	99.10	100.42	99.05	98.56	1.12	1.14
	60	98.22	97.72	97.28	99.26	100.59	99.22	98.72	1.11	1.12
1:3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	72.47	71.08	71.81	65.21	65.67	66.84	68.85	3.01	4.37
	4	86.98	85.36	85.65	77.78	78.67	80.44	82.48	3.64	4.41
	6	91.22	89.15	90.42	81.83	83.33	85.35	86.88	3.58	4.12
	8	93.34	91.27	92.21	84.37	86.02	88.48	89.28	3.28	3.67
	12	95.48	93.40	94.47	87.53	89.39	92.08	92.06	2.80	3.04
	16	96.41	94.47	95.38	89.64	91.84	94.35	93.68	2.28	2.43
	20	97.18	94.92	95.85	91.30	94.04	95.86	94.86	1.86	1.96
	25	97.35	95.07	96.47	92.96	95.58	96.93	95.73	1.46	1.52
	30	97.51	95.53	96.48	94.32	96.46	97.70	96.34	1.16	1.20
	35	98.28	95.52	96.79	95.69	97.34	98.17	96.97	1.09	1.12
	40	97.68	95.51	96.95	96.60	97.83	98.49	97.18	0.96	0.99
	50	97.84	96.11	97.11	97.67	98.17	98.81	97.62	0.85	0.87
	60	97.99	96.24	97.11	98.43	98.38	99.12	97.88	0.95	0.97

จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX 14

Dissolution data of indomethacin from indomethacin-DIMEB kneaded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:0.5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	48.23	52.13	53.82	46.83	48.99	57.86	51.31	3.76	7.33
	4	71.27	72.82	74.24	66.17	71.44	77.80	72.29	3.50	4.85
	6	81.66	82.48	83.78	75.09	81.88	87.95	82.14	3.80	4.62
	8	87.11	87.49	88.93	79.31	86.67	93.14	87.11	4.10	4.70
	12	91.74	92.03	93.14	83.18	90.90	97.66	91.44	4.29	4.69
	16	93.90	94.12	95.28	85.52	93.10	100.11	93.67	4.30	4.59
	20	94.86	95.48	96.59	87.10	94.15	101.74	94.99	4.31	4.53
	25	95.60	96.34	97.21	88.43	95.49	103.23	96.05	4.31	4.49
	30	95.97	96.83	97.70	89.39	96.24	104.31	96.74	4.34	4.49
	35	96.34	97.08	98.04	89.96	96.86	105.25	97.25	4.45	4.58
	40	96.35	97.20	98.10	90.40	97.18	105.50	97.45	4.40	4.52
	50	96.60	97.43	98.16	90.45	97.35	105.75	97.62	4.45	4.56
	60	96.72	97.55	98.22	91.14	98.10	106.68	98.07	4.55	4.64
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	61.99	65.64	60.59	57.89	61.88	61.60	61.60	2.29	3.71
	4	83.35	84.68	83.49	77.69	79.73	81.60	81.76	2.41	2.94
	6	90.34	91.49	90.69	84.85	86.72	88.84	88.82	2.35	2.64
	8	93.62	94.36	93.41	88.93	90.31	93.04	92.28	1.96	2.13
	12	96.48	96.97	95.58	93.03	94.13	96.74	95.49	1.45	1.52
	16	97.26	98.03	96.63	95.07	96.03	99.09	97.02	1.31	1.35
	20	97.59	98.52	97.25	96.46	97.09	100.25	97.86	1.23	1.26
	25	98.07	98.87	97.45	97.74	98.14	101.24	98.59	1.26	1.28
	30	97.80	98.93	97.51	98.36	98.55	101.89	98.84	1.44	1.46
	35	97.97	98.99	97.56	98.99	98.96	102.19	99.11	1.49	1.50
	40	97.99	99.05	97.90	99.48	98.94	102.32	99.28	1.47	1.48
	50	98.30	99.24	98.23	99.85	99.13	102.45	99.53	1.42	1.42
	60	98.47	99.43	98.27	100.08	99.32	102.92	99.75	1.54	1.54

APPENDIX 14 (continued)

Dissolution data of indomethacin from indomethacin-DIMEB kneaded mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	XCV
		#1	#2	#3	#4	#5	#6			
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	68.04	66.15	66.55	63.95	68.37	64.81	66.31	1.59	2.40
	4	80.97	80.76	83.36	79.17	78.89	80.52	80.61	1.46	1.81
	6	86.37	86.21	89.01	85.64	84.37	86.80	86.40	1.40	1.62
	8	89.68	89.10	92.00	89.41	87.67	90.25	89.69	1.30	1.45
	12	92.85	92.14	94.86	93.05	91.91	93.87	93.11	1.01	1.08
	16	94.82	94.18	96.23	95.33	93.94	95.84	95.06	0.83	0.87
	20	96.05	95.08	96.55	96.56	95.59	96.92	96.12	0.63	0.65
	25	96.67	95.69	96.72	97.49	96.60	97.69	96.81	0.65	0.67
	30	97.28	96.45	97.04	98.11	97.35	98.01	97.37	0.57	0.58
	35	97.44	96.48	96.75	98.43	97.84	98.64	97.60	0.80	0.82
	40	97.60	95.65	96.91	98.90	98.46	99.11	97.77	1.21	1.24
	50	98.21	96.97	96.92	99.06	98.68	99.28	98.19	0.94	0.96
	60	97.91	96.85	96.77	99.22	98.77	99.14	98.11	1.01	1.03
1:3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	65.04	64.59	67.23	66.97	66.73	69.55	66.69	1.62	2.43
	4	81.46	81.37	80.05	80.03	80.74	82.05	80.95	0.75	0.92
	6	86.93	87.70	86.09	85.75	86.74	88.39	86.93	0.90	1.03
	8	91.09	90.73	89.04	89.43	89.96	92.17	90.41	1.06	1.17
	12	94.38	93.79	92.30	93.58	93.36	95.82	93.87	1.07	1.14
	16	95.59	95.41	94.10	95.68	95.00	97.52	95.55	1.03	1.07
	20	96.36	96.17	95.00	96.59	95.61	98.45	96.37	1.07	1.11
	25	97.87	96.50	95.91	97.21	96.23	98.93	97.11	1.04	1.07
	30	97.16	96.69	96.08	97.54	96.69	99.26	97.24	1.01	1.04
	35	97.03	97.01	96.39	97.86	97.16	99.43	97.48	0.97	1.00
	40	97.49	96.75	96.40	98.03	97.18	99.60	97.58	1.04	1.07
	50	97.20	96.93	96.71	98.50	97.65	99.92	97.82	1.11	1.13
	60	97.51	97.53	97.01	98.37	98.25	99.78	98.08	0.89	0.91

จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX 15

Dissolution data of indomethacin from indomethacin-alpha-CD solvent mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	11.92	11.61	11.40	11.81	11.49	9.66	11.32	0.76	6.75
	4	21.36	20.01	20.29	22.10	19.47	19.73	20.50	0.93	4.56
	6	30.30	27.54	28.04	32.15	27.51	29.47	29.17	1.68	5.76
	8	38.46	34.50	36.44	40.87	35.03	38.86	37.36	2.24	6.01
	12	52.27	46.90	51.02	55.06	48.11	54.68	51.34	3.06	5.96
	16	62.95	57.69	62.56	67.18	58.60	67.35	62.72	3.74	5.96
	20	71.74	66.39	72.08	75.51	67.59	77.26	71.76	3.89	5.42
	25	80.03	74.83	80.46	84.05	76.93	86.02	80.39	3.83	4.77
	30	86.00	81.18	87.11	88.93	83.50	91.59	86.39	3.41	3.94
	35	90.33	86.48	91.71	92.29	88.56	94.62	90.67	2.63	2.90
	40	93.14	89.81	94.39	94.74	91.68	96.31	93.35	2.13	2.28
	50	96.40	94.24	95.74	96.90	95.37	97.06	95.95	0.97	1.01
	60	97.29	96.23	96.80	97.67	96.83	97.28	97.02	0.46	0.47
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	15.18	15.40	18.10	15.23	14.38	16.82	15.85	1.24	7.82
	4	27.47	27.04	31.87	27.53	24.18	29.88	28.00	2.40	8.57
	6	38.91	38.16	45.58	38.43	34.05	42.14	39.55	3.58	9.06
	8	48.89	48.13	57.47	48.50	42.87	53.31	49.86	4.56	9.14
	12	65.57	63.49	75.90	64.30	57.95	70.57	66.30	5.67	8.55
	16	78.04	76.66	86.82	77.22	72.17	82.81	78.95	4.69	5.94
	20	86.88	86.13	92.82	86.21	82.99	90.26	87.55	3.17	3.62
	25	92.85	92.31	95.92	92.72	91.01	95.26	93.34	1.71	1.83
	30	95.92	94.88	96.98	95.55	94.79	97.06	95.86	0.90	0.94
	35	97.31	96.25	97.02	96.92	96.83	97.83	97.03	0.48	0.49
	40	97.78	96.57	97.05	97.24	97.46	98.02	97.35	0.48	0.49
	50	97.79	96.43	97.37	97.27	97.76	98.05	97.44	0.53	0.54
	60	98.10	96.58	97.55	97.73	97.90	98.23	97.68	0.54	0.55
1:3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	21.91	19.23	20.12	18.01	21.56	24.22	20.84	2.01	9.63
	4	37.79	32.59	36.19	32.91	35.90	41.03	36.07	2.88	7.98
	6	51.94	44.85	50.01	46.47	48.98	55.41	49.61	3.47	6.99
	8	63.44	56.00	62.00	58.06	60.50	66.88	61.15	3.54	5.79
	12	79.60	72.87	78.64	74.97	76.89	82.78	77.62	3.21	4.13
	16	89.75	84.65	89.04	86.10	87.10	91.43	88.01	2.29	2.60
	20	94.92	91.45	94.20	92.39	93.05	95.48	93.58	1.42	1.51
	25	97.52	95.16	96.88	95.69	96.49	96.85	96.43	0.79	0.82
	30	97.69	96.67	97.51	96.95	97.56	97.47	97.31	0.37	0.38
	35	97.86	96.85	97.84	97.09	97.89	97.65	97.53	0.41	0.42
	40	97.88	96.87	97.87	97.40	98.07	97.67	97.63	0.40	0.41
	50	97.89	97.04	97.90	97.38	98.09	97.54	97.64	0.36	0.37
	60	98.05	97.06	97.78	97.36	97.97	97.70	97.65	0.34	0.35

APPENDIX 16

Dissolution data of indomethacin from indomethacin-beta-CD solvent mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	10.40	10.87	11.86	10.79	10.98	9.77	10.78	0.63	5.86
	4	18.51	19.43	21.58	19.63	19.20	18.03	19.40	1.12	5.77
	6	26.68	27.90	32.13	27.67	27.02	26.34	27.96	1.94	6.94
	8	34.47	35.19	41.97	35.91	34.13	34.41	36.01	2.73	7.58
	12	47.77	48.24	59.65	50.56	46.81	48.90	50.32	4.33	8.60
	16	60.01	60.14	73.56	63.75	58.66	61.51	62.94	5.00	7.95
	20	70.60	70.58	83.06	74.49	68.43	71.17	73.05	4.82	6.59
	25	80.69	79.84	90.43	84.58	78.41	81.65	82.60	3.98	4.82
	30	87.10	86.85	93.98	89.80	85.38	89.31	88.74	2.78	3.13
	35	91.83	91.12	95.83	93.49	90.24	93.99	92.75	1.89	2.03
	40	94.29	93.87	97.06	95.22	93.75	96.72	95.15	1.32	1.39
	50	96.62	96.63	97.06	96.82	97.12	99.01	97.21	0.83	0.85
	60	97.24	97.10	97.53	97.16	97.90	99.50	97.74	0.83	0.85
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	21.15	20.28	20.16	18.52	19.11	18.70	19.65	0.95	4.81
	4	35.50	33.31	35.48	31.56	32.45	32.45	33.46	1.52	4.55
	6	48.42	44.96	48.45	43.77	43.72	45.10	45.74	1.98	4.33
	8	58.98	54.63	61.51	54.06	53.39	57.38	56.66	2.92	5.15
	12	74.66	70.53	78.94	71.03	68.79	75.97	73.32	3.51	4.79
	16	85.08	82.71	90.82	83.50	79.23	88.16	84.92	3.75	4.42
	20	92.21	90.58	95.86	91.74	87.74	94.96	92.18	2.70	2.93
	25	96.94	95.86	98.63	97.41	94.92	98.68	97.07	1.37	1.41
	30	99.09	98.39	99.12	99.74	98.30	99.92	99.09	0.61	0.61
	35	99.88	99.32	99.60	100.69	100.16	100.41	100.01	0.47	0.47
	40	100.22	99.81	99.63	100.72	100.80	100.46	100.27	0.44	0.44
	50	100.24	99.86	99.80	100.90	100.99	100.36	100.36	0.46	0.46
	60	100.42	100.05	99.81	101.08	101.17	100.40	100.49	0.49	0.49
1:3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	27.19	27.42	28.66	29.85	30.10	29.24	28.74	1.12	3.88
	4	50.09	46.81	50.22	50.92	50.59	51.99	50.10	1.60	3.19
	6	63.36	61.13	66.74	66.87	65.94	67.80	65.30	2.32	3.56
	8	75.92	72.77	78.96	78.46	77.40	79.29	77.13	2.25	2.92
	12	89.36	86.44	90.33	90.29	89.42	91.01	89.47	1.47	1.65
	16	95.31	93.35	95.00	94.86	94.48	95.24	94.71	0.66	0.70
	20	97.19	95.92	95.62	96.12	96.05	96.33	96.20	0.49	0.51
	25	97.66	96.38	96.24	96.42	96.35	97.27	96.72	0.54	0.56
	30	97.66	96.35	96.23	96.24	96.50	96.95	96.66	0.51	0.53
	35	97.97	96.64	96.22	96.38	96.31	96.78	96.72	0.59	0.61
	40	97.96	96.76	96.36	96.36	96.45	96.77	96.78	0.56	0.58
	50	97.95	96.56	96.50	96.33	96.74	96.90	96.83	0.53	0.55
	60	98.09	97.00	96.00	96.77	96.70	97.04	96.93	0.62	0.64

APPENDIX 17

Dissolution data of indomethacin from indomethacin-gamma-CD solvent mixtures
in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	17.65	18.41	19.21	19.33	19.37	19.90	18.98	0.74	3.89
	4	30.46	30.34	31.31	32.26	32.13	31.50	31.33	0.74	2.35
	6	41.83	41.24	42.69	43.07	42.99	42.41	42.37	0.65	1.54
	8	50.37	49.97	52.70	52.33	52.09	51.52	51.50	1.01	1.96
	12	64.31	64.50	68.05	66.50	66.89	65.81	66.01	1.32	1.99
	16	74.83	74.66	77.12	76.21	77.06	76.48	76.06	0.98	1.29
	20	81.44	82.49	84.64	83.47	84.11	83.95	83.35	1.08	1.30
	25	88.09	89.09	90.94	89.32	89.98	89.30	89.45	0.87	0.97
	30	92.02	93.02	94.40	92.98	94.06	92.98	93.25	0.78	0.84
	35	94.61	95.54	96.61	95.06	96.19	94.67	95.44	0.75	0.78
	40	95.98	96.79	97.86	96.25	97.26	95.59	96.62	0.77	0.80
	50	96.90	97.88	98.49	97.16	98.03	96.51	97.49	0.69	0.71
	60	97.36	97.71	98.47	97.78	98.20	96.81	97.72	0.54	0.56
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	36.04	37.52	39.66	39.72	38.39	38.33	38.28	1.26	3.30
	4	54.35	54.84	57.51	57.16	55.16	58.32	56.22	1.50	2.67
	6	67.43	68.04	70.28	69.85	67.79	71.12	69.09	1.39	2.02
	8	76.41	76.95	79.46	78.67	76.59	79.93	78.00	1.41	1.81
	12	87.12	87.73	89.61	89.07	87.31	89.81	88.44	1.09	1.24
	16	93.05	93.44	94.79	94.67	93.50	94.82	94.04	0.73	0.78
	20	97.50	96.46	97.24	97.41	95.98	97.14	96.96	0.55	0.57
	25	97.63	97.84	98.48	98.65	97.46	98.45	98.09	0.46	0.47
	30	98.10	98.32	98.81	98.98	98.26	98.74	98.53	0.32	0.33
	35	98.56	98.50	98.98	99.31	98.37	99.20	98.82	0.36	0.37
	40	98.68	98.67	99.15	99.33	98.49	99.32	98.94	0.34	0.34
	50	98.47	98.84	99.17	99.35	98.60	99.10	98.92	0.31	0.32
	60	98.58	98.85	99.33	99.36	98.53	99.21	98.98	0.34	0.34
1:3	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	49.43	42.96	51.45	51.09	64.74	55.05	52.46	6.58	12.55
	4	70.85	64.93	75.05	72.12	77.82	76.43	72.87	4.27	5.86
	6	82.77	75.28	87.65	84.98	84.81	90.89	84.40	4.81	5.70
	8	90.02	83.52	95.14	92.19	91.54	96.09	91.42	4.09	4.48
	12	97.48	93.83	100.48	99.59	95.52	100.99	97.98	2.63	2.68
	16	98.77	98.31	100.66	99.63	96.44	100.99	99.13	1.53	1.55
	20	98.43	98.64	99.90	99.37	96.62	99.67	98.77	1.10	1.11
	25	97.92	98.04	99.13	98.81	96.21	98.67	98.13	0.96	0.97
	30	97.73	97.74	98.35	97.93	95.80	97.66	97.54	0.81	0.83
	35	97.37	97.13	97.88	97.80	95.82	97.30	97.21	0.68	0.70
	40	97.00	96.81	97.86	97.36	95.69	96.93	96.94	0.66	0.68
	50	97.12	96.65	97.69	97.21	95.85	96.88	96.90	0.57	0.59
	60	96.91	96.63	97.67	97.36	95.86	96.66	96.85	0.58	0.60

APPENDIX 18

Dissolution data of indomethacin from indomethacin-DIMEB solvent mixtures in phosphate buffer of pH 7.2:deionized water(1:4).

Ratios	Time(min.)	% drug dissolved			avg.	SD	ZCV
		#1	#2	#3			
1:1	0	0.00	0.00	0.00	0.00	0.00	0.00
	2	32.87	35.72	29.92	32.84	2.37	7.21
	4	52.72	53.07	47.95	51.25	2.33	4.55
	6	61.04	61.54	57.41	60.00	1.84	3.07
	8	65.58	65.43	63.15	64.72	1.11	1.72
	12	68.62	71.36	68.21	69.40	1.40	2.02
	16	71.06	74.88	70.68	72.21	1.89	2.62
	20	72.75	77.54	72.45	74.24	2.33	3.14
	25	74.60	79.92	73.49	76.01	2.81	3.69
	30	76.15	81.89	74.55	77.53	3.15	4.06
	35	77.56	84.15	75.17	78.96	3.80	4.81
	40	78.97	85.70	75.79	80.15	4.13	5.15
	50	80.69	88.71	76.41	81.94	5.10	6.22
	60	82.12	90.28	77.33	83.24	5.35	6.42
1:2	0	0.00	0.00	0.00	0.00	0.00	0.00
	2	79.61	81.81	80.84	80.75	0.90	1.11
	4	91.35	95.00	95.02	93.79	1.73	1.84
	6	95.49	97.85	98.01	97.11	1.15	1.18
	8	96.89	98.65	98.65	98.06	0.83	0.85
	12	97.98	99.45	99.61	99.02	0.73	0.74
	16	98.62	99.78	99.79	99.40	0.55	0.55
	20	98.95	99.64	99.96	99.52	0.42	0.42
	25	99.43	99.96	100.13	99.84	0.30	0.30
	30	99.60	99.97	100.15	99.90	0.22	0.23
	35	99.77	100.28	100.31	100.12	0.25	0.25
	40	99.79	100.75	100.47	100.34	0.41	0.40
	50	99.95	100.28	100.31	100.18	0.16	0.16
	60	99.96	100.43	100.46	100.28	0.23	0.23
1:3	0	0.00	0.00	0.00	0.00	0.00	0.00
	2	92.25	76.73	79.50	82.82	6.76	8.16
	4	98.75	90.37	90.89	93.33	3.83	4.11
	6	99.40	93.54	94.02	95.65	2.66	2.78
	8	100.06	95.06	95.73	96.95	2.22	2.29
	12	99.64	96.28	96.35	97.43	1.57	1.61
	16	100.29	97.21	96.80	98.10	1.56	1.59
	20	99.86	97.54	97.06	98.15	1.22	1.25
	25	100.50	97.56	97.14	98.40	1.50	1.52
	30	100.07	97.73	97.04	98.28	1.30	1.32
	35	100.17	97.60	97.29	98.35	1.29	1.31
	40	100.26	97.76	97.18	98.40	1.34	1.36
	50	100.36	98.07	97.42	98.61	1.26	1.28
	60	100.44	98.07	97.30	98.61	1.34	1.35

APPENDIX 19

Physical properties of the prepared indomethacin capsules.

Physical properties Capsules	#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	avg.	SD	ZCV	
Content uniformity	IDM	97.17	101.07	98.65	99.47	99.91	100.16	98.00	98.65	100.49	101.06	99.46	1.25	1.26
	GD	98.40	98.96	100.93	99.28	100.84	98.77	98.50	97.65	98.26	98.13	98.97	1.05	1.06
	KD	102.65	101.56	99.76	100.11	100.18	103.55	103.11	98.82	93.16	94.75	99.77	3.27	3.28
	TD	97.20	98.12	96.20	101.52	101.89	103.48	99.92	99.34	99.56	96.54	99.38	2.29	2.31
	GM	98.97	99.00	97.78	100.33	96.46	97.02	98.23	99.45	100.00	98.99	98.62	1.18	1.20
	KM	97.51	98.77	101.75	102.86	103.86	96.83	96.07	97.19	95.31	103.28	99.34	3.09	3.11
	SM	97.07	98.92	98.31	98.02	97.29	97.67	98.64	99.79	100.03	98.56	98.43	0.93	0.94
Weight variation(mg)	IDM	289.1	301.7	289.9	290.3	298.0	289.3	298.6	290.2	300.0	304.1	295.1	5.59	1.90
	GD	299.3	298.1	285.7	292.6	301.7	289.4	301.7	300.0	291.5	287.2	294.7	5.82	1.97
	KD	288.4	286.3	300.7	295.0	298.3	297.5	292.0	300.5	300.4	294.3	295.3	4.86	1.65
	TD	300.7	281.7	288.5	294.1	282.1	294.6	292.2	297.6	296.1	291.7	291.9	5.93	2.03
	GM	290.6	296.5	288.8	283.9	289.8	285.6	290.2	292.4	296.8	284.3	289.9	4.30	1.48
	KM	291.1	300.1	290.5	293.6	299.6	299.1	294.0	300.3	289.7	286.0	294.4	4.86	1.65
	SM	300.8	311.3	313.4	311.7	301.0	304.7	307.0	302.4	299.5	294.6	304.6	5.80	1.90
Disintegration time (min.)	IDM	2.23	1.90	1.90	2.00	2.37	2.37	-	-	-	-	2.13	0.20	9.55
	GD	2.37	2.37	2.50	2.50	2.60	2.60	-	-	-	-	2.49	0.09	3.78
	KD	2.37	2.37	2.62	2.62	2.62	2.62	-	-	-	-	2.54	0.12	4.65
	TD	1.92	2.10	2.18	2.18	2.30	2.30	-	-	-	-	2.16	0.13	6.00
	GM	3.00	2.90	2.73	2.73	2.73	2.73	-	-	-	-	2.80	0.11	3.84
	KM	2.20	2.20	2.40	2.40	2.62	2.62	-	-	-	-	2.41	0.17	7.13
	SM	3.21	3.33	2.53	3.55	3.36	3.29	-	-	-	-	3.21	0.32	9.97

คุณภาพยาพยุง
รุ่งเรืองกรรณ์มหาวิทยาลัย

APPENDIX 20

Dissolution data of indomethacin from the prepared indomethacin capsules.

Type of capsule	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
IDM	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	1.12	0.36	0.36	0.36	2.48	1.57	1.04	0.79	76.03
	4	9.77	9.62	7.79	9.92	10.08	11.14	9.72	0.99	10.21
	6	22.28	25.30	21.95	23.18	22.89	24.56	23.36	1.20	5.13
	8	31.98	35.03	31.96	32.14	32.91	34.13	33.02	1.17	3.56
	12	44.78	47.85	44.76	45.55	45.26	45.89	45.68	1.05	2.30
	16	54.03	57.12	54.47	56.31	54.51	54.84	55.21	1.11	2.02
	20	61.21	64.78	61.65	63.81	62.15	61.72	62.55	1.29	2.06
	25	68.29	74.76	68.58	71.51	69.08	68.34	70.09	2.36	3.37
	30	74.04	77.22	74.03	76.84	73.93	73.49	74.92	1.50	2.00
	35	78.47	81.66	78.46	81.28	78.05	77.76	79.28	1.57	1.98
	40	81.71	85.22	81.85	84.53	81.13	80.99	82.57	1.67	2.02
	50	86.63	89.87	86.16	89.17	85.45	85.46	87.12	1.75	2.01
	60	90.07	93.17	89.29	92.32	88.72	88.89	90.41	1.72	1.91
6D	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	3.54	3.09	4.15	1.27	2.03	4.76	3.14	1.19	38.01
	4	25.72	17.98	21.47	15.54	15.54	20.72	19.49	3.60	18.46
	6	47.28	41.91	43.92	37.94	40.07	45.89	42.83	3.23	7.54
	8	58.21	54.93	56.50	52.91	52.93	58.18	55.61	2.20	3.96
	12	70.12	67.28	70.07	67.06	66.48	71.61	68.77	1.91	2.78
	16	76.50	74.10	77.20	74.03	73.59	78.60	75.67	1.88	2.48
	20	81.40	78.98	81.96	78.76	78.77	83.06	80.49	1.72	2.14
	25	85.57	83.29	86.59	83.07	83.54	87.85	84.98	1.82	2.14
	30	89.47	86.71	90.03	86.19	87.11	91.15	88.44	1.86	2.10
	35	91.71	89.09	92.43	88.56	90.41	93.56	90.96	1.78	1.96
	40	93.36	90.88	94.24	90.19	91.59	95.07	92.56	1.78	1.93
	50	95.47	93.13	96.51	92.14	94.00	97.34	94.76	1.84	1.94
	60	96.99	94.78	97.73	93.78	95.35	98.72	96.23	1.73	1.79
KD	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	5.52	6.12	6.12	5.21	6.43	5.97	5.90	0.41	6.93
	4	14.20	15.11	12.38	11.01	14.51	11.47	13.12	1.57	11.96
	6	24.46	25.23	23.69	22.46	24.62	22.17	23.77	1.13	4.73
	8	30.69	31.16	30.22	29.14	30.85	28.84	30.15	0.87	2.89
	12	39.69	39.86	39.83	37.82	39.25	37.37	38.97	1.00	2.56
	16	47.08	46.80	46.91	45.05	46.18	44.14	46.03	1.08	2.35
	20	52.85	53.02	53.44	50.81	52.35	50.20	52.11	1.20	2.29
	25	59.26	59.59	60.16	57.06	58.81	56.29	58.53	1.39	2.38
	30	64.81	64.98	65.71	62.28	64.04	61.51	63.89	1.51	2.36
	35	69.32	69.65	70.99	66.63	68.40	66.16	68.53	1.69	2.47
	40	73.26	73.74	74.94	70.40	72.18	70.07	72.43	1.75	2.42
	50	78.89	79.52	81.49	76.16	77.96	75.98	78.33	1.92	2.45
	60	83.19	84.28	86.72	80.59	82.40	81.02	83.03	2.06	2.48

APPENDIX 20 (continued)

Dissolution data of indomethacin from the prepared indomethacin capsules.

Type of capsule	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
TD	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	2.03	1.88	1.88	1.12	1.42	1.12	1.57	0.37	23.63
	4	13.72	14.78	18.27	11.29	11.59	12.50	13.69	2.37	17.32
	6	28.53	28.23	32.35	28.66	25.32	27.15	28.37	2.11	7.44
	8	37.06	36.31	40.61	38.25	35.35	36.43	37.34	1.70	4.56
	12	48.53	46.86	51.64	50.49	46.66	48.35	48.76	1.80	3.70
	16	57.50	55.82	61.09	60.38	55.01	56.71	57.75	2.25	3.90
	20	64.10	63.01	67.71	67.76	61.59	64.67	64.81	2.28	3.52
	25	70.13	69.34	74.37	75.18	67.91	71.62	71.42	2.62	3.67
	30	74.98	74.19	79.71	80.98	72.75	76.79	76.57	2.95	3.85
	35	78.96	78.46	83.86	85.14	76.41	80.92	80.63	3.06	3.80
	40	81.29	80.64	86.68	88.42	79.03	84.18	83.37	3.36	4.03
	50	84.84	84.19	90.42	93.54	82.87	87.75	87.27	3.75	4.29
	60	86.90	86.40	92.67	95.20	84.61	90.28	89.34	3.73	4.17
GMDM 1:0.5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	1.45	1.90	1.62	1.47	1.61	1.65	1.62	0.15	9.08
	4	17.73	14.51	12.89	17.84	14.20	11.87	14.84	2.25	15.19
	6	47.28	49.78	40.03	51.93	48.76	47.35	47.52	3.70	7.79
	8	63.40	66.25	61.73	67.53	66.01	63.94	64.81	1.96	3.03
	12	76.83	79.13	75.74	79.61	78.71	77.75	77.96	1.35	1.73
	16	83.69	85.64	82.65	85.80	84.66	84.49	84.49	1.09	1.29
	20	87.96	89.73	86.95	90.14	88.63	88.87	88.71	1.06	1.20
	25	92.10	93.24	91.11	93.55	92.63	92.48	92.52	0.79	0.86
	30	94.09	95.69	93.43	96.20	94.47	94.67	94.76	0.94	0.99
	35	96.09	97.38	95.12	97.61	96.48	96.40	96.51	0.82	0.85
	40	97.48	98.62	96.67	99.02	97.71	97.66	97.86	0.77	0.79
	50	98.41	100.17	98.23	100.28	99.58	98.76	99.24	0.82	0.82
	60	99.81	100.80	99.32	100.76	100.36	99.38	100.07	0.61	0.61
KMDM 1:0.5	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	4.65	4.09	4.15	1.57	7.34	5.82	4.60	1.76	38.26
	4	25.07	21.98	18.14	17.06	26.05	26.57	22.48	3.76	16.71
	6	48.54	46.50	42.07	42.50	48.22	49.17	46.17	2.86	6.20
	8	63.12	62.02	60.10	59.93	63.10	63.98	62.04	1.54	2.49
	12	79.02	78.42	78.25	77.01	79.29	79.82	78.64	0.90	1.14
	16	87.36	86.39	88.17	86.62	87.25	87.97	87.29	0.65	0.74
	20	92.07	91.15	93.45	91.89	92.07	93.22	92.31	0.79	0.86
	25	95.89	95.01	98.16	95.98	95.85	96.95	96.31	1.00	1.04
	30	98.51	97.80	101.07	99.03	98.29	98.66	98.89	1.04	1.05
	35	100.21	99.36	103.09	100.28	100.14	100.55	100.60	1.17	1.16
	40	101.32	100.31	104.36	101.23	100.94	101.81	101.66	1.29	1.27
	50	103.03	102.03	105.78	102.48	102.34	103.39	103.18	1.25	1.21
	60	103.69	102.52	106.45	102.98	103.29	103.74	103.78	1.27	1.22

APPENDIX 20 (continued)

Dissolution data of indomethacin from the prepared indomethacin capsules.

Type of capsule	Time(min.)	% drug dissolved						avg.	SD	ZCV
		#1	#2	#3	#4	#5	#6			
CODM 1:2	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	2	3.54	7.03	8.40	6.12	0.21	3.24	4.76	2.73	57.42
	4	38.16	39.39	44.10	38.78	27.97	29.49	36.32	5.71	15.73
	6	73.67	77.31	76.42	75.69	75.59	74.30	75.50	1.22	1.62
	8	89.13	90.01	85.77	89.01	82.84	86.21	87.16	2.48	2.85
	12	92.84	93.69	90.62	93.03	93.18	93.40	92.79	1.01	1.09
	16	93.89	94.89	92.66	94.39	94.21	93.77	93.97	0.69	0.73
	20	94.80	95.95	93.91	95.46	95.61	94.30	95.01	0.73	0.77
	25	95.42	96.58	94.41	96.23	95.65	94.43	95.45	0.82	0.86
	30	96.19	97.05	94.61	96.55	95.75	95.41	95.93	0.79	0.82
	35	96.51	97.38	95.36	96.57	96.65	96.15	96.44	0.61	0.63
	40	96.97	97.71	95.96	96.59	97.10	96.74	96.85	0.53	0.55
	50	97.14	97.74	96.02	96.76	97.30	97.62	97.10	0.58	0.60
	60	97.16	97.77	96.62	96.62	97.75	98.06	97.33	0.57	0.58

ศูนย์วิทยาการ
อุปกรณ์และวิทยาลัย

VITA

Miss Vasinee Munjitjuntra was born on July 8th, 1967 in Sukhothai. She got her degree in Bachelor of Science in Pharmacy with 2nd class honour in 1990 from Faculty of Pharmacy, Mahidol University.



ศูนย์วิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย