

REFERENCES

- Allredge, B.K. Seizure Disorders. In E.T. Herfindal, D.R. Gourley, and L.L. Hart (eds.), *Clinical Pharmacy and Therapeutics*, pp. 845-867. London: Williams & Wilkins, 1992.
- Ambre, J.J., et al. Antiepileptic Drugs. In D.R. Benett (ed.), *American Medical Association Drug Evaluation Annual 1994*, pp. 345-381. New York, 1994.
- Bauer, L., and Exner, O. The Chemistry of Hydroxamic Acid and *N*-Hydroxyimides. *Angew. Chem. internat. Edit.* 13 (1974): 376-384.
- Berndt, D.C., and Shechter, H. Substituent Effects in the Lossen Rearrangement of Benzoyl Acylhydroxamates. *J. Org. Chem.* 29 (1964): 916-918.
- Borenstein, M.R., and Doukas, P.H. Anticovulsant Activity of Indanylspirosuccinimide Mannich Bases. *J. Pharm. Sci.* 76 (1987): 300-302.
- Burnham, W.M. Antiseizure Drugs (Anticonvulsants). In H. Kalant, and W.H.E. Roschlan (eds.). *Principles of Medical Pharmacology*, pp. 203-213. Toronto: B.C. Decker, 1989.
- Burgen, A.S.V., and Mitchell, J.F. *Oxford Medical Publications Gaddum's Pharmacology*. 8th ed. Oxford: Oxford University Press, 1978. pp. 45-105.

- Calderon, S.N., Newman, A.H., and Tortella, F.C. Novel 1-Phenylcycloalkanecarboxylic Acid Derivatives as Potential Anticonvulsant Agents. *J. Med. Chem.* 34 (1991): 3159-3164.
- Carling, R.W., Leeson, P.D., Moseley, A.M., et al. 2-Carboxytetrahydroquinolines. Conformational and Stereochemical Requirement for Antagonism of the Glycine Site on the NMDA Receptor. *J. Med. Chem.* 35 (1992): 1942-1953.
- _____. Leeson, P.D., Moore, K.W., et al. 3-Nitro-3,4-dihydro-2(1*H*)-quinolones. Excitatory Amino Acid Antagonists Acting at Glycine-Site NMDA and (*RS*)- α -Amino-3-hydroxy-5-methyl-4-isoxazolepropionic Acid Receptors. *J. Med. Chem.* 36 (1993): 3397-3408.
- Chan, A.W.K. Drugs Used in the Treatment of Epilepsy. In C.M. Smith, and A.M. Reynard (eds.). *Textbook of Pharmacology*, pp. 320-339. Philadelphia: W.B. Saunders, 1992.
- Chapman, A., Keane, P.E., Meldrum, B.S., Simiand, J., and Vernieres, J.C. Mechanism of anticonvulsant action of valproate. *Progress in Neurobiology.* 19 (1982): 315-359.
- Clark, W.G. *GOTH's Medical Pharmacology*. 13th ed. St. Louis: Mosby Year Book, 1992. pp. 307-317.
- Collins, A.A. *Clinical Drug Therapy: Rationals for Nursing Practice*. Philadelphia: J.B. Lippincott, 1983. pp. 103-112.

- Danhof, M., and Voskuyl, R.A. Pharmacokinetic/Pharmacodynamic Correlations of Anticonvulsants. In H. Derendorf, and G. Hochhaus (eds.). *Handbook of Pharmacokinetic / Pharmacodynamic Correlation*, pp. 185-196. Boca Raton: CRC Press, 1995.
- DaVanzo, J.P., Greig, M.E., and Cronin, M.A. Anticonvulsant properties of amino-oxyacetic acid. *American Journal of Physiology*. 201 (1961): 833-837.
- Delgado, J.N., and W.A. Remers. Anticonvulsant or Antiepileptic Drugs. In C.O. Wilson, and O. Grisvold (eds.), *Wilson and Grisvold's Textbook of organic Medicinal and Pharmaceutical Chemistry*, pp.387-394. New York: J.B. Lippincott, 1991.
- Edafiogho, I.O., Scott, K.R., Moore, J.A., Farrar, V.A., and Nicholson, J.M. Synthesis and Anticonvulsant Activity of Imidooxy Derivatives. *J. Med. Chem.* 34 (1991): 387-392.
- _____. Hinko, C.N., Chang, H., et al. Synthesis and Anticonvulsant Activity of Enaminones. *J. Med. Chem.* 35 (1992): 2798-2805.
- _____. Hinko, C.N., Farrar, V.A., et al. Imidooxy anticonvulsants: Structural analogs with special emphasis on N-(benzyloxy)-2-azaspiro[4,4]-nonane-1,3-dione. *Drugs of the Future*. 17 (1992): 395-408.
- Elmazar, M.M.A., Huack, R.S., and Nau, H. Anticonvulsant and Neurotoxic Activities of Twelve Analogues of Valproic Acid. *J. Pharm. Sci.* 82 (1993): 1255-1258.

- Faingold, C.L., and Fromm, G.H. *Drug for Control of Epilepsy: Actions on Neuronal Networks Involved in Seizure Disorders*. Boca Ratona: CRC Press, 1991. pp. 490-491.
- Fieser, L.F., and Fieser, M. *Advanced Organic Chemistry*. New York: Chapman & Hall, 1961.
- Furniss, B.S., Hannaford, A.J., Smith, P.W.G., and Tatchell, A.R. *Vogel's textbook of practical organic chemistry*. 5th ed. Great Britain: The Bath Press, 1991.
- Geohring, R.R., Greenwood, T.D., Pisipati, J.S., and Wolfe, J.F. Synthesis and Anticonvulsant Evaluation of Some New 2-Benzylsuccinimides. *J. Pharm. Sci.* 80 (1991): 790-792.
- Harrison, B.L., Baron, B.M., Cousino, D.M., and McDonald, I.A. 4-[(Carboxymethyl)oxy]- and 4-[(Carboxymethyl)amino]-5,7-dichloro quinoline-2-carboxylic Acid: New Antagonists of the Strychnine-Insensitive Glycine Binding Site on the N-Methyl-D-aspartate Receptor Complex. *J. Med. Chem.* 33 (1990): 3130-3132.
- House, H.O. *Modern synthetic reaction*. California: W.A. Benjamin, 1972.
- Jones, L.W., and Neuffer, L. Hydroxamic Acid Related to α -Hydroxy Acids and to Acrylic Acid, and A Study of Their Rearrangements. *J. Amer. Chem. Soc.* 39 (1917): 659-668.
- _____ and Sneed, M.C. On Dichloroacethydroxamic Acid and Its Rearrangement, and Aminoacethydroxamic Acid. *J. Amer. Chem. Soc.* 39 (1917): 668-679.

- _____. and Hurd, C.D. Rearrangements of Some New Hydroxamic Acids Related to Heterocyclic Acids and to Diphenyl- and Triphenyl-acetic Acids. *J. Amer. Chem. Soc.* 43 (1921): 2422-2448.
- _____. and Scott, A.W. New Hydroxamic Acid Derived From Cyclopropane Carboxylic Acid, Isobutyric Acid and Dibenzyl-acetic Acid. A Comparative Study of The Beckmann Rearrangement of Their Derivatives. *J. Amer. Chem. Soc.* 44 (1922): 407-423.
- _____. and Powers, D.H. A Study of Some New Hydroxamic Acids of Hydroxy and Alkoxy Fatty Acids. *J. Amer. Chem. Soc.* 46 (1924): 2518-2533.
- _____. and Root, F.B. The Rearrangement of Hydroxamic Acids Isomeric with Triphenyl-acethydroxamic Acid. *J. Amer. Chem. Soc.* 48 (1926): 181-195.
- Kalviainen, R., Keranen, T., and Riekkinen, P.J.,Sr. Place of Newer Antiepileptic Drugs in the Treatment of Epilepsy. *Drugs.* 46 (1993): 1009-1021.
- Kane, J.M., et al. 5-Aryl-3-(alkylthio)-4H-1,2,4-triazoles as Selective Antagonists of Strychnine-Induced Convulsions and Potential Antispastic Agents. *J. Med. Chem.* 37 (1994): 125-132.
- Kuriyama, K., Roberts, E., and Rubinstein, M.K. Elevation of γ -Aminobutyric Acid in Brain with Amino-oxyacetic Acid and Susceptibility to Convulsive Seizures in Mice: A Quantitative Re-evaluation. *Biochem. Pharmacol.* 15 (1966): 221-236.

- Kwon, C.H., Iqbal, M.T., and Wurlpel, J.N.D. Synthesis and Anticonvulsant Activity of 2-Iminohydantoins. *J. Med. Chem.* 34 (1991): 1845-1849.
- Lancaster, R. *Pharmacology in Clinical Practice*. London: Heineman Medical Book, 1980. pp. 215- 231.
- Leeson, P.D., et al. Kynurenic Acid Derivatives. Structure-Activity Relationships for Excitatory Amino Acid Antagonism and Identification of Potent and Selective Antagonists at the Glycine Site on the N-Methyl-D-aspartate Receptor. *J. Med. Chem.* 34 (1991): 1243-1252.
- Levy, R. H. Carbamazepine and Valproic Acid. In A.A. Ward, Jr., J.K. Penry, and D.P. Purpyra (eds.), *Epilepsy: Association for Research in Nervous and Mental Disease Research Publications*, pp. 171-223. New York: Raven Press, 1983.
- Loscher, W. 3-Mercaptopropionic Acid: Convulsant Properties, Effects on Enzymes of the γ -Aminobutyrate System in Mouse Brain and Antagonism by Certain Anticonvulsant Drugs, Aminooxyacetic Acid and Gabaculine. *Biochem. Pharmacol.* 28 (1979): 1397-1407.
- McQuaid, L.A., Smith, E.C.R., Lodge, D., et al. 3-Phenyl-4-hydroxyquinolin-2(1H)-ones: Potent and Selective Antagonists at the Strychnine-Insensitive Glycine Site on the N-Methyl-D-aspartate Receptor Complex. *J. Med. Chem.* 35 (1992): 3423-3425.

- _____. Smith, E.C.R., South, K.K., et al. Synthesis and Excitatory Amino Acid Pharmacology of a Series of Heterocyclic-Fused Quinoxalinones and Quinazolinones. *J. Med. Chem.* 35 (1992): 3319-3324.
- Meldrum, B.S., and Chapman, A.G. Excitatory Amino Acid Antagonists as Anticonvulsant Agents: Receptor Subtype Involvement in Different Seizure Models. In G. Nistico, et al. (eds.), *Neurotransmitters, Seizures, and Epilepsy III*, pp. 223-231. New York: Raven Press, 1986.
- Mercier, J. Chemical compounds possessing anticonvulsant activity. Structur-activity relationships of the antiepileptics. In C. Radouco-Thomas (ed.), *International encyclopedia of pharmacology and Therapeutics, section 19 Anticonvulsant drugs*, 1(1973): 203-237.
- Mukaiyama, T., and Nohira, H. Dehydration Reactions of Hydroxamic Acids. A New Method for the Preparation of Isocyanates. *J. Org. Chem.* 26 (1961): 782-784.
- Norgady, T. D. *Medicinal Chemistry: A Biochemical Approach*. 2nd ed. Oxford: Oxford University Press, 1988. pp. 225-244.
- Owayale, J.A., Lahan, G.D., Osuide, G., and Edafiogho, I.O. Succinimides with Oxyacetate Side Chain as Potential Anticonvulsant Agents. *J. Pharm. Sci.* 70 (1981): 963.
- Peterson, E.M., et al. α -Spirocyclopentyl- and α -Spirocyclopropyl- γ -butyrolactones: Conformationally Constrained Derivatives of Anticonvulsant and Convulsant α,α -Disubstituted γ -Butyrolactones. *J. Med. Chem.* 37 (1994): 275-286.

- Pop, E., Brewster, M.E., and Bodor, N. Improved Central Nervous System Delivery and Activity of Antiepileptic Drugs. *Drugs of the Future*, 16 (1991): 221-248.
- Porter, R.J., and Meldrum, B.S. Antiepileptic Drugs. In B.G. Katzung (ed.), *Basic & Clinical Pharmacology*, pp. 331-349. London: Prentice-Hall, 1992.
- Rall, T.W., and Schleifer, L.S. Drugs Effective in the Therapy of the Epilepsies. In A.G. Gillman, T.W. Rall, A.S. Nies, and P. Taylor (eds.), *Goodman and Gilman's The Pharmacological Basis of Therapeutics*, pp. 436-462. New York: Pergamon Press, 1990.
- Robertson, D.W., et al. Synthesis and Pharmacological Evaluation of a Major Metabolite of Ameltolide, a Potent Anticonvulsant. *J. Med. Chem.* 34 (1991): 1253-1257.
- Rogawski, M.A. The NMDA Receptor, NMDA Antagonists and Epilepsy Therapy. *Drugs*. 44 (1992): 279-292.
- Rognan, O., et al. Structure and Molecular Modeling of GABA_A Receptor Antagonists. *J. Med. Chem.* 35 (1992): 1969-1977.
- Sasaki, H., Mori, Y., Nakamura, J., and Shibasaki, J. Synthesis and Anticonvulsant Activity of 1-Acyl-2-pyrrolidinone Derivatives. *J. Med. Chem.* 34 (1991): 628-633.
- Scott, K.R., et al. Synthesis and Anticonvulsant Activity of Enanminones. 2. Further Structure-Activity Correlations. *J. Med. Chem.* 36 (1993): 1947-1955.

- Silverman, R.B., Andruszkiewicz, R., Nanavati, S.M., Taylor, C.P., and Vartanian, M.G. 3-Alkyl-4-aminobutyric Acids: The First Class of Anticonvulsant Agents That Activates L-Glutamic Acid Decarboxylase. *J. Med. Chem.* 34 (1991): 2295-2298.
- Sneider, W. *Drug Discovery: The Evaluation of Modern Medicine*. Chichester: J. Wiley, 1985. pp. 41-47.
- Solomons, T.W.G. *Organic Chemistry*. 2nd ed. New York: John Wiley & Sons, 1984.
- Stagner, B.A. The Molecular Rearrangement of Triarylmethyl Hydroxylamines. *J. Amer. Chem. Soc.* 38 (1916): 2069-2101.
- Stieglitz, J., and Stagner, B.A. Molecular Rearrangements of β -Triphenylmethyl- β -methyl Hydroxylamines and the Theory of Molecular Rearrangements. *J. Amer. Chem. Soc.* 38 (1916): 2046-2068.
- Tarver, M.L., Nicholson, J.M., and Scott, K.R. Spirosuccinimides as Potential Anticonvulsants. *J. Pharm. Sci.* 74 (1985): 785-787.
- Tomczuk, B.E., et al. 2-Phenyl-3H-imidazo[4,5-b]pyridine-3-acetamides as Non-Benzodiazepine Anticonvulsants and Anxiolytics. *J. Med. Chem.* 34 (1991): 2993-3006.
- Vida, J.A. Anticonvulsants. *Principles of Medicinal Chemistry*, pp. 173-188. New York: Pergamon Press, 1989.
- Wallach, D.P. Studies on the GABA Pathway-I The inhibition of γ -Aminobutyric Acid- α -Ketoglutaric Acid Transaminase in vitro and in vivo by U-7524 (Aminooxyacetic Acid). *Biochem. Pharmacol.* 5 (1961): 323-330.

Wood, J.D., and Peesker, S.J. The Role of GABA Metabolism in the Convulsant and Anticonvulsant Actions of Aminooxyacetic Acid. *J. Neurochem.* 29 (1973): 379-387.

Yale, H.L. The hydroxamic Acid. *Chem. Rev.* 33 (1943): 209-256.

Zvilichovsky, G. Modified Lossen Rearrangement of Malonohydroxamic Acid. Preparation and Properties of 3-(p-Toluenesulfonyl)hydantoin. *J. Org. Chem.* 34 (1969): 486-489.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

VITA

Mr. Ruengwit Kitbunnadaj was born on October 17, 1970 in Bangkok, Thailand. He has received his Bachelor of Pharmacy in 1992 from the Faculty of Pharmacy, Chiang Mai University, Thailand. After his graduation, he is going to be a lecturer of Department of Pharmaceutical Chemistry, Faculty of Pharmacy, Naresuan University, Pitsanulok, Thailand.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย