

เอกสารอ้างอิงภาษาไทย

กระทรวงสาธารณสุข " คู่มือการใช้สมุนไพร เล่ม 2 " หน้า 28-29 , พิมพ์ครั้งที่ 1
พระนคร: โรงพิมพ์องค์การส่งเสริมศึกษาฯ , 2529.

โครงการสมุนไพรกับสาธารณสุขชุมชน " คู่มือการใช้สมุนไพร " หน้า 45 , พิมพ์ครั้งที่ 1
พระนคร : ห.จ.ก. เอช-โอน การพิมพ์ , 2527.

ปรีชา ศรีวราลัย "สังคมโลกครั้งที่ 1-2 และสังคมเก่าหลี" พิมพ์ครั้งที่ 1 พระนคร :
โอเดียนส์โตร์, 2530.

พยอม ตันติวัฒน์ " สมุนไพร " , หน้า 29-30 , พิมพ์ครั้งที่ 1 พระนคร : โรงพิมพ์
จุฬาลงกรณ์ , 2521.

พญาอวี เหมือนวงศัญติ " คู่มือการใช้สมุนไพร " หน้า 65 , 102 , 114 พิมพ์ครั้งที่ 2
พระนคร , ส้านักพิมพ์เมดิคัล มีเดีย , 2526.

สายสัมย์ กิตติชาร " ตำราสรวนคุณสมุนไพรยาไทยแผนโบราณ " หน้า 51 พิมพ์ครั้งที่
1 พระนคร : โรงพิมพ์อักษรไทย , 2526.

อุไร อรุณลักษณ์ " การศึกษาเภสัชวิทยาของใบชี้เหล็ก " วิทยานิพนธ์คุณวีระพันธ์
สาขาวิทยา , คณะแพทยศาสตร์และศิริราชพยาบาล มหาวิทยาลัยแพทยศาสตร์, 2490.

ເອກສາຮ້າງອົງກາຫາອັງກຸມ

Abigail, M.S., Zigmund, M.J. and Lund, R.D. "Sprouting of serotonergic afferents into striatum after dopamine-depleting Lesions in infant rat : A retrograde transport and Immunocytochemical, study" J. Comp. Neurol. 245 (1986) : 274-278.

Aghajanian, G.K. and Wang, R.Y. "Habenular and other midbrain raphé afferents demonstrated by a modified retrograde tracing technique" Brain. Res. 122 (1977) : 229-242.

Agid, Y. et al."Chemical or Electrolytic Lesion of the Substantia Nigra : Early Effects on Neostriatal Dopamine Metabolism" Brain. Res. 74 (1974) : 41-49.

Anden, N.E. et al. "Functional Role of the Nigrostriatal Dopamine Neurons" Acta Pharmacol. 24 (1966) : 262-274.

Akill, H. and Mayer, D.J. "Antagonism of Stimulation Produced Analgesia by p-CPA , a Serotonin Synthesis Inhibitor" Brain Res. 44 (1972) : 692-697.

Anden, N.E. et al."Functional Evidence for the Precence of Nigro-neostriatal Dopamine Neurons" Acta Pharmacol. 24 (1966) : 263-274.

Anden, N.E. et al."Receptor Activity and Turnover of Dopamine and Noradrenaline after Neuroleptics" Europ. J. Pharmacol. 11 (1966) : 303-314.

Anden, N.E. et al. "Evidence for Dopamine Receptor Stimulation by Apomorphine" J. Pharm. Pharmacol. 19 (1967) : 627-629.

Argiolas, et al. "Effect of Dopamine Agonist and Antagonists on DOPA formation in the substantia nigra" J.of Neurochemistry 38 (1982 a) : 75-79.

Argiolas, et al. "Evidence for dopamine autoreceptor controlling dopamine synthesis in the substantia nigra" Brain Res. 234 (1982b) : 177-181.

Arnt et al. "Effect of putative dopamine autoreceptor in pharmacological models related to dopaminergic and neuroleptic activity" Europ. J. Pharm. 86 (1983) : 185-198.

Akil, H. and Liebeskind, J. C. "Monoaminergic mechanisms of stimulation-produced analgesic" Brain Res. 94 (1975) : 279-296

Barasi, S. and Duggal, K. N. "The effect of local and systemic application of dopaminergic agent on tail flick latency in the rat." Eur. J. pharmacol. 117(1985) : 287-294

Beckstead, R. M. ; Domesick, V. B. and Nanta, W. J. H. "Effect connection of the substantia nigra and Ventrae tegmental area in the rat" Brain Res. 175(1979) : 191-217

Belcher, G.; Ryall, R. W; Schaffner, R. "The differential effects of 5-Hydroxytryptamine, noradrenaline and raphe stimulation on nociceptive and non-nociceptive dorsal horn interneurons in the cat." Brain Res. 151(1978) : 307-332

Bobillier, P ; Seguin, S., Petitjean, F., Salvert, M.T. ~~and~~ Jouvet, M. "The raphe nuclei of the cat brain stem : a topographical atlas of their projections as revealed by autoradiography" Brain Res. 113(1976) : 449-486

Breese, G.R., Baumeister, A.A., McCown, T.J., Emerick, S.G., Frye, C.D., Crotty, K. and Mueller, R.A. "Behavioral differences between neonatal and adult 6-hydroxydopamine-treated rats to dopamine agonist : Relevance to neurological symptoms in clinical syndrome with reduced brain dopamine" J. Pharmacol Exp. Ther. 231 (1984) : 343-354.

Burkill, I. H. A dictionary of the Economic Products of the Malay Peninsula, vol. 1, pp. 486-487, Kuala Lumpur : Art Printing Works, 1966

Carlsson, A. et al. "Biochemical and Histochemical Studies on the Effect of Imipramine-like Drugs and (+) - Amphetamine on Central and Peripheral Catecholamine Neurons" Acta physiol. scand. 67(1966) : 481-497.

Caiara, C. D. et al. "Evidence for dopamine mediating sedative in the mouse brain" Nature 264(1976) : 564-567

Carey, R. J. "Acute ipsilateral Hyperalgesic and Chronic Contralateral hypoalgesic after Unilateral 6-Hydroxydopamine lesion of the substantia nigra" Experimental neurology 91 (1986) : 277-284

Cheng, R. S. S. and Pomerary, B. "Monoaminergic mechanism of electrocupuncture" Brain Res. 215(1981) : 77-92

Cheramy, A. ; Leviel, V. and Glowinski, J. "Dendritic release of dopamine in the substantia nigra" Nature. 289 (1981) : 537-542

Costall, B. and Naylor, R. J. "The role of telencephalic dopaminergic system in the mediation of apomorphine-stereotyped behavior" Europ. J. Pharmacol. 24 (1973) : 8-24.

Creese, J. and Iversen, S. D. "Blockage of Amphetamine induced motor stimulation and stereotypy in the adult rat following neonatal treatment with 6-hydroxydopamine" Brain Res. 55 (1973) : 369-382.

Creese, J. and Iversen, S. D. "The pharmacological and anatomical substrates of the amphetamine response in rat" Brain Res. 83 (1975) : 419-436.

Creese, J. , et al. "Dopamine Receptor Binding Enhancement Accompanies Lesion - Induced Behavioral Supersensitivity" Science 197 (1977) : 596-598.

Curzon, G., Hutson, P. H., and Tricklebank, M. D. "Involvement of dopamine in the analgesic response induced by footshock" Br. J. Pharm. 74 (1981) : 761-762.

Dahlström, A., Fuxe, K. "Evidence for existence of monoamine neurons in the central nervous system. I. Demonstration of monoamines in the cell bodies of brain stem neurons" Acta Physiol. Scan. Suppl. 232 (1964) : 1-55.

Davis, M., Astrachan, D. and Kass.E. "Excitatory and Inhibitory Effect of Serotonin on Sensorimotor Reactivity Measured with Acoustic Startle" Science 209 (1980) : 521-523.

Deakin, J. F. W. and Green, A. R. "The Effect of Putative 5-Hydroxytryptamine antagonists on the Behavior Produced by the Administration of Tranylcypromine and L-tryptophan or Tranyl-cypromine and L-Dopa to Rats" Br. J. Pharmacol. 64(1978) : 201-209.

Dourish, C. T. "A Pharmacological Analysis of the Hyperactivity Syndrome Induce by Phenylthylamine in the Mouse" Br. J. Pharm. 77 (1982) : 129-139.

Drust, E. C., Sloviter, R. S. and Conner, J. D. "Effect of Morphine on "Wet dog" Shakes Caused by Cerebroventricular Injection of Serotonin" Pharmacology 18 (1979) : 299-305.

Feldman, L. T. F., Susselman, S. and Barrera, S. E. "A note on apomorphine as a sedative" Am. J. of Psychiatry 102 (1945) : 403-405.

Fizer, J.S., Palkovitz, M., Brownstrin, M.J. "The projections of the A8, A9 and A10 dopaminergic cell bodies. Evidence for a nigral-hypothalamic-median eminence dopaminergic pathway" Brain Res. 108 (1976) : 363-370.

Fuxe, K. and Ungerstedt, D. "Histochemical Studies on the Effect of (+) -Amphetamine, Drugs of the Imipramine Group and Tryptamine after Intraventricular Injection of Catecholamine and 5-Hydroxytryptamine" Europ. J. Pharmacol. 4 (1968) : 135-144.

Gilman, A. G., Goodman, L. S., Rall, T. W., Murad, F. The Pharmacological Basis of Therapeutics seventh edition. pp. 582-585. Macmillan Publishing Co., Inc., New York. 1985.

Glowinski, J. and Axelrod, J. "Effect of Drugs on the Uptake, Release, and Metabolism of H³ norepinephrine in the Rat Brain" J. Pharmacol. 149 (1965) : 43-49.

Gottesfeld, Z., Hoover, D.B., Muth, E.A. and Jocobowitz, D.M. "Lack of biochemical evidence for a direct habenula raphe GABA-ergic pathway" Brain Res. 147 (1978) : 353-358.

Grace, A. A. and Bunney, B. "Low doses of Apomorphine Elicit two Opposing Influences on Dopamine Cell Electrophysiology" Brain Res. , 333(1985) : 285-298.

Grahame-Smith, D. G. "Study in Vivo on the Relationship between Brain Tryptophan, Brain 5-HT Synthesis and Hyperactivity in Rat Treated with a Monoamine oxidase inhibitor and L-tryptophan" J. Neurochem. 18(1971a) : 1050-1066.

Grahame-Smith, D. G., "Inhibitory Effect of Chlorpromazine on the Syndrome of Hyperactivity Produced by L-tryptophan or 5-Methoxy-N, N-dimethyltryptamine in Rats Treats with A Monoamine Oxidase Inhibitor" Br.J.Pharm. 43(1971 b) : 850-864.

Green, A. R., Hall, J. E. and Reaa, A. R. "A Behavioral and Biochemical Study in Rats of 5-Hydroxytryptamine Receptor Agonists and Antagonist, with Observations on Structure-Activity Requirements for the Antagonist" Br. J. Pharmacol. 73(1981) : 703-719.

Hammond, D. L. and Proudfit, H. K. "Alternation in Nociceptive Threshold and Morphine-induced Analgesia Produced by Intrathecally Administered Amine Antagonists" Brain Res. 218 (1981): 393-399.

Headley, P. M.; Duggan, A. W. and Griersmith, B. T. "Selective reduction by noradrenaline and 5-hydroxytryptamine of nociceptive responses of cat dorsol horn neurons" Brain Res. 145(1978) : 185-189.

Herkenham, M. and Nauta, W. J. H. "Efferent Connections of the habnular Neuclei in the Rat" J. Comp. Neur. 187 (1979) : 19-48.

Hooker, J. D. The Flora of British India Vol.2, p. 264. 1st Indian Reprint Dehra Dun and Delhi : Bishen Singh Mahendra Pal Sinah and Periodical Experts, 1973.

Hooker, J. D. and Jackson, B. D. Index Kewensis. Vol 1. pp. 449 -454. Oxford, Clarendon Press, 1985.

Hokfelt, T and Ungerstedt, U. "Electron and Fluorescence Microscopical Studies on the Nucleus Caudate Putamen of the Rat after Unilateral lesions of Ascending Nigro-neostriatal Dopamine Neurons" Acta Physiol. Scand. 76(1969) : 415-425.

Howe, J. R. et al. "Selective Antagonism of the Antinociceptive Effect of Intrathecally Applied Alpha Adrenergic Agonists by Intrathecal Prazosin and Intrathecal Yohimbine" J. Pharmacol. Exp. Ther. 224(1983) : 552-558.

Jacobs, B. L. "An Animal Behavioral Model for Studying Central Serotonergic Synapses" Life Sci. 19(1976) : 776-786.

Jensen, T. S. and Smith, D. F. "Dopaminergic effects on tail-flick response in spinal rats." Eur. J. Pharmacol. 79 (1982) : 129-133.

Jensen, T. S. and Smith, D. F. "Role of 5-HT and NA in spinal dopaminergic analgesia." European J. Pharmacol. 86 (1983) : 65-70.

Jensen, T. and Yaksh, T. L. "Effects of an intrathecal dopamine Agonist, Apomorphine, on Thermal and Chemical Evoked Noxious Responses in Rats" Brain Res. 296(1984) : 285-293.

Johnson, M., Stone, D.M., Hanson, G.R. and Gibb, J.W. "Role of the dopaminergic nigrostriatal pathway in metaamphetamine-induced depression of the neostriatal serotonergic system" Eur. J. Pharmacol. 135 (1987) : 231-234.

Kendles, K. S.; Bracha, H. S. and Davis, K. L. "Dopamine autoreceptor and postsynaptic receptor blocking potency of neuro-leptic" Europ. J. Pharmacol. 27(1982) : 217-223.

Koshikawa, N., et al. "Is Waning of A 5-Hydroxytryptamine (5-HT)-mediated Syndrome Due to 5-HT₂ Receptor Down-Regulation" Neurosci lett. 55(1985) : 279-282.

Kulkarni, S. K. "Heat and other physiological stress-induced analgesia:catecholamine mediated and naloxone reversible res-pone" Life Science 27(1980) : 185-188.

Lalonde, R. and Botez, M. I. "Chenytoin and the Stereotyped Motor Response Induced by 5-Methoxy-N, N-dimethyltryptamine in Rats" Brain Res. 326(1985) : 388-391.

Litchfield, J.T. and Wilcoxon, F. "A simplified Method of Evaluating Dose-effect Experiments" J. Pharmacol. Exp. Ther. 96(1949) : 99-113.

Ljungkerg, T. and Ungerstedt, U. "Different Behavioral Patterns induced by apomorphine : evidence that the method of administration determines the behavioral response to the drug" Europ. J. Pharmacol. 46(1977) : 41-50.

Lucki, I., Nobler, M. S. and Frazer, A. "Differentiation Actions of Serotonin Antagonist on Two Behavioral Models of Serotonin Receptor Activation in the Rat" J. Pharmacol. Exp. Ther. 228 (1984) : 133-139.

Marshall, J. E. and Ungerstedt, U. "Striatal Efferent Fibers Play a Role in Maintaining Rotation Behavior in the Rat" Science 197(1977) : 62-64.

Matthews, W. D. and Smith, C. D. "Pharmacological Profile of a Model for Central Serotonin Receptor Activation" Life sci. 26(1980) : 1397-1403.

Mawson, C. and Whittington, H. "Evaluation of Peripheral and Central Antagonistic Activities Agonist 5-Hydroxytryptamine of Some New Agent" Br. Pharm. Soc. 39(1970) : 223p.

Martres, M. P. et al. "Long-term changes in the sensitivity of pre- and postsynaptic dopamine receptors in mouse striatum evidence by behavioral and biochemical studies" Brain Res. 136(1977) : 319-337.

Murrin, L. C.; Gale, K. and Kuhar, M. J. "Autoradiographic Localization of neuroleptic and dopamine receptors in the caudate- putamen and substantia nigra : effects of lesions" Europ. J. Pharmacol. 60(1979) : 229-235.

Nagy, J. I.; Lee, T.; Seeman, T. P.; Fibiger, H. C. "Direct evidence for presynaptic and postsynaptic dopamine receptors in brain" Nature 274(1978) : 278-281.

Neve, K. A. et al. "Plasticity of Neostriatal Dopamine Receptors after Nigrostriatal Injury : Relationship to Recovery of Sensorimotor Function and Behavioral Supersensitivity" Brain Res. 244(1982) : 33-44.

Nieoullon, A.; Cheramy, A. Leviel, V. and Glowinski, J. "Effect of the unilateral nigra application of dopaminergic drugs on the in vivo release of dopamine in the two caudate nuclei of the cat" Europ. J. Pharmacol. 53(1979) : 289-296.

Ossipor, M. H. et al. "Effect of A_2 Adrenergic Agent Upon Central Etorphine Antinociception in the Cat" Brain Res. 309 (1984) : 135-142.

Parker, E. M. and Cubeddu, L. X. "Evidence for Autoreceptor Modulation of endogeneous Dopamine release from Rabbit Caudate Nucleus in vitro" J. of Pharmacol Exp. Ther. 9(1984): 492-500.

Pasquier, D. A., Anderson, C., Forbes, W. B. and Morgane, P. J., "Horseradish peroxidase tracing of the lateral habenular-mid-brain raphé nuclei connections in the rat" Brain Res. Bull. 1(1976) : 443-445.

Pellegrino, A. S. and Cushman, A. J. in A Stereotoxic Atlas of the Rat Brain p.32, Plenum Press, New York, 1979.

Phillipson, G. T. and Pycock, C. J. "Dopamine Neurones of the Ventral Tegmentum Project to both Medial and lateral Habenula" Exp. Brain Res. 45(1982) : 89-94.

Priestley, J.V., Somogyi, P. and Cullo, A.C. "Neurotransmitter specific projection neurons revealed by combining PAP immunohistochemistry with retrograde transport of H.R.P." Brain Res. 220 (1981) : 231-240.

Proudfoot, H. K. and Sagen, J. "Effect of Intrathecally Administered Noradrenergic Antagonists on Nociceptive in the Rat" Brain Res. 310(1984) : 295-301.

Randall, I. J. and Rogers, R. J. "Acute Non-Opioid Analgesia in Defeated Male Mice" Physiol. Behav. 36(1985) : 947-950.

Reddy, R. S. V. et al. "Spinal Cord Pharmacology of Adrenergic Agonist-Mediated Antinociception" J. Pharmacol. Exp. Ther. 213 (1980) : 525-533.

Reisine, T. D.; Nagy, J. I.; Fibiger, H. C. and Yamanura, H. I. "Localization of dopamine receptors in rat brain" Brain Res. 169(1979) : 209-214.

Reisine, T. D. Soubrie, P., Ferron, A., Blas, C., Romo, Ro., Glowinski, J., "Evidence of a Dopaminergic Innervation of the Cat Lateral Habenula : Its Role in Contoalling Serotonin Transmission in Basal ganglia" Brain Res. 308 (1984) : 281-288.

Schoenfeld, R. and Uretsky, N. "Altered response to apomorphine in 6 - hydroxydopamine-treated Rats" Europ. J. harmacol 19 (1972) : 115-118

Segal, M. and Sanberg, D. E. "Analgesia produced by stimulation of catecholamine nuclei in the rat brain" Brain Res. 152 (1977) : 529-5421.

Sills, M. A., Lucki, I. and Frazer, A. "Development of Selective Tolerance to the Serotonin Behavioral Syndrome and Suppression of Locomotor Activity after Repeated Administration of either 5-MeODMT or mCPP" Life Sci. 36(1985).

Skirbol, L. R. ; Grac, A. A. and Bunne, B. S. "Dopamine Auto and Postsynaptic Receptors: Electrophysiological Evidence for Differential Sensitivity to Dopamine agonist" Science 206(1979): 80-82.

Sloviter, R. S., Drust, E. G. and Corner, J. D. "Specificity of a Rat Behavioral Model of Serotonin Receptor Activation" J. Pharmacol. Exp. Ther. 206(1978) : 339-347.

Sotelo, C. et al. "Injection of 6-Hydroxydopamine in the Substantia Nigra of the Rat : I. Morphological study" Brain Res. 58 (1973) : 269-290.

Speciale, S.G., Neckers, L.M. and Wyatt, R. J. "Habenular modulation of raphe indoleamine metabolism" Life Sci., 27 (1980) : 2367-2372.

Stachowiak, M.K., Breeno, J.P., Sneyder, A.M., Stricker, E.M. and Zigmond, M.J., "Apparent sprouting of striatum serotonergic terminals after dopamine-depleting brain lesion in neonatal rat" Brain Res. 291 (1984) : 164-167.

Staunton, D. A. et al. "Dopamine Receptor Changes Following Destruction of the Nigrostriatal Pathway : Lack of a Relationship to Rotational Behavior" Brain Res. 211(1981) : 315-327.

Steinbusch, H.W.M., Van der Kooy, D., Verhofstad, A.A. and Pellagrino, A. "Serotonergic and non serotonergic projection from the nucleus raphe dorsalis to the cingulate-putamen complex in the rat, studies by a combined immuno fluorescence and fluorescent retrograde axonal labeling technique" Neurosci lett. 19 (1980) : 137-142.

Stern, W. C., Johnson, A., Bronzino, J. D. and Morgan, P.J. "Effect of electrical stimulation of the lateral habenula on single unit activity of raphe neurons" Exp. Neurol., 65 (1979) : 326-342.

Stombööm, U. "On the functional role of pre- and postsynaptic catecholamine receptors in brain" Acta physiol. Scand. Spp. 431 (1975) : 1-43.

Tamminga, et al. "Schizophrenia Symtom Improve with apomorphine" Science 200(1978) : 567-569.

Thailand, Royal Forest Department, Siamese Plant Name, pp.103 - 105. Bangkok, Suri Ratana Press, 1948.

Trulson, M. E. and Jacobs, B. L. "Behavioral Evidence for the Rapid Release of CNS Serotonin by PCA and Fenfluramine" Eur. J.Pharmacol. 36(1976) : 149-154.

Ungerstedt, U. "Postsynaptic Supersensitivity after 6-Hydroxy-dopamine Induced Degeneration of the Nigro-striatal Dopamine System" Acta Physiol. Scand., Suppl. 367(1971 b) : 69-90.

Ungerstedt, U. "Striatal Dopamine Release after Amphetamine or Nerve Degeneration Revealed by Rotational Behavior" Acta Physiol. Scand., Suppl. 367(1971 a) : 49-68.

Ungerstedt, U. "6-Hydroxy-dopamine Induced Degeneration of Central Monoamine Neurons" Eur. J. Pharmcol. 5(1968) : 107-110.

Ungerstedt, U. and Arbuthnott, C. "Quantitative Recording of Rotation Behavior in Rats after 6-Hydroxy-dopamine Lesions of the Nigro-striatal Dopamine System" Brain Res. 24(1970) : 485-493.

Vicent, S.R., Stainer, W.A., McGeer, E.G. and Fibiger, H.C. "Transmitters contained in the efferents of the habenula" Brain Res. 195 (1980) : 479-484.

Yaksh, T. L.; Hammond, D. L. and Tyce, G. M. "Functional aspects of bulbospinal monoaminergic projections in modulating processing of somatosensory information." Federation Proceeding 40 (1981) : 2786-2794.

Wang, R.Y. and Aghajanian, G.K. "Physiological evidence for habenula as major link between forebrain and midbrain raphe" Science 197 (1977) : 89-91.

ประวัติผู้เขียน

นางสาว พิกุล จันทร์โยธา เกิดเมื่อวันที่ 9 กรกฎาคม 2501 ที่ จังหวัดมหาสารคาม สําเร็จการศึกษาระดับอนุปริญญา สาขานยาบาลและผดุงครรภ์ วิทยาลัยนยาบาลเกื้อการรุณย์ เมื่อ พ.ศ. 2523 สําเร็จการศึกษาศิลปศาสตร์บัณฑิต สาขาวิชายาบาล จากมหาวิทยาลัยขอนแก่น เมื่อ พ.ศ. 2524 และมาศึกษาต่อระดับปริญญาโทที่ภาควิชาสรีรวิทยาคณะเภสัชศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย



คุณย์วิทยาธิพยากร
จุฬาลงกรณ์มหาวิทยาลัย