

BIBLIOGRAPHY

- Abenavoli T, Rubler S, Fisher V, Axelrod H, Zuckerman K. 1981. Exercise testing with myocardial scintigraphy in asymptomatic diabetic males. Circulation
- Ahmed SS, Jaferi GA, Narang RM, Regan TJ. 1975. Preclinical abnormality of left ventricular function in diabetes mellitus. Am Heart J 89: 153-8.
63:54-64.
- Airaksinen J, Ikaheimo M, Kaila J, Linnaluoto M, Takkunen J. 1984. Impaired left ventricular filling in young female diabetics. Acta Med Scand 216: 509-16.
- Baker KM, Campanile CP, Trachte GJ, Peach MJ. 1984. Identification and characterization of the rabbit angiotensin II myocardial receptor. Circ Res 54:286-93.
- Bijlstra PJ, Smits P, Lutterman JA, Thien T. 1995. Effect of long-term angiotensin converting enzyme inhibition on endothelial function in patients with the insulin - resistance syndrome. Journal of cardiovascular pharmacology 25(4): 658-64.
- Blumenthal HT, Alex M, Goldenberg S. 1960. A study of lesions of the intramural coronary by branches in diabetes mellitus. Arch Pathol 70: 27-42.
- Burnier M, Mooser V, Nussberger J, Waeber B, Brunner HR. 1989. Correlation between plasma concentration of cilazapril and haemodynamic and hormonal effects in healthy man. British Journal of Clinical Pharmacology 27: 189S-197S.
- Carlstrom S, Karlefors T. 1970. Haemodynamic studies on newly diagnosed diabetics before and after adequate insulin treatment. Br Heart J 32: 355-8.
- Chiariello M, Indolfi C, Cotecchia MR, Sifola C, Romano M, Condorelli M. 1985. Asymptomatic transient ST changes during ambulatory ECG monitoring in

- diabetic patients. Am Heart J 110: 529-34.
- Clozel J-P, Kuhn H, Hefti F. 1989a. Effect of cilazapril on the cerebral circulation in spontaneously hypertensive rats. Hypertension 14: 645-51.
- Clozel J-P, Kuhn H, Hefti F. 1989b. Decrease of vascular hypertrophy in four difference types of arteries in spontaneously hypertensive rats. American Journal of Medicine 87 (Suppl. 6B): 93-95.
- Clozel J-P, Powell J, Muller RKM, Kuhn H, Hefti F, et al. 1991. Vascular protection with cilazapril. Drugs 41:62-67.
- Cushman DW, Cheung HS, Sabo CF, Ondetti MA. 1982. Development and design of specific inhibitors of angiotensin converting enzyme. Am J Cardiol 49: 1390-4.
- Dash H, Johnson RA, Dinsmore RE, et al. 1977. Cardiomyopathic syndrom due to coronary artery disease. II. Increase prevalence in patients with diabetes mellitus: a matched pair analysis. Br Heart J 39: 740-7.
- Detget F, Brogden RN. 1991. Cilazapril. A reveiw of its phamacodynamic and phamacokinetic properties, and therapeutic potential in cardiovascular disease. Drugs 41: 799-820.
- Dzau VJ. 1988. Cardiac renin angiotensin system: molecular and functional aspects. Am J Med 84: 22-7.
- Dzau VJ. 1987. Implications of local angiotensin production in cardiovascular physiology and phamacology. Am J Cardiol 59: 59A-65A.
- Dzau VJ. 1986. Significance of vascular renin angiotensin partway. Hypertension 8:553-9.
- Dzau VJ, Re RN. 1987. Evidence for the existence of renin in the heart. Circulation 75(suppl I): I-134-6.
- Ehlers MRW, Riordan JF. 1989. Angiotensin converting enzyme: new concepts concerning its biological role. Biochemistry 28: 5311-18.
- Ert, G., Kloner, RA., Alexander, W., et al. 1982. Limitation of experimental infarct

- size by angiotensin converting enzyme inhibitor. Circulation 65: 40-45.
- Factor SM, Bhan R, Minase T, et al. 1981. Hypertensive diabetic cardiomyopathy in the rat: an experimental model of human disease. Am J Pathol 102:219-28.
- Factor SM, Minase T, Sonnenblick EH. 1980. Clinical and morphological features of human hypertensive- diabetic cardiomyopathy. Am Heart J 74: 446-58.
- Factor SM, Okun EM, Minase T. 1980. Capillary microaneurysms in the human diabetic heart. N Engl J Med 302: 384-8.
- Fein FS, Sonnenblick EH. 1985. Diabetic cardiomyopathy. Prog Cardiovasc Dis 27: 255-70.
- Fischer VW, Barner HB, Lewis L. 1979. Capillary basal laminar thickness in diabetic human myocardium. Diabetes 28: 713-19.
- Folkow B. 1982. physiological aspects of primary hypertension. Physiological Reviews 62: 437-540.
- Garcia MJ, McNamara PM. 1974. Morbidity and mortality in diabetics in the Framingham population. Diabetes 23: 105-11.
- Gasic S, Dudczak R, Korn A, Kleinbloesem C. 1990. ACE inhibition with cilazapril improves myocardial perfusion to the ischemic regions during exercise: a pilot study. Journal of Cardiovascular Pharmacology 15: 227-32.
- Giacomelli F, Wiener J. 1979. Primary myocardial disease in the diabetic mouse, An ultrastructural study. Lab Invest 40:460-73 .
- Gibbons. 1992. vascular smooth muscle cell hypertrophy vs. hyperplasia. Autocrine transforming growth factor- beta 1 expression determines growth response to angiotensin II. Journal of Clinical Investigation 90(20): 456-61.
- Griendling KK, Murphy TJ, Alexander RW. 1993. Molecular biology of the renin angiotensin system. Circulation 87:1816-28.
- Grossman E, Rosenthal T. 1995. Hypertensive heart disease and the diabetic patient. Current opinion in cardiology 10(5): 458-65.
- Grossman E, Shemesh J, Shamiss A, Thaler M, Carroll J, Rosenthal T. 1992. Left

- ventricular mass in diabetes- hypertension. Archives of internal medicine 152(5):1001-4.
- Hambly RI, Zoneraich S, Sherman L. 1974. Diabetic cardiomyopathy. JAMA 229: 1749-54.
- Hartman JC. 1995. The role of bradykinin and nitric oxide in the cardioprotective action of ACE inhibitors. Annals of Thoracic Surgery 60(3): 789-92.
- Hsueh WA. 1993. Systemic hypertension and the renin angiotensin system in diabetic vascular complications. American Journal of cardiology 72(20): 14 H-21H.
- Kannel WB, Hjortland M, Castelli WP. 1974. Role of diabetes in congestive heart failure: the Framingham Study. Am J Cardiol 34: 29-34.
- Karlefors T. 1966. Hemodynamic studies in male diabetics. Acta Med Scand 449: (suppl): 45-73.
- Kawaswki H, Cline WH Jr, Su C. 1984. Involvement of the vascular renin angiotensin system in beta adrenergic receptor-mediated facilitation of vascular neurotransmission in spontaneously hypertensive rats. J Pharmacol Exp Ther 231: 23-32.
- Kastis JB. 1988. Angiotensin converting enzyme inhibitors: pharmacology. Am Heart J 116: 1580-605.
- Kifor I, Roth T, Dzau VJ. 1988. Cultured vascular cells synthesize and secrete angiotensins. Circulation 72: 111-20.
- Kiowski W, Drexler H, Meinertz T, Zuber M, Burkart F, et al. 1990. Cilazapril in congestive heart failure: a pilot study. Drugs 41 (Suppl.1): 54-61.
- Kleinbloesem, CH, Brummelen, PV., et al. 1989. Clinical pharmacology of cilazapril. Am J Med 87 (Suppl 6B).
- Ledet T. 1968. Histological and histochemical changes in the coronary arteries of old diabetic patients. Diabetologia 4: 268-72.
- Ledoux SP, Hall CR, Forbes PM, Patton NJ, Willson GL. 1988. Mechanisms of

- nicotinamide and thymidine protection from alloxan and streptozotocin toxicity. Diabetes 37(8): 1015-9.
- Linz W, Schaper J, Wiemer G, Albus U, Scholkens BA. 1992. Ramipril prevents left ventricular hypertrophy with myocardial fibrosis without blood pressure reduction: a one year study in rats. British Journal of Pharmacology 107(4): 970-5.
- Linz W, Scholkens BA, Har YF. 1986 Beneficial effects of the converting enzyme inhibitor, ramipril, in ischemic rat hearts. J Cardiovasc pharmacol 8(suppl 10): 591-9.
- Litwin SE, Raya TE, Anderson PG, Daugherty S, Goldman S. 1990. Abnormal cardiac function in the streptozotocin-diabetic rat: changes in active and passive properties of the ventricle. J Clin Invest 86: 481-88.
- Louden M, Bing H, Thurston H, Swales JD. 1983. Arterial wall uptake of renal renin and blood pressure control. Hypertension 5:629.
- Ludwing G, Lehman E, Murakami K, Balz WE, Hermann K, Horstmann E, Lary RE, Unfer TH, Bayer C, Garter D. 1985. Hybridization of renin cDNA with mRNA from various mouse tissues and characterization of angiotensin peptides(Ang) in tissue of primates. JHyperten 3:398-9.
- Margolis JR, Kannel WB, Feinleib M, Dawbre TR, McNamara PM. 1973. Clinical features of unrecognized myocardial infarction silent and symptomatic: eighteen year follow up: the framingham Study. Am J Cardiol 32: 1-7.
- McAreevey, D., Robertson, J.I.S. 1990. Angiotensin converting enzyme inhibitors and moderate hypertension. Drugs 40 (3): 326-345.
- McDonagh PF, Niven AT, Roberts D. 1984. Direct visualization of the coronary microcirculation for pharmacologic and physiologic studies. Microvasc Res 28(2): 180-96.
- Mizuno K, Nakamaru M, Highashimori K, Iragami T. 1988. Local generation and release of angiotensin II in peripheral vascular tissue. Hypertension

11:223-9 .

- Mosseri M, Yarom R, Gotsman M, Hasin Y. 1986. Histologic evidence for small-vessel coronary artery disease in patients with angina pectoris and patent large coronary arteries. Circulation 74: 964-72.
- Murray D, O'Sullivan D. 1988. Silent myocardial ischemia in diabetes mellitus (Abstract). J Am Coll Cardiol 11:23A.
- Nakamura M, Jackson EK, Inagami T. 1986. Beta adrenoreceptor mediated release of angiotensin II from mesenteric arteries. Am J Physiol 250: H144-8.
- Nakamura Y, Nakamura K, Matsukura T, Nakamura K. 1988. Vascular angiotensin converting enzyme activity in spontaneously hypertensive rats and its inhibition with cilazapril. Journal of Hypertension 6: 105-110.
- Nakashima M, Kanamaru M. 1988. Cilazapril: tolerance, pharmacokinetics and pharmacodynamics of single doses of cilazapril in normal volunteers. Rinsho Iyaku 4: 2221-47.
- Nesto R, Phillips R, Kett K, et al. 1988. Angina and exertional myocardial ischemia in diabetic and nondiabetic patients: assessment by exercise thallium scintigraphy. Ann Intern Med 108: 170-5.
- Notoff IL, Nixon JS, Francis RJ, Klevans LR, Brewster M, et al. 1985. Biological properties of the angiotensin converting enzyme inhibitor cilazapril. J Cardiovasc Pharmacol 7: 569-80.
- Nunez DJ . 1996. Hypertensive cardiac hypertrophy. British Journal of Clinical Pharmacology 42(1): 107-17.
- Okuda M. 1996. Angiotensin II type 1 receptor-mediated activation of Ras in cultured rat vascular smooth muscle cells. American Journal of Physiology 271(2Pt2): H595-601.
- Okuda Y, Adroque HJ, Nakajima T, Mizutani M, Asano M, Tachi Y, Suzuki S, Yamashita K. 1996. Increased production of PDGF by angiotensin and high glucose in human vascular endothelium. Life Sciences 59(17): 1455-61.

- Oliver JA, Sciacca RR. 1984. Local generation of angiotensin II as a mechanism of regulation of peripheral vascular tone in the rat. J Clin Invest 74: 1247-51.
- Palik I, Koltai ZS, Kolonics, et al. 1982. Effect of coronary occlusion and norepinephrine on the myocardium of alloxan diabetic dogs. Basic Res Cardiol 77: 499-506.
- Pardey KN, Iragami T. 1986. Regulation of renin angiotensins by gonadotropic hormones in cultured Leydig tumor cells: release of angiotensin but not renin. J Biol Chem 216:3934-8.
- Pfeffer, M.A., Lamas, G.A., Vawghan, D.E., Parisi, A.F., Braunwald, E. 1988. Effect of captopril on progressive ventricular dilatation after anterior myocardial infarction. N Eng J Med 319: 80-86.
- Pogatsa G, Bihari- varga M, Szinay G. 1979. Effect of diabetes therapy on the myocardium in experimental diabetes. Acta diabetol Lat 16: 129-38.
- Powell JS, Clozel J-P, Muller RKM, Kuhn, Hefti F, et al. 1989. Inhibitors of angiotensin converting enzyme prevent myointimal proliferation after vascular injury. Science 245:186-8.
- Unger T, Garter D, Lang RE. 1987. effect of angiotensin converting enzyme inhibitors on tissue converting enzyme and angiotensin: therapeutic implications. Am J Cardiol 59: 18D-22D .
- Regan TJ, Ettinger PO, Kahn MI, et al. 1974. Altered myocardial function and metabolism in chronic diabetes mellitus without ischemia in dogs. Circ Res 35: 222-37.
- Rogers TO, Gaa ST, Allen IS. 1986. Identification and characterization of functional angiotensin II receptors on cultured heart myocytes. J Phamacol Exp Ther 236:438-44.
- Rosendorff C. 1996. The renin-angiotensin system and vascular hypertrophy. Journal of the American College of Cardiology 28(4): 803-12 .
- Rosen P, Rump AF, Rosen R. 1996. Influence of angiotensin converting enzyme

- inhibition by fosinopril on myocardial perfusion streptozotocin-diabetic rats. Journal of cardiovascular pharmacology 27(1): 64-70.
- Rosen R, Rump AF, Rosen P. 1995. The ACE-I captopril improves myocardial perfusion in spontaneously diabetic (BB) rats. Diabetologia 38(5): 509-17.
- Rosenthal JH, Pfeifle B, Michailov ML, Pschorr J, Jacob ICM, Dahlheim H. 1984. Investigations of components of the renin angiotensin system in rat vascular tissue. Hypertension 6: 383-9.
- Rubler S, Dlugash J, Yuceoglu YZ, et al. 1972. New type of cardiomyopathy associated with diabetic glomerulosclerosis. AM J Cardiol 30: 595-602.
- Rubler S, Fisher V. 1985. The significance of repeated exercise testing with thallium-201 scanning in asymptomatic diabetic males. Clin Cardiol 8:621-8.
- Rumble JR, Komers R, Cooper ME. 1996. Kinin or nitric oxide, or both, are involved in the antitrophic effects of angiotensin converting enzyme inhibitors on diabetes-associated mesenteric vascular hypertrophy in the rat. Journal of Hypertension 14(5): 601-7.
- Schalekamp MADH, Admiraal PJJ, Derckx FHM. 1989. Estimation of regional metabolism and production of angiotensin in hypertensive subjects. Br J Clin Pharmacol 28: 1055-135.
- Schenk J, Hebden RA, Dai S, McNeill JH. 1994. Integrated cardiovascular function in the conscious streptozotocin diabetic deoxycorticosterone-acetate-hypertensive rats. Pharmacology 48(4): 211-5.
- Shapiro LM. 1982. Echocardiographic features of impaired ventricular function in diabetes mellitus. Br heart J 47: 439-44.
- Shapiro LM, Howat AP, Calter MM. 1981. Left ventricular function in diabetes mellitus. I. Methodology and prevalence and spectrum of abnormalities. Br Heart J 45: 122-8.
- Shapiro LM, Leatherdale BA, Ciyne ME, Fletcher RF, MacKinnon J. 1980. Prospective study of heart disease in untreated maturity onset diabetics.

Br Heart J 44:342-8.

- Shapiro LM, Leatherdale BA, MacKennon J, Fletcher RF. 1981. Left ventricular function in diabetes mellitus. II. Relation between clinical features and left ventricular function. Br heart J 45: 129-32.
- Shimizu M, Umeda K, Sugihara N, Yoshio H, Ino H, Takeda R, Okada Y, Nakanishi I. 1993. Collagen remodelling in myocardia of patients with diabetes. Journal of clinical pathology 46(1): 32-6.
- Simon ACH, Levenson JA, Bouthier JE, Sofar ME. 1984. Comparison of oral MK 421 and propranolol in mild to moderate essential hypertension and their effects on arterial and venous vessels of the forearm. Am J Cardiol 53:781-3.
- Veltmaretal. 1991. From tissue angiotensin-converting enzyme inhibition to antihypertensive effect. Am J Hypertens 4: 263S-269S.
- Virgorito C, Bettocchi S, Bonzani G, et al. 1980. Severity of coronary artery disease in patients with diabetes mellitus. Am Heart J 100: 782-7.
- Waeber B, Juillerat Jeanneret L, Aubert JF, Schapira M, Nussberger J, Brunner HR. 1989. Involvement of the kallikrein kinin system in the antihypertensive effect of the angiotensin converting enzyme inhibitors. Br J Clin Pharmacol 27: 1758-805.
- Waller B, Palumbo P, Lie J, Roberts W. 1980. Status of the coronary arteries at necropsy in diabetes with onset after age 30 years. Am J Med 69:498-506.
- Willa, A. Hsueh. 1992. Effect of the renin-angiotensin system in the vascular disease of type II diabetes mellitus. Am J Med 92 (Suppl 4B).
- Wright GB, Alexander RW, Ekstein LS, Gimbrose MA. 1983. Characterization of the rabbit ventricular myocardial receptor for angiotensin II: evidence for two sites of different affinities and specificities. Mol Pharmacol 24: 213-21.
- W. udayachalerm, A. Jariyapongskul, P. Suwangool, S. Patumraj. 1994. Effect of cilazapril on cardiac function and on coronary artery structure in diabetic

rats. Chula Med J63 : 45-55.

Zoneraich S. 1988. Small vessel disease, coronary artery vasodilator reserve, and diabetic cardiomyopathy. Chest 94: 5-7.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

BIOGRAPHY

Police Lieutenant Orasa Vechakarn was born on May 10, 1971 in Trad. She graduated Bachelor degree of Nursing from Police Nursing College in 1992. Now, she works at Police General Hospital.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย