



REFERENCES

1. Skochdopole, R.E. "Cellular Materials" Encyclopedia of Polymer Science and Engineering, Vol 3, pp. 1-59, John-Wiley & Sons, 1985.
2. Sabu Thomas; Baley Kuriakose; Gupta, B.R. and DE, S.K. "Effect of Dynamic Cross-linking of Ethylene Vinylacetate Thermoplastic Elastomer" Plastics and Rubber Processing and Applications, Vol 6, No. 2, 1986.
3. Saechtling, H. Internation Plastics Handbook, pp. 267-292, Hanser Publishers, New York, 2nd ed., 1987.
4. Heck, R.D. and Peascoe, W.J. "Blowing Agents" Encyclopedia of Polymer Science and Engineering, vol 2., pp. 434-446, John-wiley & Sons, 1985.
5. Werner Hofmann, Rubber Technology Handbook, pp. 100-311, Hanser Publishers, New York, 1989.
6. Nippon Oil & Fats Co., Ltd, "The Eiwa Blowing Agents and Promoters"
7. Berg, A.L. "Organic Peroxide as Cross-linking Agents" Plastic Additive Handbook, pp 639-689, Hanser Publishers, New-York, 2nd ed., 1985.
8. Hurnik, H. "Chemical Blowing Agent" Plastic Additive Handbook, pp. 619-638, Hanser Publisher, New York, 2nd ed., 1985

9. Hadjiandreou, P. and Zitouni, F. "Structure-Property Relationship and Its Correlation with Thermal Behavior of Cross-linked Expanded EVA Formulation" Antic 88 Proceeding of the 45 Annual Technical Conference, 18-21 April 1988, pp. 733-737.
10. Crowther, B.G. and Edmondson, H.M. "Processing Technology" Rubber Technology and Manufacturing, pp. 262-264, Newnes-Butterworths, London, 2nd ed., 1975.
11. Kok, C.M.; Tok, I.F. and Toh, H.K. "A thermal Analysis study on blowing in Microcellular rubber" Plastic and Rubber Processing and Application, Vol 5, No.3, 1985.
12. George Matthews, Polymer Mixing technology, pp 92-134, Applied Science Publishers, London, 1st ed., 1982.
13. Nippon Oil & Fats Co., Ltd, "Organic Peroxide", No OP-13 E

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย



APPENDIXES


ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX A

Internal Mixer (Changthong mixer):




Two Roll Mill :




APPENDIX B

Gas Measurement Apparatus




APPENDIX C

Hot-Press:



Rheometer:




APPENDIX D

Processability Tester:




Universal Testing Instrument:




APPENDIX E

Formulation 2:	Compounding stage 2	5	min
	Compounding stage 3	10	min
	Storage	1	hr
	Cure 165°C	23	min




Compounding stage 1 25 min




Compounding stage 1 30 min

APPENDIX F1

Formulation 1,2,3 :	Compounding stage 1	30	min
	Compounding stage 2	5	min
	Compounding stage 3	10	min
	Storage	1	hr
	Cure 165°C	28	min




Formulation 1 AK#2 2.5 phr



Formulation 2 AK#2 5 phr

APPENDIX F2




Formulation 3 AK#2 8 phr


ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

APPENDIX G

Formulation 2 :	Compounding stage 1	30	min
	Compounding stage 2	5	min
	Compounding stage 3	10	min
	Storage	1	hr




Cure 165°C 23 min




Cure 185°C 7 min

APPENDIX H1

Formulation 2,6 :	Compounding stage 1	30	min
	Compounding stage 2	5	min
	Compounding stage 3	10	min
	Storage	1	hr
	Cure 165°C	18	min




Formulation 2 ZnO 0 %




Formulation 6 ZnO 8 %

APPENDIX H2

Formulation 2,6 :	Compounding stage 1	30	min
	Compounding stage 2	5	min
	Compounding stage 3	10	min
	Storage	1	hr
	Cure 165°C	23	min




Formulation 2 ZnO 0 %




Formulation 6 ZnO 8 %

APPENDIX I 1

Formulation 2 : Compounding stage 1 30 min
Compounding stage 2 5 min
Compounding stage 3 10 min
Storage 1 hr
Cure temperature 165°C




Cure time 13 min




Cure time 18 min

APPENDIX 12



Cure time 23 min




Cure time 28 min


APPENDIX J

119

Formulation 8,11	:	Compounding stage 1	25	min
		Compounding stage 2	5	min
		Compounding stage 3	5	min
		Storage	1	hr
		Cure 165°C	18	min




Formulation 8 IR 5 phr




Formulation 11 ADS 5 phr

APPENDIX K

Formulation 10,13 :	Compounding stage 1	25	min
	Compounding stage 2	5	min
	Compounding stage 3	5	min
	Storage	1	hr
	Cure 165°C	18	min





Formulation 10 IR 15 phr



Formulation 13 ADS 15 phr


APPENDIX L

A sample of cell EVA foam in shoe industry



APPENDIX M

A sample of fine cell foam of EVA blend.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

**VITA**

Mr. Changthong Mahaphasukwat was born on October 11, 1960 in Bangkok, Thailand. He received his B.Eng. in Production from the Faculty of Engineering, King Mongkut Institute of Technology (NBK) in 1983. Since 1984, he has been a graduate student in the Department of Petro-Polymer (Interprogram), Chulalongkorn University.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย