

## REFERENCES

1. เด่น สมิตินันทน์. ชื่อพืชไม้แห่งประเทศไทย (ชื่อพฤกษศาสตร์-ชื่อพื้นเมือง). พิมพ์ครั้งที่ 1 กรุงเทพมหานคร: สำนักพิมพ์พันนี, 2523. หน้า 20.
2. สถาด บุญเกิด และคณะ. ชื่อพืชไม้ในเมืองไทย. กรุงเทพมหานคร: สำนักพิมพ์ พ.จิราภรณ์ พิมพ์ 2525. หน้า 205-206.
3. Chote Suvatti. Flora of Thailand. vol. II, 1978. pp.722.
4. William, G. Flora of Siam. University of Aberdeen MCMXII (1912) pp. 36.
5. Mabberley, D.J. The Plant-Book. (A portable dictionary of the higher plants) Cambridge University press, 1987. pp. 364.
6. สมาคม ร.ร. แพทย์แผนโบราณ วัดพระเชตุพนวิมลมังคลาราม. ประมวลสารพุทธยาไทย (ภาคสอง) ว่าด้วยพฤกษาศิลป์. กรุงเทพมหานคร: โรงพิมพ์ 2521. หน้า 98.
7. กรมป่าไม้. ชื่อพืชไม้ในเมืองไทย (ชื่อพฤกษศาสตร์-ชื่อพื้นเมือง). พิมพ์ครั้งที่ 1 กรุงเทพมหานคร, 2491. หน้า 30.
8. Burkhill, I.H. A dictionary of the Economic Products of the Malay Peninsula. London S.W.I., 1935. pp. I37.
9. Gaad, W. Plant of the World. (The higher plants II) New York: Chanticleer Press, 1965. pp.44-47.
10. Macbride, J.F. Flora of Peru. vol. XIII, part III., No. 2 America: Field Museum Press, 1948. pp. 717-719.
11. Paul, C.S. and Julian A.S. Flora of Guatemala. vol. 24 part V Chicago Natural History Museum, 1946. pp. 444.
12. อั้มพวรรณ ศรีวิໄล. การศึกษาทางพฤกษศาสตร์ของใบต้นตาเสือ วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต จุฬาลงกรณ์มหาวิทยาลัย, 2536.
13. Dhar, M.L., Dhar, M.M., Dhawan, B.N., Mehrotra, B.N. and Ray, C Screening of Indian Plants for Biological Activity : Part I Indian Exp. Biol. 6(1968): 232-247.

14. Dhar, M.L., Dhar, M.M., Dhawan, B.N., Mehrotra, B.N., Srimal, R.C. and tandon, J.S. Screening of Indian Plants for Biological Activity : Part IV Indian Exp. Biol 2(1973): 43-54.
15. Bhakuni, D.S., Dhar, M.L., Dhawan, B.N., Mehrotra, B.N. Screening of Indian Plants for Biological Activity : Part II Indian Exp. Biol 7 (1969): 250-262.
16. King, M.L., Chiang, C.C., Ling, H.C., Fujita, E., and McPhail, A.T. X-ray crystal structure of Rocaglamide, A novel Antileukemic 1*H*-Cyclopenta(B)benzofuran from *Aglaia elliptifolia*. J. Chem. Soc. Chem. Commun. 1982: 1150-1151.
17. Vishnoi, S.P., Shoeb, A., and Kapil, R.S. New cycloartenol derivatives from *Aglaia roxburghiana*. Planta Med. 55(1988): 40-41.
18. Nishizawa, M., Inoue, A., Hayashi, Y., Kosela, S., and Iwashita, T. Structure of aphanamol I and II. J.Org. Chem. 49(1984): 3660-3662.
19. Lavie, D., Jain., M.K., and Shpan-Gabrielith, S.R. A Locust Phargorepellant from two *Melia* species. Chem. Commun. (1967): 910-911.
20. Siddiqui, S., Ara, I., Faizi, S., Mahmood, T., and Siddiqui, B.S. Phenolic Tricyclic Diterpenoids from the bark of *Azadirachta indica*. Phytochemistry 27(1988): 3903-3907.
21. Pettit, G.R., Santhakumari, G. Effects of Nimbidin on Acute and Chronic Gastro-duodenal Ulcer Models in Experimental animals. Planta. Med. 50(1984): 143-146.
22. Nishizawa, M., Inoue, A., Sastrapradja, S., and Hayashi, Y. (+)-8-hydroxycalamenene: A fish-poison principle of *Dysoxylum acutagulum* and *D. alliaceum*. Phytochemistry 22 (1983): 2083-2085.

23. Singh, S., Garg, H.S., and Khanna, N.M. Dysobinin, a new Tetrnortriterpene from *Dysoxylum binectariferum*. Phytochemistry 15(1976): 2001-2002.
24. Vasudev, S., Shah, V., Dohadwalla, A.N., Mandrekar, S.S., and Desouza, N.J. Chromone alkaloid, its isolation from *dysoxylum binectariferum* and its use as a drug. Ger.Offen. DE. 3,329,186. (cl.C07D405/04), 21 Feb. 1985, Appl. 12 Aug.1983. Chemical Abstract 103(1985): 109923z
25. Naik, R.G., Kattige, S.L., Bhat, S.V., Alreja, B., and Rupp, R.H. An anti-inflammatory immunomodulatory piperidinylbenzophyranonone from *Dysoxylum binectariferum* : Isolation, structure and total synthesis. Tetrahedron 44(1988): 2081-2086.
26. Aladesanmi, A.J., and Iilesanmi, O.R., Phytochemical and pharmacological. Investigation of the Cardioactive Constituents of the leaf of *Dysoxylum lenticellare*. J. Nat. Prod. 6(1987): 1041-1044.
27. Aladesanmi, A.J. On The Cardiovascula Activity of Compounds Isolation from. The Leaf Extract of *Dysoxylum lenticellare*. Fitoterapia 59: 435-439. Chemical Abstract 111(1988): 72822c
28. Jojia, M.K., and Anderson, R.J., Limonoids from the Fijian Medicinal Plant *Dysoxylum richii*. Can. J. Chem. 67(1989) : 257-260.
29. Adesanya S.A., Pais, M., and Sevenet, T. Apotirucallane Triterpenes from *Dysoxylum roseum*. J. Nat. Prod. 54(1991): 1588-1594.
30. Srivastava, S.K., and Gupta, H.O. New limonoids from the roots of *Melia azedarach* Linn. Indian J. Chem., Sect. B. 24B(1985): 166-170.
31. Srivastava, S.K. Limonoids from the seeds of *Melia azedarach* Linn. J.Nat. Prod. 49(1986): 56-61.
32. Pettit, G.R., Barton, D.H.R., Herald, C.L., Polonsky, J., and Schmidt, J.M. Evaluation of Limonoids Against the Murine P288 Lymphocytic Leukemia cell Line. J. Nat. Prod. 46(1983): 380-389:

33. Oelrichs, P.B., Hill, M.W., Vallely, P.J., Macleod, J.K., and Molinski, T.F. The Chemistry and Pathology of Miliatoxins A and B Constituents from the fruits of *Melia azedarach* L. var *australasica* Plant Toxic. Proc. Aust. : 387-394. Chemical Abstract 104(1984): 126573y
34. Rajab, M.S., Alford, A.R., and Mendel, M.J. A new limonoid insect antifeedant from the fruit of *Melia volkensii*. J. Nat. Prod. 51 (1988): 168-171.
35. Ekimoto, H., Irie, Y., Araki, Y., Kadota, S., and Kikuchi, T. Platelet Aggregation Inhibitors from the Seeds of *Swietenia mahogani* : Inhibition of *in vitro* and *in vivo* Platelet-Activating Factor-Induced Effects of Tetranortriterpenoids Related to Swietenine and Swietenolide. Planta. Med. 57(1991): 56-58.
36. Ayoub, S.M.H., and Kingston, D.G.I. Sudan medicinal and Aromatic Plants Part IX. Constituent of *Turrea nilotica*. Fitoterapia. 55(1984): 126-128. Chemical Abstract 101: 207662s)
37. Baker, C.A., Flora of Java. vol. II Leyden: The Auspices of the rijksherbarium 1965. pp.116-130.
38. Humbert, H. Flora of L'Indo-Chine. vol. 1.2 Paris, 1948. pp. 715-716, 751-752, 769-770.
39. Sengupta, A., and mazumder, U.K. Triglyceride composition of *Amoora rohituka* seed oil. J. Am. Oil. Chem. Soc. 53(1976): 478-479. Chemical Abstracts 85(1976): 122019p.
40. Conolly, J.D., Okorie, D.A., Dewit, L.D., and Taylor, D.A.H. Structure of dregeanin and rohitukin, limonoids from the subfamily meliodeae of the family Meliaceae. an unusually high absorption frequency for a six-membered lactone ring. J. Am. Chem. Soc., Chem. Commun. 1976: 909-910 Chemical Abstracts 86(1977): 190261g.

41. Harmon, A.D., Weiss, U., and Silverton, J.V. The structure of rohitukine, the main alkaloid of *Amoora rohituka*. Tetrahedron Lett. 1979: 721-724 Chemical Abstracts 91(1979): 108119p.
42. Brown, D.A., and Taylor, D.A.H. Limonoid extractive from *Aphanamixis polystachya*. Phytochemistry 17(1978):1995-1999 Chemical Abstracts 90(1979): 204297v.
43. MacLachlan, L.K., and Taylor, D.A.H. A revision of the structures of three limonoids from the seeds of the *Aphanamixis polystachya* Phytochemistry 21(1982): 2426-2427 Chemical Abstracts 98 (1983): 215829m.
44. Mulholland, D.A., and Taylor, D.A.H. A new limonoid from *Aphanamixis polystachya*. J. Chem. Res. Synop. 1979: 294 Chemical Abstracts 92(1980): 129129c.
45. Bhatt, S.K., Saxena, V.K., and Nigam, S.S. A new saponin from seeds of *Amoora rohituka*. Phytochemistry 20(1981): 1749-1750 Chemical Abstracts 96(1982): 35656c.
46. Majumder, S.M.M.H., Kashem, K.A., Chowdhury, M.J.A. Studies on the physico-chemical properties of *Amoora rohituka* (pitraj) seed oil and analysis of its cake. Chittagong Univ. Stud., Part 2 9(1985): 51-55 Chemical Abstracts 105(1986): 130707h.
47. Srivastava , S.K., and Agnihotri, V.K. Chemical investigation of the stem bark of *Aphanamixis polystachya*. Natl. Acad. Sci. Lett. (India) 7 (1984): 213-214 Chemical Abstracts 102(1985): 163680k.
48. Srivastava ,S.K., and Agnihotri, V.K. Chemical investigation of the stem bark of *Aphanamixis polystachya*. Curr. Sci. 53(1984): 1288-1289 Chemical Abstracts 102(1985): 92970s.
49. Srivastava, S.K., Agnihotri, V.K. New glycosides from the stem bark of *Aphanamixis polystachya*. Curr. Sci. 54(1985): 38-40 Chemical Abstracts 120(1985): 128843u.

50. Agnihotri, V.K., Srivastava, S.D., and Srivastava, S.K. A new limonoid, amoorinin, from the stem bark of *Amoora rohituka*. Planta Med. 53(1987): 298-299 Chemical Abstracts 107(1987): 172454v.
51. Agnihotri, V.K. Poriferasterol-3-rhamnoside, A new saponin from the stem bark of *Amoora rohituka*. Indian J. Pharm. Sci. 49(1987): 149-150 Chemical Abstracts 108(1988): 72082z.
52. Jain, S.A., and Srivasta, S.K. 8-c-Methyl-quercetin-3-O- $\beta$ -D-xylopyranoside, a new flavone glycoside from the roots of *Amoora rohituka*. J. Nat. Prod. 48(1985): 299-301 Chemical Abstracts 103(1985): 19842t.
53. Jain, A., and Srivasta, S.K. Betulin-3 $\beta$ -O- $\beta$ -D-xylopynoside from roots of *Amoora rohituka* Indian J. Pharm. Sci. 46(1984): 161-162 Chemical Abstracts 105(1986): 112014a.
54. Kundu, A.B., Ray, S., and Chatterjee, A. Aphananin, a triterpene from *Aphanamixis polystachya*. Phytochemistry 24(1985): 2123-2125 Chemical Abstracts 103(1985): 211125c.
55. Agnihotri, V.K., Srivasta, S.D., Srivastava, S.K. A new limonoid, amoorinin from the stem bark of *Amoora rohituka* Wall. Curr. Sci. 56(1987): 770-771 Chemical Abstracts 108(1988): 19190g.
56. Bhatt, S.K., Saxena, V.K., and Singh K.V. Dihydrorobinetin-7- $\beta$ -D-glucopyranosyl- $\alpha$ -L-rhamnopyranoside from seeds *Amoora rohituka* Roxb. Indian J. Phys. Nat. Sci. 1(1981): 87-89 Chemical Abstracts 97(1982): 178740g.
57. Polonsky, J., Varon, Z., Arnoux, B., Pascard, C., Pettit, G.R., and Schmidt, J.M. Antineoplastic agents 61. Isolation and structure of amoorastatin. J. Am. Chem. Soc. 100(1978): 7731-7734 Chemical Abstracts 90(1979): 55137p.
58. Polonsky, J., Varon, Z., Marazano, C., Arnoux, B., Pettit, G.R., Schmidt, J.M., Ochi, M., and Kotsuki, H. The structure of amoorastatone

- and the cytotoxic limonoids 12-hydroxyamoorastatin. Experientia 35(1979): 987-989 Chemical Abstracts 91(1979): 154276k.
59. Nishizawa, M., Inoue, A., Hayashi, Y., Sastrapradja, S., Kosela, S., and Iwashita, T. Structure of aphanomols I and II. J. org. Chem. 49 (1984): 3660-3662 Chemical Abstracts 101(1984): 126885q.
60. Subrahmanyam, K., Rao, J.M., Rao, K.V. Chemical examination of timbers of *Melia* species. Curr. Sci. 45(1976): 293-294 Chemical Abstracts 85(1976): 7462r.
61. เสจีym พงษ์บุญรอด. ไม้เทศเมืองไทย กรุงเทพมหานคร: สำนักพิมพ์เกษตรและสหกรณ์, 2514. หน้า 272.
62. สมจิต พงศ์พัฒน์ และ สุภาพ ภู่ประเสริฐ. พืชกินได้และพืชมีพิษในป่าเมืองไทย พิมพ์ครั้งที่ 2. กรุงเทพมหานคร: สำนักพิมพ์โอลเดียนสโตร์, 2534. หน้า 78-9.
63. Perry, L.M., and Metzger, J. Medicinal plants of East and Southeast Asia: Attributed Properties and Uses. Cambridge London, 1980. pp. 260-264.
64. Connolly J.D. and Hill R.A.. "Dictionary of Terpenoids volume 2 Di- and higher terpenoids" London.Chapman & Hall, England.1991.
65. Glassy J.S. Encyclopedia of the Terpenoids. John Wiley & Sons, New York.1982, pp.619-620.
66. Talappatra., Bhar, D.S. and Talapatra, B. "Dammaradienyl Acetate and Taraxasterol from *Eupatorium cannabinum*: Mass Spectrometric Study of Dammaradienyl Acetate and its Derivatives" Aust J. Chem., volume 27, 1974, pp.1137-1142.
67. Itoh, T., Tamura, T. and Matsumoto, T. Proton magnetic resonance spectra of tetracyclic triterpene alcohols under the influence of a lanthanide shift reagent. Steroid, vol. 27, No. 2, February 1976, pp.275-285.
68. Deshpande V.H. & Patil A..D. "Flavonoids of *Acacia catechu* Heartwood" Indian J. Chem., Vol. 20B, July 1981, pp. 628-629.

69. J. De Pascual Teresa., Bellido,I.S., Gonzalez, M.S. and Vicente, S. "Tetracyclic Triterpenes and Nerolidol Derivatives from *Santolina oblonifolia*" Phytochemistry, vol. 25, No.1, 1986, pp.185-190.
70. Gonzalez, A.G., Fraga, B.M., Hernandez,M.G. and Garcia V.P. "Eupatarone, A 2-Acetylbenzofuran from *Eupatorium sternbergianum*" Phytochemistry, vol. 21, No.7, 1982, pp.1826-1827.
71. Devon, T.K., Scott, A.I. "Handbook of Naturally Occuring Compounds volume II Terpenes" Academic Press, 1972. pp.302-303.
72. Mills J.S. "The Chemistry of Dammar Resin" J. Chem. Soc., 1955, pp. 3132-3140.
73. Mills J.S. "The constitution of the Neutral, Tetracyclic Triterpenes of Dammar Resin" J. Chem. Soc., 1956, pp.2196-2202.
74. Mills J.S. "The constitution of the Neutral, Tetracyclic Triterpenes of Dammar Resin" Chem.and Ind., 1955, pp.189-191.
75. ศิริวรรณ ทิรัญพิสุทธิกุล. องค์ประกอบทางเคมีของดอกน้ำ. วิทยานิพนธ์ปริญญามหาบัณฑิต ภาควิชาเคมี บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย 2538.
76. Baker, C.A. Flora of Java. vol. III Leyden: The Auspices of the rijksherbarium, 1968. pp. 654.
77. Budzikiewicz, H., Wilson, J.M., and Djerassi, C. "Mass spectrometry in structural and Stereochemical Problems XXXII. Pentacyclic Triterpenes". J.Am.Chem. Soc. 85(1963): 3688-3689.
78. สายจิตต์ อาจารย์ และ วรุณี รัตนกิตติกุล. องค์ประกอบทางเคมีในเปลือกตาเสือใบเล็ก. จุฬาลงกรณ์มหาวิทยาลัย, 2527.
79. ภาควิชี ศรีภิรมย์. การศึกษาทางพฤกษเคมีของต้นตาเสือ. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิตจุฬาลงกรณ์มหาวิทยาลัย, 2523.
80. Shriner, R.L.,Fuson, R.C., Curtin, D.Y., and Morrill, T.C. The systematic Identification of Organic Compounds. 6th ed., New York: John wiley & Sons, U.S.A, 1980.

81. Fessenden, R.J., and Fessenden, J.S. Technique and Experiments for Organic Chemistry. Willard Grant Press, 1983.
82. Pouchert, C.J. The Aldrich Library of Infrared Spectra. 2nd ed. U.S.A. Chemical Company, 1975.
83. Cook, R.P. Reaction of Steroid with Acetic Anhydride and Sulfuric Acid. Analyst. 86(1961): 373-381.
84. Steven, R., and Harris, G. Dictionary of Organic Compounds. 4th ed. London: Eyre and Spottiswoode, 1965.
85. Nishioka, I. Ikekawa, N. Yazi, A., Kawazaki, T., and Tsukamoto, T. "Studies on the Plant Sterols and Triterpenes II." Separation of Stigmasterol,  $\beta$ -sitosterol and Campesterol, and So-called  $\gamma$ -sitosterol" Chem. Pharm. Bull. 13(1965): 379-384.
86. Stephen, S.F., George, H.L., and Longman, R.T. "Mass Spectra of Steroid". Anal. Chem. 31(1959): 160-174.
87. Susan Budvari. The Merck Index 11th ed. New Jersey: Merck & Co. Inc, U.S.A, 1989.
88. วринทร ชาคริ. องค์ประกอบทางเคมีและฤทธิ์ทางชีวภาพของโคงกงใบเล็ก. วิทยานิพนธ์ปริญญามหาบัณฑิต ภาควิชาเคมี บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย, 2531.
89. วิทวัส มั่งวนิช. องค์ประกอบทางเคมีของผลขี้ก้าแಡง. วิทยานิพนธ์ปริญญามหาบัณฑิต ภาควิชาเคมี บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย, 2537.
90. ประไพบูล กิจชนะชัย. องค์ประกอบทางเคมีในกิ่งมะกา. วิทยานิพนธ์ปริญญามหาบัณฑิต ภาควิชาเคมี บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย, 2531.
91. Wahlberg, I., Hjette, M.B., Karlsson, K. and Enzell, C.R. "Constituents of commercial tolu balsam" Acta Chem. Scand. 25(1971) :3285-3295.



## **APPENDIX**

ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย




Figure 10 The IR spectrum of Compound 1




Figure 11 The Gas-Liquid chromatogram of standard long chain aliphatic hydrocarbon ( $C_{24}$ - $C_{26}$ ,  $C_{28}$ - $C_{33}$ )




Figure 12 The Gas-Liquid chromatogram of Compound 1




Figure 13 The calibration curve of standard long chain aliphatic hydrocarbon ( $C_{24}$ - $C_{26}$ ,  $C_{28}$ - $C_{33}$ )




Figure 14 The IR spectrum of Compound 2




Figure 15 The  $^1\text{H}$ -NMR spectrum of Compound 2






Figure 16 The mass spectrum of Compound 2



**Figure 17** The mass spectrum of Compound 2 compared with mass spectrum of Eicosanoic acid, Octadecyl ester ( $C_{38}H_{76}O_2$ )

Figure 18 The IR spectrum of Compound 3






Figure 19 The <sup>1</sup>H-NMR spectrum of Compound 3




Figure 20 The  $^1\text{H}$ -NMR spectrum of Compound 3





Figure 21 The  $^1\text{H}$ -NMR spectrum of Compound 3



**Figure 22** The  $^1\text{H}$ -NMR spectrum of Compound 3




Figure 23 The <sup>13</sup>C-NMR spectrum of Compound 3




Figure 24 The  $^{13}\text{C}$ -NMR spectrum of Compound 3




Figure 25 The DEPT 90 and DEPT 135  $^{13}\text{C}$ -NMR spectrum of Compound 3




Figure 26 The DEPT 90 and DEPT 135  $^{13}\text{C}$ -NMR spectrum of Compound 3




Figure 27  $^1\text{H}$ - $^1\text{H}$  COSY of Compound 3




Figure 28  $^1\text{H}$ - $^1\text{H}$  COSY of Compound 3




Figure 29  $^{13}\text{C}$ - $^1\text{H}$  correlation of Compound 3




Figure 30  $^{13}\text{C}$ - $^1\text{H}$  correlation of Compound 3




Figure 31  $^{13}\text{C}$ - $^1\text{H}$  correlation of Compound 3




Figure 32  $^1\text{H}$ - $^1\text{H}$  NOESY of Compound 3




Figure 33  $^1\text{H}$ - $^1\text{H}$  NOESY of Compound 3




Figure 34  $^1\text{H}$ - $^1\text{H}$  NOESY of Compound 3




Figure 35  $^{13}\text{C}$ - $^1\text{H}$  COLOC of Compound 3




Figure 36  $^{13}\text{C}-^1\text{H}$  COLOC of Compound 3




Figure 37  $^{13}\text{C}$ - $^1\text{H}$  COLOC of Compound 3





Figure 38 The mass spectrum of Compound 3

Figure 39 The IR spectrum of Compound 4






Figure 40 The <sup>1</sup>H-NMR spectrum of Compound 4




Figure 41 The  $^{13}\text{C}$ -NMR spectrum of Compound 4




Figure 42 The Gas-Liquid chromatogram of standard long chain aliphatic primary alcohols( $C = 14, 16, 18, 20, 22$ )




Figure 43 The Gas-Liquid chromatogram of Compound 4




Figure 44 The calibration curve of standard long chain aliphatic primary alcohols(C =14, 16, 18, 20, 22)




Figure 45 The IR spectrum of Compound 5




Figure 46 The <sup>1</sup>H-NMR spectrum of Compound 5





Figure 47 The <sup>1</sup>H-NMR spectrum of Compound 5



**Figure 48** The  $^1\text{H-NMR}$  spectrum of Compound 5




Figure 49 The  $^1\text{H}$ -NMR spectrum of Compound 5




Figure 50 The  $^{13}\text{C}$ -NMR spectrum of Compound 5




Figure 51 The DEPT 90 and DEPT 135  $^{13}\text{C}$ -NMR spectrum of Compound 5




Figure 52 The DEPT 90 and DEPT 135  $^{13}\text{C}$ -NMR spectrum of Compound 5




Figure 53 The DEPT 90 and DEPT 135  $^{13}\text{C}$ -NMR spectrum of Compound 5




Figure 54  $^1\text{H}$ - $^1\text{H}$  COSY of Compound 5




Figure 55  $^1\text{H}$ - $^1\text{H}$  COSY of Compound 5




Figure 56  $^1\text{H}$ - $^1\text{H}$  COSY of Compound 5




Figure 57  $^1\text{H}$ - $^1\text{H}$  COSY of Compound 5




Figure 58  $^1\text{H}$ - $^1\text{H}$  COSY of Compound 5




Figure 59  $^{13}\text{C}$ - $^1\text{H}$  correlation of Compound 5




Figure 60  $^{13}\text{C}$ - $^1\text{H}$  correlation of Compound 5




Figure 61  $^1\text{H}$ - $^1\text{H}$  NOESY of Compound 5




Figure 62  $^1\text{H}$ - $^1\text{H}$  NOESY of Compound 5




Figure 63  $^1\text{H}$ - $^1\text{H}$  NOESY of Compound 5




Figure 64  $^1\text{H}$ - $^1\text{H}$  NOESY of Compound 5




Figure 65  $^1\text{H}$ - $^1\text{H}$  NOESY of Compound 5




Figure 66  $^{13}\text{C}$ - $^1\text{H}$  COLOC of Compound 5




Figure 67 <sup>13</sup>C-<sup>1</sup>H COLOC of Compound 5




Figure 68  $^{13}\text{C}$ - $^1\text{H}$  COLOC of Compound 5




Figure 69 The mass spectrum of Compound 5




Figure 70 The IR spectrum of Compound 6




Figure 71 The <sup>1</sup>H-NMR spectrum of Compound 6





Figure 72 The  $^1\text{H}$ -NMR spectrum of Compound 6



**Figure 73** The  $^1\text{H}$ -NMR spectrum of Compound 6





Figure 74 The  $^1\text{H}$ -NMR spectrum of Compound 6



**Figure 75** The  $^1\text{H}$ -NMR spectrum of Compound 6




Figure 76 The  $^{13}\text{C}$ -NMR spectrum of Compound 6




Figure 77 The  $^{13}\text{C}$ -NMR spectrum of Compound 6




Figure 78 The DEPT 90 and DEPT 135  $^{13}\text{C}$ -NMR spectrum of Compound 6




Figure 79 The DEPT 90 and DEPT 135  $^{13}\text{C}$ -NMR spectrum of Compound 6




Figure 80 The DEPT 90 and DEPT 135  $^{13}\text{C}$ -NMR spectrum of Compound 6




Figure 81 The Gas-Liquid chromatogram of three standard steroids.




Figure 82 The Gas-Liquid chromatogram of Compound 6




Figure 83 The mass spectrum of Compound 6




Figure 84 The IR spectrum of Compound 7




Figure 85. The  $^1\text{H}$ -NMR spectrum of Compound 7




Figure 86 The  $^{13}\text{C}$ -NMR spectrum of Compound 7




Figure 87 The mass spectrum of Compound 7




Figure 88 The IR spectrum of Compound 8




Figure 89 The mass spectrum of Compound 8





Figure 90 The mass spectrum of Compound 8 compared with mass spectrum  
of tetratriacanoic acid ( $C_{34}H_{68}O_2$ )

Figure 91 The IR spectrum of Compound 9







Figure 92 The mass spectrum of Compound 9

Figure 93 The IR spectrum of Compound 10






Figure 94 The mass spectrum of Compound 10

## VITA

Miss Nisakorn Kamjaikittikul was born on May 1, 1971 in Chonburi province, Thailand. She graduated with Bachelor Degree of Science of chemistry at Rhamkamhaeng University in 1992. In the same year, she worked at Institute of Biotechnology and Genetic Engineering, Chulalongkorn University. In 1994, she was admitted into a Master Degree program in organic chemistry at Chulalongkorn University. During her study toward the Master's degree, she received financial support from Department of Chemical Faculty of Science, Chulalongkorn University in 1994-95.



ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย