

บรรณานุกรม

โครงการ ชัวร์พันธุ์ "การเจี้ยงเรื้อร้า Rhizopus oryzae บนอาหารแข็งเพื่อผลิตกลูโค-อะไมโลส" วิทยานิพนธ์ปริญญามหาบัณฑิต ภาควิชาจุลชีววิทยา บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย 2526

Alazard, D. and Raimbault, M. "Comparative Study of Amylolytic Enzymes by Aspergillus niger in Liquid and Solid-State Cultivation". European J. Appl. Microbiol. Biotechnol. 12(1981): 113-117.

Andrews, P. "The Gel Filtration Behavior of Proteins Related to their Molecular Weights over a Wide Range". Biochem. J. 96(1965): 595-606.

Balls, A.K. and Schwimmer, S. "Digestion of Raw Starch". J. Biol. Chem. 156(1944): 203-210.

Bartons, L.L., Georgi, E.C. and Lineback, D.R. "Effect of Maltose on Glucoamylase Formation by Aspergillus niger". J. Bact. 111(1972): 771-777.

Ciacco, C.F. and D'Appolonia, B.L. "Characterization of Starches from Various Tubers and Their Use in Bread-Baking". Cereal Chem. 54(1977): 1096-1108.

Cochrane, T.W. and Vercellotti, J.R. "Hexosamine Biosynthesis and Accumulation by Fungi in Liquid and Solid Media". Carbohydrate Res. 61(1978): 529-543.

Feniksova, R.V. "Physiology and Nutrition of Aspergillus oryzae in Relation to Fermentation of Action Amylase by this Fungal". Proc. Int. Symp. Enzymes Chem. Vol. 2, pp. 482-485, 1957.

Flor, P.Q. "Studies on Production and Characteristics of Raw Starch Digestive Glucoamylases". Ph.D. Thesis, Department of Agri-

- cultural Chemistry, Khushu University, 1983.
- Fogarty, W.M. and Kelly, C.T. "Starch-Degrading Enzymes of Microbial Origin, Part I Distribution and Characteristics". in Progress in Industrial Microbiology (Bull, M.J. ed.) Vol. 15, pp. 87-150. Elsevier Scientific Publishing Co., Netherland, 1979.
- Hayashida, S. Abstr. 14th Symposium on Enzyme Chem. p. 16, Fukuoka, 1965. cited in Sandstedt, R.M. and Ueda, S. "Alpha-Amylase Adsorption on Raw Starch and Its Relation to Raw Starch Digestion". J. Japan Soc. Starch Sci. 17(1969): 215-228.
- Hayashida, S. "Selective Submerged Productions of Three Types of Glucoamylases by a Black-Koji Mold". Agric. Biol. Chem. 39(1975): 2093-2099.
- Hayashida, S. and Flor, P.Q. "Raw Starch-Digestive Glucoamylase Productivity of Protease-Less Mutant from Aspergillus awamori var. kawachi". Agric. Biol. Chem. 45(1981): 2675-2681.
- Hayashida, S., Kunisaki, S., Nakao, M. and Flor, P.Q. "Evidence for Raw Starch-Affinity Site on Aspergillus awamori GlucoamylaseI". Agric. biol. Chem. 46(1982): 83-89.
- Hayashida, S., Nomura, T., Yoshino, E. and Hongo, M. "The Formation and Properties of Subtilisin-Modified Glucoamylase". Agric. Biol. Chem. 40(1976): 141-146.
- Hayashida, S. and Yoshino, E. "Formation of Active Derivatives of GlucoamylaseI during the Digestion with Fungal Acid Protease and α -Mannosidase". Agric. Biol. Chem. 42(1978): 927-933.
- Hesseltine, C.W. "Solid State Fermentation". Process Biochem. 12 (1977): 24-32.

- Hokenhull, D.J.D. "Recent Development in the Production and Industrial Application of Amylolytic Enzymes Derived from Filamentous Fungi". in Progress in Industrial Microbiology Vol. 6, pp. 97-163. Interscience Publishers, New York, 1967.
- Hough, L. "Analysis of Mixtures of Sugars by Paper and Cellulose Column Chromatography". in Method of Biochemical Analysis (Glick, D. ed.) Vol. 1, pp. 205-242. Interscience Publishers, New York, 1954.
- Johnson, A.R. "Improved Method of Hexosamine Determination". Anal. Biochem. 44(1971): 628-635.
- Krzechowska, M. and Urbanek, H. "Isolation and Some Properties of Glucoamylase from Cephalosporium charticola Lindau". Appl. Microbiol. 30(1975): 163-166.
- Kurushima, M., Sato, J. and Kitahara, K. "Studies on Fungal Amylase, III Raw Starch Saccharifying Amylase of Aspergillus cinnamomeus". J. Agr. Chem. Soc. Japan 48(1974): 379-384.
- Leach, H.W. and Schoch, T.J. "Structure of the Starch Granule". Cereal Chem. 38(1961): 34-46.
- Medda, S., Saha, B.C. and Ueda, S. "GlucoamylaseI of Black Aspergillus". J. Fac. Agr. Khush Univ. 26(1982): 139-149.
- Meyer, F.C. and Lerner, J. "Substrate Cleavage Point of the α - and β -Amylases". J. Amer. Chem. Soc. 81(1959):188-193.
- Miah, M.N.N. and Ueda, S. "Multiplicity of Glucoamylase of Aspergillus oryzae, PartI Separation and Purification of Three Forms of Glucoamylase". Die Starke 29(1977a): 191-196.
- Miah, M.N.N. and Ueda, S. "Multiplicity of Glucoamylase of Aspergillus oryzae, PartII Enzymatic and Physicochemical Pro-

- perties of Three Forms of Glucoamylase". Die Stark 29 (1977b): 235-239.
- Mitsue, T., Saha, B.C. and Ueda, S. "Glucoamylase of Aspergillus oryzae Cultured on Steamed Rice". J. Appl. Biochem. 1 (1979): 410-422.
- Nagai, S. "Control of Solid-State Cultivation". in Proc. GIAM-V (Matangkasombat, P. ed.) pp. 413-424, Mahidol Univ., Bangkok, 1979.
- Narahara, H., Koyama, Y., Yoshida, T., Pichyangkura, S., Ueda, R. and Taguchi, H. "Growth and Enzyme Production in a Solid State Culture of Aspergillus oryzae". J. Ferment. Technol. 60(1982): 311-319.
- Pazur, J.H. and Okada, S. "Properties of the Glucoamylase from Rhizopus delemere". Carbohydr. Res. 4(1967): 371-379.
- Phillips, L.L. and Caldwell, M.L. "A Study of the Purification and Properties of a Glucose Forming Amylase from Rhizopus delemere, Gluc Amylase". J. Amer. Chem. Soc. 73(1951): 3559-3563.
- Pichyangkura, S. and Kulprecha, S. "Mycelial Molds in Loogpang from Various Sources in Thailand". Report on Sci. Res. Vol. 5, pp. 401-406. Chulalongkorn Univ., 1980.
- Pichyangkura, S. and Pornsilapati, J. "Isolation and Maintenance of Amylomyces sp. and a Screening Method for a Raw Starch Hydrolyzing Enzyme". Poster Session Abstr. ICCC-V p63, Bangkok, Thailand, 1984.
- Pichyangkura, S., Suratanakavikul, V., Nagai, S. and Taguchi, H. "Production of Liquefying and Saccharifying Amylase by Solid-State Cultivation on Thai Rice". in Microb. Utiliz.

- Rewnew. Res. (Taguchi, H. ed.) Vol. 2, pp. 415-418,
Songkhla, Thailand, 1981.
- Rainbault, M. and Alazard, D. "Culture Method to study Fungal
Growth in Solid Fermentation". European J. Appl. Microb.
Biotechnol. 9(1980): 199-209.
- Reilly, P.J. "Starch Hydrolysis with Soluble and Immobilized
Glucoamylase". Appl. Biochem. Bioeng. (Lamuel, B.W.,
Ephriam, K. and Goldstein, L. eds.) Vol. 2, pp. 185-207.
Academic Press, New York, 1979.
- Reisfeld, R.A., Lewis, U.J. and Williams, D.E. "Disk Electropho-
resis of Basic Proteins and Peptides on Polyacrylamide
Gels". Nature 195(1962): 281-283.
- Saha, B.C., Mitsue, T. and Ueda, S. "Glucoamylase Produced by
Submerged Culture of Aspergillus oryzae". Starke 31
(1979): 307-314.
- Saha, B.C. and Ueda, S. "Inhibition of Raw Starch Digestion by
one Glucoamylase Preparation from Black Aspergillus at
High Enzyme Concentration, Part II". Starke 33(1981):
313-316.
- Saha, B.C. and Ueda, S. "Raw Starch Adsorption, Elution and Di-
gestion Behavior of Glucoamylase of Rhizopus niveus".
J. Ferment. Technol. 61(1983): 67-72.
- Sandstedt, R.M. and Gates, R.L. "Raw Starch Digestion: A Compara-
son of the Raw Starch Digesting Capabilities of the Amy-
lase Systems from Alpha-Amylase Sources". Food Res. 19
(1954): 190-199.
- Sadnstedt, R.M. and Ueda, S. "Alpha-Amylase Adsorption on Raw
Starch and Its Relation to Raw Starch Digestion". J.

- Japan Soc. Starch Sci. 17(1969): 215-218.
- Schwimmer, S. "The Role of Maltose in the Enzymolysis of Raw Starch". J. Biol. Chem. 161(1945): 219-234.
- Shetty, R.M., Lineback, D.R. and Seib, P.A. "Determining the Degree of Starch Gelatinization". Cereal Chem. 51(1974): 364-375.
- Sigma Chemical Company. "The Enzymatic Colorimetric Determination of Glucose in Whole Blood, Plasma or Serum at 425-475 nm." Sigma Tech. Bull. No. 510, p. 8, Saint Louis, 1980.
- Smith, J.S. and Lineback, D.R. "Hydrolysis of Native Wheat and Corn Starch Granules by Glucoamylases from Aspergillus niger and Rhizopus niveus". Die Starke 28(1976): 243-250.
- Stamberg, O.E. and Bailey, C.H. "Studies of Wheat Starch II, The Action of Amylases on Raw Wheat Starch". Cereal Chem. 16(1969): 319
- Tsuboi, A., Yamasaki, Y. and Suzuki, Y. "Two Forms of Glucoamylase from Mucor rouxianus I, Purification and Crystallization". Agric. Biol. Chem. 38(1974): 543-550.
- Ueda, S. "Black Koji Mold Amylase System Responsible for Digesting Raw Starch". in Proc. Int. Symp. Enzyme Chem. pp. 491-494. Tokyo and Kyoto, 1957.
- Ueda, S. "Raw Starch Digestion by Mold Glucoamylases and Debranching Enzymes". in Mechanism of Saccharide Polymerization and Depolymerization (Marshall, J.J. ed.) pp. 55-72, Academic Press, New York, 1980.
- Ueda, S. "Fungal Glucoamylases and Raw Starch Digestion". TIBS 6(1981): 89-90.
- Ueda, S. and Kano, S. "Multiple Forms of Glucoamylase of Rhizopus species". Die Starke 27(1975): 123-128.

- Ueda, S. and Marshall, J.J. "Raw Starch Digestion by Bacillus polymyxa Beta-Amylase". Starke 32(1980): 122-125.
- Ueda, S. and Ohba, R. "Pullulanase Responsible for Digesting Raw Starch". Die Starke 28(1976): 20-22.
- Ueda, S., Ohba, R. and Kano, S. "Fractionation of the Glucoamylase System from Black-Koji Mold and the Effects of Adding Isoamylase and Alpha-Amylase on Amylolysis by the Glucoamylase Fractions". Die Starke 26(1974): 374-378.
- Ueda, S. and Saha, B.C. "Raw Starch Digestion by Microbial Amylase". Utilization Res. 1(1981): 9-17.
- Ueda, S. and Saha, B.C. "Behavior of Endomycopsis fibuligera Glucoamylase toward Raw Starch". Enzyme Microb. Technol. 5(1983): 196-198.
- Vongsuvanlert, V., Kumnuanta, J. and Yoshiki, T. "Production and Characterization of Glucoamylase of a Black Aspergillus N-2 Active on Raw Starch". Ann. Rept. ICME (Taguchi, H. ed.) Vol. 6, pp. 49-57, Osaka Univ., Osaka, 1983.
- Walker, G.J. and Hope, P.M. "The Action of Some α -Amylase on Starch Granules". Biochem. J. 86(1983): 452-462.
- Yamasaki, Y., Suzuki, Y. and Ozawa, J. "Properties of Two Forms of Glucoamylase from Pennicillium oxalicum". Agric. Biol. Chem. 41(1977a): 1443-1449.
- Yamasaki, Y., Suzuki, Y. and Ozawa, J. "Three Forms of α -Glucosidase and a Glucoamylase from Aspergillus awamori". Agric. Biol. Chem. 41(1977b): 2149-2161.
- Yamasaki, Y., Tsuboi, A. and Suzuki, Y. "Two Forms of Glucoamylase from Mucor rouxianus II, Properties of the Two Glucoamylase". Agric. Biol. Chem. 41(1977c): 2139-2148.

Yoshino, E. and Hayashida, S. "Enzymatic Modification of Gluco-amylase of Aspergillus awamori var. kawachi". J. Ferment. Technol. 56(1978): 289-295.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

ประวัติบุํเจียน

นายจตุรพร พรศิลป์พิพิธ เกิดเมื่อวันที่ 12 กรกฎาคม พ.ศ. 2502 ที่ กรุงเทพมหานคร ส่าเร็จการศึกษาปริญญาวิทยาศาสตรบัณฑิต สาขาจุลชีววิทยา จาก คณะวิทยาศาสตร์และอักษรศาสตร์ มหาวิทยาลัยเกษตรศาสตร์ เมื่อปีการศึกษา 2523 ในระหว่างศึกษาระดับปริญญามหาบัณฑิต มีผลงานทางวิชาการที่เกี่ยวข้องกับวิทยานิพนธ์คือ

สุนาลี พิชยุวงศ์ และ จตุรพร พรศิลป์พิพิธ "การคุ้นชื้นและการย้อมแบงคินโดยเย็นไข่มุกโคลอมิเดสจากเชื้อราก Amylomyces sp." การประชุมวิชาการวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย ครั้งที่ 10 26-27 ตุลาคม 2527 มหาวิทยาลัยเชียงใหม่

Pichyangkura, S. and Pornsilapatip, J. "Isolation and Maintenance of Amylomyces sp. and a Screening Method for a Raw Starch Hydrolyzing Enzyme". 5th International Congress of Culture Collections, 25 Nov.-1 Dec. 1984, Bangkok, Thailand.

Pornsilapatip, J. and Pichyangkura, S. "Characteristics of Partially Purified Raw Starch Digesting Glucoamylase from Amylomyces sp., J 81". NRCT-JSPS Seminar on Biotechnology, 24-27 Dec. 1984, Khon Kaen Univ., Khon Kaen, Thailand.

จุฬาลงกรณ์มหาวิทยาลัย

