

รายการอ้างอิง

ภาษาไทย

ชาญวิทย์ วัชรพุก แสง เสน่ห์ ทองเยี้ย. 2537. อิทธิพลของดูดการและอุณหภูมิสภาพแวดล้อมต่อสมรรถภาพการผลิตของแม่สุกร. สุกรศาสตร์ 80 : 11-16.

ดวงใจ พันธ์อริวัฒนา, ชวนพิศ พงษ์สุรพันธ์, เซชฐาน พูลภักดี, วิชัย พันตศารักษ์, และ มงคล เตชะกำใหญ. 2538. การเหนี่ยวนำการเป็นสัดและการตกไข้ในแม่สุกรที่ไม่เป็นสัดหรือเป็นสัดช้าหลังหยอดนมและสุกรสาวที่ไม่เป็นสัดด้วยชอร์โนนโกลาโดโกรปิน. เวชศาสตร์สัตวแพทย์ 25 : 39-45.

เนรมิต สุขุม. 2535. การทดสอบพันธุ์สุกรของฟาร์มเอกชนรุ่นที่ 11. สุกรศาสตร์ 9 : 5-12.

ไฟจิตรา อินตรา, จิรพรรณ นพวงศ์ ณ อุบลฯ, และ ศรชัย คงศุข. 2538. การใช้เครื่องมืออัลตร้าซาวด์แสดงภาพที่เห็นชลະนั้นเพื่อประเมินส่วนประกอบและคุณภาพของสุกรพันธุ์ชลະมีชีวิต. ใน รายงานผลงานวิจัยงานค้นคว้าและวิจัยการผลิตสัตว์ประเสริฐ พศ. 2537 สาขาวิชาระบบปรับปรุงพันธุ์สัตว์และการจัดการฟาร์ม. หน้า 161-173. กรุงเทพฯ : กรมปศุสัตว์ กระทรวงเกษตรและสหกรณ์.

สมชัย จันทร์สว่าง. 2528. สุกรพันธุ์ดี III. ตัวอย่างมาตรฐานการผลิตของสุกรในประเทศไทย. สุกรศาสตร์ 12 : 18-32.

———. 2530. การปรับปรุงพันธุ์สัตว์. พิมพ์ครั้งที่ 2. กรุงเทพมหานคร : มหาวิทยาลัยเกษตรศาสตร์.

ธรรมพ ศุภาวงษ์กุต. 2537. วิทยาการสืบพันธุ์สุกร. พิมพ์ครั้งที่ 1. กรุงเทพมหานคร : จุฬาลงกรณ์มหาวิทยาลัย.

ການເຄີຍດຸນ

- Adam, J.L., and Shearer, I.J. 1977. Effect of gilt age at first mating and levels of dietary Ca and P during gestation on sow and litter performance. New Zealand Journal of Experimental Agriculture 5 : 249-256. CAB Abstracts 1995.
- Belonsky, G.M. and Kennedy, B.W. 1988. Selection on individual phenotype and best linear unbiased prediction of breeding value in a closed swine herd. J. Anim. Sci. 66 : 1124-1131.
- Beltranena, E., Aherne, F.X., Foxcroft, G.R., and Kirkwood, R.N. 1991. Effects of pre- and postpubertal feeding on production traits at first and second estrus in gilts. J. Anim. Sci. 69 : 886-893.
- Bereskin, B., and Davey, R.J. 1976. Breed, line, sex and diet effects and interactions in swine carcass traits. J. Anim. Sci. 42 : 43-51.
- _____, and Frobish, L.T. 1982. Carcass and related traits in Duroc and Yorkshire pigs selected for sow productivity and pig performance. J. Anim. Sci. 55:554-564.
- _____, Steele, N.C., and Mitchell, A.D. 1990. Selection line x diet interactions for two lines of pigs fed 12 or 24% protein diets. J. Anim. Sci. 68 : 944-959.
- Berruecos, J.M., Dillard, E.U., and Robison, O.W. 1971. Selection for low backfat thickness in swine. J. Anim. Sci. 30 : 844-848.
- Best, P., ed. 1994. Less backfat by injection, gene or feed ? Pig International 24 : 22-22.

- Boldman, K.G., Kriese, L.A., Van Vleck, L.D., and Kachman, S.D. 1993. A manual for use of MTDFREML (draft). Clay Center, Nebraska : USDA-ARS.
- Brooks, P.H., and Smith, D.A. 1980. The effect of mating age on the reproductive performance, food utilization and liveweight change of the female pig. Livest. Prod. Sci. 7 : 67-78.
- Bryan, K.A., Clark, A.M., and Hagen, D.R. 1990. Effect of treatment with and subsequent withdrawal of exogenous porcine somatotropin on growth and reproductive characteristics of gilts. J. Anim. Sci. 68 : 2357-2361.
- Christenson, R.K., and Ford, J.J. 1979. Puberty and estrus in confinement-reared gilts. J. Anim. Sci. 49 : 743-751.
- Christian, L.L., Stock, K.L., and Carlson, J.P. 1980. Effect of protein, breed cross, sex and slaughter weight on swine performance and carcass traits. J. Anim. Sci. 51 : 51-58.
- Cox, D.F., and Smith, C. 1968. Herd differences and genetic trends in Iowa pigs. J. Anim. Sci. 27 : 577-583.
- Cunningham, P.J., Naber, C.H., Zimmerman, D.R., and Peo, E.R., Jr. 1974. Influence of nutritional regime on age at puberty in gilts. J. Anim. Sci. 39 : 63-67.
- _____, Socha, T.E., Peo, E.R., Jr. and Mardigo, R.W. 1973. Gain , feed conversion and carcass traits of swine fed under nutritional regimes. J. Anim. Sci. 37 : 75-80.
- Daryl, L.K. and Kennedy, B.W. 1992. Effect of culling on selection response using phenotypic selection or best linear unbiased prediction of breeding values in small, closed herd of swine. J. Anim. Sci. 70 : 2338-2348.

- David, P.J., Johnson, R.K., and Socha, T.E. 1983. Genetic and phenotypic parameters estimated from Nebraska specific-pathogen-free swine field records. J. Anim. Sci. 57 : 1117-1123.
- De Varies, A.G. 1989. A model to estimate economic value of traits in pig breeding. Livest. Prod. Sci. 21 : 49-66.
- den Hartog, L.A., and van Kempen, G.J.M. 1980. Relation between nutrition and fertility in pigs. Neth. J. Agri. Sci. 28 : 211- 227.
- Diekman, M.A., Clapper, J.A., Green, M.L., and Stouffer, D.K. 1991. Reduction in age of puberty in gilts consuming melatonin during decreasing or increasing daylength. J. Anim. Sci. 69 : 2524-2531.
- _____, and Hoagland, T.A. 1983. Influence of supplemental lighting during periods of increasing or decreasing daylength on the onset of puberty in gilts. J. Anim. Sci. 57 : 1235-1242.
- Dyck G.W. 1988. Factors influencing sexual maturation , puberty and reproductive efficiency in the gilt. Can. J. Anim. Sci. 68 : 1-13.
- Ehnvall, R., Blomqvist, A., Einarsson, S., and Karlberg, K. 1981. Culling of gilts with special reference to reproductive failure. Nord. Vet.-Med. 33: 167-171.
- Einarsson, S. 1985. Puberty and anestrus in gilt. In FAO/SIDA Local Seminar on Pig Reproduction, 5-8 January, pp. 1-13. Nakorn-Pathom, Thailand.
- Eliasson, L. 1989. A study on puberty and oestrus in gilts. J. Vet. Med.A 36 : 46-54
- _____. 1991. Relationships between puberty and production traits in the gilt : 2. Oestrous symptoms at puberty. Anim. Reprod. Sci. 25 : 255-264.

- _____, Einarsson, S., and Lundeheim, N. 1987. Influence of halothane genotype and boar presence on puberty in gilts. J. Vet. Med. A 34 : 61-68.
- _____, and Rydhmer, L. 1988. Relationship between age, oestrus symptoms and performance traits in the gilt. In 11th International Congress on Animal Reproduction and Artificial Insemination, Vol. 4 paper No. 553. Irish Republic : University college Dublin. CAB Abstracts 1990-1991.
- Eliasson-Setting, L. 1991. Puberty and oestrous symptoms in gilts. Ph.D. dissertation, Swedish University of Agricultural Sciences.
- Falconer, D.S., and Mackay, T.F.C. 1996. Introduction on to quantitative genetics. 4th ed. Harlow, England : Longman.
- FAO. 1994. Yearbook production. FAO Statistic series No. 117. Rome : Food and agriculture organization of the united nations.
- Flock, D.K. 1970. Genetic parameters of german landrace pigs estimated from different relationships. J. Anim. Sci. 30 : 839-843.
- Fredeen, H.T., and Mikami, H. 1986. Mass selection in a pig population : Realized heritabilities. J. Anim. Sci. 62 : 1509-1522.
- Gaughan, J.B., Cameron, R.D.A., Dryden, G.McL., and Josey, M.J. 1995. Effect of selection for leanness on overall reproductive performance in large white sows. Animal Science 61 : 501-504.
- Giles, L.R., Murison, R.D., and Wilson, B.R. 1981. Backfat studies in growing pigs. Anim. Prod. 32 : 39-46.

- Graser, H.-U., Smith, S.P., and Tier, B. 1987. A derivative free approach for estimating variance components in animal models by restricted maximum likelihood. J. Anim. Sci. 64 : 1362-1370.
- Groeneveld, E. 1990. Pest user's manual. Germany : Institute of animal husbandry and animal behaviour.
- _____, and Kovac, M. 1990. A Generalized computing procedure for setting up and solving mixed linear models. J. Dairy Sci. 73 : 513-531.
- Hale, O.M., and Southwell, B.L. 1967. Difference in swine performance and carcass characteristics because of dietary protein level, sex and breed. J. Anim. Sci. 26 : 341-344.
- Harville, D.A. 1977. Maximum likelihood approaches to variance component estimation and to related problems. J. Amer. Stat. Assoc. 72 : 320-340, Cited by K.G. Boldman, L.A. Kriese, L.D. Van Vleck, and S.D. Kachman. A manual for use of MTDFREML (draft). Clay Center, Nebraska : USDA-ARS, 1993.
- Hemsworth, P.H., Barnett, J.L., Hansen, C., and Winfield, C.G. 1986. Effect of social environment on welfare status and sexual behaviour in female pigs. 2. Effect of space allowance. Appl. Anim. Behav. Sci. 16 : 259-267.
- Henderson, C.R. 1949. Estimates of changes in herd environment. J. Dairy Sci. 32 : 706-714.
- _____. 1953. Estimation of variance and covariance components. Biometrics 9 : 226-252.
- _____. 1973. Sire evaluation and genetic trends. In Proceeding of the Animal Breeding and Genetics Symposium in Honour of Dr. Jay L. Lush, pp. 10-41. Champaign, Illinois : ASAS and ADSA.

- _____. 1975. Rapid method for computing the inverse of a relationship matrix. J. Dairy Sci. 58 : 1727-1730.
- _____. 1976. A simple method for computing the inverse of a numerator relationship matrix used in prediction of breeding values. Biometrics 32 : 69-83.
- _____. 1980. A simple method for unbiased estimation of variance components in the mixed model. 72nd Annu. Mtg. Am. Soc. Anim. Sci. Cornell University, Ithaca, NY. Cited by G.F.S. Hudson and L.D. van Vleck. Estimation of components of variance by method 3 and Henderson's new method. J. Dairy Sci. 65 : 435-441, 1981.
- _____. 1984a. Applications of linear models in animal breeding. Ontario, Canada : University of Guelph.
- _____. 1984b. Estimation of variances and covariances under multiple trait models. J. Dairy Sci. 67 : 1581-1589.
- _____, Kempton, R.A., Searle, S.R., and von Krosigk, C.M. 1959. The estimation of environmental and genetic trends from records subject to culling. Biometrics 15 : 192-218.
- _____, and Quaas, R.L. 1976. Multiple trait evaluation using relatives' records. J. Anim. Sci. 43 : 1188-1197.
- Hughes, P.E. 1982. Factors affecting the natural attainment of puberty in the gilt. In D.J.A. Cole and G.R. Foxcroft (eds.), Control of pig reproduction, pp. 117-138. London : Butterworths.
- Hurtgen, J.P., and Leman, A.D. 1980. Seasonal influence on the fertility of sows and gilts. J. Anim. Vet. Med. Assoc. 77 : 631-635.

- Hutchens, L.K., Hintz, R.L., and Johnson, R.K. 1981. Genetic and phenotypic relationships between pubertal and growth characteristics of gilts. J. Anim. Sci. 53 : 946-951.
- Ingram, D.L., and Dauncey, M.J. 1986. Environmental effects on growth and development. In P.J. Buttery, D.B. Lindsay, and N.B. Haymes (eds.) , Control and manipulation of animal growth , pp. 5-20. London : Butterworth.
- Kaplon, M.J., Rothschild, M.F., Berger, P.J., and Healey, M. 1991. Genetic and phenotypic trends in polish large white nucleus swine herds. J. Anim. Sci. 69 : 551-558.
- Keele, J.W., Long, T.E., and Johnson, R.K. 1991. Comparison of methods of estimating variance components in pigs. J. Anim. Sci. 69 : 1428-1434.
- Kennedy, B.W. 1984. Between and within litter variation , sex effects and trends in sire and dam transmitting abilities of performance tested pigs in Ontario. J. Anim. Sci. 59 : 338-345.
- _____. 1987. Genetic evaluation of swine using the animal model. In 38th Annual Meeting of the European Association for Animal Production, Sept. 28 - Oct. 1, pp. 1-13. Lisbon, Portugal.
- _____. 1988. Estimated breeding values : A tool for genetic improvement of swine. Ministry of agriculture and food, Ontario. No. 88-014.
- _____. 1989a. Animal model blup. Guelph, Canada : University of Guelph.
- _____. 1989b. Linear models for animal breeding. Guelph, Canada : University of Guelph.

- _____, Johansson, K., and Hudson, G.F.S. 1985. Heritabilities and genetic correlations for backfat and age at 90 kg in performance- tested pigs. J. Anim. Sci. 61 : 78-82.
- Kirkwood, R.N., and Aherne, F.X. 1985. Energy intake , body composition and reproductive performance of the gilt. J. Anim. Sci. 60 : 1518-1529.
- Knott, R.E., England, D.C., and Kennick, W.H. 1984. Estrus, ovulation, conception and embryo survival in confinement managed gilts of three weight groups. J. Anim. Sci. 58 : 281- 284.
- Kuhlers, D.L., and Jungst, S.B. 1982. Estimates of heritability and genetic correlations of growth and backfat for pigs tested to 105 and 135 kg. J. Anim. Sci. 55 (Suppl 1) : Abstract No. 82.
- _____, and Jungst, S.B. 1983. Estimates of genetic parameter for growth ratio and backfat thickness of swine tested to 105 and 135 kg. J. Anim. Sci. 57 : 879-887.
- Kuhn, M.T., Boettcher, P.J., Moeller, S.J., Wilson, D.E., and Freeman, A.E. 1994. A Comparison of biases and sampling variances of restricted maximum likelihood estimators of variance components under sire and animal models. J. Anim. Sci. 72 (Suppl.1) : Abstract No. 214.
- Lamberson, W.R., Johnson, R.K., and Zimmerman, D.R. 1985. Response to selection for reproductive trait in swine. Abstracts of the Second International Congress on Pig Reproduction. pp. 49.
- _____, Johnson, R.K., Zimmerman, D.R., and Long, T.E. 1991. Direct responses to selection for increased litter size , decreased age at puberty

- or random selection following selection for ovulation rate in swine.
J. Anim. Sci. 69 : 3129-3143.
- Legault, C., and Gruand, J. 1981. Additive and nonadditive effect of genes on age and weight at puberty, ovulation rate and embryonic mortality in gilts. Journ. Rech. Porcine en France 13 : 247.
- Leigh, K. 1994. US pigmeat production : on the upswing. Pig breeding-production-marketing 10 : 23.
- Li, X., and Kennedy, B.W. 1994. Comparison of genetic parameter estimates for growth rate and backfat from single and multiple trait models with and without genetic groups. Proceedings of the 6th World Congress on Genetics Applied to Livestock Production, pp. 418-421. August 7-12, Ontario, Canada : University of Guelph.
- Liu, Y. 1993. User manual for AUS software. New York : Animal Ultrasound Services, Inc.
- _____, and Stouffer, J.R. 1995. Pork carcass evaluation with an automated and computerized ultrasonic system. J. Anim. Sci. 73 : 29-38.
- Lo, L.L., McLaren, D.G., McKeith, F.K., Fernando, R.L., and Novakofski, J. 1992. Genetic analyses of growth , real-time ultrasound, carcass, and pork quality traits in Duroc and Landrace pigs : II. Heritabilities and correlations. J. Anim. Sci. 70 : 2387-2396.
- Long, T. 1992. Genetic evaluation in the pig industry. In K. Hammond, H.-G. Graser, and A. McDonald (eds.), Animal breeding. The modern approach, pp. 103-110. Australia : Post Graduate Foundation in Veterinary Science Univ. of Sydney.

- Luscombe, J. 1970. Pig husbandry. Luton : The Leagrave press.
- MacPherson, R.M., Hovell, F.D.DeB., and Jones, A.S. 1977. Performance of sows first mated at puberty or second or third oestrus, and carcass assessment of once-bred gilts. Anim. Prod. 24 : 333-342.
- Mavrogenis, A.P., and Robison, O.W. 1976. Factors affecting puberty in swine. J. Anim. Sci. 42 : 1251-1255.
- Meyer, K. 1991. DFREML Programs to estimate variance components by restricted maximum likelihood. User notes. Edinburgh : University of Edinburgh.
- Newell, J.A., and Bowland, J.P. 1972. Performance, carcass composition and fat composition of boars, gilts and barrows fed two levels of protein. Can. J. Anim. Sci. 52 : 543-551.
- O'Bannon, R.H., Wallace, H.D., Warnick, A.C., and Conbs, G.E. 1966. Influence of energy intake on reproductive performance of gilts. J. Anim. Sci. 25 : 706-710.
- Pay, M.G., and Davies, T.E. 1973. Growth, feed conversion and carcass characteristics in castrated and entire male pigs fed three different dietary protein levels. J. Agri. Sci. 81 : 65-68.
- Peterson, A.M., and Lindsay, D.R. 1981. Induction of puberty in gilts. 2. The effect of boar on maintenance of cyclic activity in gilts induced to ovulate with pregnant mare's serum gonadotrophin and human chorionic gonadotrophin. Anim. Prod. 32 : 51-54.
- Prescott, J.H.D., and Lamming, G.E. 1967. The influence of castration on the growth of male pig in relation to high levels of dietary protein. Anim. Prod. 9 : 535-545.

- Pumfrey, R.A., Cunningham, P.J., and Zimmerman, D.R. 1975. Heritabilities of swine reproductive and performance traits. J. Anim. Sci. 41 : Abstract No. 66.
- Quaas, R.L., Anderson, R.D., and Gilmour, A.R. 1984. BLUP school handbook. Australia : University of new England.
- _____, and Pollak, E.J. 1980. Mixed model methodology for farm and ranch beef cattle testing programs. J. Anim. Sci. 51 : 1277-1287.
- Quiniou, N., and Noblet, J. 1995. Prediction of tissular body composition from protein and lipid deposition in growing pigs. J. Anim. Sci. 73 : 1567-1575.
- Reutzel, L.F., and Sumption, L.J. 1968. Genetic and phenotypic relationships involving age at puberty and growth rate of gilts. J. Anim. Sci. 27 : 27-30.
- Roche, J.F., and Quirke, J.F. 1986. The effects of hormones and xenobiotics on growth of farm animals. In P.J. Buttery, D.B. Lindsay, and N.B. Haymes (eds.) , Control and manipulation of animal growth , pp. 39-51. London : Butterworth.
- Rozeboom, D.W., Pettigrew, J.E., Moser, R.L., Cornelius, S.G., and Kandulgy, S.M. 1995. Body composition of gilt at puberty. J. Anim. Sci. 73 : 2524-2531.
- Rydhmer, L., Eliasson, L., Stern, S., Andersson, K., and Einarsson, S. 1989. Effecting of piglet weight and fraternity size on performance, puberty and farrowing results. Acta Agri Scand. 39 : 397-406.
- _____, Eliasson-Selling, L., Johansson, K., Stern, S., and Andersson, K. 1994. A genetic study of estrus symptoms at puberty and their relationship to growth and leanness in gilts. J. Anim. Sci. 72 : 1964-1970.

- _____, Sternig, M., and Andersson, K. 1990. Genetic and phenotypic relationships between production and reproduction in pigs. In K. Andersson (ed.), Alternative agricultural production forms-consequences of single trait selection in pigs, pp. 21-23. Report to SJFR, October 1, 1990, n.p.
- SAS/STAT Guide for personal computers, version 6.04 Edition. 1985. Cary, N.C. : SAS Institute Inc.
- Schaeffer, L.R. 1992. Linear models in animal breeding. Ontario, Canada : University of Guelph.
- Schneeberger, M. 1992. The alternative evaluation procedures. In K. Hammond, H.-G. Graser, and A. McDonald (eds.), Animal breeding. The modern approach, pp. 57-70. Australia : Post Graduate Foundation in Veterinary Science Univ. of Sydney.
- Schneider, J.F., Christian, L.L., and Kuhlers, D.L. 1982. Crossbreeding in swine : Genetic effects on pig growth and carcass merit. J. Anim. Sci. 54 : 747-756.
- Searle, S.R. 1979. Notes on variance component estimation : A detailed account of maximum likelihood and kindred methodology. paper BU-673-M, Biometrics Unit, Cornell Univ. Cited by K.G. Boldman, L.A. Kriese, L.D. Van Vleck, and S.D. Kachman. A manual for use of MTDFREML (draft). Clay Center, Nebraska : USDA-ARS, 1993.
- _____. 1987. Linear models for unbalanced data. New York : John Wiley & Sons.
- Seerley, R.W., McDaniel, M.C., and McCampbell, H.C. 1978. Environment influence on utilization of energy in swine diets. J. Anim. Sci. 47 : 427-434.

- Simpson, S.P., Webb, A.J., and Dick, S. 1987. Evaluation of large white and duroc boars as terminal sires under two different feeding regimes. Anim. Prod. 45 : 111-116.
- Sorensen, D.A., and Johansson, K. 1992. Estimation of direct and correlated responses to selection using univariate animal models. J. Anim. Sci. 70 : 2038-2044.
- _____. and Kennedy, B.W. 1984. Estimation of genetic variances from unselected and selected populations. J. Anim. Sci. 59 : 1213-1223.
- Stewart, Y.S., and Schinckel, A.P. 1991. Genetic parameters for swine growth and carcass traits. In L.D. Young (ed.), Genetic of swine, pp. 77-79. Nebraska : USDA-ARS-USMARC.
- Swiger, L.A., Harvey, W.R., Everson, D.O., and Gregory, K.E. 1964. The variance of intraclass correlation involving groups with one observation. Biometrics 20 : 818-826.
- Wagner, G.R., Clark, A.J., Hays, V.W., and Speer, V.C. 1963. Effect of protein-energy relationships on the performance and carcass quality of growing swine. J. Anim. Sci. 20 : 202-208.
- Walker, N., Kilpatrick, D.J., and Courtney, D.J. 1989. The effect of conception in gilts at puberty or second oestrus on reproductive performance over two parities. Irish Journal of Agricultural Research 28 : 115-121.
- Watkin, L.A., Swiger, L.A., and Mahan, D.C. 1977. Effects and interaction of breed group, sex and protein level on performance of swine. J. Anim. Sci. 48 : 383-388.

- White, B.R., Lan, Y.H., McKeith, F.K., Novakofski, J., Wheeler, M.B., and McLaren, D.G. 1995. Growth and body composition of Meishan and Yorkshire barrows and gilts. J. Anim. Sci. 73 : 738-749.
- Wong, W.C., Baylan, W.J., and Stothers, S.C. 1968. Effects of dietary protein level and sex on swine performance and carcass traits. Can. J. Anim. Sci. 48 : 383-388.
- Wright, S. 1922. Coefficients of inbreeding and relationship. Amer. Nat. 56 : 330-338, Cited by C.R. Henderson. A simple method for computing the inverse of a numerator relationship matrix used in prediction of breeding values. Biometrics 32 : 69-83, 1976.
- _____. 1922. Coefficients of inbreeding and relationship. Amer. Nat. 56 : 330-338, Cited by R.L. Quaes, R.D. Anderson, and A.R. Gilmour. BLUP school handbook. Australia : University of new England, 1984.
- Young, L.D., Pumfrey, R.A., Cunningham, P.J., and Zimmerman, D.R. 1978. Heritabilities and genetic and phenotypic correlations for prebreeding traits, reproductive traits and principal components. J. Anim. Sci. 48 : 937-949.
- Young, L.G., and King, G.J. 1981. Reproductive performance of gilts bred on first versus third estrus. J. Anim. Sci. 53 : 19-25.
- _____, King, G.J., Walton, J.S., McMillan, I., and Klevorick, M. 1990. Reproductive performance over four parities of gilt stimulated to early estrus and mated at first, second or third observed estrus. Can. J. Anim. Sci. 70 : 483-492.

ประวัติผู้เชี่ยว

นาง นลินี อิ่มบุญญา เกิดวันที่ 10 มีนาคม 2506 ที่อำเภอเมือง จังหวัดยะลา
สำเร็จการศึกษาปริญญาตรีวิทยาศาสตรบัณฑิต (เกียรตินิยมอันดับสอง) สาขาวิชาสัตวบาล
คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์ ในปีการศึกษา 2527 หลังจากสำเร็จการศึกษา
ได้เข้าทำงานกับบริษัทในเครือบริษัทเจริญโภคภัณฑ์ เป็นระยะเวลา 8 ปี มีประสบการณ์ในการเลี้ยงและจัดการฟาร์มสุกร โดยเฉพาะการดูแลแม่สุกรก่อนคลอดและแม่สุกรเลี้ยงลูก
ต่อมาได้เข้าศึกษาต่อในระดับปริญญาโท สาขาวิชาการปรับปรุงพันธุ์สัตว์ ภาควิชาสัตวบาล
คณะสัตวแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย เมื่อ พ.ศ. 2537



สถาบันวิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย