

REFERENCES

- Afzal M, Ali M, Hassan RAH, Sweedan N, Dhami MSI. Identification of some prostanoids in Aloe vera extract. **Planta Med** 1991; 57:38-40.
- Alexander JW. Mechanism of immunologic suppression in burn injury. **J Trauma** 1990; 30: 70-75.
- Alison MR. The response to injury: Repair and regenerative response. In McGee J. O' D, Isaacson, P.G, Wrigth NA (Eds), Oxford Textbook of pathology, vol. 1. **Principles of Pathology**. Oxford University Pres, London.
- Arturson G. Microvascular permeability of macromolecules in thermal injury. **Acta Physiol Scand** 1979; 463: (suppl), 111.
- Arturson G. Pathophysiology of the burn wound and pharmacological treatment. The Rudi Hermans lecture, 1995. **Burns** 1996; 22:255-274.
- Arturson G. Pathophysiological aspects of the burn syndrome with special reference to liver injury and alterations of capillary permeability. **Acta Chir Scand (suppl)** 1961; 274: 55.
- Arturson G. Possible involvement of arachidonic acid metabolites in thermal. In : Dolecet R., Brizio- Molteni L., Traber D,eds. Endocrinology of thermal trauma: pathophysiologic mechanisms and clinical interpretation. **Philadelphia**: Lae& Febiger 1990; p 2338.

Arturson G., Mellander S. Acute changes in capillary filtration and diffusion in experimental burn injury. **Acta Physiol Scand** 1964; 62: 457.

Azghani AO, Williams I, Holiday DB, Johnson AR, Abta-like amannan inhibits adherence of *Pseudomonas aeruginosa* to human epithelial cells. **Glycobiology** ;5:39-44.

Barlow YT. Lymphocytes and immunosuppression in the burned patient: a review. **Burns** 1994; 20:487.

Bellomo R. The cytokine network in the critically ill. **Anaesth Intens Care** 1992; 20: 288.

Beutler B, Cerami A. Cachectin: more than a tumor necrosis factor. **N Engl J Med** 1987; 316: 379-385.

Blumenfeld I., Ullamnn Y., Laufer D., Livne E., Enhancement of burn healing growth factors and IL-8. **Annals of Burns and Fire Disasters** 2000;8:4.

Bouchey GD, Gjerstad G. Chemical studies of Aloe vera juice. **Quart J Crude Drug Res** 1969; 9: 1145-1153.

Boykin JV, Eriksson E, Pittman RN. In vivo microcirculation of a scald burn and the progression of post-burn dermal ischemia. **Plast Reconstr Surg** 1980; 66(2): 191.

Brasher WJ, Zimmerman ER, Collings CK. The effect of prednisolone, indomethacin & Aloe vera gel on tissue culture cells. **Os Om Op** 1969; 27:122.

Bunyapraphatsara N, Jirakulcaiwong S, Thrirawarapan S, Manonukul J.

The efficacy of Aloe vera cream in the treatment of first, second and third degree burns in mice. **Phytomedicine** 1996; 2: 247-251.

Byeon S, Pelley R, Ullrich S, Waller T, Bucana C, Strickland R. Aloe

Barbadensis extracts reduce the production of interleukin-10 after exposure to ultraviolet radiation. **J Invest Dermatol** 1998; 110: 811-817.

Capasso F, Mas colo N, Autore G, Duraccio MR. Effect of indomethacin on aloin and 1,8 dioxanthraquinone induced production of prostagladins in rat isolated colon. **Prostagladins** 1983; 26: 557-562.

Cera LM, Heggers JP, Robson MC. The therapeutic efficacy of Aloe vera cream (Dermaide Aloe[®]) in thermal injuries: Two case reports. **J Am Animal Hosp Assoc** 1980; 16: 768-772.

Chauhan O, Godhwani JL, Khanna NK, Pendse VK. Antiinflammatory activity of Muktashukti bhasma. **Indian J Exp Biol** 1998; 36: 985-989.

Chong K, Seong S, Young K, Ro S, Myung H. Prevention of ultraviolet radiation-induced suppression of accessory cell function of Langerhans cells by Aloe vera. **Immunopharmacology** 1997; 37: 153-162.

Coats BC, A modern study of aloe vera. **The silent healer, Garlan, TX**, 1979.

Cole HN, Chen KK. Aloe vera in oriental dermatology. **Arch Dermatol Syph** 1943; 47.

Crosswhite, F.S, Crosswhite, C.D. Aloe vera, plant symbolism and the threshing floor. **Desert plants** 1984; 6:43-59.

Damas P, Reuter A., Gysen P, et al. Tumor necrosis factor and interleukin-1 serum levels during severe sepsis in humans. **Crit Care Med** 1989; 17: 975.

Danof IE. Remarkable aloe. **Omnimedicus Press, Grand Prairie, TX**, 1987.

Davis R. Topical effect of aloe with ribonucleic acid and vitamin C on adjuvant arthritis. **J Am Pod Med Assoc** 1985; 76: 61-66.

Davis RH, DiDonato JI, Johnson RWS, Stewart CB. Aloe vera hydrocortisone and sterol influence on wound tensile strength and antiinflammation. **JAPMA** 1994; 84: 614-621.

Davis RH, Leitner MG, Russo JM. Aloe vera : A natural approach for treating wounds, edema and pain in diabetes. **JAPMA** 1988; 78: 60-68.

Davis RH, Leitner MG, Russo JM. Topical anti-inflammatory activity of Aloe vera measured by ear swelling. **J Am Podiatr Med Assoc** 1987;77: 610-612.

Davis RH, Rosenthal KY, Cesario LR, Rouw GA. Processed aloe vera administered topically inhibits inflammation. **J Am Podiatr Med Assoc** 1989; 79: 395-397.

Davis RH, Paeker WL, Samson RT, Murdonch. Isolation of a stimulatory system in aloe extract. **JAPMA** 1991; 81: 473-478.

De Bandt JP, Chollet- Martin S, Hernvann A et al. Cytokine response to Burn injury: relationship with protein metabolism. **J Trauma** 1994; 36: 624-628.

Deitch E, Lu Q, Xu Da-Znong et al. Effects of local and systemic burn microenvironment on neutrophil activation as assessed by complement receptor expression and morphology. **J Trauma** 1990;30:259.

Deitch EA, Wheelahan TM, Rose MP, Clothier J and Cotter J. Hypertrophic burn scars: Analysis of variables. **J trauma** 1983; 23(10): 895.

DelBeccaro EJ, Robson MC, Heggers JP. The use of specific thromboxane inhibitors to preserve the dermal microcirculation after burning. **Surgery** 1980; 87: 137-141.

Drost AC, Burleson DG, Cioffi WG, Jardan BS, Mason AD, Pruitt BA. Plasma cytokines following thermal injury and their relationship with patient mortality, burn size and time postburn. **J Trauma** 1993; 35: 335-339.

Drost AC, Burleson DG, Cioffi WG, Mason AD, Pruitt BA. Plasma cytokines following thermal injury and their relationship to infection. **Ann Surg** 1993; 218: 74-78.

Duke JA. **Green Pharmacy**. Emmaus, PA: Rodale Press, 1997: 507.

Engel E, Erlick N, Davis R. Diabetes mellitus: impaired wound healing from zinc deficiency. **JAPA** 1981; 71: 536.

Forrestar JV, Lackie JM. Effect of hyaluronic acid on neutrophil adhesion. **Journal of cell Science** 1981; 50: 329-344.

Forrester JV, Wilkinson PC. Inhibition of leukocyte locomotion by hyaluronic acid. **Journal of Cell Science** 1981; 48: 315-331.

Fujita K, Ito S, Teradaira R, Beppu H. Properties of a carboxy peptidase from aloe. **Biochem Pharmacol** 1979; 28: 1261-1262.

Fujita K, Shosuke I. Bradykininase activity of aloe extract. **Biochem Pharmacol** 1976; 25: 205.

Gallo RL, Bernfield M. Proteoglycans and their role in wound repair. In: Clark, R.A.F. (Ed). **The Molecular and Cellular Biology of Wound Repair 1996**, 2rd ed. Plenum , New York.

Gauldie J, Richarads C, Harnish D, Landorp P, Baumann H. Interferon β 2/ B-cell stimulatory factor type 2 shares identity with monocyte- derived hepatocyte-stimulating factor and regulates the major acute phase protein response in liver cells. **Proc Natl Acad Sci USA** 1987; 84: 7251-7255.

Gjerstad G. Chemical studies of Aloe vera juice-I: Amino acid analysis. **Advanc Front Plant Sci** 1971; 28: 311-315.

Gottshall RY, Lucas EH, Lickfeldt A, Roberts JM. The occurrence of antibacterial substances active against Mycobacterium tuberculosis in seed plants. **Journal of Clinical Investigation** 1949; 28: 920-923.

Gowda DC, Neclididdauah B, Anyaneyalu V. Structural studies of polysaccharides from Aloe vera. **Carbohydr Res** 1979; 79:201.

Grindlay D, Reynolds T. The Aloe vera phenomenon: A review of the properties and modern uses of the leaf parenchyma gel. **J Ethnopharmacol** 1986; 16: 117-151.

Guo Y, Dickerson C, Chrest FJ et al. Increased levels of circulating interleukin -6 in burn patients. **Clin Immunol Immunopathol** 1990; 54: 361.

Harlan JM. Consequence of leukocyte-vessel wall interaction in inflammatory and immune reaction. **Semin Thromb Hemost** 1987; 13(4): 434.

Harlan JM. Neutrophil mediated vascular injury. **Acta Chir Scand Suppl** 1987; 75: 123-129.

Heck E, Head M, Nowak D, Helm P, Baxter C. Aloe vera (gel) cream as a topical treatment for outpatient burns. **Burns** 1981;7: 291-294.

Heggers JP, Pelley RP, Robson MC. Beneficial effects of aloe in wound healing. **J Ethanopharmacol** 1993; 7: 48-52.

Heggers JP, Robson MC. Prostanoid derivaties and their influence on thermal injury. The bulletin and clinical review of burn injuries. **VI th International Congress of burn injuries, San Francisco, CA,** September 1982.

Heggers JP, Robson MC. Prostagladind and thromboxanes. In: Ninnermann JL. Ed. Traumatic injury. Infection and other immunological Sequelae. **Baltimore, University, Park Press, 1983;** 79-102.

Hegger JP, Robson MC, Zachary LS. Thromboxanes inhibitors for the Prevention of progressive dermal ischemia due to the thermal injury. **J Burn care Rehab** 1985;6:466-468.

Hegger SF, Brown GS, Kelsey LS, Yates KM, Rosenberg LJ, Talmadge JE. Hematopoietic augmentation by a beta-(1,4)-liked mannan. **Cancer Immunol Immunother** 1996;43:195-205.

Hegger SF, Brown GS, Kelsey LS, Yates KM, Rosenberg LJ, Talmadge JE. Studies on optimal dose and administration schedule of a hematopoietic stimulatory beta-(1,4)-like mannan. **Int J Immunopharmacol** 1996; 18: 113-126.

Henley D, Solomon W, Saffran. The evaluation of natural substances in the treatment of adjuvant arthritic. **JAPMA** 1982; 72:275.

Henry R. An updated review of aloe vera. **Cosmetics and Toiletries** 1979; 94: 42-50.

Hirata T, Suga T. Biologically active constituents of leaves and roots of aloe arborescens var. natalensis. **Zeitschrift Fur Naturforschung** 1977; 32: 731-734.

Hlein AD, Penneys NS. Aloe vera. **J Am Acad Dermatol** 1988; 18: 714-720.

Hutter JA, Salman M, Stavinoha WB, Satsangi N, Willinas RF, Streper RT, et al. Antiinflammatory C-glucosyl chromone from aloe barbadensis. **J Nat Prod** 1996; 59: 541-543.

Jackson D, Mac G. The William Gissane Lecture 1982. The burn wound: its Character, closure and complications. **Burns** 1983;10:1.

Jackson DM. The diagnosis of the depth of burning. **Br J Surg** 1953; 40: 588-593.

Kahlon JB, Kemp MC, Carpenter RH, McAnalley BH, McDaniel HR, Shannon WM. Inhibition of AIDS virus replication by acemannan in vitro. **Mol Biother** 1991; 3: 127-135.

Kahlon JB, Kemp MC, Yawei N, Carpenter RH, Shannon WM, MacAnalley BH. In vitro evaluation of the synergistic antiviral effects of acemannan in combination with azidothymidine and acyclovir. **Mol biother** 1991; 3: 214-223.

Kaufman T, Newman AR, Wexler MR. Aloe vera and burn wound healing. **Plastic and Reconstructive Surgery** 1989; 83: 1075-1076.

Kawai K, Beppur H, Shimpo K, et al. In vivo effects of Aloe arborescens Miller Var. Natalensis Berger on experimental tinea pedis in guinea pig feet. **Phytotherapy Research** 1998; 12: 178-182.

Klebanoff SI, Vadas MA, Harlan JM. et al. Stimulation of neutrophils by tumor necrosis factor. **J Immunol** 1986; 136: 4220.

Klein AD, Penneys NS. Aloe vera. **J Am Acad Dermatol** 1988; 18; 714-720.

Kojima T, Shworak NW, Rosenberg RD. Molecular cloning and expression of two distinct DNA-encoding heparon sulfate proteoglycan core proteins from a rat endothelial cell line. **Journal of Biological Chemistry** 1992; 267: 4870-4877.

Leung AY. Aloe vera in cosmetics. **Excelsa** 1978; 8: 65-68.

Lorenzetti L, Salisbury R, Beal J, Baldwin J. Bacteriostatic property of Aloe vera. **J Pharmacal Sci** 1964; 53: 1287.

Lowey SF. Cytokine mediators of immunity and inflammation. **Arch Surg** 1993; 128:1235.

Lui X-S, Luo Z-H, Yang Z-C et al., The significance of changes of serum tumor Necrosis factor (TNF) activity in severely burned patients. **Burns** 1993; 20:40.

Lie X-S, Yang Z-C, Luo Z-H et al. A preliminary exploration of the relationship between tumor necrosis factor (TNF) and monocytic in vitro production of interleukin-1 (IL-1) and internal organ dysfunction in severely burned patients. **Burns** 1995; 21-29.

Lund T, Onarheim G, Wiig H. et al. Mechanisms behind the increased dermal inhibition pressure in active burn edema. **Acta J Physiol** 1989; 256: H940.

Luttherman A, Dacso CC, Curreri PW. Infections in burn patientsd. **Am J Med** 1986; 81: (suppl 1A),45.

MacCauley RL, Hing DN, Robson MC, Heggers JP. Frostbite injuries: A rational approach based on the pathophysiology. **Plast Reconstr Surg** 1993; 23: 143-147.

Macpherson G (Ed). Inflammation. **Block's Medical Dictionary, A&C Black, London**, 1992 p. 296.

McDaniel H, Carpenter R, Kemp M, Kahlon J, McAnalley B. Extended survival and prognostic criteria for Acemannan (ACE-M) treated HIV patients. **Antivir Res Suppl** 199; 1:117.

McKeown E. Aloe vera: The quest for the curative missing link. **D&CL** 1983; 30-34.

Miller MB, Koltai PJ. Treatment of experimental frostbite with pentoxifylline and Aloe vera cream. **Ear Nose Tough** 1995; 121: 678-680.

Moncada S, Higgs EA Vane JR. Human arterial and venous tissue generate prostacyclin, a potent inhibitor of platelet aggregation. **Lancet** 1977; 1: 18-21.

Montaner JS, Gill J, Singer J, et al. Double-blind placebo-controlled pilot trial of acemannan in advanced human immunodeficiency virus disease. **J Acquir Immune Defic Syndr Hum Retrovirol** 1996; 12: 153-157.

Montegut W, Lowry SF, Moldawer LL. Role of cytokines in septic shock and shock-related syndromes. In: Aggarwal BB, Puri RK, eds. **Human cytokines: their role in disease and therapy**. Cambridge, MA: **Blackwell Science** 1995; pp 381-389.

Mooney DP, Gamelli RL. Sepsis following thermal injury. **Comp Ther** 1989; 15: 22.

Morgan DO, Edman JC, Standing DN. Insulin like growth factor II receptor as a multifunctional binding protein. **Nature** 1987; 329:301.

Morton JF. Folk uses and commercial exploitation of Aloe leaf pulp. **Economic Botany** 1961; 15: 311-319.

Movat HZ, Cybulsky MI. Neutrophil emigration and microvascular injury. **Patho; Immunopathol Res** 1987; 6:153.

Mozingo PW, Pruitt Jr BA. Infections complications after burn injury. **Curr Opin Surg Infect** 1994; 2: 69.

Munster AM. The immunological response and strategies for intervention. In: Herdon D, editor. **Total burn care**, 2 nd ed. W.B. Sounders, 1996. p. 279-92.

Muraguchi, A Hirano T, Tang B , et al. The essential role of B cell stimulatory factor 2 (BSF-2/IL-6) for the terminal differentiation of B cells. **J Exp Med** 1988; 167: 332-344.

Needleman P, Roy M, Ferrendelli JA, Monkes M. Application of imidazole as a selective inhibitor of thromboxane synthase in human platelets. **Proc Nalt Acad Sci USA**. 1977; 74: 1716-20.

Nelson R, Hasslen S, Ahrenholz D. et al. Influence of minor thermal injury on expression of complement receptor CD3 on human neutrophils. **Am J Pathol** 1986; 125: 563.

Nozaki ML, Guest MM, Bond TP. et al. Permeability of blood vessels after thermal injury. **Burns** 1979;6:213.

Ono I, Gunji H, Zhang J-Z et al. A study of cytokine in burn blister fluid related to wound healing. **Burns** 1995; 21: 352.

Parkinson JF, Koyama T, Bang NY, Preissner KT Thrombomoduline: Anticoagulant cell surface proteoglycan with Physiologically relevant glycosaminoglycan moiety. **Advance in Experimental Medicine and Biology**, 1992; 313: 177-188.

Penneys NS. Inhibition of arachidonic acid oxidation in vitro by vehicle components. **Biochem Pharmacol** 1982; 62: 59-61.

Pruitt Jr BA, McManus AT. The changing epidemiology of infection in burn Patients. **World J Surg** 1992; 16: 57.

Raghow R. The role of extra cellular matrix in postinflammatory wound healing and fibrosis . **FASEB Journal** 1994; 8: 823-831.

Rebel BL. Possible mechanism of the healing actions of aloe gel.
Cosmeticsand Toiletries 1983; 98: 109-114.

Remp M, Kahlon J, Chinnah A et al. In vitro evaluation on the antiviral effects of acemannan on the replication and pathogenesis of HIV-1 and other enveloped viruses: modification of the processing of glycoprotein precursors. **Antiviral Res Suppl** 1990; 1:83.

Richards CD, Gauldie J. Role of cytokines in acute-phase response. In:
Aggrawal BB, Puri RK, eds. **Human Cytokines: their role in disease and therapy**. Cambridge, MA: Blackwell Science 1995; pp253-269.

Ro J, Lee B, Chung M, et al. The inhibitory mechanism of aloe glycoprotein (NY945) on the mediator release in the guinea pig lung mast cell activated with antigen-antibody complexes. **Korean J Physiol Pharmacol** 1998; 2: 119-131.

Robbins CK: Pathologic basic of disease. **W. B. Saunders company**. 1994: 51-92.

Robson MC, DelBeccaro EJ, Heggers JP. Increasing dermal perfusion after burning by decreasing thromboxane production. **Plast Reconstr Surg** 1980; 20: 722-725.

Robson MC, Heggers JP, Hangstrom WJ. Myth, magic, withchcraft or fact? Aloe vera revisited. **J Burn Care Rehabil** 1982;3: 157-163.

Robson MC, Murphy RC, Heggers JP. A new explanation for the progressive tissue loss in electrical injuries. **Plast Reconstr Surg** 1984; 73: 431-437.

Rodriguez- Bigas M, Cruz NI Suarez A. Comparative evaluation of Aloe vera in the management of burn wounds in guinea pigs. **Plast Reconstr Surg** 1986; 81: 386-389.

Roitt I, Brostoff J, Male D. **Immunology**, 3 rd edn. London: Mosby,1993.

Rowe TD, Parks LM. Phytochemical study of Aloe vera leaf. **J Am Pharm Ass** 1941; 30: 262-266.

Rubinstein A, Pierce C, Bloomearden Z. Rapid healing of diabetic foot ulcers with continuous subcutaneous insulin infusion. **Am J Med** 1983; 75: 161.

Schindler R, Mancilla J, Endres et al. Correlationd and interactions in the production of interleukin- 6 (IL-6) , Il-1 and tumor necrosis factor (TNF) in human blood mononuclear cells: IL-6 suppresses IL-1 and INF. **Blood** 1990; 75:40.

Schluter B, Konig B, Bergmann U et al. Interleukin 6- A potential mediator of lethal sepsis after major thermal trauma: evidence of increased IL-6 production by pheripheral blood mononuclear cells. **J Trauma** 1991; 31: 1663.

Shida T. Effect of aloe extract on pheripheral phagocytosis in adult bronchail asthama. **Planta Medica** 1985;51: 273-5.

Singer J, Gill J, Arseneau R, McLean B. A randomized, placebo- controlled trial of area acemannan as an adjunctive to antivetroviral therapy in advanced disease. **Int Conf ADIS** 1993; 9: 494.

Somboonwong J, Jariyapongskul A, Thanamittramanee S, Patumraj S. Therapeutic Effects of Aloe vera on cutaneous microcirculation and wound healing in second degree burn model in rats. **J Med Assoc Thai** 2000;83: 417-424.

Sparkers BG, Gyorkors JW, Gorzynsky RM, Brock AJ. Comparison of endotoxins and cutaneous burn toxin as immuno suppressants. **Burn** 1990; 16: 123-127.

Syed T, Afzal M, Ashfax A, Holt A, Ali A, Ahamed S. Management of genital herpes in men with 0.5% Aloe vera extract in a hydrophilic cream: a placebo-controlled double bind study. **Journal of Dematological Treatment** 1997; 8: 99-102.

Takai Y, Wong GG, Clark SC, Burakoff SJ, Herrmann SH. B cell stimulatory factor-2 is involved in the differentiation of cytotoxic T lymphocytes. **J Immunol** 1988; 140: 508-512.

Tracey KL, Beutler B, Lowey SF. et al. Shock and tissue injury induced by recombinant human cachectin. **Science** 1986; 234: 470-474.

Tyler V. The Honest Herbal: A sensible guide to the use of herbs and related Remedies, third edition. Binghamton, NY :**pharmaceuticals Press**; 1993.

Udupa S, Udupa A, Kulkarni D. Antiinflammatory and wound healing properties of Aloe vera. **Fitoterapia** 1994; 65: 141-145.

Vazquez B, Avila G, Segura D, Escalame B. Antiinflammatory activity of extracts from Aloe vera gel. **J Ethnopharmacol** 1996; 55:69-75.

Vindenes H, Bjerknes R. The frequency of bacteremia and fungemia following wound cleaning and excision in patients with large burn. **J Trauma** 1993; 35: 742.

Visuthikosol V, Sukwanarat Y, Chowchen B, Sriuratana S, Boonpuknavig V. **J Med Assoc Thai** 1995;75:403-408.

Von Andrian UH, Chambers JD, McEvoy LM. et al. Two-step model of leukocyte- endothelial cell interaction in inflammation: distinct roles of LECAM- I and the leukocyte β_2 integrins in vivo. **Proc Nat Acad Sci** 1991; 88: 7538.

Waller GR, Mangiafic S, Ritchey CR. A chemical investigation of Aloe barbadensis Miller. **Proceedings of the Oklahoma Academy of Science** 1978;58: 69-76.

Wang H, Chung J, Ho C, Wu L, Chang S. Aloe-emodin effects on arylamin N-acetyl transferase activity in the bacterium Helicobacter pylori. **Planta medica** 1998; 64: 176-178.

Weiss JJ. Tissue destruction by neutrophils. **N Engl J Med** 1989;320:365.

Winters W, Benavides R, Clouse WJ. Effect of aloe extracts on human normal and tumor cells *in vitro*. **Econ Bot** 1981;35: 89.

Xing Z, Gauldie J, Cox G, Baumann H, Jordana M, Lei ZF. And Achang MK. IL-6 is an antiinflammatory cytokine required for controlling local or systemic acute inflammatory responses. **J Clin Invest** 1998; 101: 311-320.

Yaki A, Harada N, Yamada H, Iwadare S, Nishioka I. Antib Bradykinin active marterial in aloe saponaria. **J Pharma Sci** 1982; 71: 1172-1174.

Yamamoto M, Sugiyama K, Yokota M, Maeda Y. Inhibitory effects of aloe extracts on antigen- and compound 48/80 induced histamine release from rat peritoneal mast cells. **Japanese Journal of Toxixology and Environmental Heath** 1993; 39: 395-400.

Yang X-D, Michie SA, Mebius RE, Tisch R, Weissman I, and MC Devitt HC. The role of cell adhesion molecules in the development of IDDM: Implication for pathogenesis and therapy. **Diabeties** 1996; 45: 705-710.

Youn YK, LaLonde C, Demling R. The role of mediators in the response to thermal injury. **World J Surg** 1992; 16: 30-36.

Zachary LS, Smith DJ, Heggers JP, Robson MC, Boertman JA, Niu X, et al. The role of thromboxane in experimental intravertent intra-arterial drug injection. **J Hand Surg** 1987;124: 240-245.

Zawacki BE. The natural history of reversible burn injury. **Surg Gynecol Obstet** 1974; 139: 867.

BIOGRAPHY

Miss Daranee Duansak was born on 30th July, 1977.

She graduated Bachelor of Science in Physical Therapy from Faculty of Health Science , Srinakarinwirot University in 1998.