

เอกสารอ้างอิง

- จำลอง เจตนะจิตร. 1973. แมลงที่เกี่ยวข้องกับงานกักกันพืช, Plant Quarantine Technical Training Manual แผนกตรวจและกักกันโรคพืช กองควบคุมพืชและวัสดุการเกษตร กรมวิชาการเกษตร., 158-160.
- ประชา บุญญศิริกุล และอรวิทย์ ไทรกี. 2519. อาหาร. กรุงเทพมหานคร: สมาคมคหเศรษฐศาสตร์แห่งประเทศไทย.
- ประสิทธิ์ รังสฤษฏ์กุล. 2516. การผลิตและการค้าถั่วเขียว. พระนคร: กรมเศรษฐกิจการพาณิชย์ กระทรวงพาณิชย์.
- ผล ผลบุญ และ W.W. Cantelo. 1965. A Host List of the Insects of Thailand. Bangkok : Thai-American Audiovisual Service.
- หอการค้าแห่งประเทศไทย, สภา. 2518. รายงานภาวะการค้าของประเทศไทยในระยะครึ่งปีแรกของปี 2518.
- Ahmad, M.R., and Ahmad, M. 1969. Evaluation of Losses Caused by Bruchids in Stored Pulses. Pak. J. Sci. Res., 21 (3/4):117-122.
- Applebaum, S.W. 1964. Physiological Aspects of Host Specificity in the Bruchidae - I. General Considerations of Developmental Compatibility. J. Insect Physiol., 10: 783-788.
- Arora, G.L., Pajni, H.R., and Singh, T. 1967. The Ambiguity of the Abnormal Male of Callosobruchus maculatus (F.) (Bruchidae: Coleoptera). Res. Bull. Panjab Univ., 18 (3/4): 501-503.
- Bawa, S.R., Kanwar, K.C., and Gupta, R.K. 1972. Interspecific Hybridization and the Abnormal Strain of Callosobruchus maculatus. (Coleoptera : Bruchidae). Ann. Entomol. Soc. Amer., 65(5): 1241-1242.

- Bliss, C.I., and Beard, R.L. 1954. The Growth of the Head Capsule in Individual Milkweed Bugs. Ann. Ent. Soc. Amer., 47(3) : 388-392.
- Booker, R.H. 1967. Observations on Three Bruchids Associated with Cowpea in Northern Nigeria. J. Stored Prod. Res., 3(1):1-15.
- Brower, J.H. 1973. Reproduction and Development of Twelve Species of Stored-product Insects on Kenaf Seed. Fla. Entomol., 56 (1): 49.
- Calderon, M., Navarro, S., and Donahaye, E. 1966. The Effect of Low Pressures on the Mortality of Six-stored Product Insect Species. J. Stored Prod. Res., 2(2): 135-140.
- Caswell, G.H. 1959. Observations on an Abnormal Form of Callosobruchus maculatus (F.). Bull. Ent. Res., 50:671-679.
- Center, T.D., and Johnson, C.D. 1974. Coevolution of Some Seed Beetles (Coleoptera: Bruchidae) and Their Hosts. Ecology, 55: 1096-1103.
- El Halfawy, M.A., Nakhla, J.M., and Isa, N.H. 1972. Effect of Food on the Fecundity, Longevity and Development of the Southern Cowpea Weevil, Callosobruchus maculatus F. Agric. Res. Rev. (Cairo), 50(1): 67-70.
- Engelmann, F. 1970. The Physiology of Insect Reproduction. Oxford: Pergamon Press. Inc.
- Food and Agriculture Organization of the United Nations, and U.S. Department of Health Education and Welfare. 1972. Food Composition Table for Use in East Asia. Washington D.C. : U.S. Government Printing Office.

- Fenton, F.A. 1952. Field Crop Insects. New York : The MacMillan Company.
- Gaines, J.C., and Campbell, F.L. 1935. Dyar's Rule as Related to the Number of Instars of the Corn Ear Worm, Heliothis obsoleta (Fab.), Collected in the Field. Ann. Ent. Soc. Amer., 28(4): 445-461.
- Ghent, A.W. 1956. Linear Increment in Width of the Head Capsule of Two Species of Sawflies. Can. Ent., 88: 17-23.
- Gokhale, V.G. 1973. Developmental Compatibility of Several Pulses in the Bruchidae - I : Growth and Development of Callosobruchus maculatus (Fabricius) on Host Seeds. Bull. Grain Technol., 11(1): 28-31.
- Gokhale, V.G., and Srivastava, B.K. 1969. Development of Callosobruchus maculatus F. on Autoclaved French Bean. Indian J. Entomol., 31: 71-72.
- Harman, D.M. 1970. Determination of Larval Instars of the White-pine Weevil by Head-capsule Measurements. Ann. Ent. Soc. Amer., 63(6): 1573-1575.
- Harries, F.H., and Henderson, C.F. 1938. Growth of Insects with Reference to Progression Factors for Successive Growth Stages. Ann. Ent. Soc. Amer., 31: 557-572.
- Hatch, M.H. 1971. The Beetles of the Pacific Northwest. Vol. 16. Seattle and London : University of Washington Press.
- Howe, R.W. 1975. The Estimation of Developmental Time by Probit Analysis. J. Stored Prod. Res., 11: 121-122.

- Howe, R.W., and Currie, J.E. 1964. Some Laboratory Observations on the Rates of Development, Mortality and Oviposition of Several Species of Bruchidae Breeding in Stored Pulses. Bull. Entomol. Res., 55: 437-477.
- Jacobson, M. 1972. Insect Sex Pheromones. New York : Academic Press, Inc.
- Kurtz, O.L., and Harris, K.L. \_\_\_\_\_, Micro-analytical Entomology for Food Sanitation Control. Washington D.C. : Association of Official Agricultural Chemists.
- Larson, A.O., and Fisher, C.K. 1938. The Bean Weevil and the Southern Cowpea Weevil in California. U.S. Dept. Agric. Tech. Bull., 593: 1-70.
- Ludwig, D., and Abercrombie, W.F. 1940. The Growth of the Head Capsule of the Japanese Beetle Larva. Ann. Ent. Soc. Amer., 33: 385-390.
- Menon, R., Beri, Y.P., and Kumar, S.S. 1961. On the Occurrence of Callosobruchus maculatus (Fabricius) (Coleoptera : Bruchidae) in Stored Pulses in Delhi. Indian J. Ent., 22: 58-60.
- Mookherjee, P.B., and Chawla, M.L. 1964. Effect of Temperature and Humidity on the Development of Callosobruchus maculatus Fab. a Serious Pest of Stored Pulses. Indian J. Entomol., 26(3): 345-351.
- Pajni, H.R. 1965. Metamorphosis of the Salivary Glands in Callosobruchus maculatus (F.) (Bruchidae : Coleoptera). Res. Bull. Panjab Univ., 16(3): 265-266.

- Peterson, A. 1964. Entomological Techniques. 10<sup>th</sup> ed. Michigan, Edwards Brothers, Inc.
- Peterson, A., and Haeussler, G.J. 1928. Some Observations on the Number of Larval Instars of the Oriental Peach Moth, Laspeyresia molesta Busck. J. Econ. Ent., 21: 843-852.
- Press, J.W., et al. 1972. Tricalcium Phosphate as an Additive to CSM and All-purpose Wheat Flour for Control of Insect Infestations. J. Econ. Ent., 65(1): 254-257.
- Raina, A.K. 1970. Callosobruchus spp. Infesting Stored Pulses (Grain Legumes) in India and a Comparative Study of Their Biology. Indian J. Entomol., 2(4): 303-310.
- Southgate, B.J. 1958. Systematic Notes on Species of Callosobruchus of Economic Importance. Bull. Ent. Res., 49: 591-599.
- Southgate, B.J., Howe, R.W., and Brett, G.A. 1957. The Specific Status of Callosobruchus maculatus (F.) and Callosobruchus analis (F.). Bull. Ent. Res., 48: 79-89.
- Su, H.C.F., Speirs, R.D., and Mahany, P.G. 1972. Citrus Oils as Protectants of Black-eyed Peas against Cowpea Weevils : Laboratory Evaluation. J. Econ. Ent., 65(5): 1433-1436.
- Taylor, T.A. 1974. Observations on the Effects of Initial Population Densities in Culture, and Humidity on the Production of "Active" Females of Callosobruchus maculatus (F.) (Coleoptera, Bruchidae). J. Stored Prod. Res., 10(2): 113-122.
- Umeya, K., and Shimizu, K. 1968. Studies on the Comparative Ecology of Bean Weevils : III Effect of Feeding on the Life

- Span and Oviposition of the Adult of Three Species of Bean Weevils. Res. Bull. Plant Protect. Serv. Jap., 5: 39-49.
- Utida, S. 1953. "Phase" Dimorphism Observed in the Laboratory Population of the Cowpea Weevil Callosobruchus quadrimaculatus. Jap. J. Appl. Zool., 18(4): 161-168.
- Utida, S. 1968. The Influence of the Parental Condition of the Production of the Winged Form in the Population of Callosobruchus maculatus. Jap. J. Ecol., 18(6): 246-249.
- Utida, S. 1969. Photoperiod as a Factor Inducing the Flight Form in the Population of Southern Cowpea Weevil, Callosobruchus maculatus. Jap. J. Appl. Ent. Zool., 13(3): 129-134.
- Utida, S. 1970. Secular Change of Percent Emergence of the Flight Form in the Population of Southern Cowpea Weevil, Callosobruchus maculatus. Jap. J. Appl. Ent. Zool., 14(2): 71-78.
- Utida, S. 1971. Influence of Temperature on the Number of Eggs, Mortality and Development of Several Species of Bruchid Infesting Stored Bean. Jap. J. Appl. Ent. Zool., 15(1): 23-30.
- Utida, S. 1972. Density Dependent Polymorphism in the Adult of Callosobruchus maculatus (Coleoptera, Bruchidae) J. Stored Prod. Res., 8(2): 111-126.
- Wardle, R.A. 1929. The Problems of Applied Entomology.  
Manchester : Manchester University Press.

ประวัติการศึกษา

นางสาว วชิโรบล รัตนสิงห์ วิทยาศาสตร์บัณฑิต (เกียรตินิยมอันดับสอง)  
จุฬาลงกรณ์มหาวิทยาลัย ปีการศึกษา 2515 ระหว่างการศึกษาปริญญาวิทยาศาสตรบัณฑิต ได้รับ  
ทุนการศึกษาจากโครงการพัฒนามหาวิทยาลัย สภาการศึกษาแห่งชาติ ระหว่างปี พ.ศ.  
2516 - 2518.

