

REFERENCES

- Adams, A.R.D. and Maegraith, B.G. (1953). Clinical Tropical Diseases. Blackwell Scientific Publications Oxford.
- Anderson, B., Belcher, E.H., Chanarin, I. and Mollin, D.L. (1960). The urinary and faecal excretion of radioactivity after oral doses of H³-folic acid. Brit. J. Haematol., 6 : 439.
- Badenoch, J., Evans, J.R. and Richards, W.C.D. (1957). The stomach in hypochromic anaemia. Brit. J. Haematol., 3 : 175.
- Baker, R., Herbert, V., Frank, O., Pasher, I., Hutner, S.H., Wasserman, L.R., and Sobotka, H. (1959). A microbiologic method for detecting folic acid deficiency in man. Clin. Chem., 5 : 275-280.
- British Pharmaceutical Codex (B.P.C.) 1973. edited by the Council of the Pharmaceutical Society of Great Britain. (1972-1973).
- Castle, W.B. (1951). Pernicious anaemia. Ann. Int. Med., 34 : 1093.
- Chanarin, I. (1969). The Megaloblastic Anaemias. Blackwell Scientific Publications Oxford and Edinburgh.
- Chanarin, I., Dacie, J.V. and Mollin, D.L. (1959). Folic acid deficiency in haemolytic anaemia. Brit. J. Haematol., 5 : 245-256.
- Cooper, B.A., and Lowenstein, L. (1964). Relative folate

- deficiency of erythrocytes in pernicious anaemia and its correction with cyanocobalamin. Blood., 24 : 503.
- Cooperman, J.M., Luhby, A.L. and Avery, C.M. (1960). Serum folic acid activity by improved *L. casei* assay. Proc. Soc. exp. Biol. Med., 104 : 536.
- Davidson, S. (1958). The Principles and Practice of Medicine. 4th ed., E. & S. Livingstone LTD. Edinburg & London.
- Davidson, W.M.B. and Markson, J.L. (1955). The gastric mucosa in iron-deficiency anaemia. Lancet., 2 : 639.
- Davis, R.E. and Kelly, A. (1962). The microbiological assay of serum folic acid activity. Aust. J. exp. Biol. Med. Sci., 40 : 437.
- Floch, M.H. and Thanassan, R.W. (1963). Gastritis in hook-worm disease. Amer. J. Dig. Dis., 8 : 128.
- Foster, A.O. and Landsberg, J.W. (1934). The nature and cause of hookworm anaemia. Amer. J. Hyg., 20 : 259.
- Giles, C. (1966). An account of 335 cases of megaloblastic anaemia of pregnancy and puerperium. J. Clin. Path., 19 : 1.
- Grossowicz, N., Mandelbaum-Shavit, F., Davidoff, R. and Aronovitch, J. (1962). Microbiologic determination of folic acid derivatives in blood. Blood, 20 : 609.
- Grzesiukowicz, H., Jennison, R.F. and Gowenlock, A.H. (1965). Enzymatic release of folate activity from the red cells in megaloblastic anaemia of pregnancy. J. Clin. Path., 18 : 599.

Halsted, C.H., Griggs, R.C. and Harris, J.W. (1967). The effect of alcoholism on the absorption of folic acid (H^3 -PGA) evaluated by plasma levels and urine excretion. J. Lab. Clin. Med., 69 : 116.

Hansen, H.A. and Weinfeld, A. (1962). Metabolic effects and diagnostic value of small doses of folic acid and B_{12} in megaloblastic anaemias. Acta Med. Scand., 72 fasc. 4 : 427.

Harinasuta, C. and Vajrasthira, S. (1960). Opisthorchiasis in Thailand. Ann. Trop. Med. Parasit., 54 : 100.

Harinasuta, C., Vajrasthira, S., Wykoff, D.E., Juttijudata, P. and Saovakontha, S. (1965). Studies on the life cycle, pathology and clinical aspects of the hepatic trematode *Opisthorchis viverrini*. Final Technical Report to US Army Medical Research and Development. Grant No. DA-MD-49-193-63-G96.

Herbert, V. (1966). Aseptic addition method for *Lactobacillus casei* assay of folate activity in human serum. J. Clin. Path., 19 : 12.

Hodes, P.J. and Keefer, G.F. (1945). Hookworm disease : a small intestinal study. Amer. J. Roentgen., 54 : 728.

Kause, G.R. and Crilly, J.A. (1943). Roentgenologic changes in the small intestine in the presence of hookworms. Amer. J. Roentgen., 49 : 719.

Kershaw, P.W. and Girdwood, R.H. (1964). Some investigations of folic acid deficiency. Scott. Med. J., 9 : 201.

- Kinner, D.G., Johns, D.G., MacIntosh, P.C., Burgen, A.S.V.
and Cameron, D.G. (1963). Intestinal absorption of
tritium-labelled folic acid in idiopathic steatorrhoea.
Can. Med. Ass. J., 89 : 975.
- Klipstein, F.A. (1963). The urinary excretion of orally
administered tritium-labelled folic acid as a test of
folic acid absorption. Blood., 21 : 626.
- Krantz, J.C. and Carr, C.J.Jr. (1967). Pharmacologic Principles of Medical Practice. 6th ed. The Williams & Wilkins Company Scientific Book Agency. p.731-732.
- Laurence, D.R. (1966). Clinical Pharmacology. 3rd ed.
J. & A. Churchill LTD. p.565-567.
- Layrisse, M., Blumenfeld, N., Carbonell, L., Desenne, J. and Roche, M. (1964). Intestinal absorption tests and biopsy of the jejunum in subjects with heavy hookworm infection. Amer. J. Trop. Med., 11 : 297.
- Layrisse, M., Blumenfeld, N., Dugarte, I., and Roche, M. (1959). Vitamin B₁₂ and folic acid metabolism in hookworm infected patients. Blood., 14 : 1269.
- Lindenbaum, J. and Klipstein, F.A. (1963). Folic acid deficiency in sickle-cell anaemia. New Eng. J. Med., 269 : 875-882.
- Magnus, E.M. (1967). Folate activity in serum and red cells of patients with cancer. Cancer Research., 27 : 490.
- Manson-Bahr, P.H. (1960). Manson's Tropical Diseases. 5th ed.
Cassell & Company LTD., Great Britain.

- Meyers, F.H., Jawetz, E. and Goldfien, A. (1972). Review of Medical Pharmacology. 3rd ed. p.439-441.
- Myatt, A.V., Hernandez, T. and Coatney, G.R. (1953). Studies in human malaria. XXXIII. The toxicity of pyrimethamine (Daraprim) in man. Amer. J. Trop. Med. & Hyg., 2 : 788-795.
- Osol, A. and Hoover (1970). Remington's Pharmaceutical Sciences. 14th ed. Pennsylvania : Mack Publishing Company. p. 1026-1028.
- Reizenstein, P. (1965). Errors and artefacts in serum folic acid assays. Acta Med. Scand., 72 fasc. 4 : 427.
- Santini, R., Perez-Santiago, E., Wheby, M.S. and Butterworth, C.E.Jr. (1966). The folic acid co-factor forms in plasma and whole blood of patients with tropical sprue. Amer. J. of Cli. Nut., 18 : 27.
- Sheehy, T.W., Moroney, W.H., Cox, R.S. and Soler, J.E. (1962). Hookworm disease and malabsorption. Gastroenterology, 42 : 148.
- Spector, I. and Hutter, A.M. Jr. (1966). Folic acid deficiency in neoplastic disease. Am. J. Med. Sci., 252 : 419.
- Spray, G.H. (1964). Microbiological assay of folic acid activity in human serum. J. Clin. Path., 17 : 660.
- Strickland, G.T. and Kostinas, J.E. (1970). Folic acid deficiency complicating malaria. Amer. J. Trop. Med. & Hyg., 19 : 910.

Temperley, I.J. and Horner, N. (1966). Effect of ascorbic acid on the serum folic acid estimation. J. Clin. Path., 19 : 43.

Toennies, G., Frank, H.G. and Gallant, D.L. (1956). Blood. folic acid activity of normal humans, cancer patients, and noncancer patients. Cancer., 9 : 1053.

Ujjin, P. (1961). Retention cyst of liver and hydrop of gall bladder due to opisthorchiasis. J. Med. Ass. Thailand., 44 : 151.

Vanier, T.M. and Tyas, J.F. (1966). Folic acid status in normal infants during the first year of life. Arch. Dis. Childh., 41 : 658.

Vajrasthira, S. and Harinasuta, C. (1957). Study on helminthic infections in Thailand. I. Incidence, distribution and epidemiology of seven common intestinal helminths. J. Med. Ass. Thailand., 40 : 309.

Viranuvatti, V., Kasemsant, D. and Bhamaraprabhati, N. (1961) Retention cyst of liver caused by opisthorchiasis associated with carcinoma. J.A.M.A., 44 : 159.

Water, A.H. and Mollin, D.L. (1961). Studies on the folic acid activity of human serum. J. Clin. Path., 14 : 335-344.

Waxman, S. and Herbert, V. (1969). Mechanisms of pyrimethamine-induced megaloblastosis in human bone marrow. New Eng. J. Med., 280 : 1316-1319.

Yenikomshāan, H.A. and Shehadi, W.H. (1943). Duodenal
ulcer syndrome caused by ankylostomiasis. Amer. J.
Roentgen., 49 : 39.

BIOGRAPHY

Name : Miss Wantana Pinyawatana

Degree : B.Sc. in Pharm.(Hon.). Faculty of Pharmacy,
Mahidol University, 1969.

Grad. Dip. in Nuclear Technology, Division of
Nuclear Technology, Graduate School,
Chulalongkorn University, 1972.

Position : Instructor on Pharmaceutical Chemistry, Faculty
of Pharmacy, Phya Thai. Mahidol University,
Thailand.