

References

- Abraham, G.E. (1969) Solid phase radioimmunoassay of estradiol - 17β
J. Clin. Endocr. Metab. 29, 866.
- Abraham, G.E. and Odell, W.D. (1970). Solid - phase radioimmunoassay
 of serum estradiol - 17β : A semi - automated approach.
 p. 87 In Peron, F.G. and Caldwell, B.V. (eds.), Immuno-
logic methods in steroid determination. New York, Appleton-
 Century - Crofts.
- Abraham, G.E., Tulchinsky, D., and Korenman, S.G. (1970 a). Chromato-
 graphic purification of estradiol - 17β for use in radio-
 ligand assay. Biochem. Med., 3, 365.
- Abraham, G.E., Hopper, K., Tulchinsky, D., Swerdloff, R.S., and Odell,
 W.D., (1971). Simultaneous measurement of plasma progesterone,
 17 - hydroxy progesterone, and estradiol - 17β by radio -
 immunoassay. Analyt letters. 4, 325.
- Abraham, G.E., Swerdloff, R., Tulchinsky, D., and Odell, W.D. (1971 a).
 Radioimmunoassay of plasma progesterone. J. Clin. Endocr.
Metab. 32, 619.
- Abraham, G.E., Odell, W.D., Swerdloff, R.S. and Hopper, K. (1972).
 Smultaneous radioimmunoassay of plasma FSH, LH, progesterone,
 17 - hydroxyprogesterone and estradiol - 17β during menstrual
 cycle. J. Clin. Endocr. Metab. 34, 312.

Abraham, G.E. and Chakmakjian, Z.H. (1973). Serum Steroid levels during the menstrual cycle in a bilaterally adrenalectomized woman. J. Clin. Endocr. Metab. 37, 581.

Abraham, G.E. (1974). Radioimmunoassay of steroids in biological materials. Acta Endocr. Supp. 75, 1 - 42.

Adlercreutz, H. (1962). Studies on estrogens excretion in human bile. Acta Endocr. Supp. 72, 1.

Adlercreutz, H., Ervast, H.S., Tenhunen, A. and Tikkainen, M.J. (1973). Gas chromatographic and mass spectrometric studies on estrogens in bile. Part I. Pregnant women. Acta Endocr. 73, 543.

Albano, J. and Ekins, R.P. (1970). The attainment of high sensitivity and precision in radioimmunoassay technique as exemplified in a simple assay of serum insulin. p 491 In vitro procedure with radioisotope in medicine. Vienna, International Atomic Energy Agency.

Allen, E. and Doisy, E.A. (1923). An ovarian hormone : A preliminary report on its localization extraction and purification and action in test animals. J. Amm. Med. Ass. 81, 819.

Aschheim, S. and Zondek, B. (1927). (Anterior pituitary hormone and ovarian in the urine of pregnant women.)
Klin. Wchnschr. 6, 1322.



- Baird, D.T. (1968). A method for the measurement of estrone and estradiol - 17β in peripheral human blood and other biological fluids using ^{35}S pipsyl chloride. J. Clin. Endocr. Metab. 28, 244.
- Bauld, W.S. (1956). A method for the determination of estriol, estrone and estradiol - 17β in human urine by partitioning chromatography and colorimetric estimation. Biochem. J. 63, 488.
- Binoux, M.A., and Odell, W.D. (1973). Use of dextran coated charcoal to separate antibody bound from free hormone. J. Clin. Endocr. Metab. 36, 303.
- Brown, J.B. (1955). Urinary excretion of estrogens during the menstrual cycle. Lancet. 1, 320.
- Brown, J.B., Macleod, S.C., Macnaughtan, C., Smith, M.A. and Smyth, B. (1968). A rapid method for estimating estrogens in urine using a semi - automatic extractor. J. Endocrinol. 42, 5.
- Bulbrook, R.D. and Greenwood, F.C. (1957). Persistence of urinary oestrogen excretion after oophorectomy and adrenalectomy. Brit. Med. J. 1, 662.
- Burger, H.G., Catt, K.J. and Brown, J.B. (1968). Relationship between plasma LH and urinary estrogens excretion during the menstrual cycle. J. Clin. Endocr. Metab. 28, 1508.

- Butenandt, A. (1929). (On "Progynon" a crystallized female sexual hormone.) Naturwissenschaften. 17, 878.
- Cameron, E.H.D., and Jones, D.A. (1972). Some observations on the measurement of estradiol - 17β in human plasma by radioimmunoassay. Steroids. 20, 737.
- Carr, B.R., Mikhail, F., and Flickinger, G.L. (1971). Column chromatography of steroids on sephadex LH - 20. J. Clin. Endocr. Metab. 33, 358.
- Corker, C.S., Naftolin F. and Exley D., (1969). Interrelationship between plasma luteinizing hormone and oestradiol in the human menstrual cycle. Nature (Lond.), 222, 1063.
- Corker, C.S., and Exley, D. (1970). The determination of plasma estradiol 17β by competitive protein binding radioassay. Steroids. 15, 469.
- Diczfalusy, E. (1954). Aeta Endocr. (Kbh.). 15, 317.
- Diczfalusy, E. and Lindkvist, P. (1956). Isolation and estimation of free estrogens human placenta. Aeta Endocr. (Kbh.), 22, 203.
- Diczfalusy, E. and Iroen, P. (1961). Endocrine functions of the human placenta. Vitam. & Horm. 19, 230.
- Diczfalusy, E. (1968). Mode of action of contraceptive drugs. Amm. J. Obst. & Gynecol. 100, 136.
- Docke, F. and Dorner, G. (1965). The mechanism of the induction of ovulation by estrogens. J. Endocrinol. 33, 491.

Doerr, P., Kockott, G., Voigt, H.J., Pirke, K.M. and Dittmar, F. (1973). Plasma testosterone, estradiol, and semen analysis in male homosexuals.

Arch. Gen. Psychiatry. 29, 829.

Doerr, P., Coebel, R., and Kuss, E. (1973 a). Specific radioimmunological determination without chromatography of plasma estradiol in male. Acta Endocrinol. 73, 314.

Dohan, F.C., Rose, E., Einan, J.W., Richardson, E.M., and Zintel, H. (1953). Increased urinary estrogen excretion associated with adrenal tumors. Report of 4 cases.

J. Clin. Endocr. Metab. 13, 415.

Doisy, E.A., Veler, C.D., and Thayer, S. A. (1929).

Folliculin from urine of the pregnant women.

Ann. J. Physiol. 90, 329.

Dorfman, R.I. (1963). Review steroid hormone in Gynecology.

Obs. & Gynecol. Survey. 18, 65.

Dorfman, R.I. and Ungar, F. (1965). In Metabolism of steroid hormones. p. 132. New York and London. Academic Press.

Ekins, R.P. (1960). The estimation of thyroxine in human plasma by an electrophoretic technique. Clin. Chim. Acta, 5, 453.

Ekins, R.P. and Newman, B. (1970). Theoretical aspects of saturation analysis, P.11, In E. Diczfalusy. (ed.) 2nd symposium, Steroid assay by protein binding. Karolinska symposia. Geneva.

- Ekins, R.P. (1970). Theoretical aspects of saturation analysis. p 325.
In invitro procedures with radioisotopes in medicine. International Atomic Energy Agency, Vienna.
- Emmens, C.W. (1962). In Method in Hormone Research, Vol.2 p.59.
Dorfman R.I. (ed.). New York, Academic Press.
- England, B.G., Niswender, G.D. and Midgley, Jr., A.R. (1974).
Radioimmunoassay of estradiol - 17β without chromatography.
J. Clin. Endocr. Metab. 38, 42.
- Exley, D., Johnson, M.W., and Dean, P.D. G. (1971). Antisera highly specific for 17β -oestradiol. Steroids. 18, 605.
- Funk, C. (1929). The chemistry of the estrous producing hormone.
Proc. Soc. Exp. Biol. N.Y. 26, 568.
- Finkelstein, M. (1948). Microdetermination of steroid estrogens in urine by fluorometry. Proc. Soc. exp. N.Y. 69, 181.
- Fishman, J., Bradlow, H.L. and Gallaghen, T.T. (1960). Oxidation metabolism of estradiol. J. Biochem. 235, 3104.
- Fishman, J. and Brown, J.B. (1962). Quantitation of urinary estrogens by gas chromatography. J. Chromatog. 8, 21.
- Gurpide, E., Hausknecht, R., Vande Wiele, R.L., and Lieberman, S. (1963). In Abs. 45 Meeting Endocr. Soc.

- Hawkin, R.A. and Oakley, R.E. (1972). Determination of oestradiol - 17β and oestrone in human plasma. Proceedings of the Biochemical Society. Biochem. J. 126, 11p - 12p.
- Huffman, M.W., Mac. Corquodale, D.W., Thayer, S.A., Doisy, E.A., Van Smith, G., and Smith, O.W. (1940). J. Biol. Chem. 134, 591.
- Ichii, S., Forchielli, E., Perloff, W.H., and Dorfman, R.I. (1963). Determination of plasma estrone and estradiol - 17β . Anal. Biochem. 5, 422-425.
- Ittrich, E. (1958). Eine neue methode zur chemischen bestimmung der ostrogenen hormone in harn. Z. Physiol. Chem. 312, 1.
- Jailer, J.W. (1948). A fluorometric method for the clinical determination of estrone and estradiol. J. Clin. Endocr. Metab. 8, 564.
- Jeffcoate, S.L., and Searle, J.E., (1972). Preparation of a specific antiserum to estradiol - 17β couple to protein through the B - ring. Steroids. 19, 181.
- Kharma, K., Stone, S., Thorncroft, I.H., Nakamura, R.M., Mishell, Jr., D.R. (1972). Cross - reaction of contraceptive steroids in competitive binding assays of Progesterone and estrodiol. Amm. J. Obs. & Gyn. 1, 676.
- Knorr, D.W.R., Kirschner, M.A., and Taylor, J.P. (1970). Estimation of estrone and estradiol in low level urines using electron - capture gas liquid chromatography. J. Clin. Endocr. Metab. 31, 409.

- Kober, S. (1931). Eine kolorimetrische bestimmung des brunsthormons (Menformon), Biochem. Ztschr. 239, 209-212.
- Korenman, S.G. (1968). Radioligand binding assay of specific estrogens using soluble uterine macromolecule. J. Clin. Endocr. Metab. 28, 127.
- Korenman, S.G., Perrin, L.E. and McCallum, T.P. (1969). Radio - ligand binding assay system for estradiol measurement in human plasma. J. Clin. Endocr. Metab. 29, 879.
- Korenman, S.G., Tulchinsky, D., and William Eaton, Jr., L. (1970). Radio-ligand procedures for estrogen assay in normal and pregnancy plasma. p 291 In Dicfalusy, E. (ed.), 2nd symposium, Steroid assay by protein binding. Karolinska symposia, Geneva.
- Korenman, S.G. and Sherman, B.M. (1973). Further studies of gonadotropin and estradiol secretion during the preovulatory phase of the human menstrual cycle. J. Clin. Endocr. Metab. 36, 1205.
- Kruss, E. and Goebel, R. (1972). Determination of estrogens by radioimmunoassay with antibodies to Estrogen -C₆- conjugates. Steroids. 19, 509.
- Labhsetwar, A.P. (1970). Role of estrogens in ovulation. A study using the estrogens - antagonist, I.C.I. 46, 474. Endocrinology. 87, 542.

Lindner, H.R., Perel, E., Friedlander, A., and Zeitlin, A., (1972).

The specificity of antibodies to ovarian hormones in relation to the site of attachment of the steroid hapten to the peptide carrier. Steroids. 19, 357.

Longcope, C., Kate, T., and Horton, R. (1969). Conversion of blood androgens to estrogens in normal adult men and women. J. clin. Invest. 48, 2191.

Longcope, C. Widrich, W., and Sawin, C.T. (1972). The secretion of estrone and estradiol- 17β by human testes. Steroids. 20, 439.

Mac. Corqudale, D.W., Thayer, S.A., and Diosy, E.A. (1935).

Proc. Soc. Exp. Biol. N.Y. 32, 1182.

Mahesh, V.B. (1964). A paper chromatographic method for estrogen determination. Steroids, 3, 647.

Marrian, G.F. (1930). The chemistry of estrin IV. Biochem. J. 24, 435.

Mayes, D. and Nugent, C.A. (1970). Plasma estradiol determine with a competitive protein binding method. Steroids, 15, 389.

McCann, S.M., Dhariwal, P.S. and Porter, J.C. (1968). Regulation of the adenohypophysis. Ann. Rev. Physiol. 30, 589.

McCann, S.M. (1970). Neurohormonal correlates of ovulation. Fed. Proc. 29, 1888.

Mikhail, G. (1967). Sex steroids in blood. Clin. Obs. & Gynecol. 10, 29.

Mikhail, G., Wu, C.H., Ferin, M. and Vande Wiele, R.L. (1970).

Radioimmunoassay of plasma estrone and estradiol. Steroids. 15, 333.

- Minini, E. (1965). Gas liquid chromatography of urinary estrogens. Biochem. J. 94, 15.
- Murphy, B.E.P. and pattee, C.J. (1964). Determination of plasma corticoids by competitive protein binding analysis using gel filtration. J. Clin. Endocr. Metab. 24, 919.
- Murphy, B.E.P. (1968). Protein binning and its application in the assay of nonantigenic hormones. Thyroxin and steroids. p. 43. In Hayes, R.L., Goswitz, F.A., and Murphy, B.E.P. (eds.), Radioisotopes in medicine. Oak Ridge. U.S. Atomic Energy Commission.
- Nocenti, M. R. (1968). In Medical Physiol. vol. 1 P. 1001.
- Mountcastle, V.B. (ed.) The C.V. Mosby Co. St. Louis.
- Odell, W.D., Abraham, G.A. Skowsky, W.R., Hescox, M.A., and Fisher, D.A. (1971). Production of antisera for radioimmunoassays. p. 57. In Odell, W.D. and Daughaday, W.H. (eds.), Principles of competitive protein - binding assays. Philadelphia and Toronto, J.B. Lippincott Co.
- Preedy, J.R.K. (1968). In Method in Hormone Research. vol. 1, p. 2. Dorfman, R.I. (ed.). New York, Academic, Press.
- Preedy, J.R.K. and Aitken, E.H. (1961). Column partition chromatography of estrone, estradiol - 17β and estriol in phenolic extracts of urine; Fluorescence Characteristics of interfering material. J. Biol. Chem. 236, 1297.
- Rabinowitz, J.L. (1956). The biosynthesis of radioactive 17β - estradiol; II. Synthesis by testicular and ovarian homogenates. Arch. Biochem. 64, 285

Ratcliffe, J.G. (1974). Separation techniques in saturation analysis.

Brit. Med. Bull. 30, 32.

Robertson, H.A., Smeaton, T.C. and Durnford, R. (1972). A method for extraction separation and estimation of unconjugated estrone, estradiol - 17 α , estradiol - 17 β in plasma. Steroids, 20, 651

Roy, E.J. (1962). Application of the Ittrich extraction procedure to the fluorometric measurement of oestrogens in blood.

J. Endocrinol. 25, 361.

Ryan, K.T., and Petro, Z. (1966). Steroid biosynthesis by human ovarian granulosa and thecal cells. J. Clin. Endocr. Metab. 26, 46.

Saez, J.M., Morra, A.M., Dazord, A. and Bertrand, J. (1972). Adrenal and testicular contribute to plasma estrogens.

J. Endocrinol. 55, 41.

Saxena, B.N., Dusitsin, N., Poshyachinda, V. and Smith, I. (1974). Luteinizing hormone, oestradiol, and progesterone levels in the serum of menstruating Thai women. J. Obs. & Gynaecol.

Brit. Commonw., 81, 113.

Schwartz, N.B. and Waltz, P. (1970). Role of ovulation in the regulation of the estrous cycle. Fed. Proc. 29, 1907.

Short, R.V. (1964). Ovarian steroids synthesis and secretion invivo.

Rec. Prog. Horm. Res. 20, 303.

- Shutt, D.A. (1969). Measurement of estradiol - 17β in plasma by competitive protein - binding radioassay. Steroids., 13, 69.
- Simpson, S. L. and Joll, C.A. (1938). Feminization in a male adult with carcinoma of the adrenal cortex. Endocrinol. 22, 595.
- Smith, O.W. and Ryan, K.T. (1962). Estrogen in human ovary.
Ann. J. Obs. & Gynecol. 84, 141.
- Spieler, J.M., Webb, R.L., Saldarini, R.J., and Coppola, J.A. (1972). A radioimmunoassay for progesterone. Steroids. 19, 751.
- Stoa, K.F. and Thorsen, T. (1962). Fluorometric determination of estrogenic steroids using Ittrich's extraction method.
Acta endocrinol. 41, 481.
- Svendsen, R. and Sorensen, B. (1964). The concentration of unconjugated oestrone and 17β - oestradiol in plasma during pregnancy.
Acta Endocrinol. (Kbh) 47, 237.
- Sybulski, S. and Maughan, G.B. (1972). Maternal plasma estradiol levels in normal and complicated pregnancies.
Ann. J. Obs. & Gynecol. 113, 310.
- Thorneycroft, I.H., Tillson, S.A., Abraham, G.E., Scaramuzzi, R.J. and Caldwell, B.V. (1970). Preparation and purification of antibodies to steroids. p. 63, In Peron, F.G. and Caldwell, B.V. (eds.). Immunologic methods in steroid determination. New York, Appleton - Century - Crofts.

- Tulchinsky, D. and Korenman, S.G. (1971). The plasma estradiol as an index of fetoplacental function. J. Clin. Invest. 50, 1490.
- Tulchinsky, D., and Abraham, G.E. (1971). Radioimmunoassay of plasma estriol. J. Clin. Endocr. Metab., 33, 775.
- Tulchinsky, D. (1973). Placental secretion of unconjugated estrone, estradiol and estriol into the maternal and the fetal circulation. J. Clin. Endocr. Metab. 36, 1079.
- Velardo , J.T. (1958). Endocrines and Reproduction. p. 7 In J. T. Velardo (ed.) Essentials of human reproduction. New York, Oxford University Press. Inc.
- Vende Wiele, R.L., Bogumil, J., Dyrenfurth, I., Ferin, M., Jewelewicz, R., Warren, M., Rizkallah, T., and Mikhail, G. (1970). Mechanisms regulating the menstrual cycle in women. Rec. Prog. Horm. Res. 26, 63.
- Walken, C.S. Clark, S.J., and Wotiz, H.H., (1973) Factor involved in the production of antibodies to estriol and estradiol. Steroids. 21, 259.
- Weisz, J., Lloyd, C.W., Lobotsky, J., Pupkin, M., Zanartu, J., and Puga, J., (1973). Concentration of unconjugated estrone, estradiol - 17 β , androsterone and testosterone in ovarian and peripheral venous plasma in woman. The effect of steroid contraceptives. J. Clin. Endocr. Metab. 37, 254.
- Vermeulen, A and Verdonck, L. (1970). Testosterone assay by competitive protein binding. p. 239 In Diczfalussy, E. (ed) 2nd symposium, Steroid assay by protein binding. Karolinska symposia, Geneva.

Wilson, D., Sarfaty, G., Clarris, B., Douglas, M., and Crawshaw, K., (1971). The prediction of standard curve and error for the assay of estradiol by competitive protein bindny.
Steroids. 18, 77.

Wotiz, H.H., Dawis, J.W., and Lemon, H.M. (1955). Steroid biosynthesis by surviving testicular tumor tissues. J. Biol. Chem. 216, 677.

Wotiz, H.H. and Martin, H.F. (1961). Studies in steroids metabolism.
X. Gas chromatographic analysis of estrogens.
J. Biol. Chem. 236, 1312.

Wright, K., Robinson, H., Collins, D.C. and Preedy, J.R.K. (1973)
Investigation of a radio-immunoassay for plasma estrone and
estradiol - 17β in male and nonpregnant females. Comparision
with an independent method using fluorometry.
J. Clin. Endocr. Metab. 36, 165.

Wotiz, H.H. and Chattoraj, S.G. (1964). Determination of estrogens
in low and high titer urine using thin layer and gas liquid -
chromatography. Anal Chem. 36, 1466.

Wu, C.H., and Lundy, L.E. (1971). Radioimmunoassay of plasma estrogens
Steroids, 18, 91.

Yalow, R.S. and Berson, S.A. (1959). Assay of plasma insulin in human
subjects by immunological method. Nature. 184, 1648.


Yalow, R.S. and Berson, S.A. (1968). General principles of radioimmuno-
assay, P. 7 - 37 . In Hayes, R.L., Goswitz, F.A. and Murphy,
B.E.P. (eds.). Radioisotope in medicine. Oak Ridge,
U.S. Atomic Energy Commission.

Yallow, R.S. and Berson, S.A. (1970). General aspects of radioimmuno - assay procedures. p. 455. In invitro procedures with radio-isotopes in medicine. International Atomic Energy Agency, Vienna.

Yallow, R.S. and Berson, S.A. (1971). Introduction and general considerations p. 1-18. In Odell, W.D. and Deughaday, W.H. (eds.), Principles of competitive protein binding assays. Philadelphia and Toronto : J.B. Lippincott. Co.

Yussman, M.A. and Taymor, M.L. (1970). Serum levels of FSH, LH and plasma progesterone related to ovulation by corpus luteum biopsy. J. Clin. Endocr. Metab. 30, 396.

ภาคผนวก



รูปที่ 23 ระดับความเข้มข้นของไมโรเจสเทอโรน E_2 และ LH ในน้ำเหลืองของผู้หญิง

จำนวน 19 ราย ซึ่งวัดโดยวิธี RIA

(ผลงานนี้เป็นส่วนหนึ่งของโครงการงานวิจัยร่วมกันระหว่าง WHO และแผนกสุคิลากอร์

- มหาวิทยาลัยแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย)

ประวัติการศึกษา

ประวัติการศึกษาของบุตรีเช่นนิทยานิพนธ์

๑๐

นายสมัย ลีพิพัฒน์ไพบูลย์

ผู้เรียน
ประวัติการศึกษา ปริญญาวิทยาศาสตร์บัณฑิต สาขาเคมี
คณะวิทยาศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย
ปีการศึกษา 2513

สถานที่ทำงาน แผนกสูติศาสตร์ – นรีเวชวิทยา
คณะแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย

Vita

Name : Mr. Samai Leepipatpaiboon, B.Sc. (Chemistry)

Chulalongkorn University.

Office address : Department of Obstetrics & Gynecology,
Faculty of Medicine, Chulalongkorn University.