

REFERENCES

- (1) Areekul, S., Chantachum, Y., Suebsaeng, L. and Chaovangpricha, K., (1973 a). Studies on the effect of ethyl palmitate on the liver blood flow and phagocytic activity of the reticuloendothelial system in dogs. Southeast Asian J. Trop. Med. Pub. Hlth., 4:250.
- (2) Areekul, S., Kasemsuth, R., Chantachun, Y. and Matrakul, D., (1973b). Studies on phagocytosis activity of the reticuloendothelial system using ^{131}I -AA in normal monkeys. Southeast Asian J. Trop. Med. Pub. Hlth., 4:18
- (3) Aschoff, L., (1924). Das retikulo-endothelial system. Ergebn. Inn. Med. Kinderheik., 26:1.
- (4) Aschoff, L., (1924). Reticuloendothelial system. In lectures on Pathology. New York, Paul B Hoeber Inc. pp. 1-33.
- (5) Benacerraf, B., Bilbey, D. Biozzi, G., Halpern, B.N. and stiffel, C., (1957). The measurement of liver blood flow in partially hepatectomised rats. J. Physiol., 136:287.
- (6) Benacerraf, B., Biozzi, G., Cuendet, A. and Halpern, B.N., (1955). Influence of portal blood flow and of partial hepatectomy on the granulopectic activity of the R.E.S. J. Physiol., 128:1.
- (7) Benacerraf, B., Biozzi, G., Halpern, B.N., et al., (1957). Physiology of phagocytosis of particles by the reticuloendothelial system, in Halpern B.N. (ed). Physiopathology

- of the Reticuloendothelial System. Springfield, III,
Charles C. Thomas Publisher, pp.52-79.
- (8) Benacerraf, B., Biozzi, G., Halpern, B.N., Stiffel, C and
Mouton, D., (1957). A study of the phagocytic activity
of the reticuloendothelial system toward heat denatured
human serum albumin tagged with ^{131}I and application of
the method to measure liver blood flow. Brit. J. Exp.
Path., 38:35.
- (9) Benacerraf, B., Biozzi, G., Halpern, B.N., Stiffel, C and
Mouton, D., (1957). Phagocytosis of heat denatured human
serum albumin labelled with ^{131}I and its use as means of
investigating liver blood flow. Brit. J. Exp. Path., 38:35.
- (10) Benacerraf, B. and Sebestyen, M.M. (1957). Effect of bacterial
endotoxins on the reticuloendothelial system. Fed. Proc.
16:860.
- (11) Benacerraf, B., Sebestyen, M.M. and Schlossman, S., (1961).
A quantitative study of the kinetics of blood clearance
of ^{32}P labelled *E. coli* and *Staphylococci* by the R.E.S.
J. Exp. Med. 110:27.
- (12) Benacerraf, B., Stiffel, C., Biozzi, G. and Halpern, B.N.,
(1954). Mesure de l'activité granulopexique du S.R.E.
à l'aide du saccharate d'oxyde de fer chez le rat. C.R.
Soc. Biol., 148:486.
- (13) Berliner, D.L., Nabors C.J. and Dougherty, T.E. The role of
hepatic and adrenal reticuloendothelial cells in steroid
biotransformation. J. Reticuloendothelial Soc. 1:1.

- (14) Biozzi, G., Benacerraf, B., Halpern, B.N., (1953). Quantitative study of the granulopectic activity of the reticuloendothelial system, II. A study of the kinetics of granulopectic activity of the R.E.S. in relation to the dose of carbon injected. Relationship between the weight of the organs and their activity. Brit. J. Exptl. Pathol. 34:441.
- (15) Biozzi, G., Benacerraf, B., Halpern, B.N., Stiffel, C. and Hillemand, B., (1958). Exploration of phagocytic function of R.E.S. with heat denatured with ^{131}I and application to the measurement of liver blood flow in normal man and in some pathologic conditions. J. Lab. Clin. Med. 51:230.
- (16) Biozzi, G., Benacerraf, B., Stiffel, C. and Halpern, B.N., (1954). Etude quantitative de l'activité granulopexique du S.R.E. chez la souris. C.R. Soc. Biol. 148:431.
- (17) Biozzi, G., Halpern, B.N. Stiffel, C. and Mouton, D. (1958). Quantitative study of metabolic activity of Kupffer cells on heat denatured serum albumin labelled with ^{131}I . Brit. J. Exp. Path. 39:510.
- (18) Biozzi, G. and Stiffel, C. (1963). Etude du rôle des opsonines dans le phénomène de phagocytose des microorganismes et des colloïdes par les cellules du S.R.E. In Rôle du S.R.E. dans l'Immunité Antibactérienne et Antitumorale. Paris, C.N.R.S. Ed.
- (19) Biozzi, G., and Stiffel, C., (1965). The physiology of the reticuloendothelial cells of the liver and spleen in Popper

- H., Schaffner F. (eds). Progress in Liver Diseases.
New York, Grune & Stratton Inc. pp. 166-191.
- (20) Biozzi, G., Stiffel, C., Halpern, B.N. and Mouton, D (1959).
Etude de la fonction métabolique des cellules de Kupffer.
Rev. Franc. Etud. Clin. Biol. 4:427
- (21) Biozzi, G., Stiffel, C., Halpern, B.N. and Mouton, D., (1960).
Recherches sur le mécanisme de l'immunité non spécifique
produite par les Mycobactéries. Rev. Franc. Etud. Clin.
Biol. 5:876.
- (22) Biozzi, G., Stiffel, C., Halpern, B.N. and Mouton, D., (1963).
Lack of action of serum opsonins in phagocytosis of inert
particles by cells of R.E.S. Proc. Soc. Exp. Biol Med.
112:1017.
- (23) Biozzi, G., Stiffel, C., Halpern, B.N., Le Minor, L. and
Mouton, D., (1961). Measurement of opsonic effect of
normal and immune sera on the phagocytosis of S. typhi
by the R.E.S. J. Immunol. 87:296.
- (24) Biozzi, G., Stiffel, C., Le Minor, L., Mouton, D, and
Bouthillier, Y., (1963). Etude quantitative de l'effet
opsonisant des immunserums sur la phagocytose des
Salmonella par les cellules du S.R.E. in vivo. Ann.
Inst. Pasteur. 105:635.
- (25) Biozzi, G., Stiffel, C. and Mouton, D., (1963). Stimulation
et dépression de la fonction phagocytaire du S.R.E. par
des émulsions de lipides. Rev. Franc. Etud. Clin. Biol.
8:341.

- (26) Blickens, D.A. and Di Luzio, N.R., (1965). Metabolisms of methyl palmitate, a phagocytic and immunologic depressant and its influence on tissue lipids. J. Reticuloendothel. Soc. 2:60.
- (27) Breiner, W.H., (1958). Preparation of ¹²⁵I labelled micro-aggregated human serum albumin for use in studies of reticuloendothelial function in man. J. Nucl. Med. 9:340.
- (28) Buchanan, K.D. and Mc Gregor, R.F.S., (1964). Prolongation of the survival of human red cells in mice by chemical splenectomy. Brit. J. Exp. Path. 42:258.
- (29) Di Luzio, N.R. and Blickens, D.A., (1966). Influence of intravenously administered lipids on reticuloendothelial function. J. Reticuloendothel. Soc. 3:250.
- (30) Di Luzio, N.R. and Riggi, S.J., (1964). The development of a lipid emulsion for the measurement of R.E.S. function. J. Reticuloendothel. Soc. 1:136.
- (31) Di Luzio, N.R. and Woole, N.R., (1964). Depression of phagocytic activity and immune response by methyl palmitate. Amer. J. Physiol. 206:939.
- (32) Dobson, E.L., (1957). Factors controlling phagocytosis. In physiopathology of the Reticuloendothelial System. Blackwell Scientific Publication, Oxford.
- (33) Dobson, E.L. and Jones, H.B. (1952). The behavior of intravenously injected particulate material. Acta. Med. Scan. 273 (suppl):171.

- (34) Durmont, A.E., Stertzer, S.H., and Mulholand, G.H., (1962). Experimental biliary obstruction. Effect of Thorotrast on lymph and serum bilirubin levels. Am. J. Physiol. 204:704.
- (35) Fishman, M., Hamilton, R.A. and Bond, V.P., (1963). In Vitro transfer of macrophage R.N.A. to lymph node cells. Nature (London) 198:549.
- (36) Friedman, M., Byers, S.O. and Rose-man, R.H., (1954). Observations concerning the production and excretion of cholesterol in mammals. A. J. Physiol. 177:77.
- (37) Grogan, J.B. (1969). Alterations in phagocytic function of rats after treatment with antilymphocyte serum. J. Reticuloenthel. Soc. 6:411.
- (38) Halpern, B.N., (1957). The role and function of the reticuloendothelial system in immunochemical processes. J. Pharm. Pharmacol. 11:321.
- (39) Halpern, B.N., Benacerraf, B. and Biozzi G., (1953). Quantitative study of the granulopectic activity of R.E.S., I. Brit. J. Exp. Path. 34:426.
- (40) Halpern, B.N., Biozzi, G., Benacerraf, B. and Stiffel, C., (1957). Phagocytosis of foreign red blood cells by the R.E.S. Am. J. Physiol. 189:520.
- (41) Halpern, B.N., Biozzi,G., Benacerraf, B., Stiffel, C. and Hillemand, B. (1956). Cinétique de la phagocytose d'une sérum albumine humaine spécialement traitée et

- radiomarquée à son application à l'étude de la circulation hépatique chez l'homme. C.R. Soc. Biol. 150:1307.
- (42) Halpern, B.N., Biozzi, G., Pequignot, G., Stiffel, C., Delaloye B. and Mouton, D., (1958). La cinétique de l'épuration sanguine de suspensions colloïdales comme mesure de la circulation hépatique. Rev. France. Etud. Clin. Biol. 3:549.
- (43) Halpern, B.N., Biozzi, G., Stiffel, C. et al., (1959). Effect de la stimulation de S.R.E. par l'inoculation du Bacille de Calmette-Guerin sur le développement de l'épithelioma antipique T-8 de Guerin chez le rat. C.R. Soc. Biol. 153:919.
- (44) Halpern, B.N., Stiffel, C., Biozzi, G. and Benacerraf, B., (1954). Détermination des constantes de l'activité granulopexique du S.R.E. chez le lapin. C.R. Soc. Biol. 148:240.
- (45) Heller, J.H., (1960). Nontoxic R.E.S. stimulatory lipids. Ann. N.Y. Acad. Sci. 88:116.
- (46) Jaffé, R.H., (1931). The reticuloendothelial system in immunity. Physiol. Rev. 11:277.
- (47) Kauffman, H.M., Humphrey, L.J., Hanback, L.D., et al., (1967). Inhibition of the afferent arc of the renal homograft response with a reticuloendothelial depressant. Transplantation. 5:1217.

- (48) Meischer, P. (1957). The role of R.E.S. in haematoclasia.
In Halpern B.N. (Ed). Physiopathology of R.E.S. Oxford,
Blackwell Scientific Publications.
- (49) Mollison, P.L. (1959). Blood group antibodies and red cell
destruction. Brit. Med. J. 2:1035.
- (50) Neveu, T., Biozzi, G., Benacerraf, B., Stiffel, C. and
Halpern, B.N. (1956). Role of R.E.S. in blood
clearance of cholesterol. Am. J. Physiol. 187:269.
- (51) Nicol, T. and Bilbey D.I.J. (1960). The effect of various
steroids on the phagocytic activity of the reticuloendo-
thelial system in Heller J.H. (ed.). Reticuloendothelial
Structure and Function. New York, Ronald Press. Co. pp.
301-320.
- (52) Pisano, J.C., Patterson, J.T. and DiLuzio N.R., (1969).
Depression of phagocytic activity of the
reticuloendothelial system by antilymphocytic serum
(A.L.S.). Proc. Exp. Biol. Med. 132:517.
- (53) Prosnitz, L., Kawasaki, S., Cohen, G.S., Dineen, J.L.,
Perille, P.E. and Finch, S.S., (1969). Ethyl palmitate
induced splenic destruction. J. Reticuloendothel. Soc.
6:487.
- (54) Riggi, S.J. and Di Luzio, N.R., (1961). Identification of
a reticuloendothelial stimulating agent in zymosan.
Amer. J. Physiol. 300:297.
- (55) Roseman, R.H., Breall, W. and Friedman, M., (1960). A study

- of hepatic R.E. cells function in experimental nephrotic hyperlipemia and hypercholesterolemia. In Heller, J.H., (Ed.). Reticuloendothelial Structure and Function.
- (56) Saba, T.M. and Di Luzio, N.R., (1968). Evaluation of humoral and cellular mechanisms of methyl palmitate induced reticuloendothelial depression. Life Sci. 7:337.
- (57) Stiffel C., (1958). Etude de la fonction phagocytaire du S.R.E. J. Physiol., Paris, 50:911, 1087.
- (58) Stiffel, C., Benacerraf, B., Biozzi, G. and Halpern B.N., (1954). Etude quantitative de l'activité granulopexique de S.R.E. chez le cobaye. C.R. Soc. Biol. 148:318.
- (59) Stiffel, C., Biozzi, G., Mouton, D., Bouthillier, Y. and Decreusefond, C., (1964). Opsonines naturelles et phagocytose des bactéries par le S.R.E. J. Reticuloendothel. Soc. 1:265.
- (60) Stuart, A.E., (1960). Clinical Splenectomy. Lancet, ii:896.
- (61) Stuart, A.E., Biozzi, G. Stiffel C. et al., (1960). The stimulation and depression of reticuloendothelial phagocytic function by simple lipids. Brit. J. Exp. Path. 41:599.
- (62) Stuart, A.E. and Davidson, A.E., (1964). Effect of simple lipids on antibody formation after injection of foreign red cells. J. Path. Bact. 87:305.
- (63) Thorbecke, J.J., Maurer, P.H and Benacerraf, B. (1960). The affinity of the R.E.S. for various modified serum proteins. Brit. J. Exp. Path. 41:190.

- (64) Vannotti, A., (1957). The role of R.E.S. in iron metabolism.
In Halpern, B.N. (Ed.). Physiopathology of R.E.S.
Oxford, Blackwell Scientific Publications.
- (65) Veall, N. and Vetter, H., (1958). Radioisotope Techniques
in Clinical Research and Diagnosis. Butterworth Co.,
London. pp. 227-228.
- (66) Wardlaw, A.C., and Howard, J.G., (1959). A comparative
survey of the phagocytosis of different species of
bacteria by Kupffer cells. Brit. J. Exp. Path. 40:113.
- (67) Weiner, J., Margaretten W. and Spiro, D., (1963). Fine
structural studies of reticuloendothelial (R.E.S.)
blockade. Fed. Proc. 22:672.

VITA

Name Miss Supa Chavadej

Education B. Sc. in Pharm. (University of Medicine, Faculty of Pharmacy) in 1968

Grad. Dip. in Nuclear Technology (Chulalongkorn University, Faculty of Engineering) in 1972

Position and Site of the Employer's Office

Instructor on Pharmacognosy and Pharmaceutical Botany at Chulalongkorn University, Faculty of Pharmaceutical Sciences, Phya Thai Road, Metropolis 5, Thailand.