

บรรณานุกรม

- Appleby, J.I., Gibson, G., Norymberski, J.K. and Stubbs, R.D. (1955).
Indirect analysis of corticosteroids: The determination
of 17-hydroxycorticosteroids. *Biochem. J.* 60, 453.
- Ayres, P.J., Garrod, O., Simpson, S.A. and Tait, J.F. (1957). A method
for the determination of aldosterone, cortisol and corti-
costerone in biological extracts, particularly applied to
human urine. *Biochem. J.* 65, 639-646.
- Beall, R.J. and Sayers, G. (1972). Isolated adrenal cells: Steroid-
ogenesis and cyclic AMP accumulation in response to ACTH.
Arch. Biochem. Biophys. 148, 70-76.
- Beardwell, C.G., Burke, C.W. and Cope, C.L. (1968). Urinary free
cortisol measured by competitive protein binding.
J. Endocr. 42, 79-89.
- Beisel, W.R., Cos, J.J., Horton, R., Chao, P.Y. and Forsham, P.H.
(1964a). Physiology of urinary cortisol excretion. *J. Clin.
Endocrinol. Metab.* 24, 887-893.
- Bliss, E.L., Migeon, C.J., Nelson, D.H., Samuels, L.T. and Branch, C.H.H.
(1954). Influence of E.C.T. and insulin coma level of
adrenocortical steroids in peripheral circulation. *Arch.
Neural. Psychiat. Chicago.* 72, 352-361.
- Braunsberg, H. and James, V.H.T. (1961). The determination of
cortisol and corticosterone in blood: A review. *J. Clin.
Endocrinol. Metab.* 21, 1146.



- Bush, I.E. (1952). Methods of paper chromatography of steroids applicable to the study of steroids in mammalian blood and tissues. *Biochem. J.* 500, 370.
- Coglan, J.P. and Scoggins, B.A. (1967). Measurement of aldosterone in peripheral blood of man and sheep. *J. Clin. Endocrinol. Metab.* 27, 1470-1486.
- Crabbe, J., Reddy, W.J., Ross, E.J. and Thorn, G.W. (1959). The stimulation of aldosterone secretion by adrenocorticotrophic hormone (ACTH). *J. Clin. Endocrinol. Metab.* 19, 1185-1191.
- Daughaday, W.H. (1956). Evidence for two corticosteroid binding systems in human plasma. *J. Lab. Clin. Med.* 48, 799-800.
- Daughaday, W.H. (1958). Binding of corticosteroids by plasma proteins. III. The binding of corticosteroids and related hormones by human plasma and plasma protein fractions as measured by equilibrium dialysis. *J. Clin. Invest.* 37, 511-518.
- Daughaday, W.H. (1959). Steroid-protein interactions. *Physiol. Rev.* 39, 885-902.
- David-Nelson, M.A. and Brodish, A. (1969). Evidence for a diurnal rhythm of corticotropin-releasing factor (CRF) in the hypothalamus. *Endocrinology.* 85, 861-866.
- Dermura, H., West, C.D., Nugent, C.A., Nakagawa, K. and Tyler, F.H. (1966). A sensitive radioimmunoassay for plasma ACTH levels. *J. Clin. Endocrinol. Metab.* 26, ~~1297~~ 1302.

- Dorfman, R.I., Shipley, R.A., Ross, E., Schiller, S. and Horwitt, B.N. (1946b). The relative potencies of adrenal cortical steroids as determined by a cold protection test and by a glycogen deposition test. *Endocrinology*. 38, 189-196.
- Dorfman, R.I., Shipley, R.A., Schiller, S. and Horwitt, B.N. (1946c). Studies on the "Cold Test" as a method for the assay of adrenal cortical steroids. *Endocrinology*. 38, 165-176.
- Dixon, P.F. (1969). Rapid plasma cortisol method using micro-columns. *Clin. Chim. Acta*. 23, 374-375.
- Eggleston, N.M., Johnston, B.J. and Dobriner, K. (1946). Quantitative methods for the bio-assay of the glycogenic activity of steroids and urinary extracts. *Endocrinology*. 38, 197-211.
- Eik-Nes, K., Schelman, J.A., Lumry, R. and Samuels, L.T. (1954). The binding of steroids to protein. *J. Biol. Chem.* 206, 411-419.
- Eisenstein, A.B. (1967). In The Adrenal Cortex. 1st ed. Boston: Little, Brown and Company, chap. 11. pp 385-401.
- Ekins, R.P. and Newman, B. (1970). *Karolinska Symposia on Research Methods in Reproductive Endocrinology*. p. 11. 2nd ed. Symposium, Steroids Assay by Protein Binding, Diczfalusy, Stockholm.
- Ely, R., Hughes, E. and Kelly, V. (1958). Studies of adrenal corticosteroids. I. Estimation of plasma corticosterone and cortisol. *J. Clin. Endocrinol, Metab.* 18, 190-207.

- Espiner, E.A. (1966). Urinary cortisol excretion in stress situations and in patients with Cushing's Syndrome. *J. Endocr.* 35, 29-44.
- Florelli, G., Piolanti, P., Forti, G. and Serio, M. (1972). Determination of plasma corticosteroids and urinary cortisol by a competitive protein-binding method using dextran-coated charcoal. *Clin. Chim. Acta.* 37, 179-187.
- Fraser, R. and James, V. (1968). Double isotope assay of aldosterone, corticosterone and cortisol in human peripheral plasma. *J. Endocr.* 40, 59-72.
- Garren, L.D. (1968). The mechanism of action of adrenocorticotrophic hormone. In Vitamins and Hormones (N.Y.) 26, 119-145.
- Garren, L.D., Davis, W.W., Gill, G.N., Moses, H.L., Ney, R.L. and Crocco, R.M. (1969). In Progress in Endocrinology. C. Gual, Ed.: 102 Excerpta Medica Foundation. Amsterdam, the Netherlands.
- Grahame-Smith, D.B., Butcher, R.W., Ney, R.L. and Sutherland, E.W. (1967). Adenosine 3,5-monophosphate as the intracellular mediator of the action of adrenocorticotrophic hormone on the adrenal cortex. *J. Biol. Chem.* 242, 5535-5548.
- Grollman, A. (1941). Biological assay of adrenal cortical activity. *Endocrinology.* 29, 855-861.
- Hale, H.B., Sayers, G., Sydnor, K.L., Sweat, M.L. and Van Fossan, D.D. (1957). Blood adrenocorticotrophic hormone and plasma corticosteroids in man exposed to adverse environmental conditions. *J. Clin. Invest.* 36, 1642-1646.

- Hankin, M. E., Theile, H. M. and Steinbeck, A. W. (1972). Cortisol and aldosterone excretion and plasma cortisol concentration in normal and obese subjects. *Clin. Sci.* 43, 289-298.
- Harris, J. J. and Crane, M. G. (1964). Urinary cortisol excretion as a test of adrenal cortisol function. *Metabolism*. 13, 45-59.
- Haynes, R. C. (1958). The activation of adrenal phosphorylase by the adrenocorticotrophic hormone. *J. Biol. Chem.* 233, 1220-1229.
- Héctor, M. and Lundy, L. E. (1971). Determination of cortisol by competitive protein binding or radiostereoassay. *Rev. Biol. Trop.* 18, 5-15.
- Hume, D. M., Nelson, D. H. and Miller, D. W. (1956). Blood and urinary 17-hydroxycorticosteroid in patients with severe burns. *Ann. Surg.* 143, 316-329.
- Hvidberg, E., Schou, J., Jansen, J. and Clausen, J. (1968). Tissue and plasma cortisol in man under various conditions. *Acta. Med. Scand.* 184, 215-223.
- Iturzaeta, N. F., Hillman, D. A. and Colle, E. (1970). Measurement of plasma cortisol in children and adults; A comparison of the double isotope derivative assay, competitive protein binding analysis. *J. Clin. Endocrinol. Metab.* 30, 185-189.
- Jeffery, D. A. and Noujaim, A. A. (1971). Radioassay of cortisol and corticosterone by a modified competitive protein-binding method. *J. Pharm. Sci.* 60, 1476-1481.
- Jensen, H. K. and Blichert-Toft, M. (1971). Serum corticotrophin, plasma cortisol and urinary excretion of 17-ketogenic steroids in the elderly (age group 66-94 years). *Acta. Endocr.* 66, 25-34.
- Kissin, B., Schenker, V. and Schenker, A. C. (1959). Adrenal cortical function and liver disease in alcoholics. *Am. J. Sci.* 238, 344-353.

- Laidlaw, J. D., Jenkins, D., Reddy, W. J. and Jacobson, T. (1954).
The diurnal variation in adrenocortical secretion. *J. Clin. Invest.* 33, 950.
- Liddle, G. W. (1965). An analysis of circadian rhythm in human adrenocortical secretory activity. *Trans. Am. Clin. Climat. Ass.* 77, 151-160.
- Linhelm, J. (1973). Studies on some parameters of adrenocortical functions. *Acta. Endocr. Suppl.* 172, 72-88.
- Mattingly, D. (1962). A simple fluorometric method for the estimation of free 11-hydroxycorticoids in human plasma. *J. Clin. Path.* 15, 374-379.
- Meikle, A. W., Takiguchi, H., Mizutani, S., Tyler, F. H. and West, C. D. (1969). Urinary cortisol excretion determined by competitive protein binding radioassay: A test of adrenal cortical function. *J. Lab. & Clin. Med.* 74, 803-811.
- Mills, J. H. (1962). Transport and metabolism of steroids. *Brit. Med. Bull.* 18, 127-133.
- Murphy, B. P., Engleberg, W. and Fattee, C. J. (1963). Simple method for the determination of plasma corticoids. *J. Clin. Endocrinol. Metab.* 23, 293-300.
- Murphy, B. P. (1967). Some studies of the protein-binding of steroids and their application to the routine micro and ultramicro measurement of various steroids in body fluids by competitive protein-binding radioassay. *J. Clin. Endocrinol. Metab.* 27, 973-990.
- Murphy, B. P. (1968). Clinical evaluation of urinary cortisol determinations by competitive protein-binding radioassay. *J. Clin. Endocrinol. Metab.* 28, 343-348.
- Nelson, O. H. (1969). Determining plasma and urinary corticosteroids. Normal values and clinical pitfalls. *Postgrad. Med.* 46, 135-140.

- Nichols, C.T. and Tyler, F.H. (1967). Diurnal variation in adrenal cortical function. *Am. Rev. Med.* 18, 313.
- Nielsen, E. and Asfeldt, V.H. (1967). Studies on the specificity of fluorometric determination of plasma corticosteroids. *Scand. J. Clin. Lab. Invest.* 20, 185-194.
- Nugent, C.A., MacDiarmid, N.D., Nelson, A.R. and Tyler, F.H. (1963). Rate of adrenal cortical production in response to maximal stimulation with ACTH. *J. Clin. Endocrinol. Metab.* 23, 684-693.
- Nugent, C.A. and Mayes, D.M. (1966). Plasma corticosteroids determined by use of corticosteroid-binding globulin and dextran-coated charcoal. *J. Clin. Endocr.* 26, 1116-1122.
- Oka, M. (1956a). Effect of cerebral vascular accident on the level of 17-hydroxycorticosteroids in plasma. *Acta. Med. Scand.* 156, 221-226.
- Olson, R.E., Jacobs, F.A., Richert, D. Thayer, S.A., Kopp, L.J. and Wade, N.J. (1944a). The comparative bioassay of several extracts of the adrenal cortex in tests employing four separate physiological response. *Endocrinology.* 35, 430-455.
- Olson, R.E., Thayer, S.A. and Kopp, L.J. (1944b). The glycogenic activity of certain crystalline steroids of the adrenal cortex when administered single and with cortical extract to fasted, normal and adrenalectomized rats. *Endocrinology.* 35, 464-472.
- Orten, J.M. and Neuhaus, O.W. (1970). In *Biochemistry*, p.580. 8th ed. Saint Louise: The C.V. Mosby Co. Tokyo: Toppan Co., Ltd.
- Orth, D.N. and Island, D.P. (1969). Light synchronization of the circadian rhythm in plasma cortisol (17-OHCS) concentration in man. *J. Clin. Endocrinol. Metab.* 29, 479-486.
- Pal, S.B. and Smith, V.K. (1965). A simple fluorometric method for the determination of unconjugated cortisol in human urine. *Clin. Chim. Acta.* 12, 558-564.

- Perkoff, G.T., Eik-Nes, K., Nugent, C.A., Fred, H.L., Nimer, R.A., Bush, L., Samuels, L.T. and Tyler, F.H. (1959). Studies on the diurnal variation of plasma 17-OHCS in man. *J. Clin. Endocrinol. Metab.* 19, 432-443.
- Peterson, R.E., Karrer, A. and Guerra, S.L. (1957). Evaluation of the Silber-Porter procedure for determination of plasma hydrocortisone. *Anal. Chem.* 29, 144-149.
- Pinsker, P., Bultasowa, H. and Svoboda, J. (1968). Diagnosis value of the simultaneous determination of urinary free and conjugated cortisol in Cushing's Syndrome. *Acta. Endocr. (Kbh)*. 58, 183-190.
- Ringler, I. and Brownfield, R. (1960). The Thymolytic activities of 16 α , 17 α ketals of triamcinolone extract. *Endocrinology*. 66, 900-902.
- Rose, R.M., Kreuz, L.E., Holaday, J.W., Sulak, K.J. and Johnson, C.E. (1972). Diurnal variation of plasma testosterone and cortisol. *J. Endocr.* 54, 177-178.
- Rosner, J.M., Cos, J.J., Biglieri, E.G., Hane, S. and Forsham, F.H. (1963). Determination of urinary unconjugated cortisol by glass fiber chromatography in the diagnosis of Cushing's Syndrome. *J. Clin. Endocrinol. Metab.* 23, 820-827.
- Ross, E.J. (1960). Urinary excretion of cortisol in Cushing's Syndrome. Effect of corticotropin. *J. Clin. Endocrinol. Metab.* 20, 1360-1365.
- Sandberg, A.A., Eik-Nes, K.B., Samuels, L.T. and Tyler, F.H. (1954). The effects of surgery on the blood levels and metabolism of 17-hydroxycorticosteroids in man. *J. Clin. Invest.* 33, 1509-1516.
- Slaunwhite, W.R., Lockie, G.N., Back, N. and Sandberg, A.A. (1962). Inactivity in vivo of transcortin-bound cortisol. *Science*. 135, 1062-1063.

- Steenberg, R.W., Smith, L.L. and Moor, F.D. (1961). Conjugated 17-hydroxycorticosteroids in plasma: Measurement and significance in relation to surgical trauma. *J. Clin. Endocrinol. Metab.* 21, 39-52.
- Steward, C., Albert-Recht, F. and Osman, L. (1961). The simultaneous fluorometric micro determination of cortisol and corticosterone in plasma. *Clin. Chim. Acta.* 6, 696-707.
- Turner, C.D. (1966). In General Endocrinology, p. 342. 4th ed. Philadelphia. London: B. Saunders Co. Tokyo: Toppan Co., Ltd.
- Upton, G.V. and Bondy, P.K. (1958). The binding of cortisol by plasma protein. *Arch. Biochem. Biophys.* 78, 197-205.
- Vermeulen, A. and Van der Stracten, M. (1964). Determination of plasma cortisol by fluorometric method. *J. Clin. Endocrinol. Metab.* 24, 1188-1194.
- Westphal, U. and Ashley, B.D. (1958). Steroid-Protein interactions IV. Influence of functional groups in delta 4-3-ketosteroids on interaction with serum albumin and beta-lactoglobulin. *J. Biol. Chem.* 233, 57-62.

ไพเราะ จันทรเจริญสุข, ระดับของคอร์ติซอลในพลาสมาของคนไทย ในกรณีปกติ และเมื่อเป็นโรค, วิทยานิพนธ์ปริญญาโทบัณฑิต แผนกวิชาชีวเคมี จุฬาลงกรณ์มหาวิทยาลัย, 2514 หน้า 70, 77.

เย็นจิต ลูวีระ, รายงานการประชุม RIA, 2518 กาลังตีพิมพ์.

ประวัติการศึกษา

ประวัติการศึกษาของผู้เขียนวิทยานิพนธ์

ชื่อ

นางสาวสุมนา วณิชยัทธู

วุฒิการศึกษา

ปริญญาวิทยาศาสตรบัณฑิต สาขาวิทยาศาสตร์ทั่วไป คณะวิทยาศาสตร์

สถานที่ทำงาน

จุฬาลงกรณ์มหาวิทยาลัย ปีการศึกษา 2514

หน่วยคอมโรคและเมตาบอลิซึม แผนกอายุรศาสตร์ คณะแพทยศาสตร์

จุฬาลงกรณ์มหาวิทยาลัย

Vita

Miss Sumana Vanitchapuntu, B.Sc. (Chulalongkorn University)
Division. of Endocrinology and Metabolism, Department of
Medicine, Faculty of Medical Science, Chulalongkorn Hospital,
Chulalongkorn University.