### REFERENCES

- Aiba, S. (1993) Studies on chitosan: 6. Relationship between N-acetyl group distribution pattern and chitinase digestibility of partially N-acetylated chitosans. <u>International Journal of Biological Macromolecules</u>, 15, 241-245.
- Aiba, S. (1994) Preparation of N-acetylchitooligoseccharides from lysozymic hydrolysates of partially N-acetylated chitosans. <u>Carbohydrate Research</u>, 261, 297-306.
- Allan, G.G. and Peyron, M. (1995a) Molecular weight manipulation of chitosan I: kinetics of depolymerization by nitrous acid. <u>Carbohydrate Research</u>, 277, 257-272.
- Allan, G.G. and Peyron, M. (1995b) Molecular weight manipulation of chitosan II: prediction and control of extent of depolymerization by nitrous acid. <u>Carbohydrate Research</u>, 277, 273-282.
- Andrady, A.L., Torikai, A., and Kobatake, T. (1996) Spectral sensitivity of chitosan photodegradation. <u>Journal of Applied Polymer Science</u>, 62, 1465-1471.
- Bodmeier, R., Oh, K.H., and Pramar, Y. (1989) Prepration and evaluation of drugcontaining chitosan beads. <u>Drug Development and Industrial Pharmacy</u>, 6, 413-417.
- Borges, O., Borchard, G., Verhoef, J.C., Sousa, A., and Junginger, H.E. (2005) Preparation of coated nanoparticles for a new mucosal vaccine delivery system. <u>International Journal of Pharmaceutics</u>, 299, 155-166.
- Chandy, T. and Sharma, C.P. (1992) Chitosan beads and granules for oral sustained delivery of nifedipine: in vitro studies. <u>Biomaterials</u>, 13, 949-952.
- Chen, R.H., Chang, J.R., and Shyur, J.S. (1997) Effects of ultrasonic conditions and storage in acidic solutions on changes in molecular weight and polydispersity of treated chitosan. <u>Carbohydrate Research</u>, 299, 287-294.
- Chen, X.-G. and Park, H.-J. (2003) Chemical characteristics of O-carboxymethyl chitosans related to the preparation conditions. <u>Carbohydrate Polymers</u>, 53, 355-359.

- Chung, L.Y., Schmidt, R.J., Hamlyn, P.F., Sagar, B.F., Andrews, A.M., Turner, T.D. (1994) Biocompatibility of potential wound management products: Fungal mycelia as a source of chitin/chitosan and their effect on the proliferation of human F1000 fibroblasts in culture. <u>Journal of Biomedical Materials</u> Research, 28, 463-469.
- Deshpande, M.V. (1986) Enzymatic degradation of chitin and its biological applications. Journal of Science and Industrial Research, 45, 273-281.
- Dumitriu, S., Popa, M.I., Cringu, A., and Stratone, A. (1989) Bioactive polymer 61.
  Synthesis and characterization of some retard antibiotics. <u>Colloid and Polymer Science</u>, 267, 595-599.
- East, G.C. and Qin, Y. (1993) Wet spinning of chitosan and the acetylation of chitosan fibers. <u>Journal of Applied Polymer Science</u>, 50, 1773-1779.
- Fujii, S., Kumagai, H., and Noda, M. (1980) Preparation of poly(acyl) chitosans.

  <u>Carbohydrate Research</u>, 83 389-393.
- Guibal, E. (2004) Interactions of metal ions with chitosan-based sorbents: a review.
  <u>Separation and Purification Technology</u>, 38, 43-74.
- Holme, K.R. and Perlin, A.S. (1997) Chitosan N-sulfate. A water-soluble polyelectrolyte. <u>Carbohydrate Research</u>, 302, 7-12.
- Ilyina, A.V., Tikhonov, V.E., Albulov, A.I., and Varlamov, V.P. (2000) Enzymic preparation of acid-free-water-soluble chitosan. <u>Process Biochemistry</u>, 35, 563-568.
- Jia, Z., Shen, D., and Xu, W. (2001) Synthesis and antibacterial activities of quaternary ammonium salt of chitosan. <u>Carbohydrate Research</u>, 333, 1-6.
- Kande, M., Katayama, H., Tsuzuki, S., and Kuramoto, H. (1989) Application of chitin and chitosan to pharmaceutical preparations. I. Film preparation and in vitro evaluation. <u>Chemical and Pharmaceutical Bulletin</u>, 37, 523-525.
- Kendra, D.F. and Hadwiger, L.A. (1984) Characterization of the smallest chitosan oligomer that is maximally antifungal to Fusarium soloni and elicits pisatin formation in Pisum sativum. <u>Experimental Mycology</u>, 8, 276.
- Knorr, D. (1983) Dye binding properties of chitin and chitosan. <u>Journal of Food</u> <u>Science</u>, 48, 36-41.

- Kopeček, J., Kopečková, P., Minko, T., Lu, Z.-R., and Peterson, C.M. (2001) Water soluble polymers in tumor targeted delivery. <u>Journal of Controlled Release</u>, 74, 147-158.
- Krause, T.J., Goldsmith, N.K., Ebner, S., Zazanis, G.A., and McKinnon, R.D. (1998)

  An inhibitor of cell proliferation associated with adhesion formation is suppressed by N,O-carboxymethyl chitosan. <u>Journal of Investigative Surgery: the Official Journal of the Acadamy of Surgical Research</u>, 11, 105-113.
- Lahiji, A., Sohrabi, A., Hungerford, D.S., and Frondoza, C.G. (2000) Chitosan supported the expression of extracellular matrix proteins in human osteoblasts and chondrocytes. <u>Journal of Biomedical Materials Research</u>, 51, 586-595.
- Lee, M.Y., Var, F., Shin-ya, Y., Kajiuchi, T., and Yang, J.W. (1999) Optimun conditions for the precipitation of chitosan oligomers with DP 5-7 in concentrated hydrochloric acid at low temperature. <a href="Process Biochemistry">Process Biochemistry</a>, 34, 493-500.
- Leong, K.W., Mao, H.-Q., Truong-Le, V.L., Roy, K., Walsh, S.M., and August, J.T. (1998) DNA-polycation nanospheres as non-viral gene delivery vehicles.
  <u>Journal of Controlled Release</u>, 53, 183-193.
- Machida, Y., Nagai, T., Abe, M., and Sannan, T. (1986) Use of chitosan and hydroxypropylchitosan in drug formulations to effect sustained release. <u>Drug Design and Delivery</u>, 1, 119-130.
- Matsuda, T. and Magoshi, T. (2002) Preparation of vinylated polysaccharides and photofabrication of tubular scaffolds as potential use in tissue engineering.

  <u>Biomacromolecules</u>, 3, 942-950.
- Mitani, T., Kawakami, T., Morishita, M., Adachi, Y., and Ishii, H. (2003) Effect of copper adsorption on the mechanical properties of chitosan beads. <u>Journal</u> <u>of Applied Polymer Science</u>, 88, 2988-2991.
- Monteiro, O.A.C. and Airoldi, C. (1999) Some studies of crosslinking chitosanglutaraldehyde interaction in a homogeneous system. <u>International Journal</u> of Biological Macromolecules, 26, 119-128.

- Muzzarelli, R.A.A. (1996) Chitosan-based dietary foods. <u>Carbohydrate Polymers</u>, 29, 309-316.
- Muzzarelli, R.A.A., Ilari, P., and Petrarulo, M. (1994) Solubility and structure of N-carboxymethylchitosan. <u>International Journal of Biological Macromolecules</u>, 16, 177-180.
- Nishi, N., Maekita, Y., Nishimura, S., Hasegawa, O., and Tokura, S. (1987) Highly phosphorylated derivatives of chitin, partially deacetylated chitin and chitosan as new functional polymers: metal binding property of the insolubilized materials. <u>International Journal of Biological Macromolecules</u>, 9, 109-114.
- Nishimura, S.I., Kohgo, O., Kurita, K., and Kuzuhara, H. (1991) Chemospecific manipulations of a rigid polysaccharide: Syntheses of novel chitosan derivatives derivatives with excellent solubility in common organic solvents by regioselective chemical modifications. <u>Macromolecules</u>, 24, 4745-4748.
- Nordtveit, R.J., Varum, K.M., and Smidsrod, O. (1994) Degradation of fully water-soluble, partially N-acetylated chitosans with lysozyme. <u>Carbohydrate</u>

  <u>Polymers</u>, 23, 253-260.
- Peniche-covas, C., Alwarez, L.W., and Arguelles-monal, W. (1987) The adsorption of mercuric ions by chitosan. <u>Journal of Applied Polymer Science</u>, 46, 1147.
- Richardson, S.C.W., Kolbe, H.V.J. and Duncan, R. (1999) Potential of low molecular mass chitosan as a DNA delivery system: biocompatibility, body distribution and ability to complex and protect DNA. <u>International Journal of Pharmaceutics</u>, 178, 231-243.
- Rao, S.B. and Sharma, C.P. (1997) Use of chitosan as a biomaterial: Studies on its safety and hemostatic potential. <u>Journal of Biomedical Materials Research</u>, 34, 21-28.
- Shimizu, Y., Kono, K., Kim, S., and Takagishi, T. (1995) Effects of added metal ions on the interaction of chitin and partially deacetylated chitin with an azo dye carrying hydroxyl groups. <u>Journal of Applied Polymer Science</u>, 55, 255-261.

- Sudarshan, N.R., Hoover, D.G., and Knorr, D. (1992) Antibacterial action of chitosan. <u>Food Biotechnology</u>, 6, 257-272.
- Sugimoto, M., Morimoto, M., Sashiwa, H., Saimoto, H., and Shigemasa, Y. (1998)
  Preparation and characterization of water-soluble chitin and chitosan derivatives. <u>Carbohydrate Polymers</u>, 36, 49-59.
- Suzuki, S., Watanabe, T., Mikami, T., and Suzuki, M. (1986) Chitin in Nature and Technology, Plenum Press, New York and London.
- Tokura, S., Nishi, N., Somorin, O., Noguchi, J. (1980) Studies on Chitin. IV. Preparation of acetylchitin fibers. <u>Polymer Journal</u>, 12, 695-700.
- Tomihata, K. and Ikada, Y. (1997) *In vitro* and *in vivo* degradation of films of chitin and its deacetylated derivatives. <u>Biomaterials</u>, 18, 567-575.
- Ueno, H., Nakamura, F., Murakami, M., Okumura, M., Kadosawa, T., and Fujinaga, T. (2001) Evluation effects of chitosan for the extracellular matrix production by fibroblasts and the growth factors production by macrophages. <u>Biomaterials</u>, 22, 2125-2130.
- van der Merwe, S.M., Verhoef, J.C., Verheijden, J.H.M., Kotzé, and Junginger, H.E. (2004) Trimethylated chitosan as polymeric absorption enhancer for improved peroral delivery of peptide drugs. <u>European Journal of</u> <u>Pharmaceutics and Biopharmaceutics</u>, 58, 225-235.
- Varma, A.J., Deshpande, S.V., and Kennedy, J.F. (2004) Metal complexation by chitosan and its derivatives: a review. <u>Carbohydrate Polymers</u>, 55, 77-93.
- Yamaguchi, I., Itoh, S., Suzuki, M., Osaka, A., and Tanaka, J. (2003) The chitosan prepared from crab tendons: II. The chitosan/apatite composites and their application to nerve regeneration. <u>Biomaterials</u>, 24, 3285-3292.
- Yamamoto, H. and Amaike, M. (1997) Biodegradation of cross-linked chitosan gels by a microorganism. <u>Macromolecules</u>, 30, 3936-3937.
- Yoksan, R., Akashi, M., Miyata, M., and Chirachanchai, S. (2004) Optimal-γ-ray dose and irradiation conditions for producing low-molecular-weight chitosan that retains its chemical structure. Radiation Research, 161, 471-480.

## **CURRICULUM VITAE**

Name:

Ms. Juthathip Fangkangwanwong

Date of Birth:

November 21, 1980

Nationality:

Thai

# **University Education:**

2001-2003

Master Degree of Polymer Science, The Petroleum and

Petrochemical College, Chulalongkorn University, Bangkok,

Thailand.

1997-2001

Bachelor Degree of Chemical Engineering, Faculty of

Engineering, King Mongkut's University of Technology

Thonburi, Bangkok, Thailand.

## Scholarship:

 Royal Golden Jubilee Scholarship (Grant No. PHD/0112/2546) from the Thailand Research Fund for Ph.D. Program.

#### **Publications:**

- Yoksan, R., Fangkangwanwong, J., and Chirachanchai, S. (2005) Overcoming chitosan hydrogen bond network: another aspect of chitosan nanomaterial. <u>Journal of Metals, Materials and Minerals</u>, 15, 63-68.
- Fangkangwanwong, J., Akashi, M., Kida, T., and Chirachanchai, S. (2006)
   One-pot synthesis in aqueous system for water-soluble chitosan-graft-poly(ethylene glycol) methyl ether. <u>Biopolymers</u>, in press.
- Fangkangwanwong, J., Akashi, M., Kida, T., and Chirachachai, S. (2006)
   Chitosan-hydroxybenzotriazole aqueous solution: a novel water-based system for chitosan functionalization. <u>Macromolecular Rapid Communications</u>, in press.
- Fangkangwanwong, J., Yoksan, R., and Chirachanchai, S. Chitosan gel formation via the chitosan-epichlorohydrin adduct and its subsequent mineralization with hydroxyapatite. <u>Polymer</u>, submitted.
- Fangkangwanwong, J., Chirachanchai, S. A novel chitosan-PEG hydrogel formed via chitosan-hydroxybenzotriazole aqueous solution. In preparation.

# **Proceedings:**

- Fangkangwanwong, J., Tokura, S., and Chirachanchai, S. (2004, 4-10 July)
   Chitosaneous-epoxy gel and hydroxyapatite nanocomposite formation. 40<sup>th</sup>
   <u>IUPAC International Symposium on Macromolecules; World Polymer Congress</u>
   <u>MACRO 2004, Paris, France.</u>
- Fangkangwanwong, J., Yoksan, R., Tamura, H. (2005, 28-30 April) Chitosan scaffold gel via chitosan-epoxy and its hydroxyapatite biomireralization. <u>RGJ-Ph.D. Congress VI</u>, Chonburi, Thailand.
- Fangkangwanwong, J. and Chirachanchai, S. (2006, 10-14 September)
   Superabsorbent chitosan-PEG gel. <u>ACS National Meeting</u>, San Francisco, CA, USA.

#### Presentations:

- Fangkangwanwong, J., Tokura, S., and Chirachanchai, S. (2003, 17-18 July)
   Chitosaneous gel and its physical properties. <u>The National Chitin-Chitosan Conference</u>, Bangkok, Thailand.
- Fangkangwanwong, J., Tokura, S., and Chirachanchai, S. (2003, 23-25 July)
   Chitosaneous gel via epoxy group incorporation and its hydroxyapatite formation.

   An International Conference on Advances in Petrochemicals and Polymers in the New Millennium, Bangkok, Thailand.
- Fangkangwanwong, J., Akashi, M., and Chirachanchai, S. (2005, 1-2 March)
   Chitosan scaffold gel via chitosan-epoxy derivatives and its hydroxyapatite biomineralization. The Japanese Society for Regenerative Medicine (JSRM), Osaka, Japan.
- Fangkangwanwong, J. and Chirachanchai, S. (2005, 13-15 December) One-pot synthesis of water-soluble chitosan-graft-poly(ethylene glycol) methyl ether in aqueous system. <u>Second Biomass-Asia Workshop</u>, Bangkok, Ihailand.