

REFERENCES

- Adlercreutz H. (1998). Epidemiology of phytoestrogens. *Baillieres Clin Endocrinol Metab* 12: 605-623.
- Alekel DL, StGermain A, Pererson CT, Hanson KB, Stewart JW and Toda T. (2000). Isoflavone-rich soy protein isolate attenuates bone loss in the lumbar spine of perimenopausal women. *Am. J. Clin. Nutr.* 72: 844-852.
- An J, Ribeiro RC, Webb, P, and Gustafsson JA (1999). Estradiol repression of tumor necrosis factor-alpha transcription requires estrogen receptor activation function-2 and is enhanced by coactivators. *Proc Natl Acad Sci U SA* 96 (26): 15161-15166.
- Andersson C, Lydrup ML, Ferno M, Idvall I, Gustafsson J, and Nilsson BO. (2001). Immunocytochemical demonstration of oestrogen receptor beta in blood vessels of the female rat. *J Endocrinol* 169: 241-247.
- Anderson, J. and Garner, S.C. (1997). The effect of phytoestrogens on bone. *Nutr Res* 17:1617-1632.
- Anderson JJ, Ambrose WW, and Garner SC. (1998). Biphasic effects of genistein on bone tissue in the ovariectomized, lactating rat model. *Proc Soc Exp Biol Med* 217: 345-350.
- Anonymous. (1994). Assessment of fracture risk and its application to screening for postmenopausal osteoporosis. Report of a WHO Study Group. *World Health Organ Tech Rep Ser* 843: 1-129.
- Anthony MS, Clarkson TB, Hughes Jr CL, Morgan TM, and Burke GL. (1996). Soybean isoflavones improve cardiovascular risk factors without affecting the reproductive system of peripubertal rhesus monkeys. *J Nutr* 126:43-50.

- Armour KE and Ralston SH. (1998). Estrogen upregulates endothelial constitutive nitric oxide synthase expression in human osteoblast-like cells. *Endocrinology* 139: 799-802.
- Armour KE, Armour KJ, Gallagher ME, Godecke A, Helfrich MH, Reid DM and others. (2001). Defective bone formation and anabolic response to exogenous estrogen in mice with targeted disruption of endothelial nitric oxide synthase. *Endocrinology* 142: 760-766.
- Baker VL, Leitman D, and Jaffe RB. (2000). Selective estrogen receptor modulators in reproductive medicine and biology. *Obstetrical and Gynecological Survey* 55(7): S21-S47.
- Barnes S, Kim H, DarleyUsmar V, Patel R, Xu J, Boersma B and others. (2000). Beyond ER beta: estrogen receptor binding is only part of the isoflavone story. *J Nutr* 130: 656S-657S.
- Barou O, Mekraldi S, Vico L, Boivin G, Alexandre C, and Lafage-Proust MH. (2002). Relationships between trabecular bone remodelling and bone vascularization: a quantitative study. *Bone* 30: 604-12.
- Ben-Hur H, Mor G, Insler V, Blickstein I, Amir-Zaltsman Y, and Sharp A (1995). Menopause is associated with a significant increase in blood monocyte number and a relative decrease in the expression of estrogen receptors in human peripheral monocytes. *Am J Reprod Immunol* 34: 363-369.
- Binbin L and Shifeng Y. (2003). Genistein prevents bone resorption diseases by inhibiting bone resorption and stimulating bone formation. *Bio Pharm Bull* 26(6): 780-86.
- Binko J and Majewski H. (1998). 17 beta-Estradiol reduces vasoconstriction in endothelium-denuded rat aortas through inducible NOS. *Am J Physiol* 274: H853-H859.
- Brandi ML, Crescioli C, Tanini A, Frediani U, Agnusdei D, and Gennari C. (1993). Bone endothelial cells as estrogen targets. *Calcif Tissue Int* 53: 312-317.

- Brighton CT. (1978). Structure and function of the growth plate. *Clin Orthop Relat Res* 136: 22-32.
- Cenci S. (2000). Estrogen deficiency induces bone loss by enhancing T-cell production of TNF- α . *J Clin Invest* 106:1229-1237.
- Cenci S, Weitzmann MN, Gentile MA, Aisa MC, and Pacifici R. (2000). M-CSF neutralization and Egr-1 deficiency prevent ovariectomy-induced bone loss. *The Journal of Clinical Investigation* 105(9):1279-1287.
- Chen X, Garner SC, Quarles LD, and Anderson JJ (2003). Effects of genistein on expression of bone markers during MC3T3-E1 osteoblastic cell differentiation. *J Nutr Biochem* 14: 342-349.
- Chikazu D, Katagiri M, Ogasawara T, Ogata N, Shimoaka T, Takato T and others. (2001). Regulation of osteoclast differentiation by fibroblast growth factor 2: stimulation of receptor activator of nuclear factor kappaB ligand/osteoclast differentiation factor expression in osteoblasts and inhibition of macrophage colony-stimulating factor function in osteoclast precursors. *J Bone Miner Res* 16: 2074-2081.
- Chow J, Tobias JH, Colston KW and Chamber TJ. (1992). Estrogen maintains trabecular bone volume in rats not only by suppression of bone resorption but also by stimulation of bone formation. *J Clin Invest* 89: 74-78.
- Caulin-Glaser T, Garcia-Cardena G, Sarrel P, Sessa WC and Bender JR. (1997). 17 beta-estradiol regulation of human endothelial cell basal nitric oxide release, independent of cytosolic Ca²⁺ mobilization. *Circ Res* 81: 885-892.
- Collins P, Rubanyi GM and Kauffman R, Editors. (1998). *Estrogen and the Vascular Wall*, Harwood Academic Publishers, Amsterdam: 155-166.
- Compston. (2000). The skeletal effects of estrogen depletion and replacement: histomorphometry studies. In: *Annual Review of the Management of Menopause*, edited by Studd J. Carnforth, Lancs, UK: Parthenon.

- Conrad KP, Joffe GM, Kruszyna H, Kruszyna R, Rochelle LG, Smith RP and others. (1993). Identification of increased nitric oxide biosynthesis during pregnancy in rats. *FASEB J* 7: 566–571.
- Darby AJ, and Meunier PJ. (1981). Mean wall thickness and formation periods of trabecular bone packets in idiopathic osteoporosis. *Calcif Tissue Int* 33: 199-204.
- Darkow DJ, Lu L and White RE. (1997). Estrogen relaxation of coronary artery smooth muscle is mediated by nitric oxide and cGMP. *Am J Physiol* 272: H2765–H2773.
- Deckers MM, Karperien M, Van der Bent C, Yamashita T, Papapoulos SE, and Lowik CW (2000). Expression of vascular endothelial growth factors and their receptor during osteoblast differentiation. *Endocrinology* 141: 1667-1674.
- De la Mata J, Uy HL, Guise TA, Story B, Boyce BF, Mundy GR and others. (1995). Interleukin-6 enhances hypercalcemia and bone resorption mediated by parathyroid hormone-related protein in vivo. *J Clin Invest.* 95(6): 2846–2852.
- Dixon RA, Ferreira D. (2002). Genistein. *Phytochemistry* 60 (3): 205-211.
- Dulax J, Jozkowicz A, Dembinska-Kiec A, Guevara I, Zdzienicka A, Zmudzinska-Grochot D and others. (2000). Nitric oxide induces the synthesis of vascular endothelial growth factor by rat vascular smooth muscle cells. *Arterioscler Thromb Vasc Bio* 20: 659-666.
- Duncan AM, Underhill KE, Xu X, Lavalleur J, Phipps WR and Kurzer MS. (1999). Modest hormonal effects of soy isoflavones in postmenopausal women. *J Clin Endocrinol Metab* 84: 3479-84.
- Eghbali-Fatourehchi G, Khosla S, Sanyal A, Boyle WJ, Lacey DL and Riggs BL. (2003). Role of RANK ligand in mediating increased bone resorption in early postmenopausal woman. *J. Clin. Invest* 111: 1221-30.
- Ernst M, Heath JK, and Rodan GA. (1989). Estradiol effects on proliferation, messenger ribonucleic acid for collagen and insulin-like growth factor-I and parathyroid hormone-stimulated adenylate cyclase activity in osteoblastic cells from calvariae and long bones. *Endocrinology* 125: 825-833.

- Evans DM, and Ralston SH. (1996). Nitric oxide and bone. *J Bone Miner Res* 11: 300-305.
- Fanti P, Monier-Faugere MC, Geng Z, Schmidt J, Morris PE, Cohen D and others. (1998). The phytoestrogen genistein reduces bone loss in short-term ovariectomized rats. *Osteoporosis Inter.* 8(3): 274-281.
- Farhat MY, Lavigne MC and Ramwell PW. (1996). The vascular protective effects of estrogen. *FASEB J* 10: 615-624.
- Farzad D, Barbara JS, Gerald HB and Bahram HA. (2003) The effects of estrogen depletion and isoflavones on bone metabolism in rats. *Nutr Res.* 23, 123-130.
- Felix R, Hofstetter W, Wetterwald A, Cecchini MG, and Fleisch H. (1994). Role of colony-stimulating factor-1 in bone metabolism. *J Cell Biochem* 55: 340-349.
- Ferrara N, Gerber HP and LeCouter J. (2003). the biology of VEGF and its receptors. *Nat Med* 9: 669-676.
- Feyen JHM, Elford P, DiPadova FE and Trechsel U. (1989). Interleukin-6 is produced by bone and modulated by parathyroid hormone. *J Bone. Miner Res* 4:633-8.
- Fox SW and Chow JW. (1998). Nitric oxide synthase expression in bone cells. *Bone* 23:1-6.
- Frost HM. (1969). Tetracycline-based histological analysis of bone remodeling. *Calcif Tissue Res* 3: 211-237.
- Fujiki H, Suganuma M, Okabe S, Kurusu M, Imai K and Nakachi K. (2002). Involvement of TNF α changes in human cancer development, prevention and palliative care. *Mech Ageing Dev* 123:1655-1663
- Fukayama S, and Tashjian AH. (1989). Direct modulation by estradiol of the response of human bone cells (SaOS-2) to human parathyroid hormone (PTH) and PTH-related protein. *Endocrinology* 124: 397-401.
- Garcia-Ramirez M, Toran N, Andaluz P, Carrascosa A and Audi L. (2000). Vascular endothelial growth factor is expressed in human fetal growth cartilage. *J bone Miner Res* 15: 534-540.

- Gerber HP and Ferrara N. (2000). Angiogenesis and bone growth. *Trends Cardiovasc Med* 10: 223-228.
- Gerber HP, Vu T, Ryan AM, Kowalski J, Werb Z, and Ferrara N. (1999). VEGF couples hypertrophic cartilage remodeling, ossification and angiogenesis during endochondral bone formation. *Nat Med* 5: 623-628.
- Gillean A, Rodan and John Martin T. (2000). Therapeutic approaches to bone diseases. *Science* 289: 1508-1514.
- Goetz RM, Thatte HS, Prabhakar P, Cho MR, Michel T and Golan DE. (1999). Estradiol induces the calcium-dependent translocation of endothelial nitric oxide synthase. *Proc Natl Acad Sci U SA* 96: 2788-2793.
- Gonzales RJ, Walker BR, and Kanagy NL. (2001). 17β -estradiol increases nitric oxide-dependent dilation in rat pulmonary arteries and thoracic aorta, *Am J Physiol Lung Cell Mol Physiol* 280: L555-L564.
- Ham AW.(1952). Some histophysiological problems peculiar to calcified tissues. *J Bone Joint Surg* 34A: 701-728.
- Harada S, Nagy JA, Sullivan KA, Thomas KA, Endo N, Rodan GA and others. (2003). Induction of vascular endothelial growth factor expression by prostaglandin E2 and E1 in osteoblasts. *J Clin Invest* 93: 2490-2496.
- Hausman MR, Schaffler MB and Maieska RJ. (2001). Prevention of healing fracture in rats by an inhibitor of angiogenesis. *Bone* 29: 560-564.
- Hayashi T, Fukuto JM, Ignarro LJ and Chaudhuri G. (1992). Basal release of nitric oxide from aortic rings is greater in female rabbits than in male rabbits: implications for atherosclerosis. *Proc Natl Acad Sci U SA* 89: 11259-11263.
- Hayashi T, Yamada K, Esaki T, Kuzuya M, Satake S, Ishikawa T and others. (1995). Estrogen increases endothelial nitric oxide by a receptor-mediated system. *Biochem Biophys Res Comm* 214: 847-855.
- Haynes MP, Russell KS and Bender JR. (2000). Molecular mechanisms of estrogen actions on the vasculature. *J Nucl Cardiol* 7: 500-508.

- Helfrich MH, Evans DE, Grabowski PS, Pollock JS, Ohshima H and Ralston SH. (1997). Expression of nitric oxide synthase isoforms in bone and bone cell cultures, *J Bone Miner Res* 12: 1108–1115.
- Helfrich MH and Ralston SH. (2003). Methods in Molecular Medicine. Eds. *Bone Research Protocols*. Vol 80. Humana Press, Totowa, NJ, 450 p.
- Hishikawa K, Nakaki T, Marumo T, Suzuki H, Kato R and Saruta T. (1995). Up-regulation of nitric oxide synthase by estradiol in human aortic endothelial cells. *FEBS Lett* 360: 291–293.
- Hodges YK, Tung L, Yan XD, Graham JD, Horwitz KB and Horwitz LD. (2000). Estrogen receptors alpha and beta: prevalence of estrogen receptor beta mRNA in human vascular smooth muscle and transcriptional effects. *Circulation* 101: 1792–1798.
- Hofbauer LC, Khosla S, Dunstan CR, Lacey DL, Spelsberg TC, and Riggs BL. (1999). Estrogen stimulates gene expression and protein production of osteoprotegerin in human osteoblastic cells. *Endocrinology* 140: 4367-4370.
- Honore EK, Williams JK, Antony MS, and Clarkson TB. (1997). Soy isoflavones enhance coronary vascular reactivity in arteriosclerotic female macaques. *Fertil Steril* 67: 148-154.
- Hosking D, Chilvers, Christiansen C, Ravn P, and Richard. (1998). Prevention of bone loss with alendronate in postmenopausal women under 60 years of age. *N Engl J Med* 338 (8): 485-492.
- Huang Y, Cao S, Nagamani M, Anderson KE, James J, and Lu LJ W. (2005) Decreased circulating levels of tumor necrosis factor- α in postmenopausal women during consumption of soy-containing isoflavones. *J Clin Endocrin Metab* 90(7): 3956-3962.
- Hughes DE. (1996). Estrogen promotes apoptosis of murine osteoclasts mediated by TGF- β . *Nat Med* 2:1132–1136.

- Hughes DE and Boyce BF. (1997). Apoptosis in bone physiology and disease. *J Clin Pathol* 50: 132-137.
- Hughes DE, Wright KR, Mundy GR, and Boyce BF. (1994). TGF beta 1 induces osteoclast apoptosis in vitro (Abstract). *J Bone Miner Res* 9 Suppl: S71.
- Hukkanen M, Platts LA, Lawes T, Girgis SI, Konttinen YT, Goodship AE and others. (2003). Effect of nitric oxide donor nitroglycerin on bone mineral density in a rat model of estrogen deficiency-induced osteopenia, *Bone* 32: 142-149.
- Hwang JL, Hodis HN and Sevanian A. (2001). Soy and alfalfa phytoestrogen extracts become potent low-density lipoprotein antioxidants in the presence of acerola cherry extract. *J Agric Food Chem* 49: 308-314.
- Iafrati MD, Karas RH, Aronovitz M, Kim S, Sullivan Jr. TR, Lubahn DB and others. (1997). Estrogen inhibits the vascular injury response in estrogen receptor alpha-deficient mice. *Nat Med* 3: 545-548.
- Ishimi Y, Araj N, Wang X, Wu J, Umegaki K, Miyamura C and others. (2000). Difference in effective dosage of genistein on bone and uterus in ovariectomized mice. *Biochem Biophys Res Comm* 274: 697-701.
- Jamal WS, Browner DC, Bauer and Cummings SR. (1998). Intermittent use of nitrates increases bone mineral density: the study of osteoporotic fractures, *J Bone Miner Res* 13: 1755-1759.
- Jilka RL, Takahashi K, Munshi M, Williams DC, Robertson PK, and Manolagas SC. (1998). Loss of estrogen upregulates osteoblastogenesis in the murine bone marrow: evidence for autonomy from factors released during bone resorption. *J Clin Invest* 101: 1942-1950.
- Jimi E, Ikebe T, Takahashi N, Hirata M, Suda T, and Koga T. (1996). Interleukin-1 alpha activates all NF-kappaB-like factor in osteoclast-like cells. *J Biol Chem* 271: 4605-4608.

- Jimi E, Nakamura I, Ikebe T, Takahashi N, and Suda T. (1997). IL-1 induces survival of osteoclasts by activating NK-kB (Abstract). *J Bone Miner Res* 12 Suppl: S148.
- Kalu DN. (1991). The ovariectomized rat model of post menopausal bone loss. *Bone miner* 15: 175-192.
- Kalu DN, Liu CC, Hardin RR and Hillis BW. (1989). The aged rat model of ovarian hormone deficiency bone loss. *Endocrinology* 124: 7-16.
- Kameda TI. (1997). Estrogen inhibits bone resorption by directly inducing apoptosis of the bone-resorbing osteoclasts. *J Exp Med* 186:489-495.
- Kapiotis S, Hermann M, Held I, Seelos C, Ehringer H, and Gmeiner BM .(1997). Genistein, the dietary-derived angiogenesis inhibitor, prevents LDL oxidation and protects endothelial cells from damage by atherogenic LDL. *Arterioscler Thromb Vasc Biol* .17:2868-2874.
- Kassem M, Okazaki R, Deleon D, Harris SA, Robinson JA, Spelsberg TC and others. (1996). Potential mechanism of estrogen-mediated decrease in bone formation: estrogen increases production of inhibitory insulin-like growth factor-binding protein-4. *Proc Assoc Am Phys* 108: 155-164.
- Katharine E, Armour and Ralston SH. (1998). Estrogen upregulates endothelial constitutive nitric oxide synthase expression in human osteoblast-like cells. *Endocrinology* 139(2): 799-804.
- Kawaguchi H. (1995). Ovariectomy enhances and estrogen replacement inhibits the activity of bone marrow factors that stimulate prostaglandin production in cultured mouse calvariae. *J Clin Invest*. 96:539-548.
- Keeting PE, Scott RE, Colvard DS, Han IK, Spelsberg TC, and Riggs BL. (1991). Lack of a direct effect of estrogen on proliferation and differentiation of normal human osteoblast-like cells. *J Bone Miner Res* 6: 297-304.
- Kharitonov SA, Logan-Sinclair RB, Busset CM and Shinebourne EA. (1994). Peak expiratory nitric oxide differences in men and women: relation to the menstrual cycle. *Br Heart J* 72: 243-245.

- Khemapech S, Monsiri M, Patumraj S and Siriviriyakul P. (2003). Genistein replacement therapy for vasodilation disorder in bilateral ovariectomized rats. *Clin Hemo Micro* 29: 271-77.
- Killam AP, Rosenfeld CR, Battaglia FC, Makowski EL and Meschia G. (1973). Effect of estrogens on the uterine blood flow of oophorectomized ewes. *Am J Obstet Gynecol* 115:1045-1052.
- Kimble RB, Srivastava S, Ross FP, Mayayoshi A, and Pacifici R. (1996). Estrogen deficiency increases the ability of stromal cells to support murine osteoclastogenesis via an interleukin-1- and tumor necrosis factor-mediated stimulation of macrophage colony-stimulating factor production. *J Biol Chem* 271: 28890-28897.
- Kimmel DB. (1996). Animal model for in vivo experimentation osteoporosis research . In. Osteoporosis, edited by Marcus R, Feldman D, and Kelsey J. San Diego, CA: Academic: 671-90.
- Komai Y, Nakano A and Niimi H. (2005). Capillary angiogenesis and remodeling induced in rat limb by arteriovenous shunting. *Clin Hemoreol Microcirc* 32(3):199-208.
- Kousteni S. (2003). Kinase-mediated regulation of common transcription factors accounts for the bone-protective effects of sex steroids. *J Clin Invest* 111:1651-1664.
- Kuiper GG and Carlsson B. (1997). Comparison of the ligand binding specificity and transcript tissue distribution of estrogen receptors alpha and beta. *Endocrinology* 138: 863-870.
- Kuiper GG, Enmark E, Peltö-Huikko M, Nilsson S and Gustafsson JA. (1996). Cloning of a novel receptor expressed in rat prostate and ovary. *Proc Natl Acad Sci U SA* 93: 5925-5930.

- Lacey DL, Timms E, Tan HL, Kelley MJ, Dunstan CR, Burgess T and others. (1998). Osteoprotegerin ligand is a cytokine that regulate osteoclast differentiation and activation. *Cell* 93: 165-76.
- Lambert KC, Curran EM, Judy BM, Lubahn DB and Estes DM. (2004). Estrogen receptor-alpha deficiency promotes increased TNF-alpha secretion and bacterial killing by murine macrophages in response to microbial stimuli in vitro. *J Leukoc Biol* 75 (6): 1166-1172.
- Lantin-Hermoso RL, Rosenfeld CR, Yuhanna IS, German Z, Chen Z and Shaul PW. (1997). Estrogen acutely stimulates nitric oxide synthase activity in fetal pulmonary artery endothelium. *Am J Physiol* 273: L119-L126.
- Laroche M. (2002). Circulation intraosseuse: de la physiologie a la pathologie. *Joint Bone Spine* 69(1):262-269.
- Laroche M, Barbier A, Ludot I, Vernhet C, Thiechart M, Viguier G and others. (1996). Effect of ovariectomy on intraosseous vascularization and bone remodeling in rats: action of tiludonate. *Osteoporos Int* 6: 127-129.
- Lin SC, Yamate T, Taguchi Y, Borba VZ, Girasole G and O'Brien CA. (1997). Regulation of the gp80 and gp130 subunits of the IL-6 receptor by sex steroids in the murine bone marrow, *J Clin Invest* 100 (8): 1980-1990.
- Linberg MK, Moverare S, Skrtic S, Alatalo S, Halleen J, Mohan S and others. (2002). Estrogen receptor specificity for the effects of estrogen in ovariectomized mice. *J Bone Miner Res* 174: 167-178.
- Lissin LW and Cooke JP. (2000). Phytoestrogen and cardiovascular health. *J Am Coll Cardiol* 35: 1403-1410.
- Lorenzo JA. (1998). Mice lacking the type I interleukin-1 receptor do not lose bone mass after ovariectomy. *Endocrinology* 139:3022-3025.
- Lorraine A and Fitzpatrick. (1999). Selective estrogen receptor modulators and phytoestrogens: New therapies for the postmenopausal woman. *Mayo Clin Proc* 74: 601-07.

- Losordo DW and Isner JM. (2001). Estrogen and angiogenesis: a review. *Arterioscler Thromb Vasc Biol* 21: 6-12.
- Lowik PH, Nibbering M, Van de Ruit and Papapoulos SE. (1994). Inducible production of nitric oxide in osteoblast-like cells and in fetal mouse bone explants is associated with suppression of osteoclastic bone resorption, *J Clin Invest* 93: 1465-1472.
- Macdonald BR, Takahashi N, McManus LM, Holahan J, Mundy GR and Roodman GD. (1987). Formation of multinucleated cells that response to osteotropic hormones in long-term human marrow cultures. *Endocrinology* 120: 2326-2333.
- MacIntyre I, Zaidi M, Alam AS, Datta HK, Moonga BS, Lidbury PS and others. (1991). Osteoclastic inhibition: an action of nitric oxide not mediated by cyclic GMP, *Proc. Natl. Acad. Sci. USA* 88: 2936-2940.
- Majeska RJ, Ryaby JT, and Einhorn TA. (1994). Direct modulation of osteoblastic activity with estrogen. *J Bone Joint Surg* 76: 713-721.
- Manolagas SC and Jilka RL. (1995). Bone marrow, cytokines, and bone remodeling: emerging insights into the pathophysiology of osteoporosis. *N Engl J Med* 332 (5), 305-311.
- Marie PJ, Hott M, and Modrowski D. (1993). An uncoupling agent containing strontium prevents bone loss by depressing bone resorption and maintaining bone formation in estrogen-deficient rats. *J Bone Miner Res* 8:607-615.
- Mark Messina. (2004). Findings and perspectives from the fifth international chronic disease symposium. *The soy connection* [Online]. Available from: <http://www.talksoy.com/shrp>.
- Marotti G, Zallone AZ. (1980). Changes in the vascular network during the formation of Haversian systems. *Acta Anat* 06: 84-100.
- Mayr-Wohlfart U, Waltenberger J, Hausser H, Kessler S, Gunther KP, and Dehio C. (2002). Vascular endothelial growth factor stimulates chemotactic migration of primary human osteoblasts. *Bone* 30: 472-477.

- Mekraldi S, Lafage-Proust MH, and Bloomfield S. (2003). Changes in vasoactive factors associated with altered vessel morphology in the tibial metaphysis during ovariectomy-induced bone loss in rats. *Bone* 32: 630-41.
- Mendelsohn ME and Karas RH. (1999). Mechanisms of disease: the protective effects of estrogen on the cardiovascular system. *N Eng J Med* 304: 1801-1811.
- Merz Demlow BE, Duncan AM, Wangen KE, Xu X, Carr TP, Phipps WR and others. (2000). Soy isoflavones improve plasma lipids in normocholesterolemic, premenopausal women. *Am J Clin Nutr* 71: 1462-1469.
- Michaelsson K. (1998). Hormone replacement therapy and risk of hip fracture: population based case-control study. *British Medical Journal* 316:1858-1863.
- Michel Laroche. (2002). Circulation intraosseuse: de la physiologie a la pathologie. *Joint Bone Spine* 69: 262-269.
- Miep H. Helfrich and Stuart H. Ralston. (2003). Bone research protocols. United States of America: Humana Press Inc.
- Miyaura C, Kusano K, Masuzawa T and Chaki O. (1995). Endogenous bone-resorbing factors in estrogen deficiency: cooperative effects of IL-1 and IL-6. *J Bone Miner Res* 10: 1365-73.
- Nomura S. and Takano-Yamamoto T. (2000). Molecular events caused by mechanical stress in bone. *Matrix Biol* 19: 91-96.
- Okumura N, Yoshikawa T, Iida J, Nonomura A, and Takakura Y. (2004). Osteogenic effect of genistein on in vitro bone formation by rat bone marrow cell culture for development of advanced bio-artificial bone[Online]. Available from <http://www.scientific.net>
- O'Connell D, Roberson J, Henry D and Gillespie W. (1998). A systemic review of the skeletal effects of estrogen therapy in postmenopausal women.II. An assessment of treatment effect. *Climacteric* 1:112-23.

- O'Shaughnessy MC, Polak JM, Afzal F, MHukkanen MV, Huang P, MacIntyre I and others. (2000). Nitric oxide mediates 17β -estradiol-stimulated human and rodent osteoblast proliferation and differentiation, *Biochem Biophys Res Commun* 277: 604–610.
- Oursler MJ. (1998). Estrogen regulation of gene expression in osteoblasts and osteoclasts. *Crit Rev Eukaryotic Gene Expression* 8: 125-140.
- Oursler MJ, Osdoby P, Pyfferoen J, Riggs BL, and Spelsberg TC. (1991). Avian osteoclasts as estrogen target cells. *Proc Natl Acad Sci USA* 88:6613–6617.
- Pacifici R. (1991). Effect of surgical menopause and estrogen replacement on cytokine release from human blood mononuclear cells. *Proc Natl Acad Sci U S A* 88:5134-5138.
- Pacifici R. (1996). Estrogen, cytokines and pathogenesis of postmenopausal osteoporosis. *J Bone Miner Res* 11:1043–1051.
- Pacifici R. (1998). Increased osteoclast development after estrogen loss mediation by interleukin-6. *Endocrinology* 139: 2659.
- Pan W, Ikeda K, Takebe M, and Yamori Y. (2001). Genistein, daidzein and glycitein inhibit growth and DNA synthesis of aortic smooth muscle cells from stroke-prone spontaneously hypertensive rats. *J Nutr* 131:1154–1158.
- Parfitt AM. (1998). Osteoclast precursors as leukocytes: importance of the area code. *Bone* 23: 491-494.
- Parfitt AM. (2000). Mechanism of coupling: a role for the vasculature. *Bone* 26: 319-323.
- Patricia D, Thorsten S, Gerard K. (2000). The osteoblast: A sophisticated fibroblast under central surveillance. *Science* 289:1501-1504.
- Peluso MR, Winters TA, Shanahan MF and Banz WJ. (2000). A cooperative interaction between soy protein and its isoflavone-enriched fraction lowers hepatic lipids in male obese Zucker rats and reduces blood platelet sensitivity in male Sprague-Dawley rats. *J Nutr* 130: 2333–2342.

- Ralston SH, Russell RGG, and Gowen M. (1990). Estrogen inhibits release of tumor necrosis factor from peripheral blood mononuclear cells in postmenopausal women. *J Bone Miner Res* 5:983-988.
- Richard EW. (2002). Estrogen and vascular function. *Vascular Pharmacology* 38: 73-80.
- Riggs BL. (2002). Endocrine cause of age-related bone loss and osteoporosis. *Novartis Found Symp* 242: 247-59.
- Riggs BL, Jewsey J, Kelly PJ, Jones JD and Marker FT. (1969). Effect of sex hormones on bone in primary osteoporosis *J Clin Invest* 48: 1065-1072.
- Rob J, Van'Hof and Stuart H. Ralston. (2001). Nitric oxide and bone. *Immunology*. 103: 255-261.
- Roger JL. (2000). Power analysis and sample size determination: concept and software tools. Available from: [http:// www.saem.org/download/lewis4.pdf](http://www.saem.org/download/lewis4.pdf)
- Roodman GD. (1992). Interleukin 6: An osteotropic factor. *J Bone Miner Res* 7: 475-478.
- Rosen CJ. (1996). Biochemical markers of bone turnover. In: Rosen CJ, ed. *Osteoporosis: diagnostic and therapeutic principles*. Totowa, NJ: Humana Press: 129-41.
- Rosenfeld CR, Cox BE, Roy T and Magness RR. (1996). Nitric oxide contributes to estrogen-induced vasodilation of the ovine uterine circulation. *J Clin Invest* 98: 2158-2166.
- Rosenfeld CR, Killam AP, Battaglia FC, Makowski EL and Meschia G. (1973). Effect of estradiol-17, on the magnitude and distribution of uterine blood flow in nonpregnant, oophorectomized ewes. *Pediatr Res* 7:139-148.
- Roux S and Orcel P. (2000). Bone loss. Factor that regulate osteoclast differentiation: an update. *Arthritis Res* 2: 451-456.
- Salhab WA, Shaul PW, Cox BE, and Rosenfeld CR. (2000). Regulation of types I and III NOS in ovine uterine arteries by daily and acute estrogen exposure. *Am J Physiol: Heart Circ Physiol* 278: H2134-H2142.

- Salvatore C, Emanuela M, Laura D, Tiziana G, Rosanna DP, and Zaira R. (2003). Inducible nitric oxide synthase mediates bone loss in ovariectomized mice. *Endocrinology* 144(3): 1098-1107.
- Samuels A, Perry MJ, Gibson RL, and Colley S. (2001). Role of endothelial nitric oxide synthase in estrogen-induced osteogenesis. *Bone* 29(1): 24-29.
- Schapira C, Slinn S, Sarid M, Mokadai S, Kabala A and Silbermann M. (1995). Calcium and vitamin D enriched diets increase and preserve vertebral mineral content in aging laboratory rats. *Bone* 16 (5): 575-582.
- Schmidt HHW, Gagne GD, Nakane M, Pollock JS, Miller MF, and Murad F. (1992). Mapping of neural nitric oxide synthase in the rat suggests frequent co-localisation with NADPH dehydrogenase but not with soluble guanylate cyclase and novel paraneural functions for signal transduction. *J Histochem Cytochem* 40:1439-1456.
- Shanker G, Sorci-Thomas M, and Adams MR. (1994). Estrogen modulates the expression of tumor necrosis factor alpha mRNA in phorbol ester-stimulated human monocytic THP-1 cells. *Lymphokine Cytokine Res.* 13:377-382.
- Simonet WS, Lacey DL, and Dunstan CR. (1997). Osteopontin: a novel secreted protein involved in the regulation of bone density. *Cell* 89: 309-19.
- Siriviriyakul P, Khemapech S, Monsiri K and Patumraj S.(2006). The Vascular effect of Genistein : what is its mechanism, nitric oxide or PGI₂. *Clin Hemorheol Microcirc.*34(1-2):97-101.
- Squadrito F, Altavilla D, and Squadrito G. (2000). Genistein supplementation and estrogen replacement therapy improve endothelial dysfunction induced by ovariectomy in rats. *Cardiovascular Research* 45: 454-62.
- Srivastava S. (2001). Estrogen decreases osteoclast formation by down-regulating receptor activator of NF-kappa B ligand (RANKL)-induced JNK activation. *J Biol Chem* 276:8836-8840.

- Street J, Bao M, deGusman L, Bunting S, Peale FV Jr, and Ferrara N. (2002). Vascular endothelial growth factor stimulate bone repair by promoting angiogenesis and bone turnover. *Proc Natl Acad Sci USA* 99: 9656-9661.
- Tarkan L (2000). Natural remedies for menopause gain popularity. *New York Times* Jun 20, Sect.D:7 (col1).
- Tarnopolsky MA and MacLennan DP. (2000). Creatine monohydrate supplementation enhances high-intensity exercise performance in males and females. *Int J Sport Nutr Exerc Met* 10(4): 452-463.
- Tatsuyama K, Maezawa Y, Bab H, Imamura Y, and Fukuda M. (2000). Expression of various growth factors for cell proliferation and cytodifferentiation during fracture repair of bone. *Eur J Histochem* 44: 269-278.
- Teitelbaum S.L. (2000). Bone resorption by osteoclast. *Science* 289: 1504-1508.
- Terreaux C, Polasek J and Hostettmann K. (2003). Plant Constituents with hormonal effects. *Current Organic chemistry* 7: 1151-61.
- Tomkinson A, Reeve J, Shaw RW, and Noble BS. (1997). The death of osteocytes via apoptosis accompanies estrogen withdrawal in human bone. *J Clin Endocrinol Metab* 82: 3128-3135.
- Upmalis DH, Lobo R, Bradley L, Warren M, Cone FL and Lamia CA. (2000). Vasomotor symptom relief by soy isoflavone extract tablets in postmenopausal women: a multicenter, double-blind, randomized, placebocontrolled study. *Menopaus* 7: 236-42.
- Van-Buren GA, Yang DS and Clark KE. (1992). Estrogen-induced uterine vasodilatation is antagonized by -nitroarginine methyl ester, an inhibitor of nitric oxide synthesis. *Am J Obstet Gynecol* 167: 828-833.
- Van't Hof RJ and Ralston SH. (1997). Cytokine-induced nitric oxide inhibits bone resorption by inducing apoptosis of osteoclast progenitors and suppressing osteoclast activity, *J Bone Miner Res* 12: 1797-1804.

- Van't Hof RJ and Ralston SH. (2001). Nitric oxide and bone. *Immunology* 103(3): 255-61.
- Van't Hof RJ, Armour KJ, Smith LM, Armour KE, Wei XQ, Liew FY and others. (2000). Requirement of the inducible nitric oxide synthase pathway for IL-1-induced osteoclastic bone resorption. *Proc Natl Acad Sci USA* 97: 7993-7998.
- Vogt MT, Cauley JA, Kuller LH and Nevitt MC. (1997). Bone mineral density and blood flow to the lower extremities: the study of osteoporotic fractures. *J Bone Miner Res* 12:283-289.
- Walter P, Green S, Greene G, Krust A, Bornert JM, Jeltsch JM and others. (1985). Cloning of the human estrogen receptor cDNA. *Proc Natl Acad Sci U SA* 82:7889-7893.
- Wang DS, Miura M, Demura H, and Sato K. (1997). Anabolic effects of 1,25-dihydroxyvitamin D₃ on osteoblasts are enhanced by vascular endothelial growth factor produced by osteoblasts and by growth factors produced by endothelial cells. *Endocrinology* 138: 2953-2962.
- Waynforth HB and Paul AF. (2001). Experimental and surgical technique in the rat. Second edition. London UK: Academic Press.
- Weiner CP, Lizasoain I, Baylis SA, Knowles RG, Charles IG and Moncada S. (1994). Induction of calcium-dependent nitric oxide synthases by sex hormones. *Proc Natl Acad Sci U SA* 91: 5212-5216.
- Weitzmann MN and Pacifici R. (2006). Estrogen deficiency and bone loss: an inflammatory tale. *Clin Invest*. 116:1186-119.
- Westerlind KC, Wronski TJ and Ritman EL. (1997). Estrogen regulated the rate of bone turnover but bone balance in ovariectomized rat is modulated by prevailing mechanical strain. *Proc Natl Acad Sci USA* .94: 4199-204.

- White RE, Han G, Maunz M, Dimitropoulou C, El-Mowafy AM, Barlow RS and others. (2002). Endothelium-independent effect of estrogen on Ca^{2+} -activated K^+ channels in human coronary artery smooth muscle cells. *Cardiovasc Res* 53: 650–661.
- Williams JK and Clarkson TB. (1998). Dietary soy isoflavones inhibit *in vivo* constrictor responses of coronary arteries to collagen-induced platelet activation. *Coron Artery Dis* 9:759–764.
- Wimalawansa SJ, De Marco G, Gangula P, and Yallampalli C. (1996). Nitric oxide donor alleviates ovariectomy-induced bone loss. *Bone* 18: 301-304.
- Wimalawansa SJ. (2000) Restoration of ovariectomy-induced osteopenia by nitroglycerin. *Calcif Tissue Int* 66:56–60.
- Wimalawansa SJ. (2000). Nitroglycerin therapy is as efficacious as standard estrogen replacement therapy (Premarin) in prevention of oophorectomy-induced bone loss: a human pilot clinical study. *J Bone Miner Res* 15:2240–2244.
- Winet H. (1996). The role of microvasculature in normal and perturbed bone healing as revealed by intravital microscopy. *Bone* 19(1) Suppl: 39S-57S.
- Yamaguchi M. (2006). Regulatory mechanism of food factors in bone metabolism and prevention of osteoporosis. *Yakugaku Zasshi* 126(11): 1117-1137.
- Yamakoshi J, Piskula MK, Izumi T, Tobe K, Saito M, Kataoka S and others. (2000) Isoflavone aglycone-rich extract without soy protein attenuates atherosclerosis development in cholesterol-fed rabbits. *J Nutr* 130:1887–1893.
- Yao Z, Lafage-Proust MH, Plouet J, Bloomfield S, Alexandre C, and Vico L (2004). Increase of both angiogenesis and bone mass in response to exercise depends on VEGF. *J Bone Miner Res* 19(9): 1471-1480.

- Yen ML, Su JL, Chien CL, Tseng KW, Yang CY, Chen WF and others.(2005). Diosgenin Induces Hypoxia-Inducible Factor-1 Activation and Angiogenesis through Estrogen Receptor-Related Phosphatidylinositol 3-kinase/Akt and p38 Mitogen-Activated Protein Kinase Pathways in Osteoblasts. *Mol Pharmacol* 68:1061–1073.
- Yoon-Bok L and Hyong JL. (2004). Evaluation of the prevention effect of isoflavone extract on bone loss in ovariectomized rats. *Biosci Biotechnol Biochem* 68(5): 1040-45.
- Zachary I and Gliko G. (2001). Signaling transduction mechanisms mediating biological actions of the vascular endothelial growth factor family. *Cardiovasc Res* 49: 568–581.
- Zang XY, Tan YB, Pang ZL, Zhang WZ, and Zhao J. (1994). Effects of parathyroid hormone and estradiol on proliferation and function of human osteoblasts from fetal long bone: an in vitro study. *Chin Med J* 107: 600-603.

APPENDIX

PUBLICATIONS

การเผยแพร่ผลงานจากวิทยานิพนธ์

- Atchareeya Chanawirat, Sirima Khemapech, Suthiluk Patumraj and Prasong Siriviriyakul. Roles of genistein on endothelial dysfunction and bone loss in bilateral ovariectomized rats. *1st International Conference Natural Product for Health and Beauty*, Maha Sarakham, Thailand 2005 [Abstract]
- Atchareeya Chanawirat, Sirima Khemapech, Suthiluk Patumraj and Prasong Siriviriyakul. Endothelial dysfunction and bone loss in bilateral ovariectomized rat with genistein replacement therapy. *การประชุมวิชาการสรีรวิทยาสมาคมแห่งประเทศไทย ครั้งที่ 34*, 2548
- Atchareeya Chanawirat, Sirima Khemapech, Suthiluk Patumraj and Prasong Siriviriyakul. Genistein replacement therapy on endothelial dysfunction and bone loss in bilateral ovariectomized rats. *Clinical Hemorheology and Microcirculation*. Vol 34, Number 1,2, 2006
- Prasong Siriviriyakul, Atchareeya Chanawirat, Pattarin Sridulyakul, Natchaya Wongeakin and Suthiluk Patumraj. The alteration of bone vascularization in bilateral ovariectomized rats using confocal laser microscopy. *Biomedical Engineering Conference*. Chulalongkorn, Thailand 2005 [Abstract]
- Atchareeya Chanawirat, Suthiluk Patumraj and Prasong Siriviriyakul. Confocal laser images of bone vascularization in bilateral ovariectomized rats. *การประชุมวิชาการสรีรวิทยาสมาคมแห่งประเทศไทย ครั้งที่ 35*, 2549 [Abstract]
- Kasiyaphat Atchareeya, Patumraj Suthiluk, and Siriviriyakul Prasong. Genistein supplementation prevents bone microvascular dysfunction and bone loss consequently in early phase of ovariectomized rats. *การประชุมวิชาการแห่งชาติ ด้านสู่วัยและผู้สูงอายุ, โรงพยาบาลจุฬาลงกรณ์*, 2550 [Abstract]
- Kasiyaphat Atchareeya, Patumraj Suthiluk, and Siriviriyakul Prasong. Preventive

effects of genistein on bone microvascular dysfunction and consequently bone loss in early phase of ovariectomized rats. *การประชุมวิชาการสรีรวิทยาสมาคมแห่งประเทศไทย ครั้งที่ 36*, 2550

การเผยแพร่ผลงานวิจัยที่ทำเพิ่มเติมจากวิทยานิพนธ์

Atchareeya Kasiyaphat, Suthiluk Patumraj, Prasong Siriviriyakul. Roles of genistein on bone microcirculation and bone mass density in bilateral ovariectomized rats. *Inpress.24th European Conference on Microcirculation*, Amsterdam, 2006 [Abstract]

Atchareeya Kasiyaphat, Suthiluk Patumraj and Prasong Siriviriyakul. Roles of genistein on bone microcirculation and bone mass density in bilateral ovariectomized rats. *The 6th National Symposium on Graduate Research*, Chulalongkorn University, 2006 [Abstract]

Kasiyaphat Atchareeya, Patumraj Suthiluk and Siriviriyakul Prasong. Effects of genistein on early phase ovariectomy-induced bone microvascular dysfunction and bone loss in rats. *7th International Soy Symposium*, Bangkok, Thailand, 2007 [Abstract]

Atchareeya Kasiyaphat, Suthiluk Patumraj and Prasong Siriviriyakul. Supplementation of genistein could prevent bone microvascular dysfunction in bilateral ovariectomized rats. 2007 (*Submitted*)

Atchareeya Kasiyaphat, Suthiluk Patumraj and Prasong Siriviriyakul. Estrogen replacement therapy prevents bone microvascular dysfunction and bone loss in bilateral ovariectomized rats. 2007 (*Submitted*)

BIOGRAPHY

NAME	Mrs.ATCHAREEYA KASIYAPHAT	
DATE OF BIRTH	July 15, 1974	
PLACE OF BIRTH	Roi-ed, Thailand	
INSTITUTION ATTENDED	1992-1996	Bachelor of Science (Sport Science) Mahidol University
	1996-2000	Master of Science (Toxicology), Mahidol University
	2002-2006	Ph.D. (Physiology), Chulalongkorn University
POSITION & OFFICE	2000-2003	Lecturer, Department of Biology, Faculty of Science, Mahasarakham University, Thailand
	2005-Present	Lecturer, Department of Sport Science, Faculty of Physical Education, Srinakarinwirot University, Thailand
RESEARCH GRANTS	The Graduate School of Chulalongkorn University, Thailand	
	Ratchadapiseksompotch Fund of Faculty of Medicine, Chulalongkorn University, Thailand	