



REFERENCES

- American College of Sports Medicine. ACSM's Guidelines for Exercise Testing and Prescription Sixth Edition. Lippincott Williams and Wilkins (2000).
- American College of Sports Medicine. ACSM's Guidelines for Exercise Testing and Prescription Seventh Edition. Lippincott Williams and Wilkins (2005).
- Astrand I. Aerobic work capacity in men and women with special reference to age. Acta Physiol Scand 169 (1960), 1-92
- Astrand P.O. Study of bicycle modifications using a motor driven treadmill-bicycle ergometer. Arbeitsphysiologie 15 (1953) 23-32
- Astrand P.O., & Rhyming I. A nomogram for calculation of aerobic capacity from pulse rate during submaximal work. Journal of Applied Physiology. 7(1954), 218-221
- Bailey A., Shephard J., Mirwald L. Validation of a self-administered home test of cardiorespiratory fitness. Can J Appl Sport Sci. 1 (1976), 67-78
- Barbara Woynarowska. The validity of indirect estimations of maximal oxygen uptake in children 11-12 years of age. Eur J Appl Physiol 43 (1980), 19-23
- Baumgartner T., Jackson A. Measurement for Evaluation in Physical Education and Exercise Science Fifth Edition. Wm. C. Brown Communications, Inc. (1995)
- Ben L., Julia G., James P., Diane L. Oxygen consumption of cycle ergometry is nonlinearly related to work rate and pedal rate. Medicine and science in sports and exercise (1996), 775-780
- Blair N., Kampert B., Kohl W., Barlow E., Macera A., Paffenbarger S., et al. Influences of cardiorespiratory fitness and other precursors on cardiovascular disease and all cause mortality in men and women. The journal of the American Medical Association, 276(3) (1996), 205-210
- Blair N., Kohl W., Paffenbarger S., Clark D., & Cooper K. Physical fitness and all-cause mortality : A prospective study of healthy men and women. The journal of the American Medical Association, 262: (1989), 2395-2401
- Brouha L. The step test a simple method of measuring physical fitness for muscular work in young men. Res Quart 14 (1943)

- Buckley P., Sim J., Eston G., Hession R., Fox R. Reliability and validity of measures taken during the Chester step test to predict aerobic power and prescribe aerobic exercise. Br J Sport Med 38 (2004), 197-205
- Campbell J., Robertson C., Gardner M. et al. Randomised controlled trial of a general practice programme of home based exercise to prevent falls in elderly women. BMJ (1997), 1065-1069
- Chuang M. L., Lin I. F., Vintch J. R. E. Comparison of estimated and measured maximal oxygen uptake during exercise testing in patients with chronic obstructive pulmonary disease. Internal Medicine Journal 34 (2004), 469-474
- Culpepper M., Francis K. An anatomical model to determine step height in step testing for estimating aerobic capacity. Journal of Theoretical Biology 129 (1987), 1-8
- David R. Bassett, JR. and Edward T. Howley. Limiting factors for maximum oxygen uptake and determinants of endurance performance. Medicine & Science in Sports & Exercise. (1999), 70-84
- DaVies CTM. Limitations to the prediction of maximum oxygen intake from cardiac frequency measurements. J Appl Physiol 24 (1968), 700-706
- DeVries H.A., Klafs C.E. Predictions of maximum oxygen intake from sub maximal tests. J Sport Med Phys Fitness 5 (1965), 207-214
- DeVries JA., Robert DE., Elk RI., Conway J. Cardiovascular responses to submaximum and maximum effort cycling and running. J Appl Physiol 30, 457-461
- Donner A. and Eliasziw M. Sample size requirements for reliability studies. Statistics in Medicine 6 (1987), 441-448
- Edwardo R. S. The relationship between selected body composition and maximal oxygen uptake as measured by treadmill and bicycle ergometer tests. In college men. Kinesiology and sports studies the university of Texas (1992).
- Foster C., Robert C., Amy C., Maurice D., Stacey L., Heidi Y., Paul V. Comparison of freerange and graded exercise testing. Medicine and Science in sports and exercise. (1997), 1521-1526
- Francis K., Brasher J. A height adjusted step test for predicting maximal oxygen consumption in males. Journal of Sport Medicine and Physical Fitness 32 (1992), 282-287

- Frank A. G. A comparison between the performance of active duty air force personnel on the United States air force submaximal bicycle ergometry aerobic fitness test and the air national guard submaximal step test. The university of Oklahoma health sciences center graduate college (2004).
- Glassford RG, Baycraft GHY, Sedgwick AW, MacNab RBJ. Comparison of maximal oxygen uptake values determined by predicted and actual methods. J Appl Physiol 20 (1965), 509-514
- Golding LA. Y's Way to Physical Fitness The Complete Guide to Fitness Testing and Instruction. Third Edition. National Council of Young Men's Christian Associations of The United States of America (1989).
- Golding LA. Y's Way to Physical Fitness The Complete Guide to Fitness Testing and Instruction. Fourth Edition. National Council of Young Men's Christian Associations of The United States of America (2000).
- Graan C. H. V., J. S. Greyson. A comparison between the bicycle ergometer and the step test for determining maximum oxygen intake on Kalahari Bushmen. Int. Z. angew. Physiol. 28 (1970), 344-348
- Gursel Y., Birkan S., Haydar G., Peyman Y. The peak oxygen uptake of healthy Turkish children with reference to age and sex: a pilot study. The Turkish Journal of Pediatrics 46 (2004), 38-43
- Hagberg J. M., R. B. Schneider. Comparison of the three procedures for measuring $\dot{V}O_2$ max in Competitive Cyclists. Eur J Appl Physiol 39 (1978), 47-52
- Heney F.M., J. De Moor. Metabolic efficiency of exercise in relation to work load at constant speed. J. Appl. Physiol. 2 (1950),481-487
- Hermansen L, Saltin B. Oxygen uptake during maximal treadmill and bicycle exercise. J Appl Physiol 26 (1969), 31-37
- John E. K., Wendy E.D., Robert J.H., Phillip M.N., and Steven E.P. Concurrent validation of two submaximal bicycle exercise tests in predicting maximal oxygen consumption. Research Quaterly for Exercise and Sport 76 (2005), A29
- Karen T. D., Kate M., Linda V. A comparison of field methods to assess cardiorespiratory fitness among neophyte exercisers. Biological research for nursing 8 (2006), 7-14

- Kasch F.W., Phillips W.H., Ross W.D., Carter J.E.L., & Boyer J.L. A comparison of maximal oxygen uptake by treadmill and step test procedures. Journal of Applied Physiology. 21 (1966), 1387-1388
- Katch, F. I., McArdle, W.D., Pechar, G.S. Relationship of maximal leg force and leg composition to treadmill and bicycle maximal oxygen uptake. Med. Sci. Sport 6 (1974), 38-43
- Keen, E. N., A. W. Sloan. Observations on the Harvard step-test. J. Appl. Physiol, 13, (1958).
- Keren G., A. Magazanik, and Y. Epstein. A comparison of various methods for the determination of VO₂max. Eur J Appl Physiol 45 (1980), 117-124
- Kline G. M., John P. P., Robert H., Patty S. F., Ann W., Robert F. M., Jessica R., James M. R. Estimation of VO₂max from a one-mile track walk, gender, age and body weight. Medicine and Science in sports and exercise (1986), 253-259
- Lars H., Bengt S. Oxygen uptake during maximal treadmill and bicycle exercise. Journal of Applied Physiology 26 (1969), 31-37
- Margaria R, Aghemo P, Rovelli E. Indirect determination of maximal O₂ consumption in man. J Appl Physiol 20 (1965), 1070-1073
- Margaria R., H.T. Edwards, D. B. Dill. The possible mechanisms of contracting and paying the oxygen debt to the role of lactic acid in muscular contractions. Amer.J. Physiol. 106 (1933), 689-715
- Maritx J.S., Morrison J.F., Peter J., Strydom N.B., Wyndham C.H. A practical method of estimating an individual's maximal oxygen intake. ergonomics (U.K.) 4 (1961), 97-122
- Mark L., Melinda S., Barbara W., and John U. Comparison of VO₂ peak during treadmill and cycle ergometry in severely overweight youth. Journal of Sports Science and Medicine 3 (2004), 254-260
- Matthew D. B., William F. B., Diego V. deHoyos, Linda G., Galia Werber-Zion, and Michael L. P. Cross-validation of the YMCA submaximal cycle ergometer test to predict VO₂max. Research quarterly for exercise and sport 75 (2004), 337-342

- Meyer T., J.-P. Welter, J. Scharhag, W. Kindermann. Maximal oxygen uptake during field running does not exceed that measured during treadmill exercise. European Journal of Applied Physiology (2002)
- McArdle WD., Katch FI., Pechar GS., Jacobson L., Ruck S. Reliability and interrelationships between maximal oxygen intake, physical work capacity and step test scores in college women. Med Sci Sports (1972), 182-186
- McArdle WD., Katch F.I., Pechar GS. Comparison of continuous and discontinuous treadmill and bicycle tests for max VO₂. Med Sci Sports 5 (1973), 156-160
- McArdle, W.D., Katch, F.I. and Katch, V.L. Exercise Physiology: Energy, Nutrition, and Human Performance. 4th edition. Philadelphia: Lea and Febiger (1996), 188-213
- Micha M., Thomas W., Ramin A., Mirko G., Peter A., Jonathan M., Hans R. Impact of the exercise mode on exercise capacity : Bicycle testing revisited. (2005), 2804-2811
- Olgun P. Binyildiz. Prediction of maximal oxygen uptake in boys 11-13 years of age. Eur J Appl Physiol 43 (1980), 213-219
- Park C. L., James E. Y., Patricia A. D. Comparison and cross validation of cycle ergometry estimates of VO₂max. Medicine and science in sports and exercise (1997), 1513-1520
- Patton J.F., J.A. Vogel, and R.P. Mello. Evaluation of a maximal predictive cycle ergometer test of aerobic power. Eur J Appl Physiol. 49(1982), 131-140
- Rebecca A. S. Cross-Validation of The Kasch three minute step test. The Faculty of the Department of Human Performance San Jose State University (1996).
- Rhyning Irma. A modified Harvard step test for the evaluation of physical fitness. Arbeitsphysiologie 15 (1954)
- Ricci B., K. Baldwin, R. Hakes, J. Fein, D. Sadowsky, S. Tufts. Energy cost and efficiency of Harvard step-test performance. 22 (1966), 125-130
- Ritchie C., SG Trost, W. Brown, C. Armit. Reliability and validity of physical fitness field tests for adults aged 55 to 70 years. School of Human Movement Studies. The University of Queensland, Brisbane, Queensland, Australia (2005).
- Robinson S. Experimental studies of fitness in relation to age. Arbeitsphysiologie 10 (1938), 251-323

- Roger G. E., Kevin L.L., Gaynor P., Nicolas K. The validity of predicting maximal oxygen uptake from a perceptually regulated graded exercise test. Eur J Appl Physiol 94 (2005), 221-227
- Rowell LB, Taylor HL, Wang Y. Limitations to prediction of maximal oxygen intake. J Appl Physiol 19 (1964), 919-927
- Santo A., Lawrence A. Predicting maximum oxygen uptake from a modified 3-minute step test. Research Quarterly for Exercise and Sport 74 (2002), 110-115
- Satipati C., Pratima C., P.S. Mukherjee, Amit B. Validity of Queen's College step test for use with young indian men. Indian J Med Res 121 (2003), 32-35
- Shahnawaz H. Influence of limb length on a stepping exercise. Journal of Applied Physiology 44 (1978), 346-349
- Shephard R.J. The relative merits of the step test, bicycle ergometer and treadmill in the assessment of cardio respiratory fitness. Department of physiological Hygiene, School of Hygiene, University of Toronto (1966), 219-230
- Sloan A.W. A modified Harvard step test for woman. J appl. Physiol 14 (1959)
- Smothermon R. Cross Validation of The Kasch Three Minute Step Test. San Jose State University (1996).
- Sykes K., Roberts A. The Chester step test a simple yet effective tool for the prediction of aerobic capacity. Physiotherapy 90 (2004), 183-188
- The National Statistical Office of Thailand. Key statistics of Thailand 2004. Ministry of Information and Communication Technology of Thailand (2004).
- Triin Pomerants. Indirect measurement of maximal oxygen consumption in 14-16 year old adolescent girls. Exercise and Sports Science University of Tartu (2004).
- Vanessa N., Elizabeth D. Submaximal Exercise Test Clinical Application and Interpretation. Physical Therapy 80 (2000), 782-807

BIOGRAPHY

Name Miss Wanwisa Bungmark

Date of birth 25 January 1982

Place of birth Nakornnayok, Thailand

Instructions attended Chulalongkorn University (2000-2003)

Bachelor of Science (Sports Science)

