

REFERENCES

- Aboagla, E.M. and Terada, T. 2006. Trehalose-enhanced fluidity of the goat sperm membrane and its protection during freezing. *Biol. Reprod.* 69:1245-1250.
- Alvarez, J.G. and Storey, B.T. 1993. Evidence that membrane stress contributes more than lipid peroxidation to sublethal cryodamage in cryopreserved human sperm: glycerol and other polyols as sole cryoprotectant. *J. Androl.* 14: 199-209.
- Alvarenga, M.A., Papa, F.O., Landim-Alvarenga, F.C. and Medeiros, A.S.L. 2005. Amides as cryoprotectants for freezing stallion semen: a review. *Anim. Reprod. Sci.* 89: 105-113.
- Aisen, E.G., Alvarez, H.L., Venturino, A. and Garde, J.J. 2000. Effect of trehalose and EDTA on cryoprotective action of ram semen diluents. *Theriogenology* 53: 1053-1061.
- Aisen, E.G., Medina, V., and Venturino, A. 2002. Cryopreservation and post thawed fertility of ram semen frozen in different trehalose concentrations. *Theriogenology* 57: 1801-1808.
- Amann, R.P. and Pickett, B.W. 1987. Principles of cryopreservation and a review of cryopreservation of stallion spermatozoa. *J. Equine Vet. Sci.* 7: 145-173.
- Arns, M.J., Webb, G.W., Kreider, J.L., Potter, G.D. and Evans, J.W. 1987. Use of different nonglycolysable sugars to maintain stallion sperm viability when frozen or stored at 37 °C and 5 C in a bovine serum albumin medium. *J. Reprod. Fertil.* 35: 135-141.
- Aurich, J.E., Kuhne, A., Hoppe, H. and Aurich, C. 1996. Seminal plasma affects membrane integrity and motility of equine spermatozoa after cryopreservation. *Theriogenology* 46: 791-797.
- Aurich, C. 2005. Factors affecting the plasma membrane function of cooled-stored stallion spermatozoa. *Anim. Reprod. Sci.* 89: 65-75.
- Barker, C.A.V. and Gandier, J.C.C. 1957. Pregnancy in the mare resulted from frozen epididymal spermatozoa. *Can. J. Comp. Med. Vet. Sci.* 21: 47-50.

- Beckman, T., Bruemmer, J.E., Graham, J.K. and Squires, E. L. 2004. Pregnancy rates of mares inseminated with semen cooled for 18 hours and then frozen. *J. Anim. Sci.* 82: 690-694.
- Bedford, S.J., Jasko, D.J. and Graham, J.K. 1995. Use of two freezing extenders to cool stallion spermatozoa to 5 °C with and without seminal plasma. *Theriogenology* 43: 939-953.
- Borg, K., Colenbrander, B., Fazeli, A.R., Parlevliet, J. and Malmgren, L. 1997. Influence of thawing method on motility, plasma membrane integrity and morphology of frozen-thawed stallion spermatozoa. *Theriogenology* 48(4): 531-536.
- Burg, M.B. 1995. Molecular basis of osmotic regulation. *Am. J. Physiol.* 268: 983-996.
- Cao, W., Aghajanian, H.K., Haig-Ladewig L.A. and Gerton, G.L. 2009. Sorbitol can fuel mouse sperm motility and protein tyrosine phosphorylation via sorbitol dehydrogenase. *Biol. Reprod.* 80: 124-133.
- Cheng, F.P., Fazeli, A., Voorhout, W.F., Marks, A., Bevers, M.M. and Colenbrander, B. 1996. Use of peanut agglutinin to assess the acrosomal status and the zona pellucida-induced acrosome reaction in stallion spermatozoa. *J. Androl.* 17: 674-682.
- Clay, C.M. and Clay, J.N. 1992. Endocrine and testicular changes with season, artificial photoperiod and peri-pubertal period in stallions. *Veterinary Clinics of North America, Equine Practice* 8(1): 31-56.
- Clulow, J.R., Maxwell, W.M.C., Evans, G. and Morris, L.H.A. 2006. A comparison of duck and chicken egg yolk for cryopreservation of stallion sperm. *Aus. Vet. J.* 85: 232-235.
- Clulow, J.R., Mansfield, L.J., Morris, L.H.A., Evans, G. and Maxwell, W.M.C. 2007. A comparison between freezing methods for the cryopreservation of stallion spermatozoa. *Anim. Reprod. Sci.* 102: 129-139.
- Cochran, J.D., Amann, R.P., Fromann, D.P. and Pickett, B.W. 1984. Effects of centrifugation, glycerol level, cooling to 5°C freezing rate and thawing rate on the post-thaw motility of equine sperm. *Theriogenology* 22: 25-35.

- Crockett, C., Graham, J.K., Bruemmer, J.E. and Squires, E.L. 2001. Effect of cooling of equine spermatozoa before freezing on post-thaw motility. *Theriogenology* 55: 793–803.
- Crowe, J.H., Hoekstra, F.A., Crowe, L.M., Anchordoguy, T.J. and Drobnis, E. 1989. Lipid phase transitions measured in intact cells with Fourier transform infrared spectroscopy. *Cryobiology* 26: 76-84.
- Darenius, K. and Darenius, A. 1992. Fertility data in the horse and the occurrence of pregnancy and neonatal loss in relation to breeding method In: Proc. 12th International Congress on Animal Reproduction 4: 1858-1860.
- Davies, Morel, M.C.G. 1999. *Equine Artificial Insemination*. CAB International, Wallingford. 406pp.
- Davies, Morel, M.C.G. 2003. *Equine Reproductive Physiology, Breeding and Stud Management* 2nd ed., CABI Publishing, New York. p. 78-150.
- Devireddy, R.V., Swanlund, D.J., Olin, T., Vincente, W., Troedsson, M.H.T. and Bischof, J.C. 2002. Cryopreservation of equine sperm: optimal cooling rates in the presence and absence of cryoprotective agents determined using differential scanning calorimetry. *Biol. Reprod.* 66: 222-231.
- Drobnis, E.Z., Crowe, J.H. and Crowe, L.M. 1989. Cold shock to pig spermatozoa is associated with phase transitions in membrane lipids. *Cryobiology* 26: 541 (Abstract)
- Fernández-Santos, M.R., Martínez-Pastor, F., García-Macías, V., Estesó, M.C., Soler, A.J., Paz, P., Anel, L. and Garde, J.J. 2007. Extender osmolality and sugar supplementation exert a complex effect on the cryopreservation of Iberian red deer (*Cervus elaphus hispanicus*) epididymal spermatozoa. *Theriogenology* 67: 738-753.
- Frenette, G. and Sullivan, R. 2001. Protasome-like particles are involved in the transfer of P25b from the bovine epididymal fluid to the sperm surface. *Mol. Reprod. Dev.* 59: 115-121.
- Frenette, G., Lessard, C. and Sullivan R. 2002. Selected proteins of "protasome-like particles" from epididymal cauda fluid are transferred to epididymal caput spermatozoa in bull. *Biol. Reprod.* 67: 308-313.

- Frenette, G., Lessard, C. and Sullivan R. 2004. Polyol pathway along the bovine epididymis. *Mol. Repro. Dev.* 69: 448-456.
- Frenette, G., Thabet, M. and Sullivan, R. 2006. Polyol pathway in human epididymis and semen. *J. Androl.* 27(2): 233-239.
- Gadella, B.M., Rathi, R., Brouwers, J.F.H.M., Stout, T.A.E. and Colenbrander, B. 2001. Capacitation and the acrosome reaction in equine sperm. *Anim. Reprod. Sci.* 68: 249-265.
- Garcia, M.A. and Graham, E.F. 1989. Development of buffer system for dialysis of bovine spermatozoa before freezing. II. Effect of sugars and sugar alcohols on post thaw motility. *Theriogenology* 31: 1029-1037.
- Gao, D., Mazur, P. and Critser, J.K. 1997. Fundamental cryobiology of mammalian spermatozoa. In: Karow, A.M., Critser, J.K., (Eds.) *Reproductive Tissue Banding: Scientific Principles*. San Diego, Calif: Academic Press. 263-328.
- Glander, H.J. and Dettmer, D. 1978. Monosaccharide transport across membranes of human spermatozoa I and II. *Andrologia.* 69-73, 273-277.
- Gilmore, J.A., Liu, J., Peter, A.T. and Critser, J.K. 1998. Determination of plasma membrane characteristics of boar spermatozoa and their relevance to cryopreservation. *Biol. Reprod.* 58: 28-36.
- Gutiérrez-Pérez, O., Juárez-Mosqueda, M.L., Carvajal, S.U. and Ortega, M.E.T. 2009. Boar spermatozoa cryopreservation in low glycerol/trehalose enriched freezing media improves cellular integrity. *Cryobiology* 58: 287-292.
- Hincha, D.K., Popova, A.V. and Cacela, C. 2006. Effects of sugars on the stability and structure of the stability and structure of lipid membrane during drying. In: *Advances in planar lipid bilayers and liposomes*. Leitmannova A. (ed) Academic Press 2006 p. 127-189.
- Häard, M.C. and Häard, M.G.H. 1991. Successful commercial use of frozen stallion semen abroad. *J Reprod Fertil. Suppl* 44: 647-648.
- Hubálek, Z. 2003. Protectants used in the cryopreservation of microorganisms. *Cryobiology* 46: 205-229.
- Holt, W.V. and North, R.D. 1986. Thermotropic phase transitions in the plasma membrane of ram spermatozoa. *J. Reprod. Fertil.* 78: 447-457.

- Jain, N.K. and Roy, I. 2009. Effect of trehalose on protein structure. *Protein Sci.* 18: 24-36.
- Jasko, D.J., Hathaway, J.A., Schaltenbrand, V.L., Simper, W.D. and Squires, E.L. 1992. Effect of seminal plasma and egg yolk on motion characteristics of cooled stallion spermatozoa, *Theriogenology* 37: 1241–1252.
- Jasko, D.J., Moran, D.M., Farlin, M.E., Squires, E.L., Amann, R.P. and Pickett, B.W. 1992. Pregnancy rates utilizing fresh cooled and frozen-thawed stallion sperm. In: 38th Annual AAEP Convention Proceedings. p. 649–660.
- Janett, F., Thun, R., Niederer, K., Burger, D. and H'assig, M. 2003. Seasonal changes of semen quality and freezability in the warmblood stallion. *Theriogenology* 60: 453–461.
- Johnson, L., Blanchard, T.L., Varner, D.D. and Scrutchfield, W.I. 1997. Factors affecting spermatogenesis in the stallion. *Theriogenology* 48(7): 1199-1216.
- Jones, A.R., Chantrill, I. and Cokinakis, A. 1992. Metabolism of glycerol by mature boar spermatozoa. *J. Reprod. Fertil.* 94: 129-134.
- Kampschmidt, R.F., Mayer, D.T. and Herman, H.A. 1993. Lipid and lipoprotein constituents of egg yolk in the resistance and storage of bull spermatozoa. *J. Dairy Sci.* 36: 733–742.
- Katila, T., Anderson, M., Reilas, T. and Koskinen, E. 2002. Post-thaw motility and viability of fractionated and frozen stallion ejaculates. *Theriogenology* 58: 241–244.
- Katrina, F.C., Michael, J.M. and Randy, S. 1999. Oxidative stress-induced destruction of the yeast c-type cyclin Ume3p requires phosphatidylinositol-specific phospholipase c and the 26s proteasome. *Molecular and cellular biology, Am. Soc. Micro.* 19: 3338-3348.
- Kenney, R.M. 1983. Manual for clinical fertility evaluation of the stallion. Society for Theriogenology, Hastings, NE. 320pp.
- King T.E. and Mann T. 1959. Sorbitol Metabolism in Spermatozoa. *Proceedings of the Royal Society of London. Series B, Biol. Sci.* 151: 226-243.
- Lagares, M.A., Petzoldt, R., Sieme, H. and Klug, E. 2000. Assessing equine sperm membrane integrity. *Andrologia.* 32: 163–167.

- Leese, H.J., Astley, N.R. and Lambert D. 1981. Glucose and fructose utilization by rat spermatozoa within the uterine lumen. *J. Reprod. Fertil.* 61: 435-437.
- Loomis, P.R., Amann, R.P., Squires, E.L. and Pickett, B.W. 1983. Fertility of unfrozen and frozen stallion spermatozoa extended in EDTA-lactose-egg yolk and packaged in straws. *J. Anim. Sci.* 56: 687-693.
- Loomis, P.R. 2001. The equine frozen semen industry. *Anim. Reprod. Sci.* 61: 191–200.
- Loomis, P.R. and Squires, E.L. 2005. Frozen semen management in equine breeding programs. *Theriogenology* 64: 480–491.
- Loomis, P.R. and Graham, J.K., 2008. Commercial semen freezing: Individual male variation in cryosurvival and the response of stallion sperm to customized freezing protocols. *Anim. Reprod. Sci.* 105: 119-128.
- Mann, T. 1975. Biochemistry of stallion semen. In: Greep RO, Astwood EB: *Handbook of Physiology*. Washington DC, Am. Physio. Soc. Section 67(5): 321-347.
- Metcalf, L. 1995. Maximizing reproductive efficiency in private practice: The management of mares and the use of cryopreserved semen. In: *Proceedings of the Society for Theriogenology*. 155–159.
- Metcalf, E.S. 2007. The efficient use of equine cryopreserved semen. *Theriogenology* 68(3): 423-428.
- Molinia, F.C., Evans, G, Casares P.I. and Maxwell, W.M.C. 1994. Effect of monosaccharides and disaccharides in tris-based diluents on motility, acrosome integrity and fertility of pellet frozen ram spermatozoa. *Anim Reprod. Sci.* 36:113-122.
- Moore, A.I., Squires, E.L. and Graham, J.K., 2005. Effect of seminal plasma on the cryopreservation of equine spermatozoa. *Theriogenology* 63: 2372–2381.
- Moore, A.I., Squires, E.L., Bruemmer, J.E. and Graham, J.K. 2006. Effect of cooling rate and cryoprotectant on the cryosurvival of equine spermatozoa. *J. Equine Vet. Sci.* 26(5): 215-218.
- Moran, D.M., Jasko, D.J., Squires, E.L. and Amann, R.P. 1992. Determination of temperature and cooling rate which induce cold shock in stallion spermatozoa. *Theriogenology* 38: 999-1012.
- Muller, Z. 1982. Fertility of frozen equine semen. *J. Reprod. Fert. Suppl.* 32: 47-51.

- Muller, Z. 1987. Practicalities of insemination of mares with deep-frozen semen. *J. Reprod. Fert. Suppl.* 35: 121-125.
- Nagase, H. and Tomizuka, T. 1968. Protective effects of polyols against freezing injury of bull spermatozoa. II. Effect of polyols in different freezing methods. *Proc. Int. Cong. Anim. Reprod.* 6: 1107.
- Nanasombat, S. and Sriwong, N. 2007. Improving viability of freeze-dried lactic acid bacteria using cryoprotectants in combination with osmotic and cold adaptation. *KMITL Sci. Tech. J.* 7: 61-69.
- Neild, D., Chaves, G., Flores, M., Mora, N., Beconi, M. and Aquero, A. 1999. Hypoosmotic test in equine spermatozoa. *Theriogenology* 51: 721-727.
- Neild, D.M., Chaves, M.G., Flores, M., Miragaya, M.H., Gonzalez, E. and Agüero, A. 2000. The HOS test and relationship to fertility in the stallion. *Andrologia* 32: 351-355.
- Neild, D.M., Gadella, B.M., Chaves, M.G., Miragaya, M.H., Colenbrander, B. and Agüero, A. 2003. Membrane changes during different stages of a freeze-thaw protocol for equine semen cryopreservation. *Theriogenology* 59: 1693-1705.
- Neild, D.M., Brouwers, J.F.H.M., Colenbrander, B., Agüero, A. and Gadella, B.M. 2005. Lipid peroxidation formation in relation to membrane stability of fresh and frozen thawed stallion spermatozoa. *Mol. Reprod. Dev.* 72(2): 230-238.
- Noiles, E.E., Mazur, P., Benker, F.W., Kleinhaus, F.W., Amann, R.P. and Critser, J.K. 1992. Critical osmolarity, water and glycerol permeability coefficient determination for equine spermatozoa. *Biol. Reprod.* 46(1): 95.
- Oates, P.J. 2002. Polyol pathway and diabetic peripheral neuropathy. *Int. Rev. Neurobiol.* 50: 325-392.
- Palmer, E. and Magistrini, M. 1992. Automated analysis of stallion semen post-thawed motility. *Acta. Vet. Stand. Suppl.* 88: 137-152.
- Palmer, M. *Chem 333: Metabolism lecture notes 3rd ed.*, University of Waterloo Press, 2008
- Parks, J.E. and Graham, J.K. 1992. Effects of cryopreservation procedures on sperm membranes. *Theriogenology* 38: 209-222.

- Pickett, B.W., Neil, J.R. and Squires, E.L. 1985. The effect of ejaculation frequency on stallion sperm output. In: Proceedings of the 9th Equine Nutrition and Physiology Society Symposium p. 290–295.
- Pickett, B.W. and Amann, R.P. 1987. Extension and storage of stallion spermatozoa. *Equine Vet. Sci.* 7: 289-302.
- Pruneda, A., Pinart, E., Bonet, S., Yeung, C. and Cooper, T.G. 2006. Study of the polyol pathway in the porcine epididymis. *Mol. Reprod. Dev.* 73: 859-865.
- Riedel, L. 1972. Enthalpy-Water Content Diagram for Lean Beef (also Valid for other Meats with Fat Content below 4%): Recommendations for the Processing and Handling of Frozen Foods. Paris, The 2nd International Institute of Refrigeration (IIR).
- Rikmenspoel, R. and Caputo, R. 1966. The Michaelis-Menten constant for fructose and for glucose of hexokinases in bull spermatozoa. *J. Reprod. Fertil.* 12: 437-444.
- Roasa, L.M., Choi, Y.H., Love, C.C., Romo, S., Varner, D.D. and Hinrichs, K. 2007. Ejaculate and type of freezing extender affect rates of fertilization of horse oocytes in vitro. *Theriogenology* 68: 560-566.
- Samper, J.C., Hellander, J.C. and Crabo, B.G. 1991. Relationship between the fertility of fresh and frozen stallion sperm and sperm quality. *J. Reprod. Fertil.* 44: 107–114.
- Samper, J.C. and Morris, C.A. 1998. Current methods for stallion semen cryopreservation: a survey. *Theriogenology* 49: 895–903.
- Samper, J.C. 2001. Management and fertility of mares bred with frozen semen. *Anim. Reprod. Sci.* 68: 219-228.
- Sieme, H., Katila, T. and Klug, E. 2004. Effect of semen collection practices on sperm characteristics before and after storage and on fertility of stallions. *Theriogenology* 61: 769-784.
- Sikka, S.C., Rajasekaran, M. and Hellstrom, W.J. 1995. Role of oxidative stress and antioxidants in male infertility. *J. Androl.* 16: 464-468.
- Squires, E.L., Keith, S.L. and Graham, J.K. 2004. Evaluation of alternative cryoprotectants for preserving stallion spermatozoa. *Theriogenology* 62: 1056-1065.

- Storey, B.T., Noyles, E.E. and Thompson, K.A. 1998. Comparison of glycerol, other polyols, trehalose, and raffinose to provide a defined cryoprotectant medium for mouse sperm cryopreservation. *Cryobiology* 37: 46-58.
- Storey, B.T. 2008. Mammalian sperm metabolism: oxygen and sugar, friend and foe. *Int. J. Dev. Biol.* 52: 427-437.
- Tharasanit, T. and Techakumphu, M. 2007. Assisted reproduction techniques in horses: the challenge. *Thai. J. Vet. Med.* 36(3): 9-18.
- Tharasanit, T., Manee-In, S., Khamenkhetwit, P., Sirivaidyapong, S. and Lohachit, C. 2007. The effect of cold storage on the quality of stallion semen and pregnancy rate after artificial insemination. *Thai. J. Vet. Med.* 37(4): 39-48.
- Tischner, M., 1979. Evaluation of deep-frozen semen in stallions. *J. Reprod. Fert. Suppl.* 27: 53-59.
- Varner, D.D., Thompson, J.A., Blanchard, T.L., Heck, R., Love, C.C., Brinsko, S.P. and Johnson, L. 2002. Induction of the acrosome reaction in stallion spermatozoa: effect of incubation temperature, incubation time, and ionophore concentration. *Theriogenology* 58: 303-306.
- Vidament, M., Dupere, A.M., Julienne, P., Evain, A., Noue, P. and Palmer, E. 1997. Equine frozen semen: freezability and fertility field results. *Theriogenology* 49: 907-917.
- Vidament, M., Ecot, P., Noue, P., Bourgeois, C., Magistrini, M. and Palmer, E. 2000. Centrifugation and addition of glycerol at 22°C instead of 4°C improve post-thaw motility and fertility of stallion spermatozoa. *Theriogenology* 54: 907-919.
- Vidament, M. 2005. French field results (1985-2005) on factors affecting fertility of frozen stallion semen. *Anim. Reprod. Sci.* 89: 115-136.
- Watson, P.F. 1981. The effects of cold shock on sperm cell membranes, In: Morris, G.L. and Clark, A. (eds), *Effects of low temperatures on biological membranes*. NY: Academic Press, pp. 189-218.
- Watson, P.F. 1995. Recent developments and concepts in the cryopreservation of spermatozoa and the assessment of their post-thawing function. *Reprod. Fertil. Dev.* 7: 871-891.

- Watson, P.F. 2000. The causes of reduced fertility with cryopreserved semen. *Anim. Reprod. Sci.* 61: 481-492.
- Wessel, M.T. and Ball, B.A. 2004. Step-wise dilution for removal of glycerol from fresh and cryopreserved equine spermatozoa. *Anim. Reprod. Sci.* 84: 147-156.
- Williams, A.C. and Ford, W.C. 2001. The role of glucose in supporting motility and capacitation in human spermatozoa. *J. Androl.* 22: 680-695.
- Yildiz, C., Kaya, A., Aksoy, M. and Tekeli, T. 2000. Influence of sugar supplementation of the extender on motility, viability and acrosome integrity of dog spermatozoa during freezing. *Theriogenology* 54: 579-585.
- Yu, M.Y. and Chang, S.T. 1987. Effect of osmotic stabilizers on the activities of mycolytic enzymes used in fungal protoplast liberation. *MIRCEN Journal* 3: 161-167.

CURRICULUM VITAE

Thanakorn Pojprasath, the eldest son of Tinnakorn and Krisana Pojprasath, was born on Friday 14th January 1983 in Bangkok, Thailand. Following his graduation from Saint Gabriel's College in 2000, he preceded his study veterinary medicine at the Faculty of Veterinary Medicine, Mahanakorn University of Technology, and was awarded of Degree of Doctor of Veterinary Medicine (D.V.M.) with the Second Class Honours in 2007. Shortly after his graduation, he began study as a master degree (Theriogenology) program at the Department of Obstetrics, Gynaecology and Reproduction at the Faculty of Veterinary Science, Chulalongkorn University. During this MSc, he has focused on semen cryopreservation techniques and assisted reproductive technology in the horse.

