## **REFERENCES**

- 1. Teifenthaler, H.; Dorscheln, W.; Goth, H.; Schimid, H. Helv. Chim. Acta. 1967, 50, 2244.
- 2. Wakamatsu, S.; Barltrop, J.A.; Day, A.C. Chem. Lett. 1982, 604.
- 3. Pavlik, J.W.; Kurzweil, E.M. J. Org. Chem. 1991, 56, 6313.
- 4. Pavlik, J.W.; Kebede, N. J. Org. Chem. 1997, 62, 8325.
- Barltrop, J.A.; Day, A.C. *J. Chem. Soc., Chem. Commun.* 1975, 177.
  Barltrop, J.A.; Day, A.C.; Maxon, P.D.; Ward, R.W. *J. Chem. Soc., Chem. Commun.* 1975, 786.
  - Barltrop, J.A.; Day, A.C.; Maxon, P.D.; Ward, R.W. *J. Chem. Soc., Chem. Commun.* **1977**, 580.
  - Barltrop, J.A.; Day, A.C.; Ward, R.W. *J. Chem. Soc., Chem. Commun.* **1978**, 131.
- 6. Barltrop, J.A.; Day, A.C.; Mark, A.G.; Shahrisa, A.; Wakamatsu, S. *J. Chem. Soc., Chem. Commun.* **1981**, 604.
- 7. Rangaraj, T. *Phototransposition Chemistry of Trifluoromethyl N-methylpyrazole*Master Thesis, Worcester Polytechnic Institute, 1994.
- 8. Colla, A.; Martins, M. A. P.; Clar, G.; Krimmer, S.; Fischer, P. Synthesis, 1991, 483.
- 9. Braibante, M. E. F.; Clar, G.; Martins, M. A. P. *J. Heterocyclic. Chem.*, **1993**, *30*, 1159.
- 10. Pavlik, J.W.; Israsena Na Ayudhya, T.; Tantayanon, S. *J. Heterocyclic. Chem.*, **2002**. 39, 1025.
- 11. Lyga, J.W.; Patera, R.M. J. Heterocyclic. Chem., 1990, 27, 919.
- 12. Yamanaka, H.; Takekawa, T.; Morita, K.; Ishihara, T. *Tetrahedron Lett.*, **1996**, 37, 1829.
- 13. Kimoto, H.; Fujii, S.; Cohen, L.A. J. Org. Chem., 1982, 47, 2867.
- 14. Banacoro, H.G.; Wastowski, A.D.; Zanatta, N.; Martins, M.A.P.; Naue, J.A. *J. Fluorine. Chem.*, **1998**, 92, 23.
- 15. Bonacorso, H.G.; Wastowski, A.D.; Zanatta, N.; Martins, M.A.P. Synth. Commun., 2000, 30, 1457.

- 16. Commercially available absolute ethanol was further purified by refluxing over magnesium ethoxide followed by fractional distillation<sup>5</sup>.
- 17. A. Lund and J. Bejerrum, Ber., 1931, 64B, 210.
- 18. Yasuhiro, K.; Masaru, H.;Ryoichi, M.; Masaki, F.; Masaaki, W. *Heterocycles*, **1994**, *38*, 21.
- 19. This compound was inexplicably reported in reference 9 to have a melting range of 68-70 °C.
- 20. Hassnet, A.; Wiegand, N. H.; Gottlieb, H. E. J. Org. Chem. 1986, 51, 3176.
- 21. Bauer, W.; Hafner, K. Angew. Chem., Int. Ed. Engl., 1969, 8, 772.

## **VITA**

Mr. Theppawut Israsena Na Ayudhya was born on January 30, 1979 in Bangkok, Thailand. He finished primary school at Saint Gabriel's College, Bangkok in 1991 and finished high school at Chitralada School, Bangkok in 1997. In 1997, he was admitted into a Bachelor Degree of Science in Chemistry at Chulalongkorn University. During his study toward the Bachelor's Degree, he received a scholarship from The Development and Promotion of Science and Technology Talent Project, Bangkok, Thailand and also received research fund from The Thailand Research Fund. After graduated with the B.Sc. degree 2<sup>nd</sup> honors in 2001, he was admitted into a Master Degree program in organic chemistry at Chulalongkorn University, and he received a scholarship from The Development and Promotion of Science and Technology Talent Project, Bangkok, Thailand. During October 2001 to October 2002, he received a teaching assistantship from Worcester Polytechnic Institute in The United State of America for doing research for his master thesis. He completes his study program of the M.Sc. degree in organic chemistry in 2003.

