

## REFERENCES

- Altman, G.H., Diaz, F., Jakuba, C., Calabro, T., Horan R.L., Chen, J., Lu H., Richmond, J., and Kaplan, D.L. (2003) Silk-based biomaterials. Biomaterials, 24, 401-416.
- Asakura, T., Kuzuhara, A., Tabeta, R., and Saito, H. (1985) Conformation characterization of *Bombyx mori* silk fibroin in the solid state by high-frequency  $^{13}\text{C}$  cross polarization-magic angle spinning NMR, x-ray diffraction, and infrared spectroscopy. Macromolecules, 18, 1841-1845.
- Ayub, Z.H., Arai, M., and Hirabayashi, K. (1993). Mechanism of the gelation of fibroin solution. Bioscience Biotechnology and Biochemistry, 57(11), 1910-1912.
- Baxter, A., Dillon, M., Taylor, K.D.A., Roberts, G.A.F. (1992) Improved method for i.r. determination of the degree of N-acetylation of chitosan. International Journal of Biological Macromolecular, 14, 166-169.
- Burke, S.E., Barrett, C.J. (2004). pH-Dependent loading and release behavior of small hydrophilic molecules in weak polyelectrolyte multilayer films. Macromolecules, 37, 5375-5384.
- Cappello, J., Crissman, J.W., Crissman, M., Ferrari, F.A., Textor, G., Wallis, O., Whitley, J.R., Zhou, X., Burman, D., Aukerman, L., Stedronsky, E.R. (1998). In-situ self-assembling protein polymer gel systems for administration, delivery, and release of drugs. Journal of controlled release, 53, 105-117.
- Chang, G., Kim, H.-J., Kaplan, D.L., Vunjak-Novakovic, G., and Kandel, R.A. (2007). Porous silk scaffolds can be used for tissue engineering annulus fibrosus. European Spine Journal, 16, 1848-1857.
- Chen, J., Minoura, N., and Tanioka, A. (1994) Transport of pharmaceuticals through silk fibroin membrane. Polymer, 13, 2853-2856.

- Cheng, Q., Peng, T.Z., Hu, X.B., and Yang, F.Y. (2005). Charge-selection recognition at fibroin-modified electrodes for analytical application. Analytical and Bioanalytical Chemistry, 382, 80-84.
- Freyman, T.M., Yannas, I.V., and Gibson, L.J. (2001) Cellular materials as porous scaffolds for tissue engineering. Progress in Materials Science, 46, 273-282.
- Fujita, M., Ishihara, M., Morimoto, Y., Simizu, M., Saito, Y., Yura, H., Matsui, T., Takase, B., Hattori, H., Kanatani, Y., Kikuchi, M., and Maehara, T., (2005). Efficacy of Photocrosslinkable Chitosan Hydrogel Containing fibroblast growth factor-2 in a rabbit model of chronic myocardial infarction. Journal of Surgical Research, 126, 27-33.
- Hino, T., Tanimoto, M., and Shimabayashi, S. (2003) Change in secondary structure of silk fibroin during preparation of its microspheres by spray-drying and exposure to humid atmosphere. Journal of Colloid and Interface Science, 266, 68-73.
- Hofmann, S., Hagemuller, H., Koch, A.M., Muller, R., Vunjak-Novokovic, G., Rechenberg, B., Kaplan, D.L., Merkle, H.P., and Meinel, L. (2007). Control of in vitro tissue-engineered bone-like structures using human mesenchymal stem cells and porous silk scaffolds. Biomaterials, 28, 1152-1162.
- Jin, H.-J., and Kaplan, D.L. (2004) Mechanism of silk processing in insects and spiders. Nature, 424, 1057-1061.
- Jin, H.-J., Park, J., Karageorgiou, V., Kim, U., Valluzzi, R., Cebe, P., and Kaplan, D.L. (2005) Water-stable silk films with reduced beta-Sheet content. Advanced Functional Materials, 15, 1241-1247.
- Kanematsu, A., Marui, A., Yamamoto, S., Ozeki, M., Hirano, Y., Yamamoto, M., Ogawa, O., Komeda, M., and Tabata, Y. (2004). Type I collagen can function as a reservoir of basic fibroblast growth factor. Journal of Controlled Release, 99, 281-292.
- Kaplan, D.L., Fossey, S., Viney, C., and Muller, W. (1992) Self-organization (assembly) in biosynthesis of silk fibers—a hierarchical problem. In: I.A.

- Aksay, E. Baer, M. Sarikaya, D.A. Tirrell (Eds), Hierarchically structured materials. Materials Research Symposium Proceeding, 255, 19–29.
- Kaplan, D.L., Adams, W.W., Farmer, B., and Viney, C. (1994) Silk: biology, structure, properties and genetics. In: D.L. Kaplan, W.W. Adams, B. Farmer, C. Viney (Eds.), Silk polymers: materials science and biotechnology. ACS Symposium Series, 544, 2–16.
- Kaplan, D.L., Mello, S.M., Arcidiacono, S., Fossey, S., Senecal, K., and Muller, W. (1998) Silk. In: K. McGrath, D.L. Kaplan (Eds.), Protein based materials (pp. 103–131). Boston: Birkhauser.
- Karageorgiou, V., Tomkins, M., Fajardo, R., Meinel, L., Snyder, B., Wade, K., Chen, J., Vunjak-Novokovic, G., and Kaplan, D.L. (2006). Porous silk fibroin 3-D scaffolds for delivery of bone morphogenetic protein-2 *in vitro* and *in vivo*: Journal of Biomedical Materials Research, 78A, 324-334.
- Kim, U.J., Park, J., Li, C., Jin, H.J., Valluzzi, R., Kaplan, D.L. (2004) Structure and properties of silk hydrogels. Biomacromolecules, 5, 786–792.
- Kim, H.J., Kim, H.S., Matsumoto, A., Chin, I.J., Jin, H.J., Kaplan, D.L. (2005a). Processing window for forming silk fibroin bimaternal into a 3D porous matrix. Australian Journal of Chemistry, 58, 716-720.
- Kim, U., Park, J., Kim, H.J., Wada, M., and Kaplan, D.L. (2005b) Three-dimensional aqueous-derived biomaterial scaffolds from silk fibroin. Biomaterials, 26, 2775–2785.
- Langer, R., and Vacanti, J. (1993) Tissue engineering. Science, 260, 920–926.
- Levenberg, S., and Langer, R. (2004). Advances in tissue engineering. Current Topic in Developmental Biology, 61, 113-134.
- Li, M., Wu, Z., Zhang, C., Lu, S., Yan, H., Huang, D., and Ye, H. (2001). Study on porous silk fibroin materials. II. Preparation and characteristics of spongy porous silk fibroin materials. Journal of Applied Polymer Science, 79, 2192-2199
- Li, M., Zhang, C., Lu, S., Wu, Z., and Yan, H. (2002) Study on porous silk fibroin materials: 3. influence of repeated freeze-thawing on the structure and

- properties of porous silk fibroin materials. Polymers for Advanced Technologies, 13, 605-610.
- Lloyd, L.L., Kennedy, J.F., Methacanon, P., Paterson, M., Knill, C.J. (1998). Carbohydrate polymers as wound management aids. Carbohydrate Polymers, 37, 315-322.
- Loree, H.M., Yannas, I.V., Mikic, B., Chang, A.S., Perutz, S.M., Norregaard, T.V., Krarup, C. (1989). A freeze-drying process for fabrication of polymeric bridges for peripheral nerve regeneration. Proceedings of the 15th Annual Northeast Bioengineering Conference, 53-54.
- Lovett, M., Cannizzaro, C., Daheron, L., Messmer, B., Vunjak-Novakovic, G., and Kaplan, D.L. (2007). Silk fibroin microtubes for blood vessel engineering. Biomaterials, 28, 5271-5279.
- Magoshi, J., Mizuide, M., and Magoshi, Y. (1979) Physical properties and structure of silk. VI. Conformational changes in silk fibroin induced by immersion in water at 2 to 130°C. Journal of Polymer Science: Polymer Physics Edition, 17, 515-520.
- Malay, O., Bayraktar, O., And Batiqun, A., (2007). Complex coacervation of silk fibroin and hyaluronic acid. International Journal of Biological Macromolecules, 40, 387-393.
- Marler, J.J., Upton, J., Langer, R., and Vacanti, J. (1998) Transplantation of cells to matrices for tissue engineering. Advanced Drug Delivery Reviews, 33, 165-182.
- Marolt, D., Augst, A., Freed, L.E., Vepari, C., Fajardo, R., Patel, N., Gray, M., Farley, M., Kaplan, D.L., and Vunjak-Novokovic, G. (2006). Bone and cartilage tissue constructs grown using human bone marrow stromal cells, silk scaffolds and rotating bioreactors. Biomaterials, 27, 6138-6149.
- Mauney, J., Nguyen, T., Gillen, K., Kirker-Head, C., Gimble, J.M., and Kaplan, D.L. (2007). Engineering adipose-like tissue in vitro and in vivo utilizing human bone marrow and adipose-derived mesenchymal stem cells with silk fibroin 3D scaffolds. Biomaterials, 28, 5280-5290.

- Meinel, L., Hofmann, S., Karageorgiou, V., Zichner, L., Langer, R., Kaplan, D.L., and Vunjak-Novakovic, G. (2004a) Engineering cartilage-like tissue using human mesenchymal stem cells and silk protein scaffolds. Biotechnology and Bioengineering, 88, 379-391.
- Meinel, L., Karageorgiou, V., Hofmann, S., Fajardo, R., Snyder, B., Li, C.M., Zichner, L., Langer, R., Vunjak-Novakovic, G., and Kaplan, D.L. (2004b) Engineering bone-like tissue in vitro using human bone marrow stem cells and silk scaffolds. Journal of Biomedical Material Research: Part A, 71A, 25-34.
- Meinel, L., Hofmann, S., Karageorgiou, V., Kirker-Head, C., McCool, J., Gronowicz, G., Zichner, L., Langer, R., Vunjak-Novakovic, G., and Kaplan, D.L. (2005) The inflammatory responses to silk films *in vitro* and *in vivo*. Biomaterials, 26, 147-155.
- Meinel, L., Betz, O., Fajardo, R., Hofmann, S., Nazarian, A., Cory, E., Hilbe, M., McCool, J., Langer, R., Vunjak-Novakovic, G., Merkle, H.P., Rechenberg, B., Kaplan, D.L., and Kirker-Head, C. (2006). Silk based biomaterials to heal critical sized femur defects. Bone, 39, 922-931.
- Min, B.-M., Lee, G., Kim, S.H., Nam, Y.S., Lee, T.S., and Park, W.H. (2004) Electrospinning of silk fibroin nanofibers and its effect on the adhesion and spreading of normal human keratinocytes and fibroblasts in vitro. Biomaterials, 25, 1289-1297.
- Minoura, N., Aiba, S., Gotoh, Y., Tsukada, M., and Imai, Y. (1995) Attachment and growth of cultured fibroblast cells on silk protein matrices. Journal of Biomedical Materials Research, 29, 1215-1221.
- Minuth, W.W., Strehl, R., and Schumacher, K. (2005) Tissue engineering: essentials for daily laboratory work. Weinheim: Wiley-VCH, pp. 113-129.
- Mori, T., Okumura, M., Matsuura, M., Ueno, K., Tokura, S., Okamoto, Y., Minami, S., and Fujinaga, T. (1997) Effects of chitin and its derivatives on the proliferation and cytokine production of fibroblasts in vitro. Biomaterials, 18, 947-951.

- Nam, J., and Park, Y.H. (2001) Morphology of regenerated silk fibroin: Effects of freezing temperature, alcohol addition, and molecular weight. Journal of Applied Polymer Science, 81, 3008-3021.
- Nazarov, R., Jin, H.J., Kaplan, D.L. (2004). Porous 3-D scaffolds from regenerated silk fibroin. Biomacromolecules, 5, 718–726.
- O'Brien, F.J., Harley, B.A., Yannas, I.V., Gibson, L. (2004). Influence of freezing rate on pore structure in freeze-dried collagen-GAG scaffolds. Biomaterials, 25, 1077–1086.
- Ottewill, R.M., and Kim, S.W. Polymeric drugs & drug delivery Systems. Lancaster: Technomic: 2001. p. 69-85.
- Palsson, B., Hubbell, J.A., Plonsey, R., and Bronzino, J. (2003) Principles and applications in engineering series: tissue engineering. Boca Raton : CRC Press.
- Pike, D.B., Cai, S., Pomraning, K.R., Firpo, M.A., Fisher, R.J., Shu, X.Z., Prestwich, G.D., Peattie, R.A. (2006). Heparin-regulated release of growth factors in vitro and angiogenic response in vivo to implanted hyaluronan hydrogels containing VEGF and bFGF. Biomaterials, 27, 5242–5251.
- Pulapura, S., Kohn, J. (1992). ??? Journal of Biomaterials Applications, 6, 216-.
- Ragnhild, J., Hjerde, N., Varum, K.M., Grasdén, H., Tokura, S., and Smidsrod, O. (1997). Chemical composition of O-(carboxymethyl)-chitins in relation to lysozyme degradation rates. Carbohydrate Polymer, 34, 131-139.
- Saitoh, H., Ohshima, K., Tsubouchi, K., Takasu, Y., and Yamada, H. (2004) X-ray structural study of noncrystalline regenerated *Bombyx mori* silk fibroin. International Journal of Biological Macromolecules, 34, 259-265.
- Sakiyama-Elbert, S.E., Hubbell, J.A. (2000). Development of fibrin derivatives for controlled release of heparin-binding growth factors. Journal of Controlled Release, 65, 389–402.
- Shen, H., Hu, X., Bei, J., Wang, S. (2008). The immobilization of basic fibroblast growth factor on plasma-treated poly(lactide-co-glycolide). Biomaterials, 29, 2388-2399

- Serizawa, T., Matsukuma, D., and Akashi, M. (2005). Loading and release of charged dyes using ultrathin hydrogels. Langmuir, 21, 7739-7742.
- Shastri, V. P., Martin, I., and Langer, R. (2000). Macroporous polymer foams by hydrocarbon templating. Proceedings of the National Academy of Sciences of the USA, 97, 1970-1975.
- Sriupayo, J., Supaphol, P., Blackwell, J., Rujiravanit, R. (2005). Preparation and characterization of  $\alpha$ -chitin whisker-reinforced poly(vinyl alcohol) nanocomposite films with or without heat treatment. Polymer, 46, 5637-5644.
- Tabata, Y., Hijikata, S., and Ikada, Y. (1994). Enhanced vascularization and tissue granulation by basic fibroblast growth factor impregnated in gelatin hydrogels. Journal of Controlled Release, 31, 189-199.
- Tabata, Y., and Ikada, Y. (1999a) Vascularization effect of basic fibroblast growth factor released from gelatin hydrogels with different biodegradabilities, Biomaterials, 20, 2169-2175.
- Tabata, Y., Nagano, A., and Ikada, Y. (1998). In vitro sorption and desorption of basic fibroblast growth factor from biodegradable hydrogels. Biomaterials, 19, 1781-1789.
- Tabata Y, Nagano A, Ikada Y. (1999b). Biodegradation of hydrogel carrier incorporating fibroblast growth factor. Tissue Engineering, 5, 127-138.
- Tokura, S., Nishimura, S., Sakairi, N., Nishi, N. (1996). Biological activities of biodegradable polysaccharide Macromolecular Symposia, 101, 389-396.
- Unger, R.E., Wolf, M., Peters, K., Motta, A., Migliaresi, C., and Kirkpatrick, C.J. (2004a) Growth of human cells on a non-woven silk fibroin net: a potential for use in tissue engineering. Biomaterials, 25, 1069-1075.
- Unger, R.E., Peters, K., Wolf, M., Motta, A., Migliaresi, C., and Kirkpatrick, C.J. (2004b) Endothelialization of a non-woven silk fibroin net for use in tissue engineering: growth and gene regulation of human endothelial cells. Biomaterials, 25, 5137-5146.

- Vacanti, J., and Vacanti, C. (1997) The challenge of tissue engineering, In R. Lanza, R. Langer, and W. Chick (Eds.), Principles of Tissue Engineering (pp. 1-6). R.G. Landes, Austin, TX.
- Vepari, C., and Kaplan, D.L. (2007). Silk as a Biomaterial. Progress in Polymer Science, 32, 991-1007.
- Wang, Y., Kim, U.J., Blasioli, D.J., Kim, H.J., Kaplan, D.L. (2005). In vitro cartilage tissue engineering with 3D porous aqueous-derived silk scaffolds and mesenchymal stem cells. Biomaterials, 26, 7082-7094.
- Wang, X., Wenk, E., Matsumoto, A., Meinel, L., Li, C., and Kaplan, D.L. (2007) Silk microspheres for encapsulation and controlled release. Journal of Controlled Release, 117, 360-370.
- Wang, X., Kluge, J.A., Leisk, G.G., Kaplan, D.L. (2008). Sonication-induced gelation of silk fibroin for cell encapsulation. Biomaterials, 29, 1054-1064.
- Wongpanit, P., Sanchavanakit, N., Pavasant, P., Supaphol, P., Tokura, S., and Rujiravanit, R. (2005) Preparation and characterization of microwave-treated carboxymethyl chitin and carboxymethyl chitosan films for potential use in wound care application. Macromolecular Bioscience, 5, 1001-1012.
- Wu, X.; Torres, F.G.; Vilaseca, F.; Peijs, T. (2007). Influence of the processing conditions on the mechanical properties of chitin whisker reinforced poly(caprolactone) nanocomposites. Journal of Biobased Materials and Bioenergy, 1, 341-350.
- Yamada, H., Igarashi, Y., Takasu, Y., Saito, H., and Tsubouchi, K. (2004) Identification of fibroin-derived peptides enhancing the proliferation of cultured human skin fibroblasts. Biomaterials, 25, 467-472.
- Yang, Y., Ding, F., Wu, J., Hu, W., Liu, W., Liu, J., Gu, X. (2007). Development and evaluation of silk fibroin-based nerve graft used for peripheral nerve regeneration. Biomaterials, 28, 5526-5535.
- Zhou, C.Z., Confalonier, F., Medina, N., Zivanovic, Y., Esnaullt, C., Yang, L., Jacquet, M., Janin, J., Duguet, M., Perasso, R., and Li, Z.G. (2000). Fine



organization of Bombyx Mori fibroin heavy chain gene. Nucleic Acids Research. 28, 2413-2419.

## CURRICULUM VITAE

**Name:** Mr. Panya Wongpanit

**Date of Birth:** Jan 15<sup>th</sup>, 1981

**Nationality:** Thai

**University Education:**

1999-2002: Bachelor Degree of Engineering (2<sup>nd</sup> honor), Faculty of Engineering and Industrial Technology, Silpakorn University, Nakhonpathom, Thailand

2003-2004: The Degree of Master of Science, Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand

**Publications:**

1. Wongpanit, P., Sanchavanakit, N., Pavasant, P., Supaphol, P., Tokura, S., and Rujiravanit, R. (2005) Preparation and characterization of microwave-treated carboxymethyl chitin and carboxymethyl chitosan films for potential use in wound care application. Macromolecular Bioscience, 5, 1001-1012.
2. Wongpanit, P., Tabata, Y., and Rujiravanit, R. (2007) Miscibility and biodegradability of silk fibroin/carboxymethyl chitin blend films. Macromolecular Bioscience, 7, 1258-1271.
3. Wongpanit, P., Sanchavanakit, N., Pavasant, P., Bunaprasert, T., Tabata, Y., and Rujiravanit, R. (2007) Preparation and characterization of chitin whisker-reinforced silk fibroin nanocomposite sponges. European Polymer Journal, 43, 4123-4135.
4. Pornsunthorntawee, O., Wongpanit, P., Chavadej, S., Abe, M., Rujiravanit, R. (2008). Structural and physicochemical characterization of crude biosurfactant produced by *Pseudomonas aeruginosa* SP4 isolated from petroleum-contaminated soil. Bioresource Technology, 99, 1589-1595.



5. Rujiravanit, R., Pornsunthorntawee, O., Wongpanit, P. (2008). Rhamnolipid biosurfactant: Production and its potential in environmental biotechnology, in: Sen, R. (Eds.), Biosurfactants. Landes Bioscience, George Town.

#### **Proceedings:**

1. Wongpanit, P., Tabata, Y., Bunaprasert, T., Rujiravanit, R. (2006) Preparation and characterization of chitin whisker-reinforced silk fibroin nanocomposite scaffolds, *in* Advances in Chitin Science and Technology, Se-Kwon Kim, Hong Kyoon No and Ro-Dong Park (Eds.), Proceedings of the 7<sup>th</sup> Asia-Pacific Chitin and Chitosan Symposium, Bexco, Busan, Korea, 23<sup>rd</sup> – 26<sup>th</sup> April 2006, 443 – 445.
2. Wongpanit, P., Tabata, Y., Rujiravanit, R. (2007) Miscibility and biodegradability of silk fibroin/carboxymethyl chitin blend films, *in* Advances in Petrochemicals and Polymers, (Eds.), Proceedings of the 2<sup>nd</sup> international conference on Advances in Petrochemicals and Polymers, Bangkok, Thailand, 25<sup>th</sup> -28<sup>th</sup> June 2007, .

#### **Presentations:**

1. Wongpanit, P., Sanchavanakit, N., Pavasant, P., Supaphol, P., Tokura, S., and Rujiravanit, R. (2005) Preparation and characterization of microwave-treated carboxymethyl chitin and microwaved-treated carboxymethyl chitosan films for possible use in wound care applications. The 8<sup>th</sup> SPSJ International Polymer Conference, Fukuoka, Japan, 26<sup>th</sup>-29<sup>th</sup> July 2005. - **29P1G6-052b**
2. Wongpanit, P., Sanchavanakit, N., Pavasant, P., Supaphol, P., Tokura, S., and Rujiravanit, R. (2005) Preparation and characterization of microwave-treated carboxymethyl chitin and microwave-treated carboxymethyl chitosan films for possible use in wound care applications. U.S.-Thai Symposium on Biomedical Engineering in Thailand, Bangkok, Thailand, 12<sup>th</sup>- 15<sup>th</sup> December 2005, p.53.
3. Rujiravanit, R., Pornsunthorntawee, O., Wongpanit, P., Chavadej, S. (2008). Preparation and characterization of surfactant-modified polymeric films for potential use in biomedical applications. The 59<sup>th</sup> Divisional Meeting on Colloid

- and Surface Chemistry, The Chemical Society of Japan, Sapporo, Japan, 13<sup>rd</sup>-15<sup>th</sup> September 2006, p.305.
4. Pornsunthorntawe, O., Wongpanit, P., Chavadej, S., Abe, M., Rujiravanit, R. (2008). Structural and physicochemical characterization of crude biosurfactant produced by *Pseudomonas aeruginosa* SP4 isolated from petroleum-contaminated soil. 2<sup>nd</sup> Asia Conference on Colloids & Interface Chemistry, Shandong, China, 28<sup>th</sup>-30<sup>th</sup> October 2007, p.101.
  5. Wongpanit, P., Tabata, Y., and Rujiravanit, R. (2008). pH-Dependent sorption and release of charged dyes from silk fibroin films. RGJ-Ph.D. Congress IX, Chonburi, Thailand, 4<sup>th</sup>-6<sup>th</sup> April 2008, p. 215.