## การปรับเปลี่ยนการตอบสนองทางด้านภูมิคุ้มกันของดับบลิวเอฟเทน(ทีซีดีโอ)และ ผลจากการทำงานร่วมกับ พอร์ไฟโรโมแนส จินจิวาลิส

นาย ซัช เจิมณรงค์



วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญาวิทยาศาสตรมหาบัณฑิต สาขาวิชาปริทันตศาสตร์ ภาควิชาปริทันตวิทยา คณะทันตแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ปีการศึกษา 2543 ISBN 974-334-251-6 ลิชสิทธิ์ของจุฬาลงกรณ์มหาวิทยาลัย

# IMMUNOMODULATION OF WF10(TCDO) AND ITS EFFECT WITH PORPHYROMONAS GINGIVALIS

MR. Chat Jermnarong

A Thesis Submitted in Partial Fulfillment of the Requirements
for the Degree of Master of Science in Periodontics

Department of Periodontology

Faculty of Dentistry

Chulalongkorn University

Academic Year 2000

ISBN 974-334-251-6

Thesis Title	: Immunomodulation of WF10(TCDO) and its			
	effect with Porphyromonas gingivalis			
Ву	: Mr. Chat Jermnarong			
Department	: Periodontology			
Thesis Advisor	: Dr. Rangsini Mahanonda			
Thesis Co-advisor	: Dr. Sathit Pichyangkul			
Accepted by the Faculty of	Dentistry, Chulalongkorn University in Partial			
Fulfillment of the Requirement for the Master's Degree				
Quark Keepyon Dean of Faculty of Dentistry				
(Associated Pr	ofessor Surashith Kiatpongsan)			
THESIS COMMITTEE				
Ο. Δ				
Raulehavie Horzprasory Chairman				
(Associated Professor Naulchavee Hongprasong)				
Faye	Thesis Advisor			
(Dr. Rangsini Mahanonda)				
SA	Thesis Co-advisor			
	(Dr. Sathit Pichayangkul)			
Pa	itory Sanvarile Member			
(Assistant Professor Dr. Paitoon Sanvarinda)				
	Mana Kuratana Member			

(Assistant Professor Dr. Mano Kuratana)

ชัช เจิมณรงค์ : การปรับเปลี่ยนการตอบสนองทางด้านภูมิคุ้มกันของดับบลิวเอฟเทน(ทีซีดี โอ)และผลจากการทำงานร่วมกับพอร์ไฟโรโมแนส จินจิวาลิส (IMMUNOMODULATION OF WF10(TCDO) AND ITS EFFECT WITH PORPHYROMONAS GINGIVALIS) อ.ที่ปรึกษา: ทพญ. ดร. รังสินี มหานนท์, อ. ที่ปรึกษาร่วม: ดร. สาธิต พิชญางกูร,76 หน้า. ISBN 974-334-251-6.

ดับบลิวเอฟเทน เป็น สารประกอบที่ซีดีโอ(เตตระคลอโรเด็คคะออกซิเจน) ที่ประกอบ ด้วย คลอไรท์และออกซิเจน มีคุณสมบัติเฉพาะที่ถูกอ้างโดยผู้ผลิต; อ็อกโซ่ เค็มมี่ คือ ด้าน ชีวเคมีและเภสัชวิทยา ลักษณะเด่นที่สำคัญของดับบลิวเอฟเทน คือ มีความสามารถกระตุ้น เซลล์ที่ทำหน้าที่จับกินและทำลายสิ่งแปลกปลอม, เพิ่มการสมานการหายของแผล และยับยั้ง การเจริญเติบโตของแบคทีเรีย จากการศึกษานี้ได้อธิบายถึงผลของการปรับเปลี่ยนการตอบ สนองทางด้านภูมิคุ้มกันของดับบลิวเอฟเทนเพียงลำพังกับผลการทำงานร่วมกับพอร์ไฟโรโม แนส จินจิวาลิส ในโมโนนิวเคลียร์เซลล์จากเลือดของคนปกติ(ในสภาพที่ยังไม่ได้แยกเป็นกลุ่ม เซลล์ชนิดต่าง ๆ และที่แยกเฉพาะกลุ่มต่าง ๆ) ดับบลิวเอฟเทนที่ระดับความเข้มข้นที่ไม่เป็น พิษ จะเพิ่มระดับการแสดงของ ซีดี69 บนเซลล์นิวเคลียสชนิดต่าง ๆ และยังชักนำให้มีการ ผลิตของอินเตอร์ลูคิน-12(พี40), ทีเอ็นเอฟ-อัลฟ่า และอินเตอร์ฟีรอน-แกมม่า ในระดับปาน กลาง เมื่อทำงานร่วมกับพอ*ร์ไฟโรโมแนส* จินจิวาลิส ดับบลิวเอฟเทน เพิ่มการซักน้ำของ พอร์ไฟโรโมแนส จินจิวาลิส ทำให้มีการผลิตของที่เอ็นเอฟ-อัลฟาเพิ่มขึ้น แต่ลดการซักน้ำ ของพอร์ไฟโรโมแนส จินจิวาลิส ทำให้มีการผลิตอินเตอร์ลูคิน–1เบต้าลดลงอย่างมาก จาก ทั้งหมดนี้ การศึกษานี้ไม่มีข้อมูลเพียงพอที่จะสรุปถึงผลของการบำบัดรักษาของดับบลิวเอฟ-เทนในโรคปริทันต์อักเสบ แต่มีข้อมูลที่น่าสนใจถึงผลการปรับเปลี่ยนการตอบสนองทางด้าน ภูมิคุ้มกันของดับบลิวเอฟเทนต่อการซักน้ำการกระตุ้นระบบภูมิคุ้มกันของพอร์ไฟโรโมแนส-จินจิวาลิส การศึกษาเพิ่มเติมเพื่อเรียนรู้ว่า ดับบลิวเอฟเทนมีผลอย่างไรกับพอร์ไฟโรโมแนส-จินจิวาลิส ในการขบวนซักนำให้เกิดพยาธิสภาพ เป็นเรื่องจำเป็นก่อนที่นำมาใช้จริงในทาง คลินิก

ภาควิชา ปริทันตวิทยา สาขาวิชา ปริทันตศาสตร์ ปีการศึกษา 2543 ลายมือซื่อนิสิต คิงกะอง ดั้ ลายมือซื่ออาจารย์ที่ปรึกษา รั้ง โ ## 4076105032 : MAJOR PERIODONTICS

KEY WORD: WF10 / TCDO / PORPHYROMONAS GINGIVALIS

CHAT JERMNARONG: IMMUNOMODULATION OF WF10(TCDO) AND ITS

EFFECT WITH PORPHYROMONAS GINGIVALIS. THESIS ADVISOR: DR.

RANGSINI MAHANONDA. THESIS CO-ADVISOR: DR. SATHIT PICHYANGKUL.

76 pp. ISBN 974-334-251-6.

WF10 is a chlorite-oxygen compound TCDO(tetrachlorodecaoxygen) with unique biochemical and pharmacological properties cliamed by the manufacturer; OXO chemie. The key features of WF10 are the ability to activate phagocytic cells, enhance wound healing and inhibit bacterial growth. Thus, the compound may have therapeutic application in periodontitis. Here, we describe the immunomodulatory effects of WF10 alone and in combination with Porphyromonas gingivalis in peripheral blood mononuclear cell cultures. WF10 at the non-toxic concentration upregulated CD69 expression on different mononuclear cell subsets and also induced moderate amount of IL-12 (p40), TNF- $\alpha$ , and IFN- $\gamma$  production. When combined with Porphyromonas gingivalis, WF10 enhanced Porphyromonas gingivalis-induced TNF- $\alpha$  production, but greatly down-regulated *Porphyromonas gingivalis*-induced IL-1β production. Overall, our study does not provide enough information to draw any conclusions on therapeutic effect of WF10 in peridontitis, but it does provide an interesting data on the immunomodulatory effect of WF10 on Porphyromonas gingivalis-induced immune activation. Further study is required to better understand how WF10 effects Porphyromonas gingivalis-induced pathological process before the compound could find its place in clinical application.

ภาควิชา ปริทันตวิทยา สาขาวิชา ปริทันตศาสตร์ ปีการศึกษา 2543 ลายมือชื่อนิสิต *63 คน 5.6* ลายมือชื่ออาจารย์ที่ปรึกษา 5.1 ลายมือชื่ออาจารย์ที่ปรึกษาร่วม 5. W

#### **ACKNOWLEDGEMENTS**

I would like to express my gratitude and appreciation to my advisor, Dr. Rangsini Mahanonda, for her guidance, encouragement, supervision, suggestions and kindness throughout the course of my Master degree program. I am extremely indebted to my co-advisor, Dr. Sathit Pichyangkul, Department of Immunology and Medicines, US Army Medical Component, AFRIMS, for providing the laboratory facilities and for his grateful guidance, supervision, valuable technical advice and correction of this thesis.

I wish to thank my thesis committee members; Assoc. Prof. Nophadol Suppipat, Assoc. Prof. Naulchavee Hongprasong, Assoc. Prof. Chanin T.Vitaya, Assist. Prof. Dr. Paitoon Sanvarinda and Assist. Prof. Dr. Mano Kuratana for their suggestions and kindness in being committee members.

Sincere appreciation is expressed to Mr. Kosol Yongvanitchit for their grateful advice and technical assistance. I also would like to Mr. Nophadol Sa-Ard-lam for his assistance in making appointment with donors and perparing this manuscript.

I would like to acknowledge research grant from the Graduate School, Chulalongkorn University for the partial financial support for this study. My sincere appreciation is also extended to the staff of Periodontology, Department, Faculty of Dentistry, Chulalongkorn University for their kindness, guidance and encouragement. Finally, I would like to express my appreciation to my father, mother, and my brother, and my brother for their love, caring, understanding and encouragement.

### TABLE OF CONTENTS

Page		
Abtract (Thai)iv		
Abtract (English)v		
Acknowledgementsvi		
Table of contentsvii		
List of tablesx		
List of figuresxii		
Abbreviationsxiii		
Chapter		
1. Introduction1		
1.1 Background of present study1		
1.2 Objectives3		
1.3 Hypothesis4		
1.4 Field of research4		
1.5 Criteria inclusions4		
1.6 Limitation of research5		
1.7 Application and expectation of research5		
2. Literature review6		
2.1 Introduction6		
2.2 Etiology: Plaque microorganisms6		
2.2.1 Porphyromonas gingivalis7		
2.3 Pathogenesis: Host response to plaque		
Microorganisms10		

Page
2.3.1 Th1 and Th2 cytokines11
2.3.2 Inflammatory cytokines14
2.4 WF1015
3. Materials and methods
3.1 Medium and reagents18
3.1.1 Culture media18
3.1.2 Monoclonal antibodies18
3.2 Subject selection19
3.3 Bacterial preparation19
3.4 Peripheral blood mononuclear cell (PBMC)20
3.5 Treatment of PBMC with WF1020
3.6 Treatment with P. gingivalis and WF1020
3.7 Phynotypic analysis of activated cells by flow
cytometry21
3.8 Statistic analysis22
4. Results
4.1 Activation of mononuclear cell populations in WF10
stimulated PBMC cultures23
4.2 Cytokines production by PBMC stimulated with
WF1025
4.3 TNF- $\alpha$ production by PBMC stimulated with
P. gingivalis and WF1027
4.4 IL-1β production by PBMC stimulated with
P. gingivalis and WF1030

Page
5. Discussion and Conclusion33
References38
Appendix56
Biography62

### LIST OF TABLES

Τ	able	Page
1.	Summary of TCDO formulations	1
2.	Monoclonal antibodies used for flow cytometric analysis	18
3.	Effect of WF10 on CD69 expression in PBMC cultures	23
4.	TNF- $\alpha$ production by PBMC stimulated with <i>P. gingivalis</i> and WF	1028
5.	IL-1β production by PBMC stimulated with <i>P. gingivalis</i> and WF10	)31
6.	Effect of WF10 on CD69 expression in PBMC cultures of subject	A56
7.	Effect of WF10 on CD69 expression in PBMC cultures of subject	B56
8.	Effect of WF10 on CD69 expression in PBMC cultures of subject	C57
9.	Effect of WF10 on CD69 expression in PBMC cultures of subject	D57
10	Cytokine production by WF10-treated PBMC of subject A	58
11	. Cytokine production by WF10-treated PBMC of subject B	58
12	2.Cytokine production by WF10-treated PBMC of subject C	59
1.3	3.Cytokine production by WF10-treated PBMC of subject D	59

. TNF- $lpha$ production(pg) by PBMC stimulated with <i>P. gingivalis</i> and WF10
subject E60
5. TNF- $\alpha$ production(pg) by PBMC stimulated with <i>P. gingivalis</i> and WF10
subject F60
5. IL-1β production(pg) by PBMC stimulated with P. gingivalis and WF10
subject G61
'. IL-1β production(pg) by PBMC stimulated with P. gingivalis and WF10
subject H61

## LISTS OF FIGURES

ure Pag	Figure
Representative histogram of CD69 expression on lymphocy subsets in response to WF10	1.
2. Cytokines production by WF10-treated PBMC2	2.
3. TNF-α production in PBMC cultures stimulated with  P. gingivalis and WF102	3.
<ul> <li>4. IL-1β production in PBMC cultures stimulated with</li> <li>P. gingivalis and WF103</li> </ul>	4.

#### **ABBREVIATIONS**

CD cluster of differentiation

DNA deoxyribonucleic acid

ELISA enzyme-linked immunosorbent

assay

FCS fetal calf serum

FITC fluorescein isothiocyanate

γδ T-cells gamma delta T-cells

GCF gingival crevicular fluid

IFN-γ interferon gamma

lg immunoglobulin

IL interleukin

LPS lipopolysaccharide

mAbs monoclonal antibodies

mRNA messenger ribonucleic acid

NK cells natural killer cells

PBA polyclonal B-cell activation

PBMC peripheral blood mononuclear

cells

PBS phosphate-buffered saline

PE phycoerythrin

S.E. standard error

Th1 T-helper 1

Th2 T-helper 2

TNF-α Tumor necrosis factor alpha