การสังเคราะห์น้ำมันหล่อลื่นพื้นฐานจากน้ำมันรำข้าว

นายคเชนทร์ เอี่ยมศุภสวัสดิ์



วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญาวิทยาศาสตรมหาบัณฑิต สาขาปี โตรเคมีและวิทยาศาสตร์พอลิเมอร์ บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย ปีการศึกษา 2542 ISBN 974-333-042-9 ลิขสิทธิ์ของบัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย

SYNTHESIS OF LUBRICATING BASE OIL FROM RICE BRAN OIL

Mr. Kachane Eiamsupasawat

A Thesis Submitted to Partial Fulfillment of the Requirements

for the Degree of Master of Science in Petrochemistry and Polymer Science

Program of Petrochemistry and Polymer Science

Graduate School

Chulalongkorn University

Academic Year 1999

ISBN 974-333-042-9

Thesis Title

SYNTHESIS OF LUBRICATING BASE OIL FROM

RICE BRAN OIL

By

: Mr. Kachane Eiamsupasawat

Department

Petrochemistry and Polymer Science

Thesis Advisor

: Associate Professor Sophon Roengsumran

Thesis Co-advisor

Mr. Chayuth Temnitikul

Accepted by the Graduate School , Chulalongkorn University in Partial Fulfillment of the Requirements for the Master's Degree

Suchada Kiranandana, Ph. D.)

THESIS COMMITTEE

Juy Tooley Chairman

(Associate Professor Supawan Tantayanon, Ph. D.)

(Associate Professor Sophon Roengsumran, Ph. D.)

Ctat Thesis Co-advisor

(Mr. Chayuth Temnitikul, M. Eng.)

Member

(Associate Professor Amorn Petsom, Ph. D.)

W Makanyad Member

(Associate Professor Wimonrat Trakarnpruk, Ph. D.)

คเชนทร์ เอี่ยมศุภสวัสคิ์: การสังเคราะห์น้ำมันหล่อลื่นพื้นฐานจากน้ำมันรำข้าว (SYNTHESIS OF LUBRICATING BASE OIL FROM RICE BRAN OIL)

อ. ที่ปรึกษา: รศ. คร. โสภณ เริงสำราญ, อ. ที่ปรึกษาร่วม: นายชยุต เต็มนิธิกุล, 110 หน้า, ISBN 974-333-042-9

น้ำมันรำข้าวซึ่งมีโครงสร้างไตรกลีเซอไรค์ถูกเปลี่ยนให้มีโครงสร้างเป็นเอสเทอร์ เดี๋ยวโคย ปฏิกิริยาทรานส์เอสเทอริฟิเคชันค้วยแอลกอฮอล์ เช่น 1-บิวทานอล , 1-เฮกซา นอล , 1-ออกทานอล , 2-เมทธิล-1-เฮกซานอล และ 4-เมทธิล-2-เพนทานอล ณ. อุณหภูมิที่ เป็นจุดเดือดของของผสมเป็นเวลา 2 , 3 และ 4 ชั่วโมง และใช้กรดซัลฟุริกเข้มข้นเป็นตัว เร่งปฏิกิริยา 2-เอทธิล-1-เฮกซิลเอสเทอร์เป็นเอสเทอร์เคี่ยวซึ่งมีคุณสมบัติทางกายภาพ และเคมีที่ดี เนื่องจากมีค่าคัชนีความหนืดสูง , มีความเสถียรต่อการเกิดออกซิเดชันดี และมี จุดใหลเทต่ำ ด้วยคุณสมบัติเหล่านี้ทำให้สามารถถูกใช้เป็นน้ำมันหล่อลื่นพื้นฐานได้ ยิ่ง ไปกว่านั้นเมื่อนำ 2-เอทธิล-1-เฮกซิลเอสเทอร์ปริมาณเล็กน้อยไปผสมกับน้ำมันหล่อลื่น พื้นฐานจากปีโตรเลียม (150 SN) ค่าคัชนีความหนืดของน้ำมันที่ผสมมีค่าเพิ่มขึ้นเมื่อ เปรียบเทียบกับน้ำมันหล่อลื่นพื้นฐานจากปีโตรเลียมเพียงอย่างเดียว ผลดังกล่าวนี้แสดง ให้เห็นว่า 2-เอทธิล-1-เฮกซิลเอสเทอร์สามารถใช้เป็นตัวปรับปรุงค่าคัชนีความหนืดใน อุตสาหกรรมผลิตน้ำมันหล่อลื่นได้

ภาควิชา	ลายมือชื่อนิสิต 🧀 เดินเกรี เดียมสภาสารัสจั
สาขาวิชา ปีโซรเลมีและวิทยาศาสตร์ผอลิเมต	ส์ลายมือชื่ออาจารย์ ปรึกษา
ปีการศึกษา 2542	ลายมือชื่ออาจารย์ ที่ปรึกษาร่วม

V

4073405723 : MAJOR PETROCHEMISTRY AND POLYMER SCIENCE

KEY WORD: RICE BRAN OIL

KACHANE EIAMSUPASAWAT: SYNTHESIS OF LUBRICATING BASE OIL FROM RICE BRAN OIL. THESIS ADVISOR: ASSOC. PROF. SOPHON ROENGSUMRAN Ph.D., THESIS CO-

ADVISOR: MR. CHAYUTH TEMNTTIKUL M. Eng.: 110 pp. ISBN 974-333-042-9

Rice bran oil, which has a triglyceride structure, was changed to a monoester structure by a tranesterification reaction with an alcohol such as 1-butanol, 1-hexanol, 1-octanol, 2-ethyl-1-hexanol and 4-methyl-2-pentanol. This reaction was carried out the boiling point of mixture, for 2, 3 and 4 hours. This reaction used concentrated sulfuric acid as a catalyst. 2-Ethyl-1-hexyl ester was the monoester, which had good physical and chemical properties due to a high viscosity index, good oxidation stability and a low pour point. With these properties, it could be used as lubricating base oil. Furthermore, when the small amount of 2-ethyl-1-hexyl ester was blended with petroleum base oil (150 SN), the viscosity index of the blended oil was increased when compared with petroleum base oil. This result showed that it could also be used as viscosity index improver in lubricating industry.

ภาควิชา	ลายมือชื่อนิสิต ราชแก้ เอียเสอรูกัสสั
สาขาวิชา ปีเรเตรีเมละวิทยาลสสร้า	พลิเมส์ ลายมือชื่ออาจารย์ที่ปรึกษา
ปีการศึกษา ²⁵ 42	ลายมือชื่ออาจารย์ ที่ปรึกษาร่วม

ACKNOWLEDGEMENTS



This research work and thesis is completed with the assistance of many people. I wish to express gratitude and appreciation to my advisor, Associate Professor Sophon Roengsumran and my co-advisor, Mr. Chayuth Temnitikul, for their valuable guidance, kindness and encouragement thoughout the course of the thesis.

Furthermore, I also thank members of my thesis committee, Associate Professor Supawan Tantayanon, Associate Professor Amorn Petsom and Associate Professor Wimonrat Trakarnpruk who have kindly given their valuable time to comment on my thesis. Thanks are also extended to Castrol (Thailand) Limited for supporting materials for my research.

Finally, I thank all the members of my family for their unfailing support and encouragement thoughout my study.

CONTENTS

Pag	;e
ABSTRACT (in Thai)iv	
ABSTRACT (in English) v	
ACKNOWLEDGEMENTS vi	
CONTENTS vii	
LIST OF TABLES xi	
LIST OF FIGURES xiii	
CHAPTER I : INTRODUCTION	
1.1 General Information 1	
1.2 Objective of the research	
1.3 Scope of the research	
CHAPTER II: THEORETICAL CONSIDERATION4	
2.1 Base Oil from Petroleum4	
2.1.1 Type of Base oil	
2.2 Synthesis Base Fluids	
2.2.1 Performance requirement 6	
2.2.2 Lubricant availability	
2.2.3 Safety6	
2.2.4 Cost 7	

	Page
2.3 Selection of Synthetic Base Fluids	7
2.4 Synthetic Esters	. 8
2.4.1 Ester types	10
2.4.2 Manufacture of esters	. 13
2.4.3 Physicochemical properties of ester lubricants	13
2.4.4 Synthetic Lubricant Development	. 20
2.4.5 Future trend	23
2.4.6 Marketplace for Synthetics	. 23
2.4.7 The Principle Properties and Tests	.25
2.5 Rice Bran Oil	. 29
2.6 Literature review	31
CHAPTER III : EXPERIMENTAL	. 33
3.1 Chemicals	. 33
3.2 Apparatus and Instruments	34
3.3 Experimental Procedure	.35
3.3.1 Synthesis Monoester	35
3.3.2 Determination of Physical and Chemical Properties	
of Monoester Products	36

	Page
3.3.3 Blending	37
CHAPTER IV: RESULTS AND DISCUSSION	38
4.1 Characterization of rice bran oil	38
4.2 Synthesis of monoesters	40
4.2.1 Transesterification of rice bran oil with 1-butanol	41
4.2.2 Transesterification of rice bran oil with 1-hexanol	44
4.2.3 Transesterification of rice bran oil with 1-octanol	47
4.2.4 Transesterification of rice bran oil with 2-ethyl-1-	
hexanol	50
4.2.5 Transesterification of rice bran oil with 4-methyl-2-	
pentanol	53
4.3 Comparison of the properties of monoesters	56
4.4 Lubricating base oil (150SN) blended with 2-ethyl-1-hexyl	
ester	61
4.5 Comparison of the properties of 2-ethyl-1-hexyl ester from	
palm oil and rice bran oil	64
CHAPTER V : CONCLUSION AND SUGGESTION	66
5.1 Conclusion	66
5.2 Suggestion	67
REFERENCES	68
APPENDICES	71

	Page
APPENDIX I	. 72
APPENDIX II	. 92
APPENDIX III	. 93
APPENDIX IV	.94
APPENDIX V	. 97
VITA	.98

•

LIST OF TABLES

		Page
Table 2.1	Properties of synthetic fluids compared to mineral oil	8
Table 2.2	Organic ester physical properties	10
Table 2.3	Major type of ester and their feedstocks	11
Table 2.4	Summary of ester properties	12
Table 2.5	Major applications of synthetic fluids	21
Table 2.6	Market categories of interest for synthetic lubricants	24
Table 4.1	The physical and chemical properties of mineral oils and	
	rice bran oil	39
Table 4.2	The physical and chemical properties of rice bran oil and	
	butyl ester product	42
Table 4.3	The physical and chemical properties of rice bran oil and	
	hexyl ester product	45
Table 4.4	The physical and chemical properties of rice bran oil and	
	octyl ester product	48
Table 4.5	The physical and chemical properties of rice bran oil and	
	2-ethyl-1-hexyl ester product.	51
Table 4.6	The physical and chemical properties of rice bran oil and	
	4-methyl-2-pentyl ester product	54
Table 4.7	The physical and chemical properties of monoesters	56

		Page
Table 4.8	The physical and chemical properties of lubricating base	
	oil blended with 2-ethyl-1-hexyl ester	. 60
Table 4.9	The physical properties of different types of standard	
	lubricant	. 62
Table 4.10	The physical and chemical properties of 2-ethyl-1-hexyl	
	ester product from palm oil and rice bran oil	64

LIST OF FIGURES

	ľ	ag
Figure 2-1	Thermal decomposition of esters with beta hydrogens 10	5
Figure 2-2	Thermal decomposition of esters without beta hydrogens 16	5
Figure 2-3	Biodegradability of lubricants as measured by the	
	CEC-L-33-T-82 Test	Э
Figure 2-4	Comparison between typical model curves for both TG	
	thermal and thermooxidation stabilities	3
Figure A-1	FTIR Spectrum of 60 SN	2
Figure A-2	C ¹³ -NMR Spectrum of 60 SN	2
Figure A-3	H¹-NMR Spectrum of 60 SN	3
Figure A-4	FTIR Spectrum of 150 SN	1
Figure A-5	C ¹³ -NMR Spectrum of 150 SN	1
Figure A-6	H¹-NMR Spectrum of 150 SN	5
Figure A-7	FTIR Spectrum of Rice Bran Oil	5
Figure A-8	C ¹³ -NMR Spectrum of Rice Bran Oil	5
Figure A-9	H¹-NMR Spectrum of Rice Bran Oil	7
Figure Á-10	FTIR Spectrum of Butyl ester	}
Figure A-11	C ¹³ -NMR Spectrum of Butyl ester	}
Figure A-12	H¹-NMR Spectrum of Butyl ester)
Figure A-13	FTIR Spectrum of Hexyl ester)
Figure A-14	C ¹³ -NMR Spectrum of Hexyl ester 80)

		Page
Figure A-15	H'-NMR Spectrum of Hexyl ester	81
Figure A-16	FTIR Spectrum of Octyl	. 82
Figure A-17	C ¹³ -NMR Spectrum of Octyl ester	. 82
Figure A-18	H¹-NMR Spectrum of Octyl ester	. 83
Figure A-19	FTIR Spectrum of 2-Ethyl-1-hexyl ester	. 84
Figure A-20	C ¹³ -NMR Spectrum of 2-Ethyl-1-hexyl ester	.84
Figure A-21	H¹-NMR Spectrum of 2-Ethyl-1-hexyl ester	.85
Figure A-22	FTIR Spectrum of 4-Methyl-2-pentyl ester	. 86
Figure A-23	C ¹³ -NMR Spectrum of 4-Methyl-2-pentyl ester	.86
Figure A-24	H¹-NMR Spectrum of 4-Methyl-2-pentyl ester	.87
Figure A-25	TGA Thermogram of Base oil (60 SN)	. 88
Figure A-26	TGA Thermogram of Base oil (150 SN)	88
Figure A-27	TGA Thermogram of Rice Bran Oil	. 8 9
Figure A-28	TGA Thermogram of Butyl ester	. 89
Figure A-29	TGA Thermogram of Hexyl ester	.90
Figure A-30	TGA Thermogram of Octyl ester	90
Figure A-31	TGA Thermogram of 2-Ethyl-1-hexyl ester	.91
Figure A-32	TGA Thermogram of 4-Methyl-2-pentyl ester	.91