

REFERENCES

- Abe, R., Hara, K., Sayama, K., Domen, K., and Arakawa Hironori. (2000). Steady hydrogen evolution from water on Eosin Y-fixed TiO₂ photocatalyst using a silane-coupling reagent under visible light irradiation. Journal of Photochemistry and Photobiology A: Chemistry, 137, 63-69.
- Archer, M.D., and Bolton, J.R. (1990). Requirements for ideal performance of photochemical and photovoltaic solar energy converters. Journal of Physical Chemistry, 94, 8028-8036.
- Asahi, R., Morikawa, T., Ohwaki, T., Aoki, K., and Taga, Y. (2001). Visible-light photocatalysis in nitrogen-doped titanium oxides. Science, 293, 269-271.
- Ashokkumar, M. (1998). An overview on semiconductor particulate systems for photoproduction of hydrogen. International Journal of Hydrogen Energy, 23(6), 427-438.
- Bak, T., Nowotny, J., Rekas, M., and Sorrell, C.C. (2002). Photo-electrochemical hydrogen generation from water using solar energy. International Journal of Hydrogen Energy, 27, 991-1022.
- Bamwenda, G.R., Tsubota, S., Nakamura, T., and Haruta, M. (1995). Photoassisted hydrogen production from a water-ethanol solution: a comparison of activities of Au-TiO₂ and Pt-TiO₂. Journal of Photochemistry and Photobiology A: Chemistry, 89, 177-189.
- Bard, A.J. and Fox, M.A. (1995). Artificial photosynthesis: solar splitting of water to hydrogen and oxygen. Accounts of Chemical Research, 28, 141-145.
- Bi, Z.C. and Tien, H.T. (1984). Photoproduction of hydrogen by dye-sensitized systems. International Journal of Hydrogen Energy, 9(8), 717-22.
- Choi, W.Y., Termin, A., and Hoffmann, M.R. (1994). The role of metal ion dopants in quantum-sized TiO₂: correlation between photoreactivity and charge carrier recombination dynamics. Journal of Physical Chemistry, 84, 13669-13679.
- Cullity, B.D. (1978). Elements of X-ray diffraction. Reading, MA: Addison-Wesley Publication Company.

- De, G.C., Roy, A.M., and Bhattacharya, S.S. (1996). Effect of n-Si on the photocatalytic production of hydrogen by Pt-loaded CdS and CdS/ZnS catalyst. International Journal of Hydrogen Energy, 21(1), 19-23.
- De Haart, L.G.J., De Vries, A.J., and Blasse, G. (1984) Photoelectrochemical properties of MgTiO₃ and other titanates with the ilmenite structure. Materials Research Bulletin, 19, 817-824
- Dhanalakshmi, K.B., Latha, S., Anandan, S., and Maruthamuthu, P. (2000). Dye sensitized hydrogen evolution from water. International Journal of Hydrogen Energy, 26, 669–674.
- Doong, R.A., Chen, C.H., Maithreepala, R.A., and Chang, S.M. (2001). The influence of pH and cadmium sulfide on the photocatalytic degradation of 2-chlorophenol in titanium dioxide suspensions. Water Research, 35(12), 2873-80.
- Fujishima, A., and Honda, K. (1972). Electrochemical photolysis of water at a semiconductor electrode. Nature, 238, 37-38.
- Fujishima, A., Rao, T.N., and Tryk, D.A. (2000). Titanium dioxide photocatalysis. Journal of Photochemistry and Photobiology C: Photochemistry Reviews, 1, 1-21.
- Gurunathan, K., Maruthamuthu, P., and Sastri, V.C. (1997). Photocatalyst hydrogen production by dye-sensitized Pt/SnO₂ and Pt/SnO₂/RuO₂ in aqueous methyl viologen solution. International Journal of Hydrogen Energy, 207(1-2), 173-81.
- Hirano, K., Suzuki, E., Ishikawa, A., Moroi, T., Shiroishi, H., and Kaneko, M. (2000). Sensitization of TiO₂ particles by dyes to achieve H₂ evolution by visible light. Journal of Photochemistry and Photobiology A: Chemistry, 136, 157-161.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W. (1995). Environmental applications of semiconductor photocatalysis. Chemical Reviews, 95, 69-96.
- Hu, C.C. and Teng, H. (2007). Influence of structural features on the photocatalytic activity of NaTaO₃ powders from different synthesis methods. Applied Catalysis A: General, 331, 44–50.

- Ishizaki, K., Komarneni, S., and Nanko, M. (1988). Porous Materials Process Technology and Applications, Kluwer Academic Publisher, London.
- Jin, Z., Zhang, X., Lu, G., and Li, S. (2006). Improved quantum yield for photocatalytic hydrogen generation under visible light irradiation over eosin sensitized TiO₂-Investigation of different noble metal loading. Journal of Molecular Catalysis A: Chemical, 259, 275-280.
- Kamat, P.V. (1995). Tailoring Nanostructured Thin Films, Chemtech.
- Kang, M.G., Han, H.E., and Kim, K.J. (1999). Enhance photodecomposition of 4-chlorophenol in aqueous solution by deposition of CdS on TiO₂. Journal of Photochemistry and Photobiology A: Chemistry, 124, 119-25.
- Koca, A. and Sahin, M. (2002). Photocatalytic hydrogen production by direct sun light from sulfide/sulfite solution. International Journal of Hydrogen Energy, 27, 363-7.
- Konstantinou, I.K. and Albanis, T.A. (2004) TiO₂-assisted photocatalytic degradation of azo dyes in aqueous solution: kinetic and mechanistic investigations: A review. Applied Catalysis B: Environmental, 49, 1-14.
- Li, D., Haneda, H., Ohashi, N., Hishita, S., and Yoshikawa, Y. (2004). Synthesis of nanosized nitrogen-containing MO_x-ZnO (M=W,V,Fe) composite powders by spray pyrolysis and their visible-light-driven photocatalysis in gas phase acetaldehyde decomposition. Catalysis Today, 93-95, 895-901.
- Malinka, E.A. and Kamalov, G.L. (1994). Influence of pH and surface complexes on the rate of hydrogen evolution from photocatalytic systems Pt/TiO₂-electron donor systems. Journal of Photochemistry and Photobiology A: Chemistry, 81, 193-197.
- Matsuoka, M., Kitano, M., Takeuchi, M., Tsujimaru, K., Anpo, M., and Thomas, J.M. (2007). Photocatalysis for new energy production: Recent advances in photocatalytic water splitting reaction for hydrogen production. Catalysis Today, 122, 51-61.
- Mizoguchi, H., Ueda, K., and Orita, M. (2002). Decomposition of water by a CaTiO₃ photocatalyst under UV light irradiation. Materials Research Bulletin, 37, 2401-2406.

- Mrowetz, M., Balcerski, W., Colussi, A.J., and Hoffmann, M.R. (2004). Oxidative power of nitrogen-doped TiO₂ photocatalysts under visible illumination. Journal of Physical Chemistry B, 108, 17269–17273.
- Nada, A.A., Barakat, M.H., Hamed, H.A., Mohamed, N.R., and Veziroglu, T.N. (2005). Studies on photocatalytic hydrogen production using suspended modified TiO₂ photocatalysts. International Journal of Hydrogen Energy, 30, 687-691.
- Nguyen, T.V., Kim, S.S., and Yang, O.B. (2004). Water decomposition on TiO₂-SiO₂ and RuS₂/TiO₂-SiO₂ photocatalysts: the effect of electronic characteristics. Catalysis Communications, 5, 59-62.
- Ohno, T., Akiyoshi, M., Umebayashi, T., Asai, K., Mitsui, T., and Matsumura, M. (2004). Preparation of S-doped TiO₂ photocatalysts and their photocatalytic activities under visible light. Applied Catalysis A: General, 265, 115–121.
- Ollis, D.F. and Al-Ekabi, H. (1993). Photocatalytic Purification and Treatment of Water and Air, Elsevier, Amsterdam.
- Peng, S.Q., Li, Y.X., Jiang, F.Y., Lu, G.X., and Li, S.B. (2004). Effect of Be₂C doping TiO₂ on its photocatalytic activity. Chemical Physics Letters, 398(1–3), 235–239.
- Puangpetch, T., Sreethawong, T., Yoshikawa, S., and Chavadej, S. (2008). Synthesis and photocatalytic activity in methyl orange degradation of mesoporous-assembled SrTiO₃ nanocrystals prepared by sol-gel method with the aid of structure-directing surfactant. Journal of Molecular Catalysis A: Chemical, 287, 68-77
- Puangpetch, T., Sreethawong, T., and Chavadej, S. (2009). Hydrogen production from photocatalytic water splitting over mesoporous-assembled SrTiO₃ nanocrystal-based photocatalysts. Journal of Molecular Catalysis A: Chemical, Submitted.
- Reddy, K.M., Baruwati, Babita, Jayalakshmi, M., Rao, M.M., and Manorama, S.V. (2005). S-, N- and C-doped titanium dioxide nanoparticles: Synthesis, characterization and redox charge transfer study. Journal of Solid State Chemistry, 178, 3352-3358.

- Rouquerol, F., Rouquerol, J., and Sing, K. (1999). Adsorption by Powders and Porous Solid: Principle, Methodology and Applications. Academic Press, San Diego.
- Sakthivel, S., Shankar, M.V., Palanichamy, M., Arabindoo, B., Bahnemann, D.W., and Murugesan, V. (2004). Enhancement of photocatalytic activity by metal deposition: characterization and photonic efficiency of Pt, Au and Pd deposited on TiO₂ catalyst. Water Research, 38, 3001–3008.
- Serpone, N., and Pelizzetti, E. (1989). Photocatalysis: Fundamentals and Applications. Wiley, New York.
- Smith (Ed.), J.V. (1960). X-ray Powder Data File. American Society for Testing Materials.
- So, W.W., Kim, K.J., and Moon, S.J. (2004). Photo-production of hydrogen over the CdS-TiO₂ nano-composite particulate films treated with TiCl₄. International Journal of Hydrogen Energy, 29, 229-34.
- Sreethawong, T. and Yoshikawa, S. (2005). Enhanced photocatalytic hydrogen evolution over Pt supported on mesoporous TiO₂ prepared by single-step sol-gel process with surfactant template. International Journal of Hydrogen Energy, 31, 786-796.
- Sreethawong, T., Junbua, C., and Chavadej, S. (2009). Photocatalytic H₂ production from water splitting under visible light irradiation using Eosin Y-sensitized mesoporous-assembled Pt/TiO₂ nanocrystal photocatalyst. Journal of Power Sources. In Press.
- Subramanian, V., Roeder, R.K., and Wolf, E.E. (2006). Synthesis and UV-visible-light photoactivity of noble-metal-SrTiO₃ composites. Industrial and Engineering Chemistry Research, 45, 2187-2193.
- Tennakorn, K. and Bandara, J. (2001). Photocatalytic activity of dye-sensitized tin (IV) oxide nanocrystalline particles attached to zinc oxide particles: long distance electron transfer via ballistic transport of electrons across nanocrystallites. Applied Catalysis A: General, 208, 335-41.
- Torres, G.R., Lindgren, T., Lu, J., Granqvist, C.G., and Lindquist, S.E. (2004). Photoelectrochemical study of nitrogen-doped titanium dioxide for water oxidation. Journal of Physical Chemistry B, 108, 5995–6003.

- Umebayashi, T., Yamaki, T., Itoh, H., and Asai, K. (2002). Band gap narrowing of titanium dioxide by sulfur doping. Applied Physics Letters, 81(3), 454–456.
- Wang, C.C. and Ying, J. (1999). Sol-gel synthesis and hydrothermal processing of anatase and rutile titania nanocrystals. Chemistry of Materials, 11, 3113–3120.
- Wu, J.C. and Chen, C.H. (2004). A visible-light response vanadium-doped titania nanocatalyst by sol–gel method. Journal of Photochemistry and Photobiology A: Chemistry, 163, 509–515.
- Wu, N.L. and Lee, M.S. (2004). Enhanced TiO₂ photocatalysis by Cu in hydrogen production from aqueous methanol solution. International Journal of Hydrogen Energy, 29(15), 1601–1605.
- Yu, P., Cui, B., and Ship, Q. (2008.) Preparation and characterization of BaTiO₃ powders and ceramics by sol–gel process using oleic acid as surfactant. Materials Science and Engineering A, 473, 34–41
- Zhang, Z., Wang, C.C., Zakaria, R., and Ying, J.Y. (1998). Role of particle size in nanocrystalline TiO₂-based photocatalysts. Journal of Physical Chemistry B, 102, 10871–10878.
- Zielińska, B., Palen, B.E., and Kalenczuk, R.J. (2008). Photocatalytic hydrogen generation over alkaline-earth titanates in the presence of electron donors. International Journal of Hydrogen Energy, 10, 70–322.

CURRICULUM VITAE

Name: Ms. Pichayaon Sommakettarin

Date of Birth: November 25, 1984

Nationality: Thai

University Education:

2003-2007 Bachelor Degree of Engineering (First Class Honors), Faculty of Chemical Engineering, King Mongkut's Institute of Technology Ladkrabang, Bangkok, Thailand

Working Experience:

2005 Position: Student Internship

Company name: Unilever Thai Trading Ltd.

Proceedings:

1. Junbua, C., Sommakettarin, P., Chavadej, S., and Sreethawong, T. (2008, August 19–20) Hydrogen Production under Visible Light Irradiation Using Sensitized Mesoporous-Assembled TiO₂ Nanocrystal Photocatalyst. Proceedings of Thai-Japan Joint Symposium on Advances in Materials Science and Environmental Technology, Bangkok, Thailand.
2. Sommakettarin, P., Sreethawong, T., and Chavadej, S. (2009, April 22) Photocatalytic Hydrogen Production from Water Splitting under Visible Light Irradiation Using Sensitized Mesoporous-Assembled Perovskite Photocatalysts. Proceedings of The 15th PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.

