

## REFERENCES

- Apperloo, J. J., Janssen, A. J. R., Malenfant, P. R. L., and Fréchet, J. M. J. (2001) Interchain delocalization of photoinduced neutral and charged states in nanoaggregates of lengthy oligothiophenes. *Journal of the American Chemical Society*, 123(28), 6916-6924.
- Ball, P. (1994) *Designing the Molecular World: Chemistry at the Frontier*. New Jersey: Princeton University Press.
- Bender, M. L. and Komiya, M. (1978) *Cyclodextrin Chemistry*. Berlin: Springer-Verlag.
- Beck, J. B., Ineman, J. M., and Rowan, S. J. (2005) Metal/ligand-induced formation of metallo-supramolecular polymers. *Macromolecules*, 38(12), 5060-5068.
- Böhmer, V. (1995) Calixarenes, macrocycles with (almost) unlimited possibilities. *Angewandte Chemie International Edition*, 34, 713-745
- Brunsveld, L., Folmer, B. J. B., Meijer, E. W., and Sijbesma, R. P. (2001) Supramolecular Polymer., *Chemical Review*, 101(12), 4071-4097.
- Burke, W. J., Bishop, J. L., Mortenson, G. E. L., and Bauer, Jr., W. N. (1965) A new aminoalkylation reaction. Condensation of phenols with dihydro-1,3- aroxazine. *Journal of Organic Chemistry*, 30, 3423-3427.
- Burnworth, M., Knapton, D., Rowan, S. J., and Weder, C. (2007) Metallo-supramolecular polymerization: A route to easy-to-process organic/ inorganic hybrid materials. *Journal of Inorganic and Organometallic Polymers and Materials*, 17(1), 91-103.
- Burnworth, M., Mendez, J. D., Schroeter, M., Rowan, S. J., and Weder, C. (2008) Decoupling optical properties in metallo-supramolecular poly(*p*-phenylene ethynylene)s. *Macromolecules*, 41(6), 2157-2163.
- Chirachanchai, S., Phongtamrug, S., and Laobuthee, A. (2003) A simple, effective, and selective synthesis route without template effect (Part II) for [2+2] difunctional 28-membered macrocyclic ethers based on benzoxazine dimmers and its inclusion phenomena with metal ions. *Chemistry Letters*, 32(5), 432-433.

- Chirachanchai, S., Phongtamrug, S., and Rungsimanon, T. (2009) Selective crown ether based macrocyclization: a model case study from *N,N*-bis(2-hydroxyalkylbenzyl)alkylamine. *Tetrahedron Letter*, 49 (19), 181-3184.
- Cram, D. J. and Ho, S. P. (1986) Host-guest complexation. 39. Cryptahemispherands are highly selective and strongly binding hosts for alkali metal ions. *Journal of the American Chemical Society*, 108, 2998-3005.
- De Greef, T. F. A., Smulders, M. M. J., Wolffs, M., Schenning A. P. H. J., Sijbesma, R. P., and Meijer, E. W. (2009) Supramolecular polymerization. *Chemical Reviews*, 109(11), 5687-5754.
- Dietrich, B. (2004) *Encyclopedia of Supramolecular Chemistry*. New York: Marcel Dekker, Vol. 1, pp. 830-844.
- Fox, J. D. and Rowan, S. J. (2009) Supramolecular polymerizations and main-chain supramolecular polymers. *Macromolecules*, 42(12), 6823-6835.
- Fu, T. Y., Liu, Z., Scheffer, J. R., and Trotter, J. (1993) Supramolecular photochemistry of crystalline host-guest assemblies: absolute asymmetric photorearrangement of the host component. *Journal of the American Chemical Society*, 115, 12202-12203.
- Gokel, G. W. (1999) *Advance in Supramolecular chemistry*. Stamford: JAI Press, Inc.
- Hofmejer, H., Hoogenboom, R., Wouters, M. E., and Schubert, U. S. (2005) High Molecular Weight Supramolecular Polymers Containing Both Terpyridine Metal Complexes and Ureidopyrimidinone Quadruple Hydrogen-Bonding Units in the Main Chain. *Journal of the American Chemical Society*, 127(9), 2913-2921.
- Huszthy, P., Köntös, Z., Vermes, B., and Pintér, A. (2001) Synthesis of novel fluorescent acridino- and thioacridino-18-crown-6 ligands. *Tetrahedron*, 57, 4967-4975.
- Izatt, R. M., Pawlak, K., and Bradshaw, J. S. (1991) Thermodynamic and kinetic data for macrocycle interaction with cations and anions. *Chemical Reviews*, 91, 1721-2085.

- Knapton, D., Iyer, K. P., Rowan, S. J., and Weder, C. (2006) Synthesis and properties of metallo-supramolecular poly(*p*-xylylene)s. Macromolecules, 39(12), 4069- 4075.
- Laobuthee, A. and Chirachanchai, S. (2002) A simple, effective, and selective synthesis route for difunctional 30-membered macrocyclic ester and linear oligoester derived from benzoxazine dimmers. Chemistry Letter, 31, 614-615.
- Laobuthee, A., Chirachanchai, S., Ishida, H., and Tashiro, K. (2001) A symmetric mono-oxazine: An inevitable product from Mannich reaction of benzoxazine dimmers. Journal of the American Chemical Society, 123, 9947-9955.
- Laobuthee, A., Ishida, H., and Chirachanchai, S. (2003) Metal ion guest responsive benzoxazine dimers and inclusion phenomena of cyclic derivatives. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 47, 179-185.
- Lehn, J. -M. and Rigault, A. (1988) Helicates: Tetra- and pentanuclear double helix complexes of CuI and poly(bipyridine)strands. Angewandte Chemie International Edition, 27, 1095-1097.
- Martin, R. B. (1996). Comparisons of indefinite self-association models. Chemical Reviews, 96(8), 3043-3064.
- Ning, X. and Ishida, H. (1994). Phenolic materials via ring-opening polymerization synthesis and characterization of bisphenol-A based benzoxazines and their polymers. Journal of Polymer Science, 32, 1121-1129.
- Ortholand, J. -M., Slavin, A. M. Z., Spencer, N., Stoddart, J. F., and Williams, D. J. (1989) A polymolecular donor-acceptor stack made of paraquat and a 1,5-dihydroxynaphthalene-derived crown ether. Angewandte Chemie International Edition, 28, 1394-1395.
- Pederson, C. J. (1967) Cyclic polyethers and their complexes with metal salts. Journal of the American Chemical Society, 89, 7017-7036.
- Phongtamrug, S., Chirachanchai, S., and Tashiro, K. (2006) Supramolecular structure of N,N-bis(2-hydroxybenzyl)alkylamine: From hydrogen bond assembly to coordination network in guest acceptance. Macromolecular Symposia, 242, 40-48.

- Phongtamrug, S., Miyata, M., and Chirachanchai, S. (2005) Concerted contribution of Cu-O coordination and hydrogen bonds in N,N-bis(2-hydroxybenzyl)alkylamine-copper-solvent system. Chemistry Letters, 34(5), 634-635.
- Phongtamrug, S., Pulpoka, B., and Chirachanchai, S. (2004) Inclusion compounds formed from N,N-bis(2-hydroxybenzyl)alkylamine derivatives and transition metal ions via molecular assembly. Supramolecular Chemistry, 16(4), 269-278.
- Phongtamrug, S., Tashiro, K., Miyata, M., and Chirachanchai, S. J. (2006) Supramolecular structure of N,N-Bis(2-hydroxybenzyl)alkylamine: Flexible molecular assembly framework for host without guest and host with guest. Journal of Physical Chemistry B, 110(42), 21365-21370.
- ten Cate, A. T., Kooijman, H., Spek, A. L., Sijbesma, R. P., and Meijer, E. W. (2004) Conformational control in the cyclization of hydrogen-bonded supramolecular polymers. Journal of the American Chemical Society, 126(12), 3801-3808.
- Weng, W., Li, Z., Jamieson, A. M., and Rowan, S. J. (2009) Control of gel morphology and properties of a class of metallo-supramolecular polymers by good/poor solvent environments. Macromolecules, 42 (1), 236-246.
- Weng, W., Li, Z., Jamieson, A. M., and Rowan, S. J. (2007) Structural origin of the thixotropic behavior of a class of metallosupramolecular gels. Tetrahedron, 63, 7419-7431.

## APPENDICES

### Appendix A Characterization of 1






Figure A1. FTIR spectrum of 1.




**Figure A2.**  ${}^1\text{H}$  NMR spectrum of **1**.




**Figure A3.** ESI MS spectrum of 1.


## Appendix B Characterization of 2



**Figure B1.** FTIR spectrum of 2.




**Figure B2.**  $^1\text{H}$  NMR spectrum of 2




**Figure B3.** ESI MS spectrum of **2**.


### Appendix C Characterization of 3



**Figure C1.** FTIR spectrum of 3.



**Figure C2.**  $^1\text{H}$  NMR spectrum of 3.



**Figure C3.** ESI MS spectrum of 3.

## Appendix D Characterization of 4





Figure D1. FTIR spectrum of 4.



**Figure D2.**  ${}^1\text{H}$  NMR spectrum of 4.






Figure D3. ESI MS spectrum of 4.

**Appendix E Characterization of [2•Cu(ClO<sub>4</sub>)<sub>2</sub>].**



**Figure E1.** FTIR spectrum of [2•Cu(ClO<sub>4</sub>)<sub>2</sub>].



**Figure E2.**  $^1\text{H}$  NMR spectrum of **2**/ $\text{Cu}(\text{ClO}_4)_2$ .

## CURRICULUM VITAE

**Name:** Ms. Pimsai Tanphibal

**Date of Birth:** September 23, 1985

**Nationality:** Thai

**University Education:**

2004-2008 Bachelor Degree of Science, Department of Chemistry,  
Faculty of Science, Prince of Songkla University, Songkla, Thailand

**Honors and Scholarships:**

1. Research Fund, the 90<sup>th</sup> Anniversary of Chulalongkorn University Fund (Ratchadaphiseksomphot Endowment Fund) (2010)
2. Full Scholarship Polymer Science Program, The Petroleum and Petrochemical College, Chulalongkorn University and National Center of Excellence for Petroleum, Petrochemicals and Advance Materials (2008-2010)
3. Second Class Honor, Department of Chemistry, Faculty of Science, Prince of Songkla University (2008)
4. Research Fund, Young Scientist and Technologist Programme (2007)
5. Full Scholarship Chemistry Programme, Government Scholarship under the Human Development in Science Project (2004-2008)

**Proceedings:**

1. Tanphibal, P., Nithitanakul, M., Laobuthee, A., and Chirachanchai, S. (2010) Supramolecular benzoxazines: A novel type of polymeric chain based on a metallo-supramolecular system. Proceeding of The 1<sup>st</sup> National Research Symposium on Petroleum, Petrochemicals, and Advanced Materials and The 16<sup>th</sup> PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.



**Presentations:**

1. Tanphibal, P., Nithitanakul, M., Laobuthee, A., and Chirachanchai, S. (2010, April 22) Supramolecular benzoxazines: A novel type of polymeric chain based on a metallo-supramolecular system. Paper presented at The 1<sup>st</sup> National Research Symposium on Petroleum, Petrochemicals, and Advanced Materials and the 16<sup>th</sup> PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.
2. Tanphibal, P., Laobuthee, A., and Chirachanchai, S. (2009, August 23-25) Molecular design and synthesis of multi-functional supramolecular structured benzoxazine. Paper presented at The 4th International Symposium in Science and Technology, Kansai University, Osaka, Japan.
3. Tanphibal, P., Sukpondma, Y. and Rukachaisirikul, V. (2008, March 21-23) Chemical Constituents from Flowers and Stem of *Lumnitzera littorea*. Paper presented at The 3rd Symposium in Science and Technology for Youth, Bangkok, Thailand.