

## REFERENCES

- Abd El-Ghaffer, M.A., Mohamed, M.H., and Elwakeel, K.Z. (2009) Adsorption of silver(I) on synthetic chelating polymer derived from 3-amino-1,2,4-triazole-5-thiol and glutaraldehyde. Chemical Engineering Journal, 151, 30-38.
- Agag, T., and Takeichi, T. (2003) Synthesis and characterization of novel benzoxazine monomers containing allyl groups and their high performance thermosets. Macromolecules, 36(16), 6010-6017.
- Alves, M.M., Gonzalez, C.G., Guedes, C.R., Castanheira, J.M., Pereira, M.C. and Vasconcelos, L.A.T. (1993) Chromium removal in tannery wastewaters polishing by *Pinus sylvestris* bark. Water Research, 27(8), 1333-1338.
- An, B., Steinwinder, T. R., and Zhao, D. Y. (2005) Selective removal of arsenate from drinking water using a polymeric ligand exchanger. Water Research, 39(20), 4993-5004.
- Aziz, A.H, Adlan, M.N. and Ariffin, S.K. (2007) Heavy metals (Cd, Pb, Zn, Ni, Cu and Cr(III)) removal from water in Malaysia: Post treatment by high quality limestone. Bioresource Technology, 99, 1578-1583.
- Aziz, A.H. and Smith, P.G. (1992) The influence of pH and coarse media on manganese precipitation from water. Water Research, 26(6), 853-855.
- Bai, R.S. and Abraham, T.E. (2001) Studies on enhancement of Cr(VI) biosorption by chemically modified biomass of *Rhizopus nigricans*. Water Research, 36, 1224-1236.
- Barral, K. (1998) Low-density organic aerogels by double-catalysed synthesis. Journal of Non-Crystalline Solids, 225(1), 46-50.
- Berkeley, R.C.W. (1979) Chitin, Chitosan and Their Degradative Enzymes. In *Microbial Polysaccharides*. Academic Press. New York. 205-236.
- Biesmans, G., Randall, D., Francois, E., and Perrut, M. (1998) Polyurethane-based organic aerogels' thermal performance. Journal of Non-Crystalline Solids, 225(1), 36-40.
- Brunovska, Z., Liu, J. P., and Ishida, H. (1999) 1,3,5-triphenylhexahydro-1,3,5-triazine - active intermediate and precursor in the novel synthesis of

- benzoxazine monomers and oligomers. Macromolecular Chemistry and Physics, 200(7), 1745-1752.
- Burke, W.J., Bishop, J.L., Glennie, E.L.M., and Bauer, W.N. (1965) A new aminoalkylation reaction. Condensation of phenols with dihydro-1,3-aioxazines. Journal of Organic Chemistry, 30(10), 3423-3427.
- Chaisuwan, T., Komolwanich, T., Luangsukrerak, S. and Wongkasemjit, S. (2010) Removal of heavy metals from model wastewater by using polybenzoxazine aerogel. Desalination, 256(1), 108-114.
- Chang, Y.H., Huang, C.F., Hsu, W.J. and Chang, F.C. (2007) Removal of  $Hg^{2+}$  from Aqueous Solution Using Alginate Gel Containing Chitosan. Journal of Applied Polymer Science, 104, 2896-2904.
- Chanda, M., O'Driscoll, K.F., and Rempel, G.L. (1988) Ligand exchange sorption of arsenate and arsenite anions by chelating resins in ferric ion form. Reactive Polymers, 9, 277.
- Czakkel, O., Geissler, E., Szilagyi, M.I., Szekely, E., and Laszlo, K. (2009) Cu doped RF polymer and carbon aerogel. Journal of Colloid and Interface, doi: 10.1016/j.jcis.2009.05.059
- Dahiya, S., Tripathi, R.M., and Hegde, A.G. (2008) Biosorption of heavy metals and radionuclide from aqueous solutions by pre-treated arca shell biomass. Journal of Hazardous Materials, 150, 376-386.
- Dal Bosco, S.M., Jimenez, R.S. and Carvalho, W.A. (2005) Removal of toxic metals from wastewater by Brazilian natural scolecite. Journal of Colloid and Interface Science, 201(2), 424-431.
- Derjaguin, B., and Landau, L. (1941) A theory of the stability of strongly charged lyophobic sols and the coalescence of strongly charged particles in electrolyte solution. Acta Physico-Chimica Sinica, 14, 633.
- Dobbs, R.A., Uchida, S., Smith, L.M., and Cohen, J.M. (1975) Ammonia removal from waste water by ligand exchange. AIChE Journal, 71(152), 157-163.
- Feng, N., Guo, X., and Liang, S. (2009) Adsorption study of copper (II) by chemically modified orange peel. Journal of Hazardous Materials, 164, 1286-1292.

- Flory, P.J. (1941) Molecular size distribution in three dimensional polymers. I. Gelation. Journal of the American Chemical Society, 63(11), 3083-3090.
- Ghosh, N. N., Kiskan, B., and Yagci. Y. (2007) Polybenzoxazines - new high performance thermosetting resins: Synthesis and properties. Progress in Polymer Science, 32(11), 1344-1391.
- Gouerec, P., and Savy, M. (1999) Oxygen reduction electrocatalysis: Ageing of pyrolyzed cobalt macrocycles dispersed on an active carbon. Electrochimica Acta, 44(15), 2653-2661.
- Graham, T. (1864) On the properties of silicic acid and other analogous colloidal substances. Journal of the Chemical Society, 17(1864), 318-327.
- Groves, F.R., and White, T. (1984) Mathematical modeling of ligand exchange process. Aiche Journal, 30(3), 494-496.
- Helferich, C. (1961) Ligand exchange : A novel separation technique. Nature, 189(2), 1001-1002.
- Hsien, T.Y. and Rorrer, G.L. (1995) Effects of acylation and crosslinking on the material properties and cadmium ion adsorption capacity of porous chitosan beads. Separation Science Technology, 30(12), 2455-2475.
- Henry, W. D., Zhao, D. Y., SenGupta, A. K., and Lange, C. (2004) Preparation and characterization of a new class of polymeric ligand exchangers for selective removal of trace contaminants from water. Reactive & Functional Polymers, 60, 109-120.
- Hernandes, C.M., and Walton, H.F. (1972) Ligand exchange chromatography of amphetamine drugs. Analytical Chemistry, 46(21), 890.
- Holly, F.W., and Cope, A.C., (1944) Condensation products of aldehydes and ketones with o-aminobenzyl alcohol and o-hydroxybenzylamine. Journal of American Chemical Society, 66(11), 1875-1879.
- Huang, J. The curing reaction of ethynyl-functional benzoxazine. Reactive & Functional Polymers, 66, 1395-1403.
- Ishida, H. US Patent 5, 543, 516, assigned to Edison Polymer Innovation Corporation.

- Ishida, H., and Rodriguez, Y. (1995) Curing kinetics of a new benzoxazine based phenolic resin by DSC. Abstracts of Papers of the American Chemical Society, 210, 273.
- Jai, P.K., Vimal, C.S. and Indra, D.M. (2010) Treatment of dairy wastewater by commercial activated carbon and bagasse fly ash: Parametric, kinetic and equilibrium modelling, disposal studies. Bioresource Technology, 101(10), 3474-3483.
- Kistler, S.S. (1931) Coherent expanded aerogels and jellies. Nature, 127(32), 741.
- Kurita, K., Sannan, T. and Iwakura, Y. (1979) Studies on chitin. VI. Binding of metal cations. Journal of Applied Polymer Science, 23, 511-515.
- Langmuir, I. (1918) The adsorption of gases on plane surfaces of glass, mica and platinum. Journal of American Chemical Society, 40, 1361-1403
- Lee, H.J., Song, J.H., and Kim, J.H. (1998) Synthesis of resorcinol/formaldehyde gel particles by the sol- emulsion-gel technique. Materials Letters, 37(4-5), 197-200.
- Lee, K.N., Lee, H.J., and Kim, J.H. (2000) Synthesis of phenolic/furfural gel microspheres in supercritical CO<sub>2</sub>. The Journal of Supercritical Fluids, 17(1), 73-80.
- Liu, J. Ph.D. (1995) Synthesis, Characterization, Reaction Mechanism and Kinetics of 3,4-dihydro-2H-1,3-benzoxazine and Its Polymers. Thesis, Case Western Reserve University, Cleveland OH.
- Lorjai, P., Chaisuwan, T., and Wongkasemjit, S. (2009) Porous structure of polybenzoxazine-based organic aerogel prepared by sol-gel process and their carbon aerogels. Journal of Sol-Gel Science and Technology, 52(1), 56-64.
- Masri, M.S. and Friedman, M. (1974) Effect of chemical modification of wool on metal ion binding. Journal of Applied Polymer Science, 18, 2367-2377.
- Meena, A.K., Mishra, G.K., Rai, P.K., Rajagopal, C. and Nagar, P.N. (2005) Removal of heavy metal ions from aqueous solutions using carbon aerogel as an adsorbent. Journal of Hazardous Materials, 122(1-2), 161-170.

- Mohan, D. and Singh, K.P. (2001) Single- and multi-component adsorption of cadmium and zinc using activated carbon derived from bagasse- an agricultural waste. Water Research, 36, 2304–2318.
- Mohan, D. and Chander, S. (2006) Removal and recovery of metal ions from acid mine drainage using lignite—A low cost sorbent. Journal of Hazardous Materials B, 137, 1545–1553.
- Namasivayam, C. and Ranganathan, K. (1995) Removal of Cd(II) from wastewater by adsorption on “waste” Fe(III)/Cr(III) hydroxide. Water Reseach, 29(7), 1737-1744.
- Ngoentae, W., Aeungmaitrepirom, W., and Tuntulani, T. (2007) Chemically modified silica gel with aminothiodoanthraquinone for solid phase extraction and preconcentration of Pb(II), Cu(II), Ni(II), Co(II), and Cd(II). Talanta, 71, 1075-1082.
- Nightingale Jr. (1959) Phenomenological theory of ion solvation. Effective radii of hydrated ions. Journal of Physical Chemistry, 63, 1381-1387.
- Ozer, A., Ozer, D., and Ekiz I.H., (1999) Application of Freundlich and Langmuir models to multistage purification process to remove heavy metal ions by using *Schizomeris leibleinii*. Process Biochemistry, 34, 919-927.
- Pajonk, G. M. (1995) Application of the sol-gel method to the preparation of some catalytic solid materials. Heterogeneous Chemistry Reviews, 2(2), 129-141.
- Pauling, L. (1932) The nature of the chemical bond. IV. The energy of single bonds and the relative electronegativity of atoms. Journal of the American Chemical Society, 54, 3570-3582.
- Pekala, R.W. (1988) Organic aerogels from the polycondensation of resorcinol with formaldehyde Journal of Materials Science, 24(9), 3221-3227.
- Phongtamrug, S., Pulpoka, B., and Chirachanchai, S. (2004) Inclusion compounds formed from *N,N*-bis(2-hydroxybenzyl)alkylamine derivatives and transition metal ions via molecular assembly. Supramolecular Chemistry, 16(4), 269-278.

- Placin, F., Desvergne, J. P., and Cansell, F. (2000) Organic low molecular weight aerogel formed in supercritical fluids. Journal of Materials Chemistry, 10(9), 2147-2149.
- Riess, G., Schwob, M., Guth, G., Roche, M., and Lande, B. (1985) Advances in polymer synthesis, New York: Plenum.
- Rorrer, G.L., Hsien, T.Y. and Way J. D. (1993) Synthesis of porous-magnetic chitosan beads for removal of cadmium ions from waste water. Industrial Engineering Chemical Research, 32, 2170-2178.
- Russell, V. M., Koenig, J. L., Low, H. Y., and Ishida, H. (1998) Study of the characterization and curing of benzoxazines using c-13 solid-state nuclear magnetic resonance. Journal of Applied Polymer Science, 70(7), 1413-1425.
- Santiago, I., Worland, V.P., Cazares-Rivera, E. and Cadena, F. (1992) Adsorption of hexavalent chromium onto tailored zeolites. 47th Purdue Industrial Waste Conference Proceedings, pp. 669±710. Lewis Publishers, Inc., Chelsea, MI.
- Stockmayer, W.H. (1943) Theory of molecular size distribution and gel formation in branched-chain polymers. Journal of Chemical Physics, 11(2), 45.
- Tamon, H., and Ishizaka, H. (1999) Influence of gelation temperature and catalysts on the mesoporous structure of resorcinol–formaldehyde aerogels Journal of Colloid and Interface Science, 223(2), 305-307.
- Tamon, H., and Ishizaka, E. (1998) Saxs study on gelation process in preparation of resorcinol-formaldehyde aerogel. Journal of Colloid and Interface Science, 206(2), 577-582.
- Vazquez, G., Antorrena, G., Gonzalez, J. and Doval, M. D. (1994) Adsorption of heavy metal ions by chemically modified Pinus Pinaster bark. Bioresource Technology, 48, 251-255.
- Veli, S. and Alyuz, B. (2007) Adsorption of copper and zinc from aqueous solution by using natural clay. Journal of Hazardous Materials, 149, 226-233.
- Uğuzdoğan, E., Denkbaş, E.B., Öztürk, E., Tuncel, S.A. and Kabasakal, O.S. (2009) Preparation and characterization of polyethyleneglycolmethacrylate (PEGMA)-*co*-vinylimidazole (VI) microspheres to use in heavy metal removal. Journal of Hazardous Materials, 162(2-3), 1073-1080.

- Zhang, S. Q., Wang, J., Shen, J., Deng, Z. S., Lai, Z. Q., Zhou, B., Attia, S. M., and Chen, L. Y. (1999) The investigation of the adsorption character of carbon aerogels. Nanostructured Materials, 11(3), 375-381.
- Zhao, D., Sengupta, A. K., and Zhu Y. W. (1995) Trace contaminant sorption through polymeric ligand-exchange. Industrial & Engineering Chemistry Research, 34(8), 2676-2684.
- Zhao, D., and Sengupta, A.K., (2000) Ligand separation with a copper(II)-loaded polymeric ligand exchanger. Industrial & Engineering Chemistry Research, 39(2), 455-462.

## CURRICULUM VITAE

**Name:** Ms. Supanan Luangsukrerak

**Date of Birth:** November 22, 1986

**Nationality:** Thai

**University Education:**

2004-2008 Bachelor Degree of Chemistry, Faculty of Science, Chulalongkorn University, Bangkok, Thailand

**Publications:**

1. Chaisuwan, T.; Komolwanich, T.; Luangsukrerak, S.; and Wongkasemjit, S. (2010) Removal of heavy metals from model wastewater by using polybenzoxazine aerogel. Desalination, 256(1), 108-114.

**Proceedings:**

1. Luangsukrerak, S.; Wongkasemjit, S.; and Chaisuwan, T. (2010, March 21-25) Removal of Trace Contaminants from Wastewater by Using Polybenzoxazine-based Aerogel: an Approach via Polymeric Ligand Exchange. Proceedings of the 239<sup>th</sup> ACS National Meeting & Exposition, San Francisco, USA.
2. Luangsukrerak, S.; Wongkasemjit, S.; and Chaisuwan, T. (2010, April 22) Removal of Trace Contaminants from Wastewater by Using Polybenzoxazine-based Aerogel. Proceedings of the 1<sup>st</sup> National Research Symposium on Petroleum, Petrochemicals, and Advance Materials and the 16<sup>th</sup> PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.

**Presentations:**

1. Luangsukrerak, S.; Wongkasemjit, S.; and Chaisuwan, T. (2010, March 21-25) Removal of Trace Contaminants from Wastewater by Using Polybenzoxazine-based Aerogel: an Approach via Polymeric Ligand Exchange. Paper Presented at the 239<sup>th</sup> ACS National Meeting & Exposition, San Francisco, USA.
2. Luangsukrerak, S.; Wongkasemjit, S.; and Chaisuwan, T. (2010, April 22) Removal of Trace Contaminants from Wastewater by Using Polybenzoxazine-based Aerogel. Paper Presented at the 1<sup>st</sup> National Research Symposium on





Petroleum, Petrochemicals, and Advance Materials and the 16<sup>th</sup> PPC Symposium  
on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.