# การศึกษาความเป็นไปได้ของโครงการวางท่อส่งน้ำมันภาคเหนือ

## นางสาว ธัญญรัตน์ อรรถปรีชา



วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญาวิศวกรรมศาสตรมหาบัณฑิต สาขาวิชาการจัดการทางวิศวกรรม ศูนย์ระดับภูมิภาควิศวกรรมระบบการผลิต คณะวิศวกรรมศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย

ปีการศึกษา 2542

ISBN 974-333-529-3

ลิขสิทธิ์ของจุฬาลงกรณ์มหาวิทยาลัย

# PRE-FEASIBILITY STUDY OF THE NORTHERN REFINED PRODUCTS PIPELINE PROJECT

Miss Thunyarat Attaprecha

A Thesis Submitted in Partial Fulfillment of the Requirements

for the Degree of Master of Engineering in Engineering Management

The Regional Centre for Manufacturing Systems Engineering

Faculty of Engineering

Chulalongkorn University

Academic Year 1999

ISBN 974-560-333-529-3

Thesis Title	: Pre-feasibility Study of the Northern Refined Products Pipeline
	Project
Ву	: Miss Thunyarat Attaprecha
Department	: The Regional Centre for Manafacturing Systems Engineering
Thesis Advisor	: Dr. Jirdsak Tscheikuna
Thesis Co-advisor	: Mr. Wicha Chuichum
-	
Accepted by t	he Faculty of Engineering, Chulalongkorn University in Partial
Fulfillment of the Requ	uirements for the Master's Degree.
Late	Lai Lunity  Dean of Faculty of Engineering
(Associa	ate Professor Tatchai Sumitra, Dr.Ing.)
( = = = =	, J,
Thesis Committee	
	Simil Thyp
	Since My Chairman
(Profe	essor Sirichan Thongprasert, Ph.D.)
	1. 16.1.1
	Lindsal Isdril Thesis Advisor
	(Jirdsak Tscheikanu, Ph.D.)
	Clid C. Thesis Co-asvisor
	(Mr. Wicha Chuichum)
	All RVa- Member

(Assistant Professor Suthas Ratanakuakangwan)

i١

ธัญญรัตน์ อรรถปรีชา : การศึกษาความเป็นไปได้ของโครงการวางท่อส่งน้ำมันภาคเหนือ (PRE-FEASIBILITY STUDY OF THE NORTHERN REFINED PRODUCTS PIPELINE PROJECT) อ. ที่ปรึกษา : ดร.เจิดศักดิ์ ใชยคุนา อ. ที่ปรึกษาร่วม : นายวิชา จุ้ยชุม, 150 หน้า, ISBN 974-333-529-3.

การศึกษาความเป็นไปได้ของโครงการวางท่อส่งน้ำมันภาคเหนือ เป็นการศึกษาความเป็นไปได้ทางด้านเทคนิค เศรษฐศาสตร์ รวมทั้งการศึกษาทางการตลาด ซึ่งการวิเคราะห์ทางเทคนิคได้แบ่งออกเป็นการศึกษาหาสถานที่ในการวางท่อและตั้ง คลังน้ำมันที่เหมาะสม รวมถึงการคำนวณหาขนาดของคลัง โดยลักษณะของโครงการเป็นการวางท่อขนส่งน้ำมัน ต่อจากระบบท่อศรี ราชา-สระบุรี ของบริษัทท่อส่งปีโตรเลียมไทย บริเวณจ.สระบุรี ไปตามแนวสายส่งไฟฟ้าแรงสูงของการไฟฟ้าฝ่ายผลิตแห่งประทศไทย ตลอดแนวโครงการ โดยเทคนิคที่ใช้ในการวิเคราะห์สถานที่ก่อสร้างคลังคือ หลักค่าใช้จ่ายต่ำสุด สำหรับเกณฑ์ที่ใช้ในการวิเคราะห์ ทางเศรษฐศาสตร์คือ มูลค่าปัจจุบันสุทธิ์ (NPV), อัตราผลตอบแทนโครงการ (IRR), อัตราผลประโยชน์ต่อค่าใช้จ่าย (B/C Ratio) และระยะคืนทุน (Payback Period)

จากการศึกษาพบว่าสถานที่ที่เหมาะสมในการก่อสร้างคลังน้ำมันมีอยู่ 3 จังหวัด คือ นครสวรรค์ พิษณุโลก และ ลำปาง ขนาดความจุคลังน้ำมัน 18, 15 และ 23 ล้านลิตร ตามลำดับ ความยาวของท่อทั้งหมด 510 กม. มีความสามารถในการส่ง น้ำมันสูงสุด 2,962 ล้านลิตรต่อปี โดยท่อแบ่งออกเป็น 3 ส่วนคือ จากสระบุรีไปนครสวรรค์ยาว 170 กม. เป็นท่อขนาดเส้นผ่าศูนย์ กลาง 14 นิ้ว, จากนครสวรรค์ไปพิษณุโลกยาว 130 กม. เป็นท่อขนาดเส้นผ่าศูนย์กลาง 12 นิ้ว และจากพิษณุโลกไปลำปางยาว 210 กม. ขนาด 10 นิ้ว

ในส่วนของการวิเคราะห์เศรษฐศาสตร์นั้น เงินลงทุนของโครงการเท่ากับ 5,429 ล้านบาท จากผลการวิเคราะห์พบ ว่า ต้นทุนของค่าขนส่งของท่อเท่ากับ 21.88 สตางค์ต่อลิตร ในส่วนของการวิเคราะห์ความเป็นไปได้ในการลงทุน ปรากฏว่าโครงการ ให้ผลตอบแทนการลงทุน (IRR) 12.94%, มูลค่าปัจจุบันสุทธิ (NPV) เท่ากับ 2,088 ล้านบาท, ระยะเวลาคืนทุน 9.83 ปี และ อัตรา ผลประโยชน์ต่อค่าใช้จ่ายเท่ากับ 1.26 เท่า อย่างไรก็ตามในการวิเคราะห์ความอ่อนไหวของโครงการ พบว่าปัจจัยที่มีผลกระทบทาง ลบต่อโครงการมากที่สุดคือ เงินลงทุน จึงสรุปได้ว่าโครงการนี้มีความเป็นไปได้ในการลงทุน และโครงการท่อส่งน้ำมันนี้สามารถแข่ง ขันกับการขนส่งน้ำมันในรูปแบบเดิมในขณะนี้ได้อย่างมีประสิทธิภาพ

ภาควิชา ศูนย์ระดับภูมิภาควิศวกรรมระบบการผลิต	ลายมือชื่อนิสิต THUNYARAT 4.
สาขาวิชาการจัดการทางวิศวกรรม	ลายมือชื่ออาจารย์ที่ปรึกษา Judsal Tschick
	ลายมือชื่อที่ปรึกษาร่วม Wich C

V

## 4171611321: MAJOR ENGINEERING MANAGEMENT

KEY WORD: Feasibility Study / Transportation Problem / Pipeline Transportation

THUNYARAT ATTAPRECHA: PRE-FEASIBILITY STUDY OF THE NORTHERN REFINED PRODUCTS PIPELINE PROJECT. THESIS ADVISOR: DR. JIRDSAK TSCHEIKUNA. THESIS CO-ADVISOR: MR.

WICHA CHUICHUM. 150 pp. ISBN 974-333-529-3.

Pre-feasibility study of the Northern Petroleum products pipeline project is conducted on marketing, technical, and economic issues. Technical analysis is focused on the study to find suitable provinces for construction pipeline and oil depots, and the calculation of the size of the depots. The pipeline will be installed from the Pipeline System of Thappline in Saraburi province along the High-voltage transmission lines of the Electricity Generating Authority of Thailand (EGAT). Net present valve (NPV), internal rate of return (IRR), benefits/costs ratio (B/C ratio), and payback period are used as the criteria for the economic analysis.

The result shows that the suitable location for construction of oil depots are Nakhon Sawan, Pittsanulok and Lampang with the storage capacity of 18, 15 and 23 million-litres, respectively. The Northern pipeline has an overall length of 510 km from Saraburi to Lampang. After the installation is completed, the annual petroleum products transferred are 2,962 million-litres. This pipeline is divided into three sections. The first section, from Saraburi to Nakhon Sawan, will be 170 km having pipe diameter of 14 inch. The second section, from Nakhon Sawan to Pittsanulok, 12 inch-diameter pipeline will be installed with the length of 130 km. And the 10 inch-diameter pipeline will be installed along the last 210-kilometer-long route between Pittsanulok and Lampang terminal oil depot.

Economic study shows that initial cost of this project is 5,429 million-Baht. Operating cost is estimated to be 21.88 satang/litre. Economic analysis shows that the pipeline project will yield IRR of 12.94%, NPV of 2,088 million-baht, payback period of 9.83 years, and B/C ratio of 1.26. The initial cost of tjis project is found to be the most critical factors on economic analysis. In summary, pipeline project is viable and can efficiently compete with the existing oil transportation modes.

ทุลวิชา	ลายมือชื่อนิสิต THUNYARAT 4.
	ลายมือชื่ออาจารย์ที่ปรึกษา Jrdsal Technil
	ลายมือชื่อที่ปรึกษาร่วม ไม่ 🖟 🤇

#### **ACKNOWLEDGEMENT**



The author is very much appreciated for the knowledge guide, suggestions, comments and most of all, time flexibility allowed by Dr. Jirdsak Tscheikuna, Thesis Advisor, and Mr. Wicha Chuichum, co-advisor, to facilitate the Completion of this Thesis.

Furthermore, there is organisation who gave the author assistance in studying and conducting the research, Petroleum Authority of Thailand. Another appreciation goes to Mr. Kan and Mr. Raschathum for their kind helps, time and support in gathering all information in this thesis.

The author also would like to express his sincere thanks to Professor Sirichan Thongprasert, the Chairman of the Thesis Committee, and Associate Professor Suthas Ratanakuakangwan, for their kind suggestions toward the writing of the Thesis.

Last, but not least, the author in forever indebted to my beloved parents and Mr. Yuvaphol Kongsaksirikul for the kind supports, encouragement and prayers they have given throughout the course of studies, without which the completion of this Thesis would be impossible.

## **CONTENTS**

TITLE		PAGE			
	Thai Abstract	iv			
	English Abstract				
	Acknowledgment				
	Contents	vii			
	List of Figures	X			
	List of Tables	xi			
CHAP	TER				
	1. Introduction	1			
	1.1 Background of the research	1			
	1.2 Statement of the problem	2			
	1.3 Objective of the research	5			
	1.4 Scope of the research	5			
	1.5 Research procedures	6			
	1.6 Expected results	6			
	2. Theoretical Considerations and Literature Reviews	8			
	2.1 Theoretical consideration	8			
	2.1.1 Feasibility study	8			
	2.1.2 Transportation Problem	10			
	2.1.3 Sensitivity Analysis	13			
	2.2 Literature Reviews	14			
	3. Demand / Supply, Transportation System and Oil Situation	17			
	3.1 Demand / supply and oil market	17			
	3.1.1 Demand / supply of Thailand	17			
	3.1.2 Demand in Northern region	21			
	3.1.3 Oil market	22			
	3.2 The current oil transportation system in Thailand	25			
	3.2.1 Oil transportation of the country	25			
	3.2.2The existing petroleum pipeline system	27			
	3.3 Economic project on power demand and oil market in the next				
	decade	30			
	3.3.1 Economic project and power demand in the next decade	30			
	3.3.2 Trend of oil demand	31			

		3.3.3 Projected growth rate of Benzene and Diesel	33
		3.3.4 Projection of oil supply in the next decade	34
4.	Tec	chnical Analysis	35
	4.1	Oil depot system	35
		4.1.1 Factor related to the decision on the Oil Depot to be	
		constructed	35
		4.1.2 Initial criteria in the analysis	35
		4.1.3 The Least Cost and Minimal Column Value methods	40
		4.1.4 The calculation for finding the optimum location for	
		construction oil depots	4
		4.1.5 Location suitable for construction of Oil Depot	43
		4.1.6 Projection growth rate demand of Gasoline and Diesel	47
		4.1.7 Size of Oil Tank	52
		4.1.8 Facilities at the Oil Depot	54
-	4.2	Pipeline system	55
		4.2.1 Factors related to the decision on the Pipeline installation.	5
		4.2.2 Initial criteria in analysis the pipeline system	55
		4.2.3 The suitable route for laying pipeline	55
		4.2.4 Pipeline Description	57
		1) Size of the pipeline	57
		2) Length of the pipeline	57
		4.2.5 Facilities of the pipeline	58
	4.3	Summary of Technical analysis	58
5.	Eco	onomic Analysis	61
	5.1	Principles of Economic analysis	61
	5.2	Initial Cost	62
		5.2.1 Initial cost Estimation	62
		5.2.2 The Initial criteria for Initial cost estimation	64
		5.2.3 The Estimation of Initial cost	65
	5.3	Operations and Maintenance Cost (O&M cost)	6
	5.4	Tariff Rate and Throughput Revenue	67
	5.5	Feasibility Assessment (Decision-making for Investment)	67
	5.6	Benefits and costs of project	72
		5.6.1 Preliminary agreement on calculation to find benefits and	
		costs of project	72
		5.6.2 Economic projections period	7/

5.6.	2 1	Results of Economic analysis
5.6.	3 :	Sensitivity analysis of the project
6. Results	of /	Analysis, Conclusion and Recommendation
6.1 Res	ults	s of analysis and Conclusion
6.1.1	ı S	summary of technical analysis
6.1.2	2 S	summary of economic analysis
6.2 Rec	om	mendation
REFERENCES	<b>.</b>	
APPENDICES		
APPENDIX	Α	DISTANCE CHART BETWEEN PROVINCES AND
		PROVINCES
APPENDIX	В	TRANSPORTATION COST RATES FROM SARABURI
		OIL DEPOT TO TERMINAL OIL DEPOTS
APPENDIX	С	TRANSPORTATION COST RATES BY DISTANCE
APPENDIX	D	NATIONAL PETROLEUM PRODUCTS DEMAND
		AND GROWTH RATE PROJECT
APPENDIX	Ε	THE SPECIFICATION OF CARBON STEEL PIPE
		API 5L GR.B. SCH. 40 (SEAMLESS) / ASTM A106
APPENDIX	F	FRICTION LOSS FOR VISCOUS LIQUIDS
APPENDIX	G	THE CALCULATION OF OPTIMUM PIPE SIZE
		AND THE PIPE SIZE AND PUMP OPTIMUM
		SELECTION
APPENDIX	Н	THE PRELIMINARY CALCULATION OF CAPITAL
		EXPENDITURE OR INVESTMENT COST
APPENDIX	1	PIPELINE – UNIT COST
APPENDIX	J	RETAIL PRICE OF ULG, ULR AND HSD
APPENDIX	K	CASH FLOW STATEMENT, IRR, NPV, PAYBACK
		PERIOD AND B/C RATIO
APPENDIX	L	CASH FLOW STATEMENT OF 50% AND 25% OF
		PTT'S EQUITY
APPENDIX	M	THE RESULTS OF SENSITIVITY ANALYSIS BASED
		ON %IRR
BIOGRAPHY		

## **TABLE OF FIGURES**

FIGURE	
1.2 The comparison between the cost of oil transportation by pipeline	3
and the cost transportation by 30,00 liters capacity truck	
3.1 Oil & Gas Demand / Supply of Thailand in 1998	19
3.2 Thailand Primary Energy Consumption 1998	20
3.3 Utilized Refinery Capacity 1994-1998	20
3.4 Oil Market Share (Including EGAT Fuel Oil)	23
3.5 Oil Market Share (Excluding EGAT Fuel Oil)	23
3.6 Oil Market Share (1983-1998)	24
3.7 Number of Service Stations in 1998	25
3.8 Oil Transportation and Depots	. 26
3.9 The Existing Petroleum Pipeline System	27
3.10 Thappline Shareholder in 1998	28
3.11 FPT Shareholder in 1998	29
3.12 Thailand : GDP, Energy and Oil (1992-2006)	. 30
3.13 Energy Demand Projection	31
3.14 Oil Demand Projection (1998-2009)	. 32
3.15 Gasoline and Diesel Oil Demand (1991-2009)	32
3.16 The Projection of Thailand's Refining Industry (1998-2009)	33
4.1 Percentage of Supply or Throughput	46
4.2 Northern Refined Petroleum Products Pipeline Project	60
5.1. The Regults of Sensitivity Analysis based on %IPP	70

## **TABLE OF TABLES**

TABLE	1	PAGE
2.1	Transportation Tableau	11
3.1	Benzene and Diesel Projected Growth Rate	33
4.1	Showing the consumption of ULG from January 1, 1998 to	37
	December 31, 1998	
4.2	Showing the consumption of ULR from January 1, 1998 to	38
	December 31, 1998	••
4.3	Showing the consumption of HSD from January 1, 1998 to	39
	December 31, 1998	45
4.4	The Optimum Location for Construction of Oil Depot Analysis	
4.5	The Projection Growth Rate Demand of Benzene and Diesel of	50
	Northern Regional in 1998-2032 and Throughput	
5.1	Cash Flow Statement, IRR, NPV, Payback Period and B/C Ratio	77
	Case : Base	
5.2	Sensitivity Analysis Results	78