



References

- Anderson, G. A mechanistic approach to antiepileptic drug interactions. Annals of Pharmacotherapy 32 (1998) : 554-563.
- Anlezark, G., Horton, R.W., Meldrum, B.S. and Saqaya, M.C.B. Anticonvulsant action of ethanolamine-o-sulfate and di-m-propylacetate and the metabolism of GABA in mice with audiogenic seizures. Biochem. Pharmacol. 25 (1976) : 413-417.
- Baldino, F.J., and Geller, H.M. Sodium valproate enhancement of γ -aminobutyric acid (GABA) inhibition : electrophysiological evidence for anticonvulsant activity. J. Pharmacol. Exp. Ther. 217 (1981) : 445-450.
- Bailer, M., HaJ-Yehia, A., Badir, K., and Hadad, S. Can we develop improved derivatives of valproic acid?. Pharmacy World Sci. 16 (1994) : 2-6.
- Brittain, R.T., Handley, S.L. Temperature changes produced by the injection of catecholamines and 5-hydroxytryptamine into the cerebral ventricles of the conscious mouse. J. Physiol. 192 (1967) : 805-813.
- Browning, R.A. Overview of neurotransmission : Relationship to the action of antiepileptic drugs. In C.L. Faingold and G.H. Fromn (eds.), Drug for control of epilepsy, pp. 23-56. Florida : CRC Press, 1991.
- Bruni, J. Valproate. In S. Shorvon, F. Dreifuss, D. Fish and D. Thomas (eds.), The treatment of epilepsy, pp. 482-490. U.S.A. : Blackwell Science, 1996.
- Chapman, A.G. Glutamate receptors in epilepsy. Progress in brain Research. 116 (1998) : 371-383.

Chapman, A., Keane, P.E., Meldrum, B.S., Simiand, J., and Vernieres, J.C. Mechanism of anticonvulsant action of valproate. Prog. Neurobiol. 19 (1982) : 315-359.

Cooper, J.R., Bloom, F.E., and Roth, R.H. The Biochemical Basis of Neuropharmacology. 6th ed., New York : Oxford University Press, 1991.

Coulter, D.A., Huguenard, J.R., and Prince, D.A. Characterization of ethosuximide reduction of low – threshold calcium current in thalamic neurons. Ann. Neurol. 25 (1989) : 582-593.

Craig, C.R. Anticonvulsant drugs. In C.R. Craig, and R.E. Stitzel (eds.), Modern Pharmacology with clinical applications. 5th ed., 391-405. U.S.A. : Little, Brown and Company, 1997.

Davies, J., and Richens, A. Neuropharmacology. In J. LaidLaw, A. Richens and D. Chadwick (eds.), Textbook of epilepsy. 4th ed., pp.1-19. London : Churchill Livingstones, 1993.

Davis, R., Peter, D.H., and McTavish, D. Valproic acid : An appraisal of its pharmacological properties and clinical efficacy in epilepsy. Drugs. 47 (1994) : 332-372.

Dhillon, S., and Sander, J.W. Neurological and psychological disorders. London : Chapman and Hall, 1996.

Diem, K., and Lentner, C. Scientific tables. 7th ed., Germany : Ciba Geigy Limited ,1972.

Dunham, N.W. and Miya, T.S. A note on a simple apparatus for detecting neurological deficit in rat and mice. J. AM. Pharm. Assoc. 46(1957) : 208-209.

Ferrendelli, J.A., Holland, KA., McKeon, A.C., and Covery, D.FI. Comparison of the anticonvulsant activity of ethosuximide, valproate, and a new anticonvulsant, thiobutyrolactone. Epilepsia. 30 (1989) ; 617-633.

Fowler, L.J., Beckford., and John, R.A. An analysis of the kinetics of inhibition of rabbit gamma - aminobutyrate aminotransferase by sodium n-dipropylacetate and some other simple carboxylic acids. Biochem. Pharmacol. 24 (1975) : 1267-1270.

Gent, J.P., and Phillips, N.I. Sodium di-n-propylacetate (Valproate) potentiates responses to GABA and muscimol on single central neurons. Brain Res. 197 (1980) : 275-278.

Gibson, G.G., and Skett, P. Introduction to drug metabolism. 2nd edition. UK : Page Bros, 1994.

Godin, Y., Heiner, L., Mark, J., and Mandle, P. Effects of sodium di-n-propylacetate an anticonvulsive compound, on GABA metabolism. J. Neurochem. 16 (1969) : 469-873.

Gram, L. Valproate. In M. Dam, and L. Gram (ed.), Comprehensive Epileptology, pp.537-543. New York : Raven Press, 1990.

Granneman, G.R., Wang, S., Kesterson, J.W. and Manhinist, J.M. The hepatotoxicity of Valproic acid and its metabolism in rats. II. Intermediary and valproic acid metabolism. Hepatology 4 (1984) : 1153-1158.

Greenamyre, J.T., and Porter. R.J., Anatomy and physiology of glutamate in the CNS. Neurology 44 (suppl 8) (1994) : S5-S6.

Heineman, U. and Jones, R., S., G. Neurophysiology. In M. Dam, and L. Gram (eds), Comprehensive Epileptology, pp. 17-42. New York : Raven Press, 1990.

Honmou, O., Kocsis, J.D., and Richerson, G.B. Gabapentin potentiates the conductance increase induced by nipecotic acid in CA1 pyramidal neurons *in vitro*. Epilepsy Res. 20 (1995) : 193-202.

Hopkins, A., and Shorvon, S. Definitions and epidemiology of epilepsy. In A. Hopkins, S. Shorvon, and G. Cascino (eds.), Epilepsy. 2nd ed., pp. 1-6. London : Chapman and Hall, 1995.

Horton, R.W. GABA dysfunction in animal models of epilepsy. In G. Tunnicliff, and B.U. Raess, (eds.), GABA mechanism in epilepsy, pp. 121-147. New York : Wiley-Liss, 1991.

Ichinose, N., Nakamura, K., Shimizu,C., Kurokura, H.,and Okamoto,K. High-performance liquid chromatography of 5,8,11,14,17 - eicosapentanoic acid in fatty acid (C₁₈ and C₂₀) by labeling with 9 – anthyldiazomethane as a fluorescent agent. J.Chromatogr. 295 (1984) : 463-469.

Kelly, K.M., Gross, R.A., and McDonald, R.L. Valproic acid selectively reduces the low - threshold (T) calcium in rat nodose neurons, Neurosci. Left. 116 (1990) : 233-238.

Kerwin, R.W. and Taberner, P.V. The mechanism of action of sodium valproate. Gen. Pharmacy 12 (1981) : 71-75.

Kupferberg, H.J., Lust, W.D., and Penry, J.K. Anticonvulsant activity of dipropylacetic acid (DPA) in relation to GABA and cGMP brain levels in mice. Fed. Proc. 34 (1975) : 283-287.

- Laurence, D.R., Bennett, P.N., and Brown, M.J. Epilepsy and parkinsonism allied . Clinical pharmacology. 8th ed. pp. 356-363. U.S.A. : Churchill Livingstone, 1997.
- Levi, M., Yagen, B., and Bialer, M. Pharmacokinetics and Antiepileptic Activity of Valproyl Hydroxamic Acid Derivatives. Pharmacol. Res. 14 (1997) : 213-217.
- Levy, R.H., and Koch, K.M. Drug interactions with valproic acid. Drugs 24 (1982) : 543 -556.
- Lewis, J.R. Valproic acid (Depakene). JAMA. 240 (November 1978) : 2190-2192.
- Lin, J.H., and Lu. A.Y.H. Inhibition and induction of cytochrome p450 and the clinical implications. Clin. Pharmacokinet. 35 (1998) : 361-390.
- Lipton, S.A., and Rosenberg, P.A. Mechanism of disease : Excitatory amino acids as a final common pathway for neurological disorders. NENGL. J. Med. 330 (1994) : 613-622.
- Litchfield, J.T., and Wilcoxon, F.W. A simplified method of evaluating dose-effect experiments. J. Pharmacol. Exp. Ther. 96 (1949) : 99 - 119.
- Loscher, W. Comparative study of the inhibition of GABA aminotransferase by different anticonvulsant drugs. Arch. Int. Pharmacodyn. Ther. 243 (1980) : 48-55.
- Loscher, W. Valproate induced changes in GABA metabolism at the subcellular level. Biochem. Pharmacol. 30 (1981a) : 1364-1366.
- Loscher, W. Relationship between drug-induced changes in seizure thresholds and the GABA content of brain and brain nerve endings. Naunyn – Schmiedebergs Arch. Pharmacol. 317 (1981b) : 131-134.

Loscher, W. GABA mimetics in animal models of seizure states. In G. Bartholini, L. Bossi, K.G. Lloyd, and P.L. Morselli (eds.), Epilepsy and GABA receptor agonists. pp. 109-119. New York : Raven Press, 1985.

Loscher, W. Valproate enhances GABA turnover in the substantia nigra. Brain Res. 501 (1989) : 198-203.

Loscher, W., and Nau, H. Valproic acid : metabolite concentrations in plasma and brain, anticonvulsant activity, and effects on GABA metabolism during subacute treatment in mice. Arch. Int. Pharmacodyn. Ther. 257 (1982) : 20-31.

Loscher, W., Honack, D., Fassbender, C.P., and Nolting, B. The role of technical, biological and pharmacological factors in the laboratory evaluation of anticonvulsant drugs, III : Pentylenetetrazole seizure models. Epilepsy Res. 8 (1991) : 171-189.

Loscher, W., Nolting, B., and Fassbender, C.P. The role of technical, biological and pharmacological factors in the laboratory evaluation of anticonvulsant drugs, I: The influence of administration vehicles. Epilepsy Res. 7(1990) : 173 -181.

Loscher, W., and Nolting, B. The role of technical, biological and pharmacological factors in the laboratory evaluation of anticonvulsant drugs, IV : Protective indices. Epilepsy Res. 9 (1991) : 1-10.

Lowenstein, D.H. Seizures and epilepsy. In A.S. Fauci, E. Braunwald, K.J. Isselbacher, J.D. Wilson, J.B. Martin, D.L. Kasper, S.L. Hauser, and D.L. Longo (eds.), Harrison's principles of internal medicine volume II, 14th ed. pp. 2311-2324. U.S.A. : McGraw-Hill, 1998.

Macdonald, R.L., and Bergey, G.K. Valproic acid augments GABA mediated postsynaptic inhibition in cultured mammalian neurons. Brain Res. 170 (1979) : 558-562.

Mcdonald, R.L., and Kelly, K.N. Antiepileptic drug mechanisms of action. Epilepsia 24 (suppl 5) (1993) : S1-S8.

McNamara, J.O. Drugs effective in the therapy of the epilepsies. In A.G. Gilman, P.B. Molinoff, R.W. Ruddon, K.G. Herdman, and Z.E. Limbird (eds.), The pharmacological basis of therapeutics, 9th ed., pp. 461-485. New York : Raven Press, 1996.

Meldrum, B.S. Update on the mechanism of action of antiepileptic drugs. Epilepsia 37 (1996) : S4-S11.

Menkes, J.H. Textbook of child neurology, 4th ed. Philadelphia : Lea & Fibiger, 1990.

Nau, H., Helge., and Luck, W. Valproic acid in the peritoneal period : Decreased maternal serum protein binding results in fetal accumulation and neonatal displacement of the drug and some metabolites. J. Pediatr. 104 (1984): 627-634.

Nau, H., and Loscher, W. Valproic acid : brain and plasma ,levels of the drug and its metabolites, anticonvulsant effects and γ -aminobutyric acid (GABA) metabolism in the mouse. J. Pharmacol. Exp. Ther. 220 (1982) : 654-659.

Nau, H., and Loscher, W. Valproic acid and its metabolites : pharmacological and toxicological studies. Epilepsia 25 (suppl. 1) 1984 : S12-S22.

Olsen, R.W., and Delaney, T.M. GABA and glycine. In G.J. Siegel, B.W. Agranoff, R.W. Albers, S.K. Fisher, and M.P. Uhler (eds.), Basic Neurochemistry. 6th ed. pp. 336-346. Philadelphia : Lippincott Williams & Wilkins, 1999.

Pedley, T.A., Scheuer, M.L., and Walczak, T.S. Epilepsy. In L.P. Rowland (ed.) Merritt's textbook of neurology. 9th ed., pp. 845-868. U.S.A. : William & Wilkins, 1995.

Petroff, O.A., Behar, K.L., Mattson, R.H., and Rothman, D.L. Human brain γ -aminobutyric acid levels and seizure control following initiation of vigabatrin therapy. J. Neurochem. 67 (1996) : 2399-2404.

Phillips, N.I., and Fowler, L.J. The effect of sodium valproate on γ -amino butyrate metabolism and behavior in native and ethanolamine-o-sulfate pretreated rats and mice. Biochem Pharmacol. 3 (1982) : 2257-2261.

Pinder, R.M., Brogden, R.N., Speight, T.M., and Avery, G.S. Sodiumvalproate : A review of its pharmacological properties and therapeutic efficacy in epilepsy. Drugs. 3 (1977) : 81-123.

Pitkanen, A., Saano, V., Hyvonen, K., Airaksinen, M.M., and Riekkinen, P.J. Decreased GABA, benzodiazepine, and picrotoxin receptor binding in brains of rat after cobalt-induced epilepsy. Epilepsia. 28 (1987) : 11-16.

Poisson M., Huguet, F., Savattier, A., Bakri, F., and Narcisse, G. A new type of anticonvulsant, stiripendol : pharmacological profile and neurochemical study. Arzneim. Forsch. Drug. Res. 34 (1984) : 199-204.

Pornchulee Supatchaipisit. Anticonvulsant activity and effects of (N-hydroxymethyl) -2-propylpentamide on the central nervous system Master's Thesis, Pharmacology, Chulalongkorn University, 1995.

Porter, R.J. Classification of epileptic seizures and epileptic syndromes. In, J. Laidlaw, A. Richens, and D. Chadwick (eds.), Textbook of epilepsy. 4th ed., pp. 1-19. London : Churchill Livingstone, 1993.

Porter, R.J., and Meldrum, B.S. Antiepileptic drugs. In B.G. Katzung (ed.), Basic & Clinical pharmacology. 6th ed., pp. 361-379. London : Paramount Publisher, 1994.

Porter, R.J., and Meldrum, B.S. Antiepileptic drugs. In B.G. Katzung (ed.), Basic & Clinical pharmacology. 7th ed., pp. 386-408. U.S.A. : Appleton & Lange, 1998.

Preisendofer, U., Zeise, M.L., and Klee, M.R. Valproate enhances inhibitory postsynaptic potentials in hippocampal neurons *in vitro*. Brian Res. 435 (1987) : 213-219.

Ribak, C.E. Morphological, biochemical, and immunocytochemical changes of cortical, GABAergic system in epileptic foci, In, A.A. Ward, J.K. Penry, and D.P. Pupura (eds.), Epilepsy Research Publications : association for research in nervous and mental disease. Volume 61, pp. 109-130. New York : Raven Press, 1983.

Rogawski, M.A., and Porter, R.J. Antiepileptic drugs : Pharmacological mechanism and clinical efficacy with consideration of promising development stage compounds. Pharmacol. Rev. (1990) : 223-286.

Roger, J., and Porter, M.D. Epilepsy : Prevalence, Classification, diagnosis, and prognosis. In Michal, L.J. and Apuzzo. MD. (eds.), Neurosurgical aspects of epilepsy. pp. 17-26. U.S.A. : Raven Press, 1991.

Shank, R.P., Gardocki, J.F., Vaught, J.L., Davis, C.B., Schupsky, J.J., Raffa, R.B., Dodgson, S.J. Nortey, S.O., and Maryanoff, B.E. Topiramate : Preclinical evaluation of a structurally novel anticonvulsant. Epilepsia 35 (2) (1994) : 450-460.

Stringer, J.L. Drugs for seizure disorders (epilepsies). In T.M. Brody, J. Larner, and K.P. Minneman (eds.), Human pharmacology molecular to clinical. 3rd ed. pp. 373-383. U.S.A. : Mosby-Year book, 1998.

Swinyard, E.A., and Woodhead, J.H. Experimental detection quantification and evaluation of anticonvulsants. In, D.M. Woodbury, J.K. Penry and C.E. Pippenger (eds.), Antiepileptic drug. pp. 111-126. New York : Raven Press, 1982.

Thompson, E.B. Drug bioscreening : Drug evaluation techniques in pharmacology. New York : VCH. Publisher, 1990.

Ticku, M.K., and Davis, W.C. Effect of valproic on [³H] diazepam and [³H] dihydropicrotoxinin binding sites at the benzodiazepine – GABA receptor-ionophore complex. Brain Res. 223 (1981) : 218-222.

Ticku, M.K., and Rastogi, S.K. Convulsant / Anticonvulsant drugs and GABAergic transmission. In G, Nistico, P.L. Morbelli, K.G. (eds.) Neurotransmittiers. seizures and epilepsy III. pp. 163-167. New York : Raven Press, 1986.

Trescher, W.H., and Lesser, R.P. The epilepsies. In W.G.Bradley, R.B. Daroff, G.M. Fenichel, and C.D. Marsden (eds.), Neurology in clinical practice volume II, 2nd ed., pp. 1625-1654. U.S.A. : Butterworth-Heinemann, 1996.

Trevor, A.J., and Way, W.L., MD. Sedative and Hypnotic drugs. In B.G. Katzung (ed.), Basic & Clinical Pharmacology. 6th ed., pp. 338-346. U.S.A. : Paramount publishing, 1995.

Upton, N. Mechanism of action of new antiepileptic drugs : rational design and serendipitous findings. TiPS. 15 (1994) : 456-463.

Van der Laan, J.W., De boer T. and Bruinvels, J. Di-n-propylacetate and GABA degradation, Preferential inhibition of succinic seminase. J. Neurochem. 32 (1979) : 1769-1780.

Walker, R.N., Smith, F.S., Basoum, N.J., and Macallum, G.E. Preclinical toxicity of anticonvulsant calcium valproate. Toxicology 63 (1990) : 137-155.

Wandee Yeamvanichanun. Anticonvulsant activity and effects of Amide 1C on the central nervous system Master's Theses, Pharmacology, Chulalongkorn University, 1997.

Waterhouse, E., and Delorenzo, R.J. Mechanism of action of antiepileptic drugs : an overview. In S. Shorvon, F. Dreifuss, D. Fish, and D. Thomas (eds.) The treatment of epilepsy, pp. 123-137. U.S.A. : Blackwell Science, 1996.

White, H., S. Clinical significance of action studies of potential antiepileptic drugs, Epilepsia 38 (1997) : S9-S17.

Zaccara, G., Messori, A., and Moroni, F. Clinical pharmacokinetics of valproic acid. Clinical Pharmacokinetics 15 (1988) : 367-389.



Curriculum vitae

Police Captain Nalinrat Thongsathean was born on 1st march, 1969, in Nacornsrithamaraj, Thailand. She had graduated with Bachelor Degree in Nursing in 1991 from the Police Nursing College, Thailand. After graduation, she had an experience in nursing care for eight years at the department of medicine, Police Hospital, Bangkok, Thailand.