NUTRITIONAL STATUS AMONG PUBLIC PRIMARY SCHOOL CHILDREN WITH AND WITHOUT SCHOOL SNACK PROGRAM IN JATI ASIH SUB DISTRICT INDONESIA



Mrs. Hasnita

A Thesis Submitted in Partial Fulfillment of the Requirements

for the Degree of Master of Public Health in Health Systems Development

College of Public Health

Chulalongkorn University

Academic Year 2004

ISBN 974-9599-79-9

Copyright of Chulalongkorn University

Thesis Title	: Nutritional Status Among Public Primary School Children with and without School Snack Program in Jati Asih Sub District Indonesia
Ву	: Hasnita
Program	: Health System Development
Thesis Advisor	: Robert Sedgwich Chapman, M.D., M.P.H.
	College of Public Health, Chulalongkorn University, Bangkok, ment of the requirements for the Master's degree
bhih Atthi - a (Professor Chitr Shitti-am	Dean of the College of Public Health norn, M.D., M.Sc, Ph.D.)
THESIS COMMITTEE	
Chign	Those ,, Chairman
(Emeritus Professor Edga	r J. Love, M.D, Ph.D.)
Robert S	
(Robert Sedgwich Chapm	
Nanto An	and , Member
(Nanta Auamkul, M.D., N	

PH: 042426 : MAJOR HEALTH SYSTEMS DEVELOPMENT PROGRAMME
KEY WORDS : NUTRITIONAL STATUS/ SCHOOL SNACK PROGRAM/
SCHOOL CHILDREN/ INDONESIA

HASNITA: NUTRITIONAL STATUS AMONG PUBLIC PRIMARY SCHOOL CHILDREN WITH AND WITHOUT SCHOOL SNACK PROGRAM IN JATI ASIH SUB DISTRICT, INDONESIA. THESIS ADVISOR: ROBERT SEDGWICH CHAPMAN, M.D, M.P.H., 94 pp. ISBN 974-9599-79-9

This study investigated the relationship between nutritional status and presence or absence of a school snack program in 300 public primary school children enrolled in grades 1-3 in Jati Asih Sub District, Indonesia. The study also assessed nutritional status in relation to other potential determinants such as demography, socioeconomic, environmental, and mother's food practice and knowledge. A cross sectional, analytical study was conducted to ascertain nutritional status among public primary school children with and without school snack program.

Children with body mass index (BMI) less than 18.5 kg/m² were considered to be underweight. The percentage of underweight children was statistically significantly higher among children without the snack program (111/150=74%) than in those with it (87/150=58%) (p=.003 by X² test). This study also observed statistically significant associations between nutritional status and parental education, father's job, status of having breakfast regularly, and mother's nutrition-related knowledge. In the absence of multivariable analysis, it was not possible to rule out bias in the observed association between nutritional status and the snack program. Even so, this association was strong, and it is very unlikely that bias could completely explain it.

Therefore, it is recommended that the school snack program for public primary school children should be continued and expanded. Consideration should be given to giving snacks more than 3 times a week for more than 9 months duration, in order to achieve better nutritional status. Also, more community-level participation in the program would make it less dependent on government funding. To obtain better quality, training for those who implement the program should be conducted in the field, especially food provision. Finally, further studies should be conducted in order to obtain more complete information about the program, its determinants, and its consequences.

Field of study Health Systems Development Student's signature

Academic year 2004 Advisor's signature Charles Charles

ACKNOWLEDGEMENTS

I gratefully acknowledge my advisor, Dr. Robert Sedgwick Chapman, for giving me guidance, support, encouragement, and valuable suggestions during this study.

I am also thankful to all my teachers and staff members in the College of Public health, Chulalongkorn University, for their time and effort.

I would also like to express my gratitude to Director of public primary school and local government in Jati Asih Sub District, Indonesia, the Director of Central of Health Manpower Education in Jakarta, Indonesia, my colleagues in Central of Health Manpower education, who gave me the opportunity and support, helped me to conduct study and collect the data. I would like to thank the teachers, students and their parents in public primary schools in Jati Asih Sub District, who gave me their full help and cooperation during the data collection period.

I am indebted to Department of Technical and Economic Cooperation,
Thailand, for giving me the opportunity to conduct this study and supporting me
financially during the course.

I would like to express my special love and thanks to my mother, my family, my husband, my daughter, and my son for their encouragement and moral support. I could not pursue the MPH degree without their love, support, and encouragement.

TABLE OF CONTENTS

		Page
ABSTRAC	CT	iii
ACKNOW	LEGDEMENTS	iv
TABLE O	F CONTENTS	v
LIST OF T	ABLES	viii
LIST OF F	IGURES	xi
CHAPTE	R I INTRODUCTION	1
1.1	Backgrounds and Rationale	1
1.2	Research Questions	9
1.3	Objective	9
1.4	Variables	10
СНАРТЕ	R II LITERATURE REVIEW	14
2.1	Criteria for Diagnosis of Underweight	14
2.2	Consequences of Underweight	16
2.3	School Snack Program	18
2.4	Related Factors to Nutritional Status in Children	22
2.5	Conceptual Framework	36

CHA	PTER	R III RESEARCH METHODOLOGY	37
	3.1	Research Design	37
	3.2	Site of Study	37
	3.3	Study Population_	37
	3.4	Sample Size and Sampling Technique	37
	3.5	Data Collection	39
СНАН	PTER	R IV RESEARCH RESULTS	45
	4.1	General Characteristics of Children	
	4.2	Socio Demographic Characteristics of Children's Family	
	4.3	Nutritional Status (BMI [Body Mass Index]) of Children	55
	4.4	Association Between School Snack Program and Nutritional Status	57
СНАР	TER	V DISCUSSION, CONCLUSIONS,	
		AND RECOMMENDATIONS	68
	5.1	Discussion	68
	5.2	Conclusion	75
	5.3	Benefit of this Study	76
	5.4	Limitation of Study	76
	5.5	Recommendations	76
REFE	D E Ni4	CES	79
		UPA)	14

APPENDICES_		82
Appendix A	Questionnaire for School with/without School Snack Program	83
Appendix B	Sampling Frame	91
Appendix C	Proposal for Advance Money	92
Appendix D	Time Table	93
CURRICULUM VITAE		94

LIST OF TABLES

		Page
Table 4.1:	Frequency and percentages of children by age and gender	46
Table 4.2:	Frequency and Percentage of Children by family size	
	sin their household	46
Table 4.3:	Frequency and Percentage of children by having	
	any illness within 4 weeks	48
Table 4.4:	Frequency and Percentage of children by usually having breakfast	48
Table 4.5:	Frequency and percentage of children by exercise	
	status within last 7 day	48
Table 4.6:	Frequency and Percentage of Mothers by Age	49
Table 4.7:	Frequency and Percentage of Fathers by Age	49
Table 4.8:	Frequency and Percentage of mother by education	51
Table 4.9:	Frequency and percentage of father by education	51
Table 4.10:	Frequency and percentage of mother by occupation	52
Table 4.11:	Frequency and Percentage of Father by Occupation	52
Table 4.12:	Frequency and percentage of father by income level	52
Table 4.13:	Frequency and percentage of family by religion	53
Table 4.14:	Frequency and percentage of mother by giving breast	
	feeding when their children was small	53
Table 4.15:	Frequency and percentage of sanitary facility in their home	54
Table 4.16:	Frequency and percentage of information's source	54
Table 4.17:	Frequency and percentage of income level	54
Table 4.18:	Frequency and percentage of food mother's practice	54

Table 4.19:	Frequency and percentage of food mother's knowledge	55
Table 4.20:	Nutritional status of children as classified by BMI	. 55
Table 4.21:	Distribution of height, weight, and BMI in of children	. 55
Table 4.22:	Nutritional status of children by school snack program	. 58
Table 4.23:	Association between nutritional status of children	
	and their body mass index	. 59
Table 4.24:	Association between nutritional status of children	
	and education of their mothers	. 59
Table 4.25:	Association between nutritional status of children	
	and education of their father	60
Table 4.26:	Association between nutritional status of children	
	and their mother's occupation	61
Table 4.27:	Association between nutritional status of children	
	and their father's occupation	61
Table 4.28:	Association between nutritional status of children	
	and their gender	62
Table 4.29:	Association between nutritional status of children	
	and their religion	62
Table 4.30:	Association between nutritional status of children	
	and duration of breast feeding when they were small	63
Table 4.31:	Association between nutritional status of children	
	and their sanitary facility in home	64
Table 4.32:	Test of association between nutritional status of children	
	and source of information about health and nutrition of their parents	64

Table 4.33:	Test of association between nutritional status of children	
	and their mother's food practice	65
Table 4.34:	Test of association between nutritional status of children	
	and their mother's food knowledge	66
Table 4.35:	Test of association between nutritional status of children	
	and status of having breakfast	66
Table 4.36:	Test of association between nutritional status of children	
	and their physical exercise	67

LIST OF FIGURES

	I	Page
Figure 2.1:	Independent Variable Dependent Variable	36
Figure 4.1:	Distribution of total number of family in household	47
Figure 4.2:	Distribution of Mother's Age	50
Figure 4.3:	Distribution of Father's Age	50
Figure 4.4:	Distribution of father's occupation	53
Figure 4.5:	Distribution of children's height_	56
Figure 4.6:	Distribution of children's weight	56
Figure 4.7:	Distribution of children's BMI	57