THE MAGNITUDE AND DETERMINANTS OF CONDOM USE AMONG DIRECT COMMERCIAL SEX WORKERS (DCSWs) AT THE CAMBODIAN-THAI BORDER IN OSMACH COMMUNE, ODDAR MEANCHEY PROVINCE, CAMBODIA



Mrs. Nisachon Bubpa

A Thesis Submitted in Partial Fulfillment of the Requirements

for the Degree of Master of Public Health in Health Systems Development

Collage of Public Health

Chulalongkorn University

Academic Year 2004

ISBN 974-9599-76-4

Copyright of Chulalongkorn University

Thesis Title	: The Magnitude and Determinants of Condom Use among Direct Commercial Sex Workers (DCSWs) at the Cambodian-Thai Border in Osmach Commune, Oddar Meanchey Province, Cambodia	
Ву	: Mrs. Nisachon Bubpa	
Program	: Health Systems Development	
Thesis Advisor	: Ratana Somrongthong, Ph.D.	
Accepted by The College of Public Health, Chulalongkorn University, Bangkok Thailand in Partial Fulfillment of the Requirements for the Master's Degree		
× Anto Antonia Dean of The College of Public Health (Professor Chitr Sitthi-amorn, M.D., M.Sc., Ph.D.)		
THESIS COMMIT	2	
	Hyur ghove Chairperson	
(Professor Edgar J. Love, M.D., Ph. D.)		
	Rohn Sn. Thesis Advisor	
(Ratana Somrongthong, Ph.D.) Member		
(As	sistant Professor Marc Van der Putten, Ph.D.)	

PH: 042421 : MAJOR HEALTH SYSTEMS DEVELOPMENT PROGRAMME KEY WORDS : MAGNITUDE/DETERMINANTS/DIRECT COMMERCIAL SEX WORKERS/CONDOM USE/THE CAMBODIAN-THAI BORDER NISACHON BUBPA: THE MAGNITUDE AND DETERMINANTS OF CONDOM USE AMONG DIRECT COMMERCIAL SEX WORKERS (DCSWs) AT THE CAMBODIAN-THAI BORDER IN OSMACH COMMUNE, ODDAR MEANCHEY PROVINCE, CAMBODIA. THESIS ADVISOR: RATANA SOMRONGTHONG, Ph.D.105 pp.ISBN 974-9599-76-4

The main purpose of the study was to measure the magnitude and identified determinants related to condom use among Direct Commercial Sex workers (DCSWs) at the Cambodian-Thai border in Osmach town, Oddar Meanchey Province, Cambodia. This cross-sectional study was conducted from January 25- February 9, 2005. The subjects were DCSWs who are brothel-based with a total of 62 participants from 13 brothels. Data were gathered using an interview questionnaire, Focus Group Discussion and In-depth interviews. The PRECEDE Framework was applied as the conceptual framework of the present study. Data was analysed in terms of frequency distribution, and Chi-square test was used to determine the association between independent and dependent variables. Binary logistic regression was used to determine the relationship between independent variables and condom use.

This study found that the magnitude of condom use among DCSWs in Osmach (76%) is lower than the pilot project of 100% CUP in Sihanoukville, Cambodia (78%) and Thailand (98%). The condom use rate with steady partners/sweethearts in Osamch is lower than condom use rate with steady partners/sweethearts of the pilot project of 100% CUP in Sihanoukville, Cambodia (52% v 64%). The condom use rate of DCSWs in Osmach, the using rate with steady partners/sweethearts is lower than the using rate with clients (52% v 97%).

This study indicated that factors having a significant association with condom use among DCSWs were having steady partners/sweethearts, experience of abortion since working in the profession, and age of clients (p < .001, p = .045 and p = .030 respectively). Binary logistic regression result showed that having a steady partner/sweetheart was statistically significantly associated with condom use (p = .010, OR = .191, 95%CI: 0.054 to 0.677), and age of clients (p = .039, OR = .5.583, 95%CI: 1.090 to 28.597). From the qualitative result, many DCSWs failed to persuade clients to use condom, which caused them to have less clients, they would consider accepting to have sex without using condom.

This study may assist authorities and NGOs to develop appropriate health promotion concerning increasing awareness of protecting STD and HIV/AIDS for DCSWs and their steady partners/sweethearts in the border area of Oddar Meanchey Province, Cambodia.

Field of study Health Systems Development Student's signature Marion Burph Academic year 2004 Advisor's signature Rfm & Student's signature Rfm & St

ACKNOWLEDGEMENTS

This academic work would not have been accomplished without valuable and grateful guidance of a number of persons. I hereby extend my sincere acknowledgements and thanks to all concerned with special mentions of the following:

I would like to thank Professor Edgar J. Love, chairperson of my thesis exam, and Dr. Marc Van der Putten for being my thesis examiner for consenting to be my mentor and guides in this initial venture of mine in research.

I would like to thank particularly Ajarn Ratana Somrongthong, my advisor who spent her valuable time tirelessly guiding me throughout the whole period of this thesis. Without her support and encouragement, I would not have passed those hardest days and the completion of this thesis would not have been possible.

I would not have finished this course if there was no support from the following people such as Sunanta Wongchalee a librarian, Prapon Phothong a computer technician and academic staff. Special thanks go to Peraya Aungudompukdee a Ph.D. student who spent a great deal of her time to help me for statistical analysis. I found that her suggestion was highly statistically significant association with my graduation (p<.001). All of you are a grate people. This is from my heart again, thanks so much for your kind support. I will always remember you all.

I would like to make a special mention and acknowledgement to ATC, Malteser and CARE International organization that work in Oddar Meanchey Provience, Cambodia who provided me with support during my data collection as well as Provincial Health Department and health center staff particularly Dr. Ouk Kim Souen and Dr. Ngoun Sokomar. Most importantly. I would also like to thank to all of DCSWs, brothel owners and Osmach health centre staff who agreed to participate in the study and made the data collection complete and worthwhile. I owe everyone who was involved in this study in one way or another.

To all of my friends who are working in Thailand and abroad, and friends of this MPH cohort, my thanks for sharing emotions and encouraging me to complete the study Special, thanks go to Aree Moungsookjareaon who introduced this course and supports me all the times as well as Dr. Sabine Heinrich and Dr. Frances Daily who edited my English. Your suggestions, recommendations, and helps make my dreams come true.

And lastly, I am immensely thankful for my family for their moral and valuable supports particularly to my husband. Thanks for being a good listener, counselor and with his warmth, love and support led me from beginning to the completion of my study. I will make sincere efforts to make up for twelve months we missed one another.

TABLE OF CONTENTS

		}
ABST	RACT	
ACKN	IOWLEDGEMENTS	
TABL	E OF CONTENTS	
LIST	OF TABLES	
LIST	OF FIGURE	
LIST (OF ABBREVATIONS	
СНАР	TER I INTRODUCTION	
1.1	Background and Significance of the Problem	
1.2	Purpose of the Study	
1.3	The Objectives of the Research	
1.4	Research Questions	
1.5	Conceptual Framework of the Research	
1.6	Research Variables	
1.7	Operation Definitions of Terms Used in the Research	
1.8	Expected Outcomes	
СНАР	TER II LITERATURE REVIEW	
2.1	Sex Workers and HIV/AIDS Situation in Asia, Thailand and	
	Cambodia	
2.2		
2.3	Related Research	
СНАР	TER III RESEARCH METHODOLOGY	
3.1	Site of Study	
3.2	Research Design.	
3.3	Sampling Method and Sample Size	
3.4	Research Instruments.	
3.5	Measurement Methods for Quantitative Data	
3.6	Quality of Recearch Instruments	

3.7	Procedure of Data Collection	32
3.8	Data Analysis	33
3.9	Ethical Considerations	33
СНАР	TER IV RESULTS	34
4.1	Quantitative Data Analysis	34
	4.1.1 Univariate Analysis	34
	4.1.1.1 Predisposing factors	35
	4.1.1.2 Reinforcing factors	46
	4.1.1.3 Enabling factors	49
	4.1.1.4 Condom use among DCSWs	51
	4.1.2 Bivariate Analysis	52
	4.1.2.1 Bivariate Analysis of Predisposing factors and Condom	
	Use	53
	4.1.2.2 Bivariate Analysis of Reinforcing factors and Condom	
	Use	55
	4.1.2.3 Bivariate Analysis of Enabling factors and Condom	
	Use	53
	4.1.3 Multivariate Analysis using Binary Logistic Regression Model	56
4.2	Qualitative Data Analysis	57
	4.2.1 Introduction.	57
	4.2.2 Findings.	58
	4.2.2.1 Focus group discussion	58
	4.2.2.2 In-depth interviews	62
	4.2.3 Summary	66
CHAP	TER V DISCUSSION, CONCLUSION AND	
	RECOMMENDATIONS	68
5.1	Discussion	68
	5.1.1 The Magnitude of Condom Use among DCSWs	68
	5.1.2 Factors Related to Condom Use among DCSWs	69
5.2	Conclusion	75

5.3	Scope and Limitations of the Study	76
5.4	Recommendations.	77
5.5	Recommendations for Further Study	78
REFFE	ERENCES	79
APPEN	NDICES	87
APPEN	IDIX A : Budget for Data Collection	88
APPEN	IDIX B : Schedule of Activities	89
APPEN	IDIX C : Questionnaire	90
APPEN	IDIX D : Guidelines for Focus Group Discussion of DCSWS	97
APPEN	IDIX E: Guidelines for In-depth Interview of Health Center staff	99
APPEN	IDIX F : Guidelines for In-depth Interview of Brothel Owners	100
APPEN	DIX G: Informed consent form (Quantitative research)	101
APPEN	IDIX H: Informed consent form (Qualitative research)	102
CURR	ICULUM VITAE	103

LISTS OF TABLES

		Page
Table 1:	The estimated number of sex workers from selected countries in	
	Asia	11
Table 2:	The estimates of HIV prevalence rates from sentinel surveillance	
	from many countries.	12
Table 3:	Measurement Method (Designing in scale)	31
Table 4:	Frequency and Percentage of Predisposing factor (Demographic	
	Characteristics) of the Study Population	39
Table 5:	Frequency and Percentage of the Study Population as categorized	
	according to Having steady partner/sweetheart	42
Table 6:	Frequency and Percentage of the Study Population as categorized	
	according to Having dependent people	42
Table 7:	Frequency and Percentage of the Study Population as categorized	
	according to Duration in the profession.	43
Table 8:	Frequency and Percentage of the Study Population as categorized	
	according to Past history of STD	43
Table 9:	Frequency and Percentage of the Study Population as categorized	
	according to Knowledge regarding STD and HIV/AIDS	45
Table 10:	Frequency and Percentage of the Study Population as categorized	
	according to Attitude regarding STD and HIV/AIDS	46
Table 11:	Frequency and Percentage of the Study Population as categorized	
	according to Reinforcing factors of Clients characteristics	47
Table 12:	Frequency and Percentage of the Study Population as categorized	
	according to Reinforcing factors of Brothel owner/manager/pimps	48
Table 13:	Frequency and Percentage of the Study Population as categorized	
	according to Reinforcing factors of Peers	48
Table 14:	Frequency and Percentage of the Study Population as categorized	
	according to Reinforcing factors of Availability of condoms	49
Table 15:	Frequency and Percentage of the Study Population as categorized	
	according to Reinforcing factors of Availability of health services	50

Table 16:	le 16: Frequency and Percentage of the Study Population as categorized	
	according to Reinforcing factors of Negotiation skills of DCSWs	51
Table 17:	Frequency and Percentage of Condom Use among DCSWs	52
Table 18:	Association between Predisposing factors and Condom Use	53
Table 19:	Association between Reinforcing factors and Condom Use	55
Table 20:	Association between Enabling factor and Condom Use	56
Table 21:	Relationship among Factors and Condom Use	57

LISTS OF FIGURE

		Page
Figure 1:	Modified from PRECEDE model	6

LIST OF ABBREVIATIONS

AIDS : Acquire Immunodeficiency Syndromes

BSS : Behavioral surveillance Survey

CSW(s) : Commercial Sex Worker(s)

CUP : Condom Use Program

DCSW(s) : Direct Commercial Sex Worker(s)

HIV : Human Immunodeficiency Virus

ICRC : International Committee of Red Cross

IDCSW(s) : Indirect Direct Commercial Sex Worker(s)

IEC : Information, Education and Communication

MoPH : Ministry of Public Health

NCHADS : National Center of HIV/AIDS, Dermatology and STDs

PAO : Provincial Aids Office

PHD : Provincial Health Department

PSI : Population Services International

STD : Sexual Transmitted Diseases

STIs : Sexual Transmitted Infectious

UNAIDS : Joint United Nations Programme on HIV/AIDS

WHO : World Health Organization