# THE EFFECTIVENESS OF A PULMONARY REHABILITATION PROGRAM IN PATIENTS WITH CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)



Nukul Ploybutr

A Thesis Submitted in Partial Fulfillment of the Requirements

for the Degree of Master of Public Health

**Health Systems Development Programme** 

**College of Public Health** 

Chulalongkorn University

Academic Year 2002

ISBN: 974-9599-00-4

© College of Public . alth, Chulalongkorn University

Bangkok, Thailand

Thesis Title:	The Effectiveness of a Pulmonary Rehabilitation Program in Patients with Chronic Obstructive Pulmonary Disease (COPD)		
	Tatients with Chronic Obstructive Fullionary Disease (COPD)		
By:	Nukul Ploybutr		
Program:	Master of Public Health (Health Systems Development)		
	College of Public Health		
Thesis Advisor:	Assistant Professor Nuntavarn Vichit-Vadakan, M.S., M.P.H.		
	Dr P H		
Accepted	by the College of Public Health, Chulalongkorn University, Bangkok		
Thailand in Partia	al Fulfillment of the Requirements for the Master's Degree		
>	Sumlee Virushanghang Dean of the College of Public Health		
( 5	Samlee Plianbangchang, M.D., Dr.P.H.)		
THESIS COMM	ITTEE		
	Charry mely rayer Chairperson		
( ]	Professor Chaivej Nuchprayoon, M.D., M.S.C., F.R.C.P.)		
	Mundava Vichit- Ord L. Thesis Advisor		
	Manyava Vichit- Und L Thesis Advisor		
( .4	Assistant Professor Nuntavarn Vichit-Vadakan, M.S., M.P.H. Dr.P.H.)		
	C. Yanton		
	$G_{3}$ $V^{2}$ $V^{2}$ Member		

( Associate Professor Ong-arj Viputsiri, M.D., Dr.P.H.)

### **ABSTRACT**

This project of the effectiveness of a pulmonary rehabilitation program in patients with chronic obstructive pulmonary disease (COPD) aimed to evaluate the effects of a 6-week pulmonary rehabilitation program for the patients with chronic obstructive pulmonary disease (COPD) on the quality of life, the exercise capacity and the perception of dyspnea. The study group was thirteen patients diagnosed as COPD, from 42 to 78 years of age who were being treated at Chiangmuan Hospital, Chiangmuan District, Phayao Province. The study group participated in the pulmonary rehabilitation program. The 6 weeks hospital based rehabilitation program consisting of education, exercise training, psychological support, 6 months of individualized regimens of home-based exercise practice with monthly supervised exercise by home visit nurse, and 6 months of monthly hospital follow up care

The outcome evaluation was completed by comparing data on three main patients outcome at baseline, 3 and 6 months after completed the program. The study measured three main patients outcome namely; the quality of life measured by the Chronic Respiratory Disease Questic maire (CRQ), the exercise capacity measured by the 12-minutes Distance Walk Test (12 MD), and the perception of dyspnea after exercise measured by the Horizontal Visual Analogue Scale (HVAS).

The results of the study revealed that after the pulmonary rehabilitation program the participants showed a statistically significant increase in all three main patients outcome. There were significant differences in the study group in quality of life

measured by the Chronic Respiratory Disease (p< .05), the exercise capacity that measured by the 12-min distance walk test (p< .05) and changed in the perception of dyspnea measured by the Horizontal Visual Analogue Scale (p< .05) between preprogram, 3 and 6-month after the program.

This study also examined the interactive effects of age and the different stages of the disease on each of the dependent variables. Participants who were over-61 years of age group showed a greater response to the intervention on the quality of life, the exercise capacity and the perception of dyspnea than those with 40 - 50 and 51 - 60 age groups. And the patients with mild airway obstruction response more positively to the rehabilitation program on the three patients' outcomes than the moderate and severe airway obstruction groups.

It could be concluded from this study that the pulmonary rehabilitation program that combined education and exercise training with supervised exercise practiced showed improvement the patients' outcomes and help the COPD patients to learn the ways to help themselves achieve and maintain an optimal level of life.

Nevertheless, the future study in this area should use an experimental design or cohort design for could be certain that the results. In addition the pulmonary rehabilitation program need to be the test ted in a larger sample of COPD subjects and should be considered for every COPD. There should be evaluated the effect of a pulmonary rehabilitation program on health care cost, survival, the short- and long-terms success of the rehabilitation program. Finally, the rehabilitation program should be applied to chronic diseases other than COPD

### **ACKNOWLEDGEMENTS**

The accomplishment of the thesis has made possible because of the contributions and participation of various persons and organizations to whom I am most grateful.

I am very grateful and appreciative to Assistant Professor Nuntavarn Vichit-Vadakhan my thesis advisor, for her valuable guidance, suggestion, constructive comments and constant enormous support including revising of the thesis.

I would also like to express my sincere gratitude to Dr. Jassada Pichichumphol my co-advisor and the Director of Chiangmuan Hospital, who kindly permitted and gave me a opportunity to work and provided me valuable guidance, suggestion, constructive comments, interest and constantly encourage me to complete this study.

I specially wish to acknowledge Phayao Public Health Officer, who provided financial support to my study. In addition, I wish to extend my hearty thanks to all of the rehabilitation staff for their technical assistance and enthusiatic help and I also thank to the COPD patients for their willingness and co-operation that made the study possible.

I received whole-hearted encouragement from many friends and colleagues who gave me all the strength and moral support.

Finally, I am particularly thankful to my father, my mother, my husband and n.v children who gave the inspiration to me to complete this study.

# LIST OF CONTENTS

		Page
ABST	ract	iii
ACK	NOWLEGDEMENTS	. V
LIST	OF CONTENTS	vi
LIST	OF TABLES	ix
LIST	OF FIGURES	xiv
ABBI	REVIATION	xv
СНА	PTER I INTRODUCTION	
1.1	Problem Statement	. 1
СНА	PTER II PROJECT DESCRIPTION	
2,1	Introduction	6
2.2	Objectives	7
2.3	Approaches, Methods, and/or Techniques	7
2.4	Program Participants	10
2.5	Program Activities	. 11
2.6	Problems, Conflicts, and Means for Resolution	22
СНА	PTER III PROJECT EVALUATION	
3.1	Introduction	25
3.2	Evaluation Phase	27

	• Phas	e I : Based line	27
	• Phas	e 2 : Hospital based rehabilitation training program	34
	• Phas	e 3 : Home based rehabilitation and home-visit	42
	• Phas	e 4 : Hospital follow-up care	46
	• Phas	e 5 : Post intervention	48
СНА	PTER IV	DISCUSSION AND CONCLUSION	
4.1	Discussion	on	83
4.2	Post inter	vention	86
4.3	Conclusio	on	89
4.4	Study lim	nitations	90
СНА	PTER V	RECOMMENDATIONS	
5.1	Implication	ons for practice	92
5.2	Recomm	endation for future study	93
REFI	ERENCES		95
APPE	ENDICES		
APPE	NDIX 1:	Chronic obstructive pulmonary disease ( COPD) Interview	103
APPE	NDIX 2:	Assessment the quality of life by the chronic respiratory	
		disease Questionnaires	105
ΔPPE			
/ <b>(111</b> L	NDIX 3:	Assessment the exercise capacity by performed the 12 - minutes	

APPENDIX 4	Assessment the perception of dyspnea after exercise	112
APPENDIX 5	Guideline in-depth interviews and observation form	113
APPENDIX 6	Guideline in-depth interviews and observation form	114
APPENDIX 7:	Guideline in-depth interviews and observation form	115
APPENDIX 8	Curriculum of pulmonary rehabilitation program.	116
APPENDIX 9:	Individual data of the 13 COPD patients in the pulmonary	
	rehabilitation program	123
APPENDIX 10:	The project team	126
BIOGRAPHY		127

# LIST OF TABLES

		Pag :
Table 2.2	A pulmonary rehabilitation training program for COPD	20
Table 2.3:	Project Activity with time table	24
Table 3.1:	Patients characteristics	30
Table 3.2:	Mean score and standard deviation on the CRQ	
	scale before the pulmonary rehabilitation program	33
Table 3.3	Mean scores and standard deviations on the 12- minute distance	
	walk test before the pulmonary rehabilitation program	34
Table 3.4:	Mean scores and standard deviations on the horizontal	
	visual analogue scale ( HVAS ) scores before the pulmonary	
	rehabilitation program	34
Table 3.5	Mean scores and standard deviations on the CRQ scale before	
	and after the pulmonary rehabilitation program	53
Table 3.6:	Results of paired t-test analysis of mean scores	
	on the CRQ taken before and 3 months after	
	the pulmonary rehabilitation Program	54
Table 3.7:	Results of paired t-test analysis of mean scores	
	on the CRQ taken 3 months and 6 months after	
	the pulmonary rehabilitation program	55
Table 3.8	Results of paired t-test analysis of mean scores	
	on the CRQ taken preprogram and 6 months	
	after the pulmonary rehabilitation program	56

Table 3.17:	Mean scores and standard deviations on the chronic respiratory	
	disease questionnaires (CRQ) before and after the pulmonary	
	rehabilitation program in the three different age groups	
	of the participants	63
Table 3.18	Comparison of the mean scores and standard deviation	
	on the chronic respiratory disease questionnaires (CRQ)	
	at baseline and 3 months after intervention in the three age	
	groups of the participants	64
Table 3, 19 :	Comparison of the mean scores and standard deviation	
	on the chronic respiratory disease questionnaires (CRQ)	
	at baseline and 6 months after intervention in the three age	
	groups of the participants	66
Table 3.20	Mean scores and standard deviations on the 12-minute	
	distance walk test before and after the pulmonary rehabilitation	
	program in the three age groups of the participants	68
Table 3.21:	Comparison the mean scores on the 12-minute	
	distance walk test (12 MD) at baseline and 3 months	
	after program between the three age groups of the participants	68
Table 3.22	Comparison the mean scores on the 12-minute distance	
	walk test (12 MD) at bascine and 6 months after program	
	between the three age groups of the participants	69
Table 3.23	Mean scores and standard deviation on the horizontal	
	visual analogue scale (HVAS) before and after the pulmonary	
	rehabilitation program in the three age groups of participants	70

Table 3.24	Comparison of the mean scores on the horizontal visual	
	analogue scale (HVAS) between before and 3 months	
	after the pulmonary rehabilitation program	
	in the three age groups of participants	71
Table 3.25	Comparison of the mean scores on the horizontal visual	
	analogue scale (HVAS) between before and 6 months after	
	the pulmonary rehabilitation program	
	in the three age groups of participants	72
Table 3.26	Mean scores and standard deviations on the chronic	
	respiratory disease questionnaires (CRQ) before	
	and after the pulmonary rehabilitation program	
	in the three different stages of the disease	74
Table 3.27 :	Comparison of the mean scores and standard deviation	
	on the chronic respiratory disease questionnaires (CRQ)	
	at baseline and 3 months after intervention	
	in the three different stages of the disease	75
Table 3.28 :	Comparison of the mean scores and standard deviation	
	on the chronic respiratory disease questionnaires (CRQ)	
	at baseline and 6 months after intervention	
	in the three different stages of the disease	76
Table 3.29 :	Means scores and standard deviation of the participants	
	on the 12-minute distance walk test (12MD) at baseline,	
	3 and 6 months after the pulmonary rehabilitation program	
	in the three different stages of the disease	77

Table 3.30	Comparison the mean scores on the 12-minute distance	
	walk test (12 MD) at baseline and 3 months after program	
	between the three different stage of disease	78
Table 3.31	Comparison the mean scores on the 12-minutes distance	
	walk test (12 MD) at baseline and 6 months after program	
	between the three different stages of the disease	79
Table 3.32	Mean scores and standard deviation on the horizontal	
	visual analogue scale (HVAS) before and after	
	the pulmonary rehabilitation program	
	in the three different stages of the disease	80
Table 3.33:	Comparison of the mean scores on the horizontal visual	
	analogue scale (HVAS) between before and 3 months	
	after the pulmonary rehabilitation program	
	in the three different stages of the disease	81
Table 3.34	Comparison of the mean scores on the horizontal visual	
	analogue scale (HVAS) between before and 6 months	
	after the pulmonary rehabilitation program	
	in the three different stages of the disease	82
Table 3.35	Individual data of the 13 COPD patients in the pulmonary	
	rehabilitation program	123

## LIST OF FIGURES

		Page
Figure 2.1:	Overview of the pulmonary rehabilitation program	9
Figure 3.1:	Overview of program evaluation	25

### **ABBREVIATION**

COPD The chronic obstructive pulmonary disease

CRQ The chronic respiratory disease questionnaires

12 MD test The twelve minutes distance walk test

HVAS The horizontal visual analogue scale

FEV<sub>1</sub>/FVC Forced expiratory volume in one second to forced vital capacity