

รายการอ้างอิง

ภาษาไทย

เจน รัตน์เพศาล.2533. ทันตวัสดุศาสตร์. พิมพ์ครั้งที่ 2. กรุงเทพมหานคร : บริษัทโรงพิมพ์ไทยวัฒนาพาณิช จำกัด.

ภาษาอังกฤษ

American Dental Association. 1976-1978. Guide to dental materials and devices. 8th ed. Chicago : American Dental Assoc.

Anderson, J.N. 1958. The strength of the joint between plain and copolymer acrylic teeth and denture base resins. Br Dent J 6 : 317-320.

Anusavice, K.J. 1996. Phillip's science of dental materials. 10th ed. Philadelphia : W.B. Saunders Company.

Askeland, D.R. 1994. The science and engineering of materials. 3rd ed. Boston : PWS Publishing Company.

Austin, A.T.; and Basker, R.M. 1980. The level of residual monomer in acrylic denture base materials. Br Dent J 149 : 281-286.

Austin, A.T.; and Basker, R.M. 1982. Residual monomer levels in denture bases. (The effects of varying short curing cycles) Br Dent J 153 : 424-426.

Barsby, M.J.; and Braden, M. 1979. A hydrophilic denture base resin. J Dent Res 58 : 1581-1584.

Bates, J.F.; Stafford, G.D.; Huggett, R.; and Handley, R.W. 1977. Current status of pour type denture base resins. J Dent 5 : 177-189.

Beech, D.R. 1975. Molecular weight distribution of denture base acrylic. J Dent 3 : 19-24.

Brauer, G.M. 1966. Dental applications of polymers : A review. J Am Dent Assoc 72: 1151-1158.

Cardash, H.S.; Applebaum, B.; Baharav, H.; and Liberman, R. 1990. Effect of retention grooves on tooth-denture base bond. J Prosthet Dent 64 : 492-496.

Cardash, H.S.; Liberman, R.; and Helft, M. 1986. The effect of retention grooves in acrylic resin teeth on tooth denture-base bond. J Prosthet Dent 55 : 526-528.

Caswell, C.W.; and Norling, B.K. 1986. Comparative study of the bond strengths of three abrasion-resistant plastic denture teeth bonded to a cross-linked and a grafted, cross-linked denture base material. J Prosthet Dent 55 : 701-708.

Catterlin, R.K.; Plummer, K.D.; and Gulley, M.E. 1993. Effect of tinfoil substitute contamination on adhesion of resin denture tooth to its denture base. J Prosthet Dent 69 : 57-59.

Chaing, B.K.P. 1984. Polymers in the service of prosthetic dentistry. J Dent 12 : 203-214.

Chung, W.R.C.; Clark, R.K.F.; and Darvell, B.W. 1995. The bonding of cold-cured acrylic resin to acrylic denture teeth. Aus Dent J 40 : 241-245.

Civjan, S.; Huget, E.F.; and de Simon, L.B. 1972. Modifications of the fluid resin technique. J Am Dent Assoc 85 : 109-112.

Clancy, J.M.S.; and Boyer, D.B. 1989. Comparative bond strengths of light-cured, heat-cured, and autopolymerizing denture resins to denture teeth. J Prosthet Dent 61 : 457-462.

Clancy, J.M.S.; Hawkins, L.F.; Keller, J.C.; and Boyer, D.B. 1991. Bond strength and failure analysis of light-cured denture resins bonded to denture teeth. J Prosthet Dent 65 : 315-324.

Combe, E.C. 1992. Notes on dental materials. 6th ed. Singapore : Longman Singapore Publishers Pte Ltd.

Craig, R.G. 1991. Denture materials and acrylic base materials. Curr Opin Dent 1 : 235-243.

Craig, R.G. 1993. Restorative dental materials. 9th ed. St. Louis : Mosby-Year Book, Inc.

Craig, R.G.; O'Brien, W.J.; and Powers, J.M. 1996. Dental materials (properties & manipulation). 6th ed. St. Louis : Mosby-Year Book, Inc.

Cunningham, J.L. 1993. Bond strength of denture teeth to acrylic bases. J Dent 21 : 274-80.

Cunningham, J.L.; and Benington, I.C. 1995. Bond strength variation of synthetic resin teeth in dentures. Int J Prosthodont 8 : 69-72.

Darbar, U.R.; Huggett, R.; and Harrison, A. 1994. Denture fracture-a survey. Br Dent J 176 : 342-345.

Darbar, U.R.; Huggett, R.; Harrison, A.; and Williams, K.. 1993. The tooth-denture base bond : Stress analysis using the finite element method. Eur J Prosthodont Res Dent 1 : 117-120.

Darbar, U.R.; Huggett, R.; Harrison, A.; and Williams, K. 1995. Finite element analysis of stress distribution at the tooth-denture base interface of acrylic resin teeth debonding from the denture base. J Prosthet Dent 74 : 591-594.

Dirksen, L.C. 1952. Plastic teeth : Their advantages, disadvantages and limitations. J Am Dent Assoc 44 : 265-268.

Dogan, A; Bek, B.; Cevik, N.N., and Usanmaz, A. 1995. The effect of preparation conditions of acrylic denture base materials on the level of residual monomer, mechanical properties and water absorption. J Dent 23 : 313-318.

Firtell, D.N.; Green, A.J.; and Elahi, J.M. 1981. Pasteria peripheral seal distortion related to processing temperature. J Prosthet Dent 45 : 598.

Firtell, D.N.; and Harman, L.L. 1983. Porosity in boilable acrylic resin. J Prosthet Dent 49 : 133-134.

Fletcher, A.M.; Al-Mulla, M.A.S.; Amin, W.M.; Dodd, A.W.; and Ritchie, G.M. 1985. A method of improving the bonding between artificial teeth and PMMA. J Dent 13 : 102-108.

Hargreaves, A.S. 1978. Equilibrium water uptake and denture base resin behaviour. J Dent 6 : 342-352.

Hill, R.G. 1981. The crosslinking agent ethylene glycol dimethacrylate content of the currently available acrylic denture base resins. J Dent Res 60 : 725-726.

Huggett, R.; John, G.; Jagger, R.G.; and Bates, J.F. 1982. Strength of the acrylic denture base tooth bond. Br Dent J 153 : 187-190.

Jagger, R.; and Huggett, R. 1975. The effect of cross-linking on indentation resistance, creep and recovery of an acrylic resin denture base material. J Dent 3 : 15-18.

Kawara, M; Carter, J.M.; Ogle, R.E.; and Johnson, R.R. 1991. Bonding of plastic teeth to denture base resins. J Prosthet Dent 66 : 566-571.

Koblitz, F.F.; Kulp, P.R.; Steen, S.D.; and Glenn, J.F. 1975. Bonding characteristics of denture resins to artificial teeth. J Dent Res 54 : 79.

Lovdahl, P.E.; and Nicholls, J.I. 1977. Pin-retained amalgam cores vs. cast-gold dowel-cores. J Prosthet Dent 38 : 507-514.

Marchack, B.W.; Yu, Z.; Zhao, X.Y.; and White, S.N. 1995. Adhesion of denture tooth porcelain to heat-polymerized denture resin. J Prosthet Dent 74 : 242-249.

McCabe, J.F. 1990. Applied dental materials. 7th ed. Oxford : Blackwell Scientific Publications.

McCabe, J.F.; and Basker, R.M. 1976. Tissue sensitivity to acrylic resin. Br Dent J 140 : 347-350.

Moradians, S.; Fletcher, A.M.; Amin, W.M.; Ritchie, G.M.; Purnaveja, S.; and Dodd, A.W. 1982. Some mechanical properties including the repair strength of two self-curing acrylic resins. J Dent 10 : 271-280.

Morrow, R.M.; Matvias, F.M.; Windeler, A.S.; and Fuchs, R.J. 1978. Bonding of plastic teeth to two heat-curing denture base resins. J Prosthet Dent 39 : 565-568.

- Mutlu, G.; Huggett, R.; Harrison, A.; Goodwin, J.W.; and Hughes, R.W. 1990. Rheology of acrylic denture - base polymers. Dent Mater 6 : 288 - 293.
- O'Brien, W.J. 1997. Dental materials and their selection. 2th ed. Chicago : Quintessence Publishing Co, Inc.
- Panagiotouni, E.; and Kapari, D. 1995. Retentive ability of various denture adhesive materials : An in vitro study. J Prosthet Dent 73 : 578-585.
- Phillips, R.W.. 1991. Skinner's science of dental materials. 9th ed. Philadelphia : W. B. Saunders Company.
- Polyzois, G.L.; and Dahl, J.E. 1993. Bonding of synthetic resin teeth to microwave or heat activated denture base resin. Eur J Prosthodont Res Dent 2 : 41-44.
- Raptis, C.N.; Powers, J.M.; and Fan, P.L. 1981. Frictional behavior and surface failure of acrylic denture teeth. J Dent Res 60 : 908-913.
- Razavi, R.; Khan, Z.; and von Fraunhofer, J.A. 1988. Cured denture reline material to denture base resins. J Dent Res 67 : 136.
- Razavi, R.; Khan, Z.; and Von Fraunhofer, J.A. 1990. The bond strength of a visible light-cured reline resin to acrylic resin denture base material. J Prosthet Dent 63 : 485-487.
- Rupp, N.W.; Bowen, R.L.; and Paffenbarger, G.C. 1971. Bonding cold-curing denture base acrylic resin to acrylic resin teeth. J Am Dent Assoc 83 : 601-606.

Sadamori, S.; Ganefiyanti, T.; Hamada, T.; and Arima, T. 1994. Influence of thickness and location on the residual monomer content of denture base cured by three processing methods. J Prosthet Dent 72 : 19-22.

Schoonover, I.C.; Fischer, T.E.; Serio, A.F.; and Sweeney, W.T. 1952. Bonding of plastic teeth to heat-cured denture base resins. J Am Dent Assoc 44 : 285-287.

Shen, C; Colaizzi, F.A.; and Birns, B. 1984. Strength of denture repairs as influenced by surface treatment. J Prosthet Dent 52 : 844-848.

Shepard, W.L. 1968. Denture bases processed from a fluid resin. J Prosthet Dent 19 : 561-572.

Smith, D.C. 1959. The acrylic denture base-Some effects of residual monomer and peroxide. Br Dent J 106 : 331-336.

Smith, D.C. 1962. Recent developments and prospects in dental polymers. J Prosthet Dent 12 : 1066-1078.

Smith, D.C.; and Bains, M.E.D. 1955. Residual methyl methacrylate in the denture base and its relation to denture sore mouth. Br Dent J 18 : 55-58.

Sorensen, S.E.; and Fjeldstad, E. 1961. Bondibng of plastic to acrylic resin denture base materials. J Dent Res 40 : 776.

Spratley, M.H. 1987. An investigation of the adhesion of acrylic resin teeth to dentures. J Prosthet Dent 58 : 389-392.

Stafford, G.D.; Bates, J.F.; Huggett, R.; and Handley, R.W. 1980. A review of the properties of some denture base polymers. J Dent 8 : 292-306.

Suzuki, S.; Sakoh, M.; and Shiba, A. 1990. Adhesive bonding of denture base resins to plastic denture teeth. J Biomed Mat Res 24 : 1091-1103.

Sweeney, W.T.; Yost, E.L.; and Fee, J.G. 1958. Physical properties of plastic teeth. J Am Dent Assoc 56 : 833-841.

The International Organization for Standardization. 1988. Dentistry-Denture base polymers. ISO 1567. 2nd ed. Switzerland.

The International Organization for Standardization. 1993. Dentistry-Synthetic polymer teeth. ISO 3336. 2nd ed. Switzerland.

Thean, H.P.Y.; Chew, C.; and Goh, K.I. 1996. Shear bond strength of denture teeth to base : A comparative study. Quint Int 27 : 425-428.

Turrell, A.J.W. 1966. Allergy to denture-base material-Fallacy or Reality. Br Dent J 120 : 415-422.

Tylman, S.D. 1942. Acrylics : Their present status and technics as applied to crown and bridge prosthesis, part II. J Am Dent Assoc 29 : 1845.

van Noort, R. 1994. Introduction to dental materials. Spain : Grafos SA Arte Sobre Papel.

Von Fraunhofer, J.A.; Razavi, R; and Khan, Z. 1988. Wear characteristics of high-strength denture teeth. J Prosthet Dent 59 : 173-175.

Whitman, D.J.; McKinney, J.E.; Hinman, R.W.; Hesby, R.A.; and Pelleu, G.B. 1987. In vitro wear rates of three types of commercial denture tooth materials. J Prosthet Dent 57 : 243-246.

Zissis, A.J.; Polyzois, G.L.; and Yannikakis, S.A. 1997. Repairs in complete dentures : Results of a survey. Quint Dent Tech 20 : 149-155.

ภาคผนวก

ข้อมูลทางสถิติที่ใช้ในการวิจัย

03 Aug 97 SPSS for MS WINDOWS Release 6.0

----- ONE WAY -----

Variable LOAD

By Variable GROUP

Analysis of Variance

| Source | D.F. | Sum of | Mean | F | F |
|------------|------|-------------|-----------|-------|-------|
| | | Squares | Squares | Ratio | Prob. |
| Between Gr | 9 | 30127.0064 | 3347.4452 | .9188 | .5128 |
| Within Gro | 90 | 327889.5320 | 3643.2170 | | |
| Total | 99 | 358016.5384 | | | |

Standard Standard

| Group | Count | Mean | Deviation | Error | 95 Pct Conf Int for Mean |
|-------|-------|----------|-----------|---------|--------------------------|
| Grp 1 | 10 | 592.7500 | 65.7212 | 20.7829 | 545.7359 TO 639.7641 |
| Grp 2 | 10 | 548.9600 | 55.1085 | 17.4268 | 509.5378 TO 588.3822 |
| Grp 3 | 10 | 559.9500 | 62.7929 | 19.8569 | 515.0307 TO 604.8693 |
| Grp 4 | 10 | 553.5600 | 76.0223 | 24.0404 | 499.1769 TO 607.9431 |
| Grp 5 | 10 | 594.7100 | 46.0054 | 14.5482 | 561.7998 TO 627.6202 |
| Grp 6 | 10 | 562.6500 | 63.9844 | 20.2337 | 516.8783 TO 608.4217 |
| Grp 7 | 10 | 583.7100 | 50.7876 | 16.0605 | 547.3787 TO 620.0413 |
| Grp 8 | 10 | 587.6300 | 64.9274 | 20.5319 | 541.1837 TO 634.0763 |
| Grp 9 | 10 | 593.9900 | 59.5217 | 18.8224 | 551.4108 TO 636.5692 |
| Grp10 | 10 | 590.1300 | 52.9652 | 16.7491 | 552.2410 TO 628.0190 |
| Total | 100 | 576.8040 | 60.1359 | 6.0136 | 564.8717 TO 588.7363 |

GROUP MINIMUM MAXIMUM

| | | |
|-------|----------|----------|
| Grp 1 | 478.4000 | 679.6000 |
| Grp 2 | 464.2000 | 628.1000 |
| Grp 3 | 439.1000 | 673.4000 |
| Grp 4 | 443.8000 | 695.6000 |
| Grp 5 | 513.5000 | 675.1000 |

| | | |
|-------|----------|----------|
| Grp 6 | 427.0000 | 637.1000 |
| Grp 7 | 531.1000 | 664.4000 |
| Grp 8 | 492.7000 | 692.3000 |
| Grp 9 | 503.5000 | 675.7000 |
| Grp10 | 483.6000 | 670.1000 |
| TOTAL | 427.0000 | 695.6000 |

Levene Test for Homogeneity of Variances

| Statistic | df1 | df2 | 2-tail Sig. |
|-----------|-----|-----|-------------|
| .5279 | 9 | 90 | .851 |

03 Aug 97 SPSS for MS WINDOWS Release 6.0

----- O N E W A Y -----

Variable LOAD

By Variable GROUP

Multiple Range Tests: LSD test with significance level .05

The difference between two means is significant if

$$\text{MEAN}(J) - \text{MEAN}(I) \geq 42.6803 * \text{RANGE} * \sqrt{\frac{1}{N(I)} + \frac{1}{N(J)}}$$

with the following value(s) for RANGE: 2.81

- No two groups are significantly different at the .050 level

Homogeneous Subsets (highest and lowest means are not significantly different)

Subset 1

| Group | Grp 2 | Grp 4 | Grp 3 | Grp 6 | Grp 7 |
|-------|----------|----------|----------|----------|----------|
| Mean | 548.9600 | 553.5600 | 559.9500 | 562.6500 | 583.7100 |
| Group | Grp 8 | Grp10 | Grp 1 | Grp 9 | Grp 5 |
| Mean | 587.6300 | 590.1300 | 592.7500 | 593.9900 | 594.7100 |

03 Aug 97 SPSS for MS WINDOWS Release 6.0

- - - - - O N E W A Y - - - - -

Variable LOAD

By Variable GROUP

Multiple Range Tests: Tukey-HSD test with significance level .050

The difference between two means is significant if

$$\text{MEAN}(J) - \text{MEAN}(I) \geq 42.6803 * \text{RANGE} * \sqrt{\frac{1}{N(I)} + \frac{1}{N(J)}}$$

with the following value(s) for RANGE: 4.59

- No two groups are significantly different at the .050 level

Homogeneous Subsets (highest and lowest means are not significantly different)

Subset 1

| Group | Grp 2 | Grp 4 | Grp 3 | Grp 6 | Grp 7 |
|-------|----------|----------|----------|----------|----------|
| Mean | 548.9600 | 553.5600 | 559.9500 | 562.6500 | 583.7100 |
| Group | Grp 8 | Grp10 | Grp 1 | Grp 9 | Grp 5 |
| Mean | 587.6300 | 590.1300 | 592.7500 | 593.9900 | 594.7100 |

02 Sep 97 SPSS for MS WINDOWS Release 6.0

* * * C E L L M E A N S * * *

FORCE retentive force breaking the tooth

by PATTERN pattern of the bur

DIRECT direction of the groove

Total Population

575.03

(90)

| PATTERN | 1 | 2 | 3 |
|---------|--------|--------|--------|
| | 554.16 | 580.36 | 590.58 |
| | (30) | (30) | (30) |

| DIRECT | 1 | 2 | 3 |
|--------|--------|--------|--------|
| | 577.10 | 572.20 | 575.80 |
| | (30) | (30) | (30) |

DIRECT

| PATTERN | 1 | 2 | 3 |
|---------|--------|--------|--------|
| 1 | 548.96 | 559.95 | 553.56 |
| | (10) | (10) | (10) |
| 2 | 594.71 | 562.65 | 583.71 |
| | (10) | (10) | (10) |
| 3 | 587.63 | 593.99 | 590.13 |
| | (10) | (10) | (10) |

02 Sep 97 SPSS for MS WINDOWS Release 6.0

* * * A N A L Y S I S O F V A R I A N C E * * *

FORCE retentive force breaking the tooth

by PATTERN pattern of the bur

DIRECT direction of the groove

EXPERIMENTAL sums of squares

Covariates entered FIRST

| Source of Variation | Sum of Squares | DF | Mean Square | F | Sig of F |
|---------------------|----------------|----|-------------|--------------|-------------|
| Main Effects | 21566.434 | 4 | 5391.609 | 1.511 | .207 |
| Pattern | 21179.268 | 2 | 10589.634 | 2.968 | .057 |
| Direct | 387.167 | 2 | 193.583 | .054 | .947 |
| 2-Way Interactions | 5735.295 | 4 | 1433.824 | .402 | .807 |
| Pattern Direct | 5735.295 | 4 | 1433.824 | .402 | .807 |
| Explained | 27301.730 | 8 | 3412.716 | .956 | .476 |
| Residual | 289016.087 | 81 | 3568.100 | | |
| Total | 316317.817 | 89 | 3554.133 | | |

90 cases were processed.

0 cases (.0 pct) were missing.

ประวัติผู้วิจัย

ทันตแพทย์ บุญชัย เขาวนีกลวงศ์ เกิดเมื่อวันที่ 30 มิถุนายน พ.ศ. 2508 สำเร็จการศึกษาทันตแพทยศาสตรบัณฑิตจากคณะทันตแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่ เมื่อปี พ.ศ. 2533 และเข้าศึกษาต่อในหลักสูตรวิทยาศาสตรมหาบัณฑิต คณะทันตแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย เมื่อปีพ.ศ. 2538 ปัจจุบันรับราชการในตำแหน่งอาจารย์ประจำภาควิชา ทันตกรรมประดิษฐ์ คณะทันตแพทยศาสตร์ มหาวิทยาลัยเชียงใหม่