

## เอกสารอ้างอิง

### ภาษาไทย

- เฉลิมเกียรติ สงคราม. 2539 การสังเคราะห์ฮอร์โมนของ อัลโดสเตอโรน ที่ใช้โปรตีนเป็นโปรมอยเอที. วิทยานิพนธ์ปริญญาโทบัณฑิต ภาควิชาเภสัชเคมี บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย.
- มยุรี ตันติลิระ และ ทิพย์สุชน ชูงาม. 2538. การศึกษาฤทธิ์เบื้องต้นในการต้านชักของ CU-763-10-01. ม.ป.ท. (เอกสารไม่ตีพิมพ์)
- สุธาทิพ เกษตรลักษมี. 2539. ผลของ CU-763-10-01 ต่อหน้าที่ทางชีวพลังงานของไมโทคอนเดรียที่แยกจากตับหนูขาว. วิทยานิพนธ์ปริญญาโทบัณฑิต สาขาวิชาเภสัชวิทยา บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย.
- อุรารัตน์ คักดีสิทธิ์วิวัฒน์. 2539. ผลของ CU-763-10-01 ต่อกล้ามเนื้อเรียบที่แยกจากสัตว์ทดลอง. วิทยานิพนธ์ปริญญาโทบัณฑิต ภาควิชาเภสัชวิทยา บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย.

### ภาษาอังกฤษ

- Aboud, R., Shafii, M. and Docherty, J.R. 1993. Investigation of the subtypes of  $\alpha_1$ -adrenoceptor mediating contraction of rat aorta vas deferens and spleen. *Br. J. Pharmacol.* 109: 80-87.
- Asano, M. Nomura, Y. Ito, K. Uyama, Y. and Watanabe, M. 1995. Increased function of voltage-dependent  $Ca^{++}$  channels and  $Ca^{++}$ -activated  $K^+$  channels on resting state of femora, arteries from spontaneously hypertensive rats at prehypertensive stage. *J. Pharmacol. Exp. Ther.* 275: 775-783.
- Ashida, T., Schaeffer, J., Goldman, W.F., Wade, J.B. and Blaustein, M.P. 1988. Role of sarcoplasmic reticulum in arterial contraction: comparison of ryanodine's effect in a conduit and a muscular artery. *Cir. Res.* 62: 854-863.
- Benham, C.D. and Tsien, R.W. 1987. A novel receptor-operated  $Ca^{2+}$ -permeable channel activated by ATP in smooth muscle. *Nature.* 328: 275-278.

- Berridge, M.J. 1993. Inositol triphosphate and calcium signalling. *Nature*. 361: 315-325.
- Bolton, T.B. 1979. Mechanisms of Action of Transmitters and Other Substances on Smooth Muscle. *Physiol. Rev.* 59: 606-718.
- Buchner, S.A., Oheim, K.W., Morse, P.A., Knepper, S.M. and Hznoock A.A. 1996.  $\alpha_1$ -adrenoceptor-induced contractility in rat aorta is mediated by the  $\alpha_{1d}$  subtype. *Eur. J. Pharmacol.* 297 : 241-248.
- Burt, R.P., Chapple, C.R., and Marshall, I. 1995. Evidence for a function  $\alpha_{1A}$ -( $\alpha_{1C}$ ) adrenoceptor mediating contraction of the rat epididymal vas deferens and an  $\alpha_{1B}$ -adrenoceptor mediating contraction of the rat spleen. *Br. J. Pharmacol.* 115: 467-475.
- Chance, B. 1965. The energy-linked reaction of calcium with mitochondria. *J. Biol. Chem.* 240: 2729-2748.
- Clancy, B.M. and Maayani, S. 1985. 5-Hydroxytryptamine receptor in isolated rabbit aorta: characterization with tryptamine analogues. *J. Pharmacol. Exp. Ther.* 233: 761-769.
- Dorn, G.W.Jr. and Becker, M.W. 1993. Thromboxane  $A_2$  stimulated signal transduction in vascular smooth muscle. *J. Pharmacol. Exp. Ther.* 265: 447-456.
- Ford, A.P.D.W., et al. 1994.  $\alpha_1$ -adrenoceptor classification: sharpening Occam's razor. *Trends Pharmacol. Sci.* 15:167-170.
- Fugura, M.S., Lydford, S.J. and Dougall, I.G. 1997. Pharmacological classification of  $\alpha_1$ -adrenoceptors mediating contractions of rabbit isolated ear artery: comparison with rat isolated thoracic aorta. *Br. J. Pharmacol.* 120: 247-258.
- Godfraind, T. 1976. Calcium exchange in vascular smooth muscle: action of noradrenaline and lanthanum. *J. Physiol.* 260: 21-35.
- Godfraind, T., Miller, R. and Wibo, M. 1986. Calcium antagonism and calcium entry blockade. *Pharmacol. Rev.* 38: 321-416.

- Goodman & Gilman's. 1996. The Pharmacology basis of therapeutic 8<sup>th</sup> Singapore: Pergman Press
- Han, C., Abel, P.W. and Minneman, K.P. 1987.  $\alpha_1$  - Adrenoceptor subtypes linked to different mechanisms for increasing intracellular  $Ca^{2+}$  in smooth muscle. Nature 329: 329-333.
- Hay, D.W.P. and Wadsworth, R.M. 1982. Effects of some organic calcium antagonists and other procedures affecting  $Ca^{2+}$  translocation on KCl- induced contractions in the rat vas deferens. Br. J. Pharmacol. 76: 211-221.
- Hay, D.W.P. and Wadsworth, R.M. 1984. Effects of KCl on  $^{45}Ca$  uptake and efflux in the rat vas deferens. Br. J. Pharmacol. 81: 441-447.
- Hay, D.W.P. and Wadsworth, R.M. 1992. Effects of methoxamine and barium on  $^{45}Ca^{2+}$  fluxes in rat vas deferens. Eur. J. Pharmacol. 215: 313-320.
- Hieble, J.P., et al. 1995. International union of pharmacology recommendation for nomenclature of  $\alpha_1$  - adrenoceptor: consensus update. Pharmacol. Rev. 47: 267-270.
- Hill S.J., et al. 1997. International Union of Pharmacology. XIII. Classification of Histamine Receptors. Pharmacol. Rev. 49: 253-279.
- Hof, P.R. and Vuorela, J.H. 1983. Assessing calcium antagonism on vascular smooth muscle: comparison of three methods. J. Pharmacol. Meth. 9: 41-52.
- Horowitz, A., et al. 1996. Mechanism of smooth muscle contraction. Physiol. Rev. 76: 967-1003.
- Huang, Y. 1995.  $BaCl_2$ - and 4-aminopyridine-evoke phasic contraction in the rat vas deferens. Br. J. Pharmacol. 115: 845-851.
- Hudgins, P.M. and Weiss, G.B. 1968. Differential effects of calcium removal upon vascular smooth muscle contraction induced by norepinephrine, histamine and potassium. J. Pharmacol. Exp. Ther. 159: 91-97.

- Iino, M. and Endo, M. 1992. Calcium-dependent immediate feedback control of inositol 1,4,5-trisphosphate-induced  $\text{Ca}^{2+}$  release. *Nature*, 360: 76-78.
- Kamishima, T., Nelson, M.T. and Patlak, J.B. 1992. Carbachol modulates voltage sensitivity of calcium channels in bronchial smooth muscle of rats *Am. J. Physiol.* 263: C69-C77.
- Karaki, H., et al. 1997. Calcium movements, distribution and functions on smooth muscle. *Pharmacol. Rev.* 49: 157-230.
- Karaki, H., Satake, N. and Shibata, S. 1986. Mechanism of barium-induced contraction in the vascular smooth muscle of rabbit aorta. *Br. J. Pharmacol.* 88: 821-826.
- Karaki, H. and Weiss, G.B. 1988. Calcium release in smooth muscle. *Life Sci.* 42: 111-122.
- Kenny, B.A., et al. 1994. Pharmacological properties of the cloned  $\alpha_{1A/1D}$ -adrenoceptor subtype are consistent with the  $\alpha_{1A}$ -adrenoceptor characterized in rat cerebral cortex and vas deferens. *Br. J. Pharmacol.* 111: 1003-1008.
- Kenny, B.A., et al. 1995. Characterization of an alpha 1D-adrenoceptor mediating the contractile response of rat aorta to noradrenaline. *Br. J. Pharmacol.* 115: 981-986.
- Killam, A.L., Nikam, S.S., Lambert, G.M., Martin, A.R. and Nelson, D.L. 1990. Comparison of two different arterial tissue suggest possible 5-HT<sub>2</sub> receptor heterogeneity. *J. Pharmacol. Exp. Ther.* 252: 1083-1089.
- Kitajima, S., Harada, K., Hori, M., Ozaki, H. and Karaki, H. 1996. Dissociation of P<sub>2</sub> purinoceptor-mediated increase in intracellular  $\text{Ca}^{2+}$  level from myosin light chain phosphorylation and contraction in rat aorta. *Br. J. Pharmacol.* 118: 543-548.
- Kitajima, S., Ozaki, H. and Karaki, H. 1994. Role of different subtypes of P2 purinoceptor on cytosolic  $\text{Ca}^{2+}$  levels in rat aortic smooth muscle. *Eur. J. Pharmacol.* 266: 263-267.
- Kojima, M., Dohi, Y. and Sato, K. 1994. Ryanodine-induced contraction in femoral artery from spontaneously hypertensive rats. *Eur. J. Pharmacol.* 254: 159-165.

- Kuriyama, H., Kitamura, K. and Nabata, H. 1995. Pharmacological and physiological significance of ion channels and factors that modulate them in vascular tissues. *Pharmacol. Rev.* 40: 87-119.
- Mikoshiha, K. 1993. Inositol 1,4,5-trisphosphate receptor. *Trends Pharmacol. Sci.* 14: 86-89.
- Minneman, K.P. 1988.  $\alpha_1$ -Adrenergic receptor subtypes, inositol phosphates, and sources of cell  $\text{Ca}^{2+}$ . *Pharmacol. Rev.* 40: 87-119.
- Mon, T., Yanakisawa, T., and Taira, N. 1990. Histamine increase vascular tone and intracellular calcium level using both intracellular and extracellular calcium in porcine coronary arteries. *Jap-J-Pharmacol.* 52: 263-271.
- Muramatsu, I., Kigoshi, S. and Oshita, M. 1990. Two distinct  $\alpha_1$ -adrenoceptor subtypes involved in noradrenaline contraction of the rabbit thoracic aorta. *Br. J. Pharmacol.* 101: 662-666.
- Nakayama, K. and Tanaka, Y. 1993. Stretch-induced contraction and  $\text{Ca}^{2+}$  mobilization in vascular smooth muscle. *Biol. Signals.* 2: 241-252.
- Nishimura, K., Ota, M. and Ito, K. 1991. Existence of two components in the tonic contraction of rat aorta mediated by  $\alpha_1$ -adrenoceptor activation. *Br. J. Pharmacol.* 102: 215-221.
- Nogueta, M.A. and D'Ocon, M.P. 1993. Evidence that depletion of internal calcium stores sensitive to noradrenaline elicits a contractile response dependent on extracellular calcium in rat aorta. *Br. J. Pharmacol.* 110: 861-867.
- Palmer, R.M.J., Rees, D.D., Ashton, D.S. and Moncada, S. 1988. L-Arginine is the physiological precursor of the formation of nitric oxide in endothelium-dependent relaxation. *Biochem. Biophys. Res. Commun.* 153: 1251-1256.
- Rang, H.P., Dale, M.M., and Ritter, J.M. 1995. *Pharmacology, USA.* Churchill Livingstone.
- Rapoport, R.M. 1987. Effects of Norepinephrine on contraction and Hydrolysis of Phosphatidylinositols in Rat Aorta. *J. Pharmacol. Exp. Ther.* 242: 188-194.

- Szekeres, L., and Papp, J.G. 1994. Pharmacology of smooth muscle. Germany: Spinger-Verlag Berlin Heidelberg. 193-225.
- Testa, R., et al. 1995. The alpha 1d-adrenoceptor subtype is involved in the noradrenaline-induced contractions of rat aorta. Life-Sci. 57: 159-163.
- Timmerman, H. 1990. Histamine H<sub>3</sub> ligand: Just pharmacological tools or potential therapeutic agent?. J-med-Chem. 63: 4-11.
- Wang, Y., Baimbridge, K.G. and Mathers, D.A. 1991. Effect of serotonin on intracellular free calcium of rat cerebrovascular smooth muscle cells in culture. Can. J. Physiol. Pharmacol. 69: 393-399.
- Yamagishi, T., Yanagisawa, T., Satoh, K. and Taira, N. 1994. Relaxation mechanisms of cyclic AMP-increasing agents in porcine coronary artery. Br. J. Pharmacol. 251: 253-262.
- Zifa, E. and Fillion, G. 1992. 5-Hydroxytryptamine receptors. Pharmacol. Rev. 44: 401-447.
- Zucchi, R. and Ronca-Testoni, S. 1997. The sarcoplasmic reticulum Ca<sup>2+</sup> channel/ryanodine receptor: modulation by endogenous effectors, drugs and disease states. Pharmacol. Rev. 49: 1-41.

### ประวัติผู้เขียน

นางสาวสุนิสา ตันติคุณชัย เกิดเมื่อวันที่ 29 มกราคม พ.ศ.2510 ที่จังหวัดยะลา สำเร็จการศึกษาปริญญาตรีเภสัชศาสตรบัณฑิต จากคณะเภสัชศาสตร์ มหาวิทยาลัยสงขลานครินทร์ เมื่อปีการศึกษา 2534 รับราชการในตำแหน่ง เภสัชกร โรงพยาบาลปะทิว อำเภอปะทิว จังหวัดชุมพร และเข้าศึกษาต่อในหลักสูตรเภสัชศาสตรมหาบัณฑิต สาขาเภสัชวิทยา ที่คณะเภสัชศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ในปีการศึกษา 2539