

REFFERENCES

- Ahlquist, R.P. (1948). A study of the adrenotropic receptors. Am. J. Physiol. 153: 586-600.
- Ashton, J.H., Iwamoto, G.A., Longhurst, J.C. and Mitchell, J.H. (1982). Reflex cardiovascular depression induced by capsaicin injection into canine liver. Am. J. Physiol. 242: H 955-H 960.
- Barany, M. and Barany, K. (1981). Protein phosphorylation in cardiac and vascular smooth muscle. Am. J. Physiol. 241: H 117-H 128.
- Bartho, L. and Szolcsanyi, J. (1978). The site of action of capsaicin on the guinea-pig isolated ileum. Naunyn-Schmiedebergs Arch. Pharmacol. 305: 75-81.
- Bing, R.J. (1965). Cardiac metabolism. Physiol. Rev. 45: 171-213.
- Breckenridge, B. Mc. L. and Lisk, R.D. (1969). Cyclic adenylate and hypothalamic regulatory functions. Proc. Soc. exp. Biol. (N.Y.) 131: 934-935.
- Buck, S.H. and Burks, T.F. (1983). Capsaicin : Hot new pharmacological tool. Trends Pharmacol. Sci. 4: 84-87.
- Chan-Palay, V. and Palay, S.L. (1977). Ultrastructural identification of SP cells and their processes in rat sensory ganglia and their terminals in the spinal cord by immunohistochemistry. Proc. Natl. Acad. Sci. (U.S.A.) 74: 4050-4054.
- Chudapongse, P. and Janthasoot, W. (1976). Studies on the effect of capsaicin on metabolic reactions of isolated rat liver mitochondria. Toxicol. Appl. Pharmacol. 37: 263-270.
- Chudapongse, P. and Janthasoot, W. (1981). Mechanism of the inhibitory action of capsaicin on energy metabolism by rat liver mitochondria. Biochem. Pharmacol. 30: 735-740.

- Coleridge, H.M., Coleridge, J.C.G. and Kidd, C. (1964). Role of the pulmonary arterial baroreceptors in the effects produced by capsaicin in the dog. J. Physiol. (Lond.) 170: 272-285.
- Coote, J.H., Hilton, S.M. and Perez-Gonzalez, J.F. (1971). The reflex nature of the pressor response to muscular exercise. J. Physiol. (Lond.) 215: 789-804
- Crayton, S.C., Aung-Din, R., Fixler, D.E. and Mitchell, J.H. (1979). Distribution of cardiac output during isometric exercise. Am. J. Physiol. 236: H 218-H 224.
- Crayton, S.C., Mitchell, J.H. and Payne, F.C. (1981). Reflex cardiovascular response during injection of capsaicin into skeletal muscle. Am. J. Physiol. 240: H 315-H 319.
- Cuello, A.C. and McQueen, D.S. (1980). Substance P: A carotid body peptide. Neurosci. Lett. 17: 215-219.
- Fleckenstein, A. (1977). Specific pharmacology of calcium in myocardium, Cardiac Pacemakers, and vascular smooth muscle. Annu. Rev. Pharmacol. Toxicol. 17: 149-166.
- Fozzard, H. A. (1977). Cardiac muscle: excitability and passive electrical property. Progress in Cardiovascular Diseases 19: 343-359.
- Fujiwara, M. and Fukuda, N. (1969). Effect of capsaicin on the guinea-pig isolated atrium. J. Pharm. Pharmacol. 21:622-624.
- Gamse, R., Molnar, A. and Lémbbeck, F. (1979 a). Substance P release from spinal cord slices by capsaicin. Life Sci. 25: 629-636.
- Gamse, R., Holzer, P. and Lembeck, F. (1980). Decrease of Substance P in primary sensory afferent neurons and impairment of neurogenic plasma extravasation by capsaicin. Br. J. Pharmacol. 68: 207.
- Guzman, F., Braun, C. and Lim, R.K.S. (1962). Visceral pain and the pseudoaffective response to intra-arterial injection of bradykinin and other algesic agents. Arch. Int. Pharmacodyn. 136: 353-384.

- Hokfelt, T., Elfvin, L.G., Schultzberg, M., Golstein, M. and Nilsson, G. (1977). On the occurrences of Substance P-containing fibers in sympathetic ganglia: Immunohistochemical evidence. Brain Res. 132: 29-41.
- Issekutz, B., Lichtneckert, I. and Nagy, H. (1950). Effect of capsaicin and histamine on heat regulation. Arch. Int. Pharmacodyn. 81: 35-46.
- Jansco-Gabor, A., Szolcsanyi, J. and Jansco, N. (1970 a). Irreversible impairment of thermoregulation induced by capsaicin and similar pungent substances in rats and guinea pigs. J. Physiol. (Lond.) 206: 495-507.
- Jansco-Gabor, A., Szolcsanyi, J. and Jansco, N. (1970 b). Stimulation and desensitization of the hypothalamic heat sensitive structures by capsaicin in rats. J. Physiol. (Lond.) 208: 449-459.
- Jancso, G. and Wollemann, M. (1977). The effect of capsaicin on the adenylate cyclase activity of rat brain. Brain Res. 123: 323-329.
- Jessell, T.M., Mudge, A.W., Leeman, S.E. and Yaksh, T.L. (1979). Release of substance P and somatostatin, *in vivo*, from primary afferent terminals in mammalian spinal cord. Neurosci. Abstr. 5: 611.
- Joo, F., Szolcsanyi, J., Jancso-Gabor, A. (1969). Mitochondrial alterations in the spinal ganglion cells of the rat accompanying the long-lasting sensory disturbance induced by capsaicin. Life Sci. 8: 621-626.
- Kaufman, M.P., Iwamoto, G.A., Longhurst, J.C. and Mitchell, J.H. (1982). Effect of capsaicin and bradykinin on afferent fibers with endings in skeletal muscle. Circ. Res. 50: 133-139.

- Ketusinh, O., Dharanintra, B. and Juengjareon, K. (1966). Influence of capsaicin solution on gastric acidities. Am. J. Proc. 17: 511-515.
- Kolatat, T. and Chungcharoen, D. (1972). The effect of capsaicin on smooth muscle and blood flow of the stomach and the intestine. Sriraj Hospital Gaz. 24: 1405-1418.
- Kumazawa, T. and Mizumura, K. (1977). Thin-fibre receptors responding to the mechanical, chemical and thermal stimulation in the skeletal muscle of the dog. J. Physiol. (Lond.) 273: 179-194.
- Laburn, H.P., Rosendorff, C., Willies, G. and Woolf, C. (1974). A role for noradrenaline and cyclic AMP in prostaglandin E₁ fever. J. Physiol. (Lond.) 240: 49-50P.
- Lapwort, A. and Royle, F.A. (1919). Capsaicin part I. J. chem. Soc. 115: 1109-1115.
- Lee, S.O. (1963). Studies on the influence of diets and lipotropic substances upon the various organs and metabolic changes in rabbits on long-term feeding with red pepper. I. Histopathologic changes of the liver and spleen. Korea J. Inter. Med. 6: 383-400.
- Lille, J. de. and Ramirez, E. (1935). Pharmacodynamic action of the active principles of chille (*Capsicum annuum L.*). Anales inst. biol. (Mex.). 6: 23-37.
- Limlomwongse, L., Chaitauchawong, C. and Tongyai, S. (1979). Effect of capsaicin on gastric acid secretion and mucosal blood flow in the rat. J. Nutr. 109: 773-777.
- Livett, B. G., Kozousek, V., Mizobe, F. and Dean, D.M. (1979). Substance P inhibits nicotinic activation of chromaffin cells. Nature (Lond.) 278: 256-257.

- Longhurst, J.C., Ashton, J.H. and Iwamoto, G.A. (1980). Cardiovascular reflexes resulting from capsaicin-stimulated gastric receptors in anesthetized dogs. Circ. Res. 46: 780-788.
- Makara, G.B., Gyorgy, L. and Molnar, J. (1967). Circulatory and respiratory responses to capsaicin, 5-hydroxytryptamine, and histamine in rats pretreated with capsaicin. Arch. Int. Pharmacodyn. 170: 39.
- Mayer, N., Gamse, R. and Lembeck, F. (1980). Effect of capsaicin pretreatment on substance P binding to synaptic vesicles. J. Neurochem. 35: 1238-1241.
- Mayer, S.E. (1974). Effect of catecholamines on cardiac metabolism. Circ. Res. (Suppl. III). 34,35: III-129-III-137.
- Mitchell, J.H., Reardon, W.C. and McCloskey, D.I. (1977). Reflex effects on circulation and respiration from contracting skeletal muscle. Am. J. Physiol. 233: H 374-H 378.
- Molnar J., Gyorgy, L., Unyi, G. and Kenyeres, J. (1969). Effect of capsaicin on the isolated ileum and auricle of the guinea pig. Acta Physiol. Acad. Sci. Hung. 35: 369-374.
- Monsereenusorn, Y. and Glinsukon, T. (1978). Inhibitory effect of capsaicin on intestinal glucose absorption in vitro. Fd. Cosmet. Toxicol. 16: 469-474.
- Nagy, J.I. (1982). Capsaicin's action on the nervous system. Trends Neurosci. 5: 362-365.
- Nelson, E.K. and Dawson, L.E. (1923). The constitution of capsaicin, the pungent principle of capsicum. J. Amer. Chem. Soc. 45: 2179.
- Nopanitaya, W. (1973). Long term effects of capsaicin on fat absorption and the growth of the rat. Growth 37: 269-279.

- Nopanitaya, W. and Nye, S.W. (1974). Duodenal mucosal response to the pungent principle of hot pepper (capsaicin) in the rat: light and electron microscopic study. Toxicol. Appl. Pharmacol. 30: 149-161.
- Opie, L.H. (1969). Metabolism of the heart in health and disease. II. Amer. Heart J. 77: 100-122.
- Porszasz, J., Gyorgy, L. and Porszasz-Gibiszer, K. (1955). Cardiovascular and respiratory effects of capsaicin. Acta Physiol. Acad. Sci. Hung. 8: 61-76.
- Porszasz, J., Such, G. and Porszasz-Gibiszer, K. (1957). Circulatory and respiratory chemoreflexes. I. Analysis of the site of action and receptor types of capsaicin. Acta Physiol. Acad. Sci. Hung. 12: 189-205.
- Sirsat, S.M. and Khanolkar, V.R. (1960). Submucous fibrosis of the palate in diet-preconditioned wistar rats. (Induction by local painting of capsaicin-An optical and electron microscope study.) Arch. Pathol. 70: 171-179.
- Szolcsanyi, J., Joo, F., and Jancso-Gabor, A. (1971). Mitochondrial changes in preoptic neurons after capsaicin desensitization of the hypothalamic thermodetectors in rats. Nature (Lond.) 229: 116-117.
- Szolcsanyi, J. and Jancso-Gabor, A. (1975). Sensory effects of capsaicin congeners. I. Relationship between chemical structure and pain-producing potency of pungent agents. Arzneim-Forsch. (Drug Res.) 25: 1877-1881.
- Szolcsanyi, J. and Jancso-Gabor, A. (1976). Sensory effects of capsaicin congeners. II. Importance of chemical structure and pungency in desensitizing activity of capsaicin-type compounds. Arzneim-Forsch. (Drug Res.) 26: 33-37.

- Szolcsanyi, J. and Bartho, L. (1978). New type of new mediated cholinergic contraction of the guinea-pig small intestine and its selective blockade by capsaicin. Naunyn-Schmiedebergs Arch. Pharmacol. 305: 83-90.
- Toda, N., Usui, H., Nishino, N. and Fujiwara, M. (1972). Cardiovascular effects of capsaicin in dogs and rabbits. J. Pharmacol. Exp. Ther. 181: 512-521.
- Toh, C.C., Lee, T.S. and Kiang, A.K. (1955). The pharmacological actions of capsaicin and analogues. Br. J. Pharmacol. 10: 175-182.
- Viranuvatti, V., Kalayasiri, C., Chearani, O. and Plengvanit, U. (1972). Effects of capsaicin solution on human gastric mucosa as observed gatroskopically. Am.J. Gastroenterol. 58: 225-232.
- Virus, R.M. and Gebhart, G.F. (1979). Pharmacological actions of capsaicin: apparent involvement of substance P and Serotonin. Life Sci. 25: 1273-1284.
- Webb-Peploe, M.D., Brender, D. and Shepherd, J.T. (1972). Vascular responses to stimulation of receptors in muscle by capsaicin. Am. J. Physiol. 222: 189-195.
- Yaksh, T.L., Farb, D.H., Leeman, S.E. and Jessell, T.M. (1979). Intrathecal capsaicin depletes substance P in the rat spinal cord and produces prolonged thermal analgesia. Science 206: 481-483.

VITA

First Lt. Chackree Tantipongse was born on 22nd August 1953 at Lampang. He received his high school certificate from Triam-udom Suksa School, Bangkok in 1970 and his B.Sc. in Pharm. from Chulalongkorn University, Bangkok in 1975. At present he is a pharmacist at Pramongkutkla Hospital, Army Medical Department, Bangkok.

