REFERENCES:

Ahmad, M. H., Eaglesham, A. R. J., and Hassouna, S. Examining serological diversity of 'cowpea' rhizobia by the ELISA technique. Arch. Microbiol. 130 (1981) : 281-287.

Asanuma, S., Thottappilly, G., Ayanaba, A., and Ranga Rao, B. Use of the enzyme-linked immunosorbent assay (ELISA) in the detection of Rhizobium both in culture and from root nodules of soybeans and cowpeas. Can. J. Microbiol. 31 (1985) : 524-528

Bar-Joseph, M., and Salomon, R. J. Gen. Virol. 47 (1980) :509.

Barraquio, W. L., Ladha, J. K., Yao, H. Q., and Watanabe, I. Isolation and identification of dinitrogen-fixing Pseudomonas associated with wetland rice. Can. J. Microbiol. 29 (1983) : 867-873.

_____. Ladha, J. K., Yao, H. Q., and Watanabe, I. Antigenic relationship of N_2-fixing Pseudomonas strains H8 to various known cultures and rice rhizosphere isolates studied by indirect enzyme-linked immunosorbent assay (ELISA) Can.

J. Microbiol. 32 (1986) : 402-408.

Berger, J. A., May, S. N., Berger, L. R., and Bohlool, B. B. Colorimetric enzyme-linked immunosorbent assay for the identification of strains of Rhizobium in culture and in the nodules of lentils. Appl. Environ. Microbiol. 37 (1979) : 642-646.

Bergersen, F. J. (ed) Measurement of Nitrogen Fixation by Direct Means. In Methods for Evaluating Biological Nitrogen Fixation. pp. 112-131. New York: A wiley Interscience Plublication. (1980).

Bohlool, B. B., and Schmidt, E. L. Nonspecific straning; its control in immunofluorescent examination of soil. Science. 162 (1968) : 1012-1014.

_____. and Schmidt, E. L. Soil Sci. 110 (1970) :229.

_____. and Schmidt, E. L. Persistence and competition aspects of Rhizobium japonicum observed in soil by immunofluorescence microscopy. Soil Sci. Soc. Am. Proc. 37 (1973) : 561-564.

Boonjawat, J., Pongsawasdi, P., Bhusawang, P., and Vilaipon N.,Paddy Nitrogen : Rhizospheric Nitrogen Fixation. International Seminar on Productivity of Soil Ecosystem,1982.

_____. and Limpananont, J., Associative nitrogen fixation between Klebsiella sp. and rice (Oryza sativa). Nitrogen Fixation Research Progress, Proceedings of the 6th International Symposium on Nitrogen Fixation, Corvallis, OR 97331, August 4-10,1985, pp.372. Eds. H.J. Evans, P. J. Bottomley and W.E. Newton, Matinus Nijhoff Publishers.

_____. Choonhahirun, A., Pornputtkul, S., and Aurelle, H. Biochemistry of nitrogen-fixing bacteria associated with the rhizosphere of rice. BIOnifT Region Symposium and Workshop pp 95-101 (1986).

Campbell, D. H., Garvey, J. S., Cremer, N. E., and Sussdorf, D. H.In Benjamin, W. A. (ed). Methods in immunology. 2nd Ed. New York (1970).

Chaopongpang, S. "Determination of lectin in root and leaf of rice (Oryza sativa L.) by Enzyme-linked immunosorbent assay" Thesis, Dep. of Biochemistry, Graduate School of Chulalongkorn University, (1989).

Chase, M. W. Production of antiserum. Section A: Preparation of immunogens. In Williams, A. and Chase, M. W. (eds) Methods in Immunology and

Immunochemistry, Vol.1, C. pp. 197-209. New York: Academic Press,Inc. (1967).

Cholitkul, W., Tangchan, B., Sangtong, P. and Watanabe, I. Effect of phosphorus on N_2-fixation as measured by the field acetylene reduction technique in Thailand long-term fertility plots, Soil Sci. Plant Nutr., 26 (1980) : 291-299.

Clark, M. F., and Adams, A. N. Charactics of the microplate method of enzyme-linked immunosorbent assay for the detection of plant viruses. J. Gen. Virol. 34 (1977) : 475-483.

Damirgi, S. M., Ferderick, L. R., and Anderson, I. C. Serogroups of Rhizobium japonicum in soybean nodules as affected by soil types. Agron. J. 59 (1967) : 10-12.

Davis, S. N., J.Gen. Microbiol. 5 (1951) : 807

Dazzo, F. B., and Milam, J. R. Soil Crop Sci. Soc. Fla Proc. 35 (1975) : 121.

De-Polli, H., Bohlool, B. B., and Dobereiner, J. Serolological differentiation of Azospirillum species belonging to different host-plant specificity groups. Arch. Microbiol. 126 (1980) : 217-222

Diem, H. g., Schmidt, E. L., and Dommergues, Y. The use of the fluorescent antibody technique to study the behaviour of a Beijerinckia strain in the rhizosphere and spermossphere of rice, In Environmental role of nitrogen-fixing blue-green algae and asymbiotic bacteria. U. Granhall. Ecol. Bull. 20 (1978) : 312-318.

Dobereiner, J., and Ruschel. A. P. Inoculation to rice with nitrogen-fixing bacteria Beijerinckia Derx. Rev. Bras. Biol. 21 (1961) : 397-407.

_____. De-Polli, H. Diazotroph rhizocoenoses. In Stewart, W.D., and Gallon, J. R. Nitrogen fixation, pp 301-333. London: Academic Press, (1980),

Dommergues, Y. R., Balandreau, J., Rinaudo, G., and Weinhard, P. Non-symbiotic nitrogen-fixation in the rhizosphere of rice, maize, and different tropical grasses. Soil Biol. Biochem. 5 (1973) : 83-89.

_____. and Rinaudo, G., Factor affecting N_2 fixation in the rice rhizosphere. Nitrogen and rice, pp241-260. Laguna: International Rice Research Institute, Philippines, (1979).

Dudman, W. F. Immune diffusion analysis of the extra-cellular soluble antigen of two strains of Rhizobium meliloti. J. Bacteriol 88 (1964) : 782-794.

Fuhrmann, J., and Wolum II, A. G. Simplified enzyme-linked immunosorbent assay for routine identification of Rhizobium japonicum antigens. Appl. Environ. Microbiol. 49 (1985) 1010-1013.

Haahtela, K., Laakso, T., and Korhonen, T.K. Association Nitrogen Fixation by Klebsiella spp.: Adhesion Sites and Inoculation Effects on Grass Roots. Appl Environ. Microbiol. 52 (1986) 1074-1079.

Harinasut, P., Isolation and Characterization of Some Nitrogen Fixing Aerobic Diazotrophic Bacteria from Rice Rhizosphere, M. Sc. thesis (Biochemistry), Chulalongkorn University,(1981).

Herrmann, J. E., and Collins, M. F. Quantitation of immunoglobulin adsorption to plastis. J. Immunol Methods. 70 (1979) : 363-366.

Holme, T., and Zacharias, B. Nature, lond. 208 (1965) : 1325.

Humphrey, B. A., and Vincent, J. M. Microbios. 7 (1973) : 87.

Jensen, V., and Peterson, E. A. Taxonomic studied on Azotobacter chroococum Beij and Azotobacter beijerinckii Lipman, Den Kongelige Veterinaer- og Land bohojskole Arsskrift (Royal Veterrinary and Agricultural College Copenhagen Year-book). pp 107 (1955).

Kishinevsky, B., and Bar-Joseph, M. Rhizobium strain identification in Arachis hypogaea nodules by enzyme-linked immunosorbent assay (ELISA). Can. J. Microbiol. 24 (1978) : 1537-1543.

_____. and Gurfel, D. Evaluation of enzyme-linked immunosorbent assay (ELISA) for serological identification of Rhizobium strains. J. App. Bacteriol. 49 (1980) : 517-526.

_____. and Maoz, A. ELISA identification of Rhizobium strains by use of enzyme labelled protein A. Curr. Microbiol. 9 (1983) : 45-49.

Kloepper, J. W., Lifshiz, R., and Zablotowicz, M. Free-living bacterrial inocula for enhancing crop productivity. Trends Biotechnol. 7 (1989). :39-44

Koenig, R. ELISA in the study of homologous and heterogenous reactions of plant viruses.J. Gen. Virol. 40 (1978) : 309-318.

Kumari, L. M., Kavimandan, S. K., and Subba Rao,N. S. Occurence of nitrogen-fixing Spirillum in roots of rice, sorghum, maize, and other plants. Indian J. Exp. Biol. 19 (1976) : 638-639.

Ladha, J. K., Barraquio, W. L., and Watanabe, I. Immunological techniques to identify Azospirillum associated with wetland rice., Can. J.Microbiol. 28 (1982) : 478-485.

Lambert, B., Joos, H. Fundamental aspects of rhizobacterial plant growth promotion research. Trends Biotechnol. 7 (1989) : 215-219.

Limpananont, J. Role of lactin from rice (Oryza sativa L.) in the association between Klebsiella spp. and root epidermal cells. ph.D.Thesis, Department of Biochemistry,Graduate School of Chulalongkorn University. (1987)

Luria, S.E.Adams, J.N. and Teng, R.C. Transduction of Lactose Utilizing Ability Among Strains of Escherichia coli and Shigella dysenteriae and the Properties of the Transducting Phage Particies, Virology, 12, (1960) : 348-390.

Maolini, R., and Masseyeff, R. J. Immunol. Methods. 8 (1975) : 223.

Martensson, A. M., Gustafsson, J. G. and Ljunggren, H.D. A modified, Highly sensitive enzyme-linked immunosorbent assay (ELISA) for Rhizobium meliloti strain identification. J. Gen. Microbiol. 130 (1984) : 247-253.

McLaren, M. L., Lillywhite. J. E., and Andrew, C. S. AU. Indirect enzyme linked immunosorbent assay (ELISA). : practical aspects of standardization and quality control. Med. Lab. Sci. 38, (1981) : 245-251.

Means, U. M., Johnson, H. W., and Date, R.A. Quick serological method of classifying strains of Rhizobium japonicum in nodules. J. Bacteriol. 87 (1964) : 547-553.

_____. Johnson, H. W. Thermostability of antigens associated with serotype of Rhizobium japonicum. Appl. Microbiol. 16 (1968) : 203-206.

Morley, S. J., and Jones, D. G. A note on a highly sensitive modified the ELISA technique for Rhizobium strain identification J. App. Bacteriol. 49 (1980) : 103-109.

Muyzar, G., De Bruyn, A., Schmedding, D.J.M., Bos, P., Westbroek, P. and Kuenen,J. A Combined Immunofluorescence-DNA-Fluorescence Staining

Technique for Enumeration of Thiobacillus ferrooxidans in a Population of Acidophilic Bacteria. Appl. Environ. Microbiol. 53 (1987) : 660-664.

Nambiar, P. T. C., Strinivasa Rao, B., and Anjaiah, V. Peanut Sci 11 (1984) : 33.

_____. and Anjaiah, V. J. Appl. Bacteriol. 58 (1985) : 187.

Nassau, E., Parsons, E. R., and Jonhson, G. D. Tubercle 57 (1976) : 67.

Nayak, D. N., and Rajaramamohan Rao, V. Nitrogen Fixation by Spirillum sp. from rice roots. Arch. Microbiol. 115 (1977) : 359-360.

Norris, J. R. Nature, Lond. 185 (1960) : 634.

Olsen, P. E., Rice, W. A., Stemke, G. W., and Page, W. J. Strain-specific serological techniques for the identification of Rhizobium meliloti in commercial alfalfa inoculants. Can. J. Microbiol. 29 (1983) : 225-230.

Parkinson, D., Gray, T. R. G., and Williams, S. T. Chap. 4 Methods for studying the Ecology of Soil Microorganisms (IBP) Handbook. pp 19-35, Oxford: Blackwell Scientific Publications. (1971).

Patnaik, S. and Rao, M.V.: Nitrogen and Rice,Proceedings of a Symposium at the International Rice Research Institute, pp.25-43. Los Banos, Philippines (1979).

Pesce, A. J., Ford, D. J, Gaizutis, M. and Pollak, V. E. Binding of protein to polystyrerne in solid phase immunoassays. Biochim Biophys Acta. 492 (1977) : 399-407.

Postgate, J. R. The nitrogen-fixing bacteria In The fundamentals of nitrogen fixation pp.3-20 New York: Cambridge University Press, (1982).

Plusley, A. P., and Evison, L. M., Immunoglurescence as a method for the detection of Escherichis Coli in water. Can. J. Microbiol. 20 (1974) : 1457-1463.

Purushothaman, D., Oblisami, G., and Balasun, C. S., Nitrogen fixation by Azotobacter in rice rhizosphere. Madras Agric. J. 63 (1976) : 595-599.

_____. Gunasekaran S. and Oblisami, G. Response of rice to Azospirillum inoculation. IRRN 12:1 (1987).

Ramsey, A. J. N. Z. J. Mar. Freshwater Res. 12 :265 (1978).

Rice, W. A., Olsen, P. E., and Page, W. J. Can. J. Microbiol. 30(9) (1984) : 1187.

Russel, P. E., and Jones, D. G. Variation in a selection of Rhizobium Trifolii by varieties of red and white clover. Soil Biol. Biochem. 7 (1975) : 15-18.

Saunders, M.S., and French, W.J. Appl. Environ. Microbiol. 46(2) (1983) :344

Sawatdee, P., Sritanandana, W., Chersiri, C., Kanarengsa, C., and Takahashi, J. Efficiency of Azolla on rice yield, Paper presented in 16th Annual Conference, Kasetsart Univ., Thailand (1978).

Schmidt, E. L., Bankole, R. O.,and Bohlool, B. B. J. Bacteriol. 95 (1968) :1987.

Schwinghamer, E. A., and Dudman, W. F. Methods for identifying strains of diazotrophs. In Bergerson,F. J. (ed). Methods for Evaluating Biological Nitrogen Fixation, pp 337-365. New York: John Wiley & Sons. (1980).

Silva, M. F. S. Da., and Dobereiner, J. Occurrence of Azospirillum sp. in soils and roots. In Dobereiner, J., Burris, R. H., and Hollaender, A. (ed), Limitations and potentials for

biological nitrogen fixation in the tropics. pp 372. New York and London : Plenum Press, (1978).

Schuurs, A. H. W. and Van Weeman, B. K. Enzyme-immunoassay . Clin. Chim Actc. 81 (1977) : 1-40.

Sorasith, V., and Yasuo, T. Introduction. In Sorasith, V., and Yasuo, T.(ed) Paddy Nitrogen Economy Comparative Ecological study on Nitrogen Economy of Paddy soil Between Tropical and Temperete Regions. pp 1-6. Tokyo: NODAI Research Institute, Tokyo Univ. og Agriculture. (1983).

Swaminathan, M.S., Rice, Sci.Am., 63-71, Jan (1984).

Tchan, Y. T., and de Ville, R.Ann. Inst. Pasteur. 118 (1970) : 665.

Thresh, J. M., Adams, A. N., Barbara, D. J., and Clark, M. F. The detection of three viruses of hop (Humulus lupulus) by enzyme-linked immunosorbent assay. Annals of Applied Biology 87 (1977) : 57-65.

Van Weemen, B. K., and Schuurs, A. H. W. M. Immunoassay using antigen-enzyme conjugates. FEBS Letters 15 (1971) : 232-235.

Vincent, J. M. A manual for the pratical study of root - nodule bacteria.IBP (Internation Biological

Programme) Handbook ser 15. Oxford: Blackwell Scientific Publications. (1970).

Voller, A., Bidwell, D., and Baetlett, A. Microplate enzyme immunoassays for the immunodiagnosis of virus infections. In Friedman (ed), Manual of clinical immunology pp 506-512, Washington, D.C. : American Society for Microbiology, (1976).

_____. Bidwell, D. E., and Bartlett, A. The enzyme linked immunosorbent assay (ELISA). In A guide with Abstracts of Microplate Applications. Guernsey : Dynatech, Europe, (1979).

_____. Bidwell, D. E., and Bartlett, A. A microplate ELISA and its applications. In Malvano,R. (ed) Immunoenzymatic Assay Techniques. . The Hague : Martinus Nijholt, for the EEC. (1979).

_____. Bidwell, D. E., and Bartlett, A. Enzyme-linked immunosorbent assay, In Rose, N. R., and Friedman, H. (ed), Manual of clinical immunology. 2nd ed. Washington D.C.: American Society for Microbiology. (1980).

Walker, J. M., Gaastra, W. The enzyme linked immunosorbent assay (ELISA). In Techniques in Molecular biology.Vol.III: pp 82-95 London & Sydney: CROOM HEM, (1987).

Walls, K. W., Bullock, S. L. and English, D. K. Use of the ELISA and its microadaption for the serodianogsis of Toxoplasmosis. J. Clin. Microbiol. 5 (1977) : 273-277.

Watanabe, I., Lee, K. K., Alimagno, V. B., Sato, M., Del Rosario, D. C., and De Guzman, M. R. Biological nitrgen fixation in paddy fields studied by in situ acetyleene reduction assays. IRRI Res.Pap. Ser 3 (1977).

_____. and Roger, P. A. Nitrogen Fixation in Wetland Rice Field, Current Developments in Biological Nitrogen Fixation (Subba Rao, N.S. ed.) pp. 237-276, Oxford and IBH Pulishing Co., New Delhi, Bombay, Calcutta, (1984).

Weaver, P. K., Wall, J. D. and Gest, H. Arch. Microbiol. 105 (1975) : 207-216.

Williams, C.A., and Chase, M. W., Agglutination, Complementation, Neutralization, and Inhibition. In Methods in Immunology and Immunochemistry. Vol. 4 pp 468. New York: Academic Press. (1977).

Wolf, J. and Barker, A. N., In Gibbs, M. B., and Shapton, A. (ed) Identification methods for microbiologists. (1968)

Yoshida, T.,and Ancajas, R. R. Nitrogen fixation by bacteria in root zone of rice. Soil Sci. Soc. Am. Proc. 34 (1971) : 156-158.

_____. and Ancajas, R. R. Nitrogen fixing activity in Upland and Flooded Rice field, Soil Sci. Soc. Am. Proc. 37 (1973) : 42-46.

Zarnea, G., Cracea, E., Dumitresco, s.,Andreutza, C. and Herlea, V. Soli. Biol. Int. News Bull.6 (1966) : 20.

BIOGRAPHY

Mr. Saroch Pornputtkul was born on May 23, 1963 in Bangkok and graduated with the B.Sc in Biochemistry from Faculty of Science, Chulalongkorn University in 1985.