

REFERENCES

- Barrer, R.M., The Hydrothermal Synthesis of Zeolites, Academic Press, London, 1983
- Grieneisen, J.L., Kessler, H., Fache, E., and Le Govic, A.M. (2000). Synthesis of TS-1 in fluoride medium. A new way to a cheap and efficient catalyst for phenol hydroxylation. Microporous and Mesoporous Materials, 37, 379-386.
- Jansen, J.C., Arafat, A., Barakat, A.K., and VanBekkum,H. " Microwave Technique in Zeolite Synthesis", Synthesis of Micro Porous Materials, Vol.1, Van Nostrand Reinhold, New York, 1992.
- Kunii, K., Narahara, K., Yamanaka, S. (2002). Template-free synthesis of AlPO₄-H1, H2 and -H3 by microwave heating. Microporous and Mesoporous Materials, 57, 159-167.
- Lee, Y.M., and Porter, J.F. (2002). The synthesis and characterization of titanium silicalite-1. Journal of Materials Science, 37, 1959-1965.
- Marra, G.L., Artiolo, G., Fitch, A.N., Milanesio, M., and Lamberti, C. (2000). Orthorhombic to monoclinic phase transition in high-Ti-loaded TS-1: an attempt to locate Ti in the MFI framework by low temperature XRD. Microporous and Mesoporous Materials, 40, 85-94.
- Newalkar, L.B., Olanrewaju, J., and Komaneni, S. (2001). Direct synthesis of titanium-substituted mesoporous SBA-15 molecular sieve under microwave-hydrothermal conditions. Chemistry of Materials, 13, 552-557.
- Phiriyawirut, P., Magaraphan, R., Jamieson, A.M., and Wongkasemjit, S. (2003). MFI zeolite synthesis directly from silatrane via sol-gel process and microwave technique. Materials Science and Engineering, Article in press.
- Piboonchaisit, P., Wongkasemjit, S., and Laine, R. (1999). A Novel Route to Tris(silatranyloxy-*I*-propyl)amine Directly from Silica and Triiosopropanolamine, Part I, Science-Asia, Journal of Science and Society Thailand, 25, 113.

- Prasad, M.R., Kamalakar, G., and Kulkarni, S.J. (2002) An improved process for the synthesis of titanium-rich titanium silicates (TS-1) under microwave irradiation. *Catalysis Communications*, 3, 39-404.
- Phonthammachai, N., Chairassameewong, T., Gulari, E., Jamieson, A.M., and Wongkasemjit, S. Oxide one pot synthesis of a novel titanium glycolate and its pyrolysis . *Journal of Metals Materials and Minerals*, 12(1), 23-28.
- Davis, R.J., and Liu, Z. (1997). Titania-Silica: a model binary oxide catalyst system.*Chemistry of Materials*, 9, 2311-2324.
- Sathupunya, M., Gulari, E., and Wongkasemjit, S. (2002). ANA and GIS zeolite synthesis directly from alumatrane and silatrane by sol-gel process and microwave technique. *Journal of the European Ceramic Society*, 22, 2305-2314.
- Serrano, D.P., Uguina, M.A., Ovejero, G., Van Grieken, R., and Camacho, M. (1995). Synthesis of TS-1 by wetness impregnation of amorphous SiO₂-TiO₂ solids prepared by the sol-gel method. *Microporous Materials*, 4, 273-282.
- Bordiga, S., Damin, A., Berlier, G., Bonino, F., Ricchiardi, G., Zecchina, A., and Lamberti,C. (2001). The role of isolated sites in heterogeneous catalysis: characterization and modeling. *International Journal of Molecular Sciences*, 2, 167-182.
- Szostak, R., 1989, “ Fundamental of Synthesis”, *Molecular Sieves-Principles of Synthesis and Identification*, Van Nostrand Rheinhold, New York.
- Wang et al. (1999). Hydrothermal Synthesis and Characterization of a Novel One-Dimensional Titanium Glycolate Complex Single Crystal:Ti(OCH₂CH₂O)₂ *Chemistry of Materials*, 11, 2008-2012.
- Xia, Q.H., and Gao, Z. (1997). Crystallization kinetics of pure TS-1 zeolite using quaternary ammonium halides as templates. *Materials Chemistry and Physics*, 47, 225-230.
- Yeom, Y., and Frei, H. (2001). Photoactivation of CO in Ti Silicalite molecular sieve. *Journal of Physical Chemistry*, 105, 5334-5339.

CURRICULUM VITAE

Name: Ms. Methira Krissanasaeranee

Date of Birth: October 21, 1979

Nationality: Thai

University Education:

1998-2001 Bachelor Degree of Science in Chemistry,
Faculty of Science,
Chulalongkorn University,
Bangkok, Thailand.