

REFERENCES

- Albertazzi, S., Ganzerla, R., Gobbi, C., Lenarda, M., and Mandreoli, M. (2003) Hydrogenation of naphthalene on noble-metal-containing mesoporous MCM-41 aluminosilicates. Journal of Molecular Catalysis A: Chemical, 200(1–2), 261–270.
- Asadauskas, S. and Erhan, S. (1999) Depression of pour points of vegetable oils by blending with diluents used for biodegradable lubricants. Journal of the American Oil Chemists' Society, 79, 313–316.
- Barnwal, B.K. and Sharma, M.P. (2005) Prospects of biodiesel production from vegetable oils in India. Renewable and Sustainable Energy Reviews, 9(4), 363–378.
- Belkacemi, K., Boulmerka, A., Arul, J., and Hamoudi, S. (2006) Hydrogenation of vegetable oils with minimum trans and saturated fatty acid formation over a new generation of Pd-catalyst. Catalysis, 37, 101–109.
- Borges, M.E. and Díaz, L. (2012) Recent developments on heterogeneous catalysts for biodiesel production by oil esterification and transesterification reactions: A review. Renewable and Sustainable Energy Reviews, 16(5), 2839–2849.
- Bozbas, K. (2008) Biodiesel as an alternative motor fuel: Production and policies in the European Union. Renewable and Sustainable Energy Reviews, 12(2), 542–552.
- Cepeda, E.A. and Calvo, B. (2008) Sunflower oil hydrogenation: Study using response surface methodology. Journal of Food Engineering, 89(4), 370–374.
- Cai, Q., Huang, Z.H., Kang, F., and Yang, J.B. (2004) Preparation of activated carbon microspheres from phenolic-resin by supercritical water activation. Carbon, 42, 775–783.
- Chen, H., Xue, M., Hu, S., and Shen, J. (2012) The effect of surface acidic and basic properties on the hydrogenation of laurionitrile over the supported nickel catalysts. Chemical Engineering Journal, 181–182, 677–684.

- Chen, Y.H. and Luo, Y.M. (2011) Oxidation stability of biodiesel derived from free fatty acids associated with kinetics of antioxidants. Fuel Processing Technology, 92(7), 1387–1393.
- Chouhan, A.P. and Sarma, A.K. (2011) Modern heterogeneous catalysts for biodiesel production: A comprehensive review. Renewable and Sustainable Energy Reviews, 15, 4378-4399.
- Drago, R., Jurczyk, K., Singh, D., and Young, V. (1995) Low-temperature deep oxidation of hydrocarbons by metal oxides supported on carbonaceous materials. Applied Catalysis B: Environmental, 6, 155-168.
- Demirbas, A. (2005) Biodiesel production from vegetable oils via catalytic and non-catalytic supercritical methanol transesterification methods. Progress in Energy and Combustion Science, 31, 466-487.
- Encinar, J.M., González, J.F., Sánchez, N., and Pardal, A. (2012) Soybean oil transesterification by the use of a microwave flow system. Fuel, 95, 386-393.
- Fernández, M.B., Sánchez, J.F., Tonetto, G.M., and Damiani, D.E. (2009) Hydrogenation of sunflower oil over different palladium supported catalysts: Activity and selectivity. Chemical Engineering Journal, 155(3), 941–949.
- Fairén-Jiménez, D., Carrasco-Marín, F., and Moreno-Castilla, C. (2006) Porosity and surface area of monolithic carbon aerogels prepared using alkaline carbonates and organic acids as polymerization catalyst. Carbon, 44, 2301-2307.
- Helleur, R., Popovic, N., Ikura, M., Stanciulescu, M., and Liu, D. (2001) Characterization and potential applications of pyrolytic char from ablative pyrolysis of used tires. Journal of Analytical and Applied Pyrolysis, 58-59, 813-824.
- Horikawa, T., Hayashi, J., and Muroyama, K. (2004) Size control and characterization of spherical carbon aerogel particles from resorcinol-formaldehyde resin. Carbon, 42, 169-175.

- Ishida, H. and Allen, D. (1996) Mechanical characterization of copolymers based on benzoxazine and epoxy. Polymer, 37, 4487-4495.
- Karmee, S. and Chadha, A. (2005) Preparation of biodiesel from crude oil of *Pongamia pinnata*. Bioresource Technology, 96, 1425-1429.
- Karavalakis, G., Stournas, S., and Karonis, D. (2010) Evaluation of the oxidation stability of diesel/biodiesel blends. Fuel, 89(9), 2483–2489.
- Katanyoota, P., Chaisuwan, T., Wongchaisuwat, A., Wongkasemjit, S., and. (2010) Novel polybenzoxazine-based carbon electrode for supercapacitors. Materials Science and Engineering B., 167, 36-42.
- Knothe, G. (2007) Some aspects of biodiesel oxidative stability. Fuel Processing Technology, 80(7), 669–677.
- Knothe, G. (2008) “Designer” Biodiesel: Optimizing Fatty Composition to Improve Fuel Properties. Energy & Fuels, 22, 1358-1364.
- Liu, B. and Creager, S. (2010) Carbon xerogels as Pt catalyst supports for polymer electrolyte membrane fuel-cell application. Journal of Power Sources, 195, 1812-1820.
- Liu, N., Zhang, S., Fu, R., Dresselhaus, M., and Dresselhaus, G. (2006) Carbon aerogel spheres prepared via alcohol supercritical drying. Carbon, 44, 2430-2436.
- Lorjai, P., Chaisuwan, T., and Wongkasemjit, S. (2009) Porous structure of polybenzoxazine-based organic aerogel prepared by sol–gel process and their carbon aerogels. Journal of Sol-Gel Science Technology., 52, 56–64.
- Marchetti, J.M., Miguel, V.U., and Errazu, A.F. (2007) Possible methods for biodiesel production. Renewable and Sustainable Energy Reviews, 11, 1300-1311.
- Meher, L.C., Vidya Sagar, D., Naik, S.N., (2006) Technical aspects of biodiesel production by transesterification—a review. Renewable and Sustainable Energy Reviews, 10, 248–268.
- Neri, G., Musolino, M.G., Milone, C., Visco, A.M., and DiMario, A. (1995) Mechanism of 2,4-dinitrotoluene hydrogenation over Pd/C. Journal of Molecular Catalysis A Chemical, 95, 235.

- Numwong, N., Luengnaruemitchai, A., Chollacoop, N., and Yoshimura, Y. (2012) Effect of SiO₂ pore size on partial hydrogenation of rapeseed oil-derived FAMES. Applied Catalysis A: General, 441–442, 72–78.
- Numwong, N., Luengnaruemitchai, A., Chollacoop, N., and Yoshimura, Y. (2012) Effect of Support Acidic Properties on Sulfur Tolerance of Pd Catalysts for Partial Hydrogenation of Rapeseed Oil-Derived FAME. Journal of the American Oil Chemists' Society, 89, 2117–2120.
- Ozaki, J., Endo, N., Ohizumi, W., Igarashi, K., Nakahara, M., and Oya, A. (1997) Novel preparation method for the production of mesoporous carbon fiber from a polymer blend. Carbon, 35, 1031-1033.
- Papadopoulos, C.E., Lazaridou, A., Koutsoumba, A., Kokkinos, N., Christoforidis, A., and Nikolaou, N. (2010) Optimization of cotton seed biodiesel quality (critical properties) through modification of its FAME composition by highly selective homogeneous hydrogenation. Bioresource Technology, 101, 1812-1819.
- Pekala, R.W., Alviso, C.T., Kong, F.M., and Hulsey, S.S. (1992) Aerogels derived from multifunctional organic monomers. Journal of Non-crystalline Solids, 145, 90-98.
- Pekala, R.W., Alviso, C.T., Lu, X., Gross, J., and Fricke, L. (1995) New organic aerogels based upon a phenolic-furfural reaction. Journal of Non-Crystalline Solids, 188, 34-40.
- Ramos, M.J., Fernández, C.M., Casas, A., Rodríguez, L., and Pérez, Á. (2009) Influence of fatty acid composition of raw materials on biodiesel properties. Bioresource Technology, 100, 261-268.
- Srivastava, A. and Prasad, R. (2000) Triglycerides-based diesel fuels. Renewable and Sustainable Energy Reviews, 4, 111-133.
- Tamai, H., Nobuaki, U., and Yasuda, H. (2009) Preparation of Pd supported mesoporous activated carbons and their catalytic activity. Materials Chemistry and Physics, 114, 10-13.

- Thubsuang, U., Ishida, H., Wongkasemjit, S., and Chaisuwan, T. (2012) Novel template confinement derived from polybenzoxazine-based carbon xerogels for synthesis of ZSM-5 nanoparticles via microwave irradiation. Microporous and Mesoporous Material, 156, 7-15.
- Xuefei, Z., Shiquan, L., Hongzhao, L., and Lijuan, G. (2009) Preparation and characterization of activated carbon foam from phenolic resin. Journal of Environmental Sciences Supplement, s121-s123.
- Yang, J.B., Ling, L.C., Liu, L., Kang, F.Y., Huang, Z.H., and Wu, H. (2002) Preparation and properties of phenolic resinbased activated carbon spheres with controlled pore size distribution. Carbon, 40(6): 911–916.
- Yang, Y., Chiang, K., and Burke, N. (2011) Porous carbon-supported catalysts for energy and environmental applications: A short review. Catalysis Today, 178, 197-205.
- Yoshizawa, N., Hatori, H., Soneda, Y., Hanzawa, Y., Kaneko, K., and Dresselhaus, MS. (2003) Structure and electrochemical properties of carbon aerogels polymerized in the presence of Cu^{2+} . Journal of Non-Crystalline Solids, 330, 99–105.

CURRICULUM VITAE

Name: Ms. Juta Jaroonkiattikhun

Date of Birth: July 17, 1988

Nationality: Thai

University Education:

2007 – 2010 Bachelor Degree of Chemistry, Faculty of Science, Chulalongkorn University. Bangkok, Thailand.

Work Experience:

2010 Position: Internship Student

Company: Thai Oil Public Company Limited, Thailand

Proceedings:

1. Jaroonkiattikhun, J., and Chaisuwan, T.; (2013, April 23) Designing Microstructure of Nanoporous Carbon as a Catalyst Support for Biodiesel Production. Proceedings of The 4th Research Symposium on Petrochemical, and Material Technology and The 19th PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.

Presentations:

1. Jaroonkiattikhun, J.; Chaisuwan, T.; Wongkasemjit, S.; Luengnaruemitchai, A.; (2013, April 23) Designing Microstructure of Nanoporous Carbon as a Catalyst Support for Biodiesel Production. Poster presented at the 4th Research Symposium on Petrochemical and Materials Technology and the 19th PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.
2. Jaroonkiattikhun, J.; Chaisuwan, T.; Wongkasemjit, S.; Luengnaruemitchai, A.; (2013, April 4)) Designing Microstructure of Nanoporous Carbon as a Catalyst Support for Biodiesel Production. Poster presented at the 2013 MRS Spring Meeting & Exhibit, San Francisco, United States of America.