

REFERENCES

- Advincula, R.C. and Knoll, W. (2011) Functional Polymer Films.
- Bagherifam, S. (2009). Thermal characterization of phenol and bisphenol-A based polybenzoxazines. Journal of Applied Polymer Science, 79(7), 1207-1219.
- Becker, A. L., Johnston, A. P. R., and Caruso, F. (2010) Layer-by-Layer assembled capsules and films for therapeutic delivery. Small, 6(17), 1836-1852.
- Bertrand, P., Jonas, A., Laschewsky, A., and Legras, R. (2000) Ultrathin polymer coatings by complexation of polyelectrolytes at interfaces: suitable materials, structure and properties. Macromolecular rapid communications, 21(7), 319-348.
- Bhattacharjee, S., Dotzauer, D. M., and Bruening, M. L. (2009) Selectivity as a Function of Nanoparticle Size in the Catalytic Hydrogenation of Unsaturated Alcohols. Journal of the American Chemical Society, 131, 3601-3610.
- Calò, E., Maffezzoli, A., Mele, G., Martina, F., Mazzetto, S.E., Tarzia, A., and Stifani, C. (2007) Synthesis of a novel cardanol-based benzoxazine monomer and environmentally sustainable production of polymers and bio-composites. Green Chemistry, 9, 754 – 759.
- Choi, S.W., Ohba, S., Brunovska, Z., Hemvichian, K., and Ishida, H. (2006) Synthesis, characterization and thermal degradation of functional benzoxazine monomers and polymers containing phenylphosphine oxide. Polymer Degradation and Stability, 91, 1166-1178.
- Decher, G. (1999) Fuzzy nanoassemblies: Toward layered polymeric multicomposites. Science, 277, 1232-1237.
- Ghosh, N.N., Kiskan, B., and Yagci, Y. (2007) Polybenzoxazines-New high performance thermosetting resins. Progress in Polymer Science, 32, 1344-1391.

- Hankins, N.P. and Lu, N. (2006) Enhanced removal of heavy metal ions bound to humic acid by polyelectrolyte flocculation. Separation and Purification Technology, 51, 48–56.
- Hemvichian, K. and Ishida, H. (2002) Thermal decomposition processes in aromatic amine-based polybenzoxazines investigated by TGA and GC–MS. Polymer, 43(16), 4391-4402.
- Hua, M., Zhang, S., Pan, B., Zhang, W., Lv, L., and Zhang, Q. (2012) Heavy metal removal from water/wastewater by nanosized metal oxides: A review. Journal of Hazardous Materials, 211-212, 317-331.
- Jubsilp, C., Takeichi, T., and Rimdusit, S. (2007) Effect of novel benzoxazine reactive diluent on processability and thermomechanical characteristics of bi-functional polybenzoxazine. Journal of Applied Polymer Science, 104, 2928-2938.
- Kiskan, B., Gacal, B., Tasedelen, M.A., Kolak, D., and Yagci, Y. (2006) Design and synthesis of thermally curable polymers with benzoxazine functionalities. World Polymer Congress - Macro, 245-246(1), 27-33.
- Kulbat, E., Olańczuk-Neyman, K., Quant, B., Geneja, M., and Haustein, E. (2003) Heavy Metals Removal in the Mechanical-Biological Wastewater Treatment Plant “Wschód” in Gdańsk. Polish Journal of Environmental Studies, 12(5), 635-641.
- Liu, J., Zhao, Z., and Jiang, G. (2008) Coating Fe₃O₄ magnetic nanoparticles with humic acid for high efficient removal of heavy metals in water. Environmental Sciences Technology, 42(18), 6949-6954.
- Liu Y. L. and Chou, C. I. (2005) High performance benzoxazine monomers and polymers containing furan groups. Journal of Polymer Science Part A: Polymer Chemistry, 43(21), 5267 – 5282.
- Low, H.Y. and Ishida, H. (1998) Mechanistic study on the thermal decomposition of polybenzoxazines. Journal of Polymer Science Part B: Polymer Physics, 36(11), 1935–1946.

- Low, H.Y. and Ishida, H. (1999) Structural effects of phenols on the thermal and thermooxidative degradation of polybenzoxazines. Polymer, 40, 4365–4376.
- Muga, H.E. and Mihelcic, J.R. (2008) Sustainability of wastewater treatment technologies. Journal of Environmental Management, 88(3), 437-447.
- Nadaroglu, H., Kalkan, E., and Demir, N. (2010) Removal of copper from aqueous solution using red mud. Desalination, 251(1-3), 90–95.
- Quinn, J. F., Johnston, A. P. R., Such, G., Zelikin, A. N., and Caruso, F. (2007) Next Generation, Sequentially Assembled Ultrathin Films: Beyond Electrostatics. Chemical Society Reviews. 36, 707-718.
- Rahman, M.A., Hasan, M.A., Rahim, A., and Alam, A.M.S. (2010) Characterization of Humic acid from the river bottom sediments of burigonga: Complexation studies of metals with humic acid. Pakistan Journal of Analytical & Environmental Chemistry, 11(1), 42-52.
- Saied, S., Siddique, A., Mumtaz, M., and Ali, K. (2005) Study of the heavy metal pollution treatment potential of the coal generated humic acid. Lifescience Global, 1(2).
- Shen, S.B. and Ishida, H. (1996) Synthesis and characterization of polyfunctional naphthoxazines and related polymers. Journal of Applied Polymer Science, 61(9), 1595-1605.
- Takeichi, T., Kano, T., and Agag, T. (2005) Synthesis and thermal cure of high molecular weight polybenzoxazine precursors and the properties of the thermosets. Polymer, 46, 12172–12180.
- Yildirim, A., Kiskan, B. Demirel, A.L., and Yagci, Y. (2006) Characterization and properties of naphthoxazine-functional poly(propyleneoxide)s. European Polymer Journal, 42(11), 3006-3014.
- Zhang, Q., Xu, Z., Zhang, Q., and Pan., B. (2007) Selective heavy metals removal from waters by amorphous zirconium phosphate: Behavior and mechanism. Water Research, 41(14), 3103-3111.

<http://www.nanotechnology-development.com/research/layer-by-layer-assembled-nanocomposites.html>, 4 Dec 2012.

<http://www.sigmaaldrich.com/technical-documents/articles/material-matters/polyelectrolyte-multilayer-films.html>, 6 Dec 2012.

CURRICULUM VITAE

Name: Ms. Kanokporn Wongthai

Date of Birth: September 11, 1989

Nationality: Thai

University Education:

2007-2011 Bachelor Degree of Chemistry, Faculty of Science, Chulalongkorn University, Bangkok, Thailand.

Proceedings:

1. Wongthai, K., Chaisuwan, T., Dubas, S.T., and Wongkasemjit, S. (2013, April 23) Humic Acid Coated on Polybenzoxazine Xerogel for Copper Removal. Proceedings of the 4th Research Symposium on Petrochemical and Material Technology and The 19th PPC Symposium on Petroleum, Petrochemical and Polymers. Bangkok, Thailand.
2. Wongthai, K., Chaisuwan, T., Dubas, S.T., and Wongkasemjit, S. (2013, April 23) Humic Acid Coated on Polybenzoxazine Xerogel for Copper Removal. Poster presented at 2013 MRS spring Meeting & Exhibit, San Francisco, California. USA.