

REFERENCES

- Abu El-Rub, Z. (2004) Review of catalysts for tar elimination in biomass gasification processes. Industrial Engineering Chemistry Production Research Development, 43, 6911-6919.
- Aldén, H., Björkman, E., Carlsson, M., Waldheim, L. (1994) Catalytic cracking of naphthalene on dolomite. In: Bridgwater, A.V. (Eds.), Advances in thermochemical biomass conversion. Blackie Academic & Professional, London., 216-232.
- Antal, M.J., Várhegyi, G. (1995) Cellulose pyrolysis kinetics: The current state of knowledge. Industrial and Engineering Chemistry Research, 34, 703-717.
- Aznar, M.P., Corella, J., Delgado, J., Lahoz, J. 1993. Improved steam gasification lignocellulosic residues in a fluidized bed with commercial steam reforming catalysts. Industrial and Engineering Chemistry Research. 32, 1-10.
- Baker, E.G., Mudge, L.K., Brown, M.D. (1987) Steam gasification of biomass with nickel secondary catalysts. Industrial and Engineering Chemistry Research, 26, 1335-1339.
- Bartholomew, C.H. (1982) Carbon deposition in steam reforming and methanation. Catalysis Reviews: Science and Engineering, 24, 67-112.
- Bona, S., Guillén, P., Alcalde, J.G., García, L., Bilbao, R. (2007) Toluene steam reforming using coprecipitated Ni/Al catalysts modified with lanthanum and cobalt. Chemical Engineering Journal. In press.
- Caballero, M.A., Aznar, M.P., Gil, J., Martín, J.A., Frances, E., Corella, J. (1997) Commercial steam reforming catalysts to improve biomass gasification with steam-oxygen mixtures. I. hot gas upgrading by the catalytic reactor. Industrial and Engineering Chemistry Research. 36, 5227-5239.
- Coll, R., Salvadó, J., Farriol, X., Montané, D. (2001) Steam reforming model compounds of biomass gasification tars: Conversion at different operating conditions and tendency towards coke formations. Fuel Processing Technology, 74, 19-31.
- Corella, J., Herguido, J., Gonzalez-Saiz, J., Alday, J.F., Rodriguez-Trujillo, J.L. (1988) Fluidized bed steam gasification of biomass with dolomite and with a

- commercial FCC catalyst. Research in Thermochemical Biomass Conversion, 754-765
- Corella, J., Caballero, M.A., Aznar, M.P. (2000) A 6-lump model for the kinetics of the catalytic tar removal in biomass gasification. Proceedings of the First World Conference on Biomass for Energy and Industry, 1472-1475.
- D'Alessandro, A.F., Farkas, A. (1956) The kinetics of the catalytic oxidation of naphthalene. Journal of Colloid Science, 11, 653-670.
- Delgado, J., Aznar, M.P., Corella, J. (1996) Calcined dolomite, magnesite, and calcite for cleaning hot gas from a fluidized bed biomass gasifier with steam: Life and usefulness. Industrial and Engineering Chemistry Research, 37, 3637-3643.
- Depner, H., Jess, A. (1999) Kinetics of nickel catalyzed purification of tarry fuel gases from gasification and pyrolysis of solid fuels. Fuel, 78, 1369-1377.
- Devi, L., Ptasiński, K.J., Janssen, F.J.J.G. (2003) A review of the primary measures for tar elimination in biomass gasification processes. Biomass and Bioenergy, 24, 125-140.
- Devi, L., Ptasiński, K.J., Janssen, F.J.J.G., van Paasen, S.V.B., Bergman, P.C.A., Kiel, J.H.A. (2005) Catalytic decomposition of biomass tars: use of dolomite and untreated olivine. Renewable Energy, 30, 565-587.
- Douglas, C.E., Baker, E.G. (1986) The effect of catalysis on wood-gasification tar composition. Biomass, 9, 195-203.
- Fan, L., Fujimoto, K. (1997) Reaction mechanism of methanol synthesis from carbon dioxide and hydrogen on ceria-supported palladium catalysts with SMSI effect. Journal of Catalysis, 172, 238-242.
- Fornasiero, P., Di Monte, R., Ranga Rao, G., Kaspar, J., Meriani, S., Trovarelli, A., Graziani, M. (1995) Rh-loaded CeO₂-ZrO₂ solid solutions as highly efficient oxygen exchangers: Dependence of the reduction behavior and the oxygen storage capacity on the structural properties. Journal of Catalysis, 151, 168-177.
- Fornasiero, P., Balducci, G., Di Monte, R., Kaspar, J., Sergio, V., Gubitosa, G., Ferrero, A., Graziani, M. (1996) Modification of the redox behaviour of CeO₂ induced by structural doping with ZrO₂. Journal of Catalysis, 164, 173-183.

- Furusawa, T., Tsutsumi, A. (2005) Comparison of Co/MgO and Ni/MgO catalysts for the steam reforming of naphthalene as a model compound of tar derived from biomass gasification. Applied Catalysis A: General, 278, 207-212.
- Garcia, L., French, R., Czernik, S., Chornet, E. (2000) Catalytic steam reforming of bio-oils for the production of hydrogen: effect of catalyst composition. Applied Catalysis A: General, 201, 225-239.
- Gebhard, S.C., Wang, D., Overend, R.P., Paisley, M.A. (1994) Catalytic conditioning of synthesis gas produced by biomass gasification. Biomass and Bioenergy, 7, 307-313.
- Hori, C.E., Permana, H., Simon Ng, K.Y., Brenner, A., More, K., Rahmoeller, K.M., Belton, D. (1998) Thermal stability of oxygen storage properties in a mixed CeO₂-ZrO₂ system. Applied Catalysis B: Environmental, 16, 105-117.
- Jess, A. (1996) Catalytic upgrading of tarry fuel gases: A kinetic study with model components. Chemical Engineering and Processing, 35, 487-494.
- Jess, A. (1996) Mechanisms and kinetics of thermal reactions of aromatic hydrocarbons from pyrolysis of solid fuels. Fuel, 75, 1441-1448.
- Juusola, J.A., Mann, R.F., Downie, J. (1970) The kinetics of the vapor-phase oxidation of *o*-xylene over a vanadium oxide catalyst. Journal of Catalysis, 17, 106-113.
- Karlsson, G., Ekström, C., Liinaki, L. (1994) The development of a biomass IGCC process for power and heat production. Proceedings of the Eighth European Conference on Biomass for Energy, Environment, Agriculture and Industry. 1538-1549.
- Laosiripojana, N., Sangtongkitcharoen, W., Assabumrungrat, S. (2006) Catalytic steam reforming of ethane and propane over CeO₂-doped Ni/Al₂O₃ at SOFC temperature: Improvement of resistance toward carbon formation by the redox property of doping CeO₂. Fuel, 85, 323-332.
- Lee, W., Nam, S.S., Kim, S.B., Lee, K.W., Choi, C.S. (2000) The effect of Na₂CO₃ on the catalytic gasification of rice straw over nickel catalysts supported on kieselguhr seung. Korean Journal of Chemical Engineering, 17, 174-178.
- Lee, W. J. (1995) Catalytic activity of alkali and transition metal salt mixtures for steam-char gasification. Fuel, 74, 1387-1393.

- Li, C., Hirabayashi, D., Suzuki, K. (2009) Development of new nickel based catalyst for biomass tar steam reforming producing H₂-rich syngas. Fuel Processing Technology, 90, 790-796.
- Luq, M.-F., Zheng, X.-M. (1999) Redox behaviour and catalytic properties of Ce_{0.5}Zr_{0.5}O₂-supported palladium catalysts. Applied Catalysis A: General, 189, 15-21.
- McCarty, J.G., Wise, H. (1979) Hydrogenation of surface carbon on alumina-supported nickel. Journal of Catalysis, 57, 406-416.
- Mears, D.E. (1971) Tests for transport limitations in experimental catalytic reactors. Industrial and Engineering Chemistry Product Research and Development, 10, 541-547.
- Milne, T.A., Abatzoglou, N., Evans, R.J. (1998) Biomass gasifier 'tars': Their nature, formation and conversion. NREL/TP-570-25357. National Renewal Energy Laboratory.
- Miyazawa, T., Kimura, T., Nishikawa, J., Kado, S., Kunimori, K., Tomishige, K. (2006) Catalytic performance of supported Ni catalysts in partial oxidation and steam reforming of tar derived from the pyrolysis of wood biomass. Catalysis Today, 115, 254-262.
- Neyestanaki, A.K., Lindfors, L.-E. (1998) Catalytic clean-up of emissions from small-scale combustion of biofuels. Fuel, 77, 1727-1734.
- Olivares, A., Aznar, M.P., Caballero, M.A., Gil, J., Francés, E., Corella, J. (1997) Biomass gasification: Produced gas upgrading by in-bed use of dolomite. Industrial and Engineering Chemistry Research, 36, 5220-5226.
- Ordóñez, S., Bello, L., Sastre, H., Rosal, R., Díez, F.V. (2002) Kinetics of the deep oxidation of benzene, toluene, *n*-hexane and their binary mixtures over a platinum on γ -alumina catalyst. Applied Catalysis B: Environmental, 38, 139-149.
- Otsuka, K., Ye, W., Nakamura, M. (1999) Direct conversion of methane to synthesis gas through reaction using CeO₂-ZrO₂ solid solution at moderate temperature. Applied Catalysis A: General, 183, 317-324.

- Pengpanich, S., Meeyoo, V., Risksomboon, T., Bunyakiat, K. (2002) Catalytic oxidation of methane over $\text{CeO}_2\text{-ZrO}_2$ mixed oxide solid solution catalysts prepared via urea hydrolysis. Applied Catalysis A: General, 234, 221-233.
- Pengpanich, S., Meeyoo, V., Risksomboon, T., Schwank, J. (2006) Hydrogen production from partial oxidation of *iso*-octane over $\text{Ni/CeO}_{0.75}\text{ZrO}_{0.25}$ and $\text{Ni}/\beta\text{-Al}_2\text{O}_3$ catalysts. Catalysis A: General, 234, 221-233.
- Raveendran, K., Ganesh, A., Khilar, K.C. (1995) Influence of mineral matter on biomass pyrolysis characteristics. Fuel, 74, 631-653.
- Richards, G.N., Zheng, G. (1991) Influence of metal ions and of salts on products from pyrolysis of wood: Applications to thermochemical processing of newprint and biomass. Journal of Analytical and Applied Pyrolysis, 21, 133-146.
- Rodrigues, A.C.C. (2007) Metallic mixed oxides (Pt, Mn, or Cr) as catalysts for the gas-phase toluene oxidation. Catalysis Communications, 8, 1227-1231.
- Rostrup-Nielsen, J.R., Trimm, D.L. (1977) Mechanisms of carbon formation on nickel-containing catalysts. Journal of Catalysis, 302, 133-139.
- Rostrup-Nielsen, J.R. (1983) Catalytic steam reforming. Catalysis, Science and Technology, 5, 1-16.
- Rostrup-Nielsen, J.R. (1991) Catalytic deactivation. In: Bartholomew, C.H., Butt, J.B., editors., Studies in Surface Science and Catalysis, 68, 85.
- Rostrup-Nielsen, J.R., Bak Hansen, J.H. (1993) CO_2 -Reforming of Methane over Transition Metals. Journal of Catalysis, 144, 38-49.
- Sánchez- Sánchez, M.C., Navarro, R.M., Fierro, J.L.G. (2007) Ethanol steam reforming over $\text{Ni}/\text{M}_x\text{O}_y\text{-Al}_2\text{O}_3$ (M = Ce, La, Zr and Mg) catalysts: Influence of support on the hydrogen production. International Journal of Hydrogen Energy, 32, 1462-1471.
- Simell, P.A., Hakala, N.A.K., Haario, H.E., Krause, A.O.I. (1997) Catalytic decomposition of gasification gas tar with benzene as the model compound. Industrial and Engineering Chemistry Research, 36, 42-51.
- Simell, P.A., Hepola, J.O., Krause, A.O.I. (1997) Effects of gasification gas components on tar and ammonia decomposition over hot gas cleanup catalysts. Fuel, 76, 1117-1127.

- Simell, P.A., Hirvensalo, E.K., Smolander, V.T., Krause, A.O.I. (1999) Steam reforming of gasification gas tar over dolomite with benzene as the model compound. Industrial and Engineering Chemistry Research, 38, 1250-1257.
- Shie, J.-L., Chang, C.-Y., Chen, J.-H., Tsai, W.-T., Chen, Y.-H., Chiou, C.-S., Chang, C.-F. (2005) Catalytic oxidation of naphthalene using a Pt/Al₂O₃ catalyst. Applied Catalysis B: Environmental, 58, 289-297.
- Srinakruang, J., Sato, K., Vitidsant, T., Fujimoto, K. (2005) A highly efficient catalyst for tar gasification with steam. Catalysis Communications, 6, 437-440
- Sutton, D., Kelleher, B., Ross, J.R.H. (2001) Review of literature on catalysts for biomass gasification. Fuel Processing Technology, 73, 155-173.
- Suzuki, T., Ohme, H., Watanabe, Y. (1992) Alkali metal catalyzed carbon dioxide gasification of carbon. Energy & Fuels, 6, 343-351.
- Taralas, G. (1996) Catalytic steam cracking of n-haptane with special reference to the effect of calcined dolomite. Industrial and Engineering Chemistry Research, 35, 2121-2126.
- Thammachart, M., Meeyoo, V., Risksomboon, T., Osuwan, S. (2001) Catalytic activity of CeO₂-ZrO₂ mixed oxide catalysts prepared via sol-gel technique: CO oxidation. Catalysis Today, 68, 53-61.
- Trimm, D.L., Irshad, M. (1970) The influence of electron directing effects on the catalytic oxidation of toluenes and xylenes. Journal of Catalysis, 18, 142-153.
- Trimm, D.L. (1977) The formation and removal of coke from nickel catalyst. Catalysis Reviews: Science and Engineering, 16, 155-189.
- Trimm, D.L. (1991) Catalytic deactivation. In: Bartholomew, C.H., Butt, J.B., editors., Studies in Surface Science and Catalysis, 68, 29.
- Wang, A., Lu, G.Q. (1996) Carbon dioxide reforming of methane to produce synthesis gas over metal-supported catalysts: State of the art. Energy & Fuels, 10, 896-904.
- Wang, T.J., Chang, J., Wu, C.Z., Fu, Y., Chen, Y. (2005) The steam reforming of naphthalene over a nickel-dolomite cracking catalyst. Biomass and Bioenergy, 28, 508-514.

- Wang, T., Chang, J., Cui, X., Zhang, Q., Fu, Y. (2006) Reforming of raw fuel gas from biomass gasification to syngas over highly stable nickel-magnesium solid solution catalysts. Fuel Processing Technology, 87, 421-428.
- Weisz, P.B., Prater, C.D. (1954) Interpretation of measurements in experimental catalysis. Advances in Catalysis, 6, 143-196.
- Wu, X., Zhang, J., Chang, L. (1987) Catalyst deactivation. In: Delmon, B., Froment, G.F., editors., Studies in Surface Science and Catalysis, 34, 209.
- Yoshinori, T., Yamaguchi, T., Yamasaki, K., Ueno, A., Kotera, Y. (1984) Catalyst for steam gasification of wood to methanol synthesis gas. Industrial Engineering Chemistry Production Research Development, 23, 225-229.
- Young, G.W., Greene, H.L., (1977) Kinetic modeling for the catalytic oxidation of benzo(a)pyrene. Journal of Catalysis, 50, 258-267.
- Zhang, R., Wang, Y., Brown, R.C. (2006) Steam reforming of tar compounds over Ni/olivine catalysts doped with CeO₂. Energy Conversion and Management. In press.
- Zhang, X.-W., Shen, S.-C., Yu, L.E., Kawi, S., Hidajat, K., Simon Ng, K.Y. (2003) Oxidative decomposition of naphthalene by supported metal catalysts. Catalysis A: General, 250, 341-352.
- Zhao, H., Draelants, D.J., Baron, G.V. (2000) Performance of a nickel-activated candle filter for naphthalene cracking in synthetic biomass gasification gas. Industrial and Engineering Chemistry Research, 39, 3195-3201.

CURRICULUM VITAE

Name: Ms. Asawin Bampenrat

Date of Birth: January 5, 1978

Nationality: Thai

University Education:

1996–1999 Bachelor Degree of Chemical Engineering (2nd class honors),
Faculty of Engineering, Mahanakorn University of
Technology, Bangkok, Thailand

Work Experience:

1999-2002 Position: Research Assistant
Company name: Centre for Advanced Materials
Engineering Research, Mahanakorn
University of Technology, Bangkok,
Thailand

2002-2004 Position: Lecturer
Company name: Mahanakorn University of Technology,
Bangkok, Thailand

Publications:

1. Bampenrat, A., Meeyoo, V., Kitiyanan, B., Rangsunvigit, P., Risksomboon, T. (2009) Catalytic oxidation of naphthalene over CeO₂-ZrO₂ mixed oxide catalysts. Catalysis Communications, 9, 2349-2352.
2. Bampenrat, A., Meeyoo, V., Kitiyanan, B., Rangsunvigit, P., Risksomboon, T. (2009) Naphthalene steam reforming over Mn-doped CeO₂-ZrO₂ supported nickel catalysts. Applied Catalysis A: General, in press.
3. Bampenrat, A., Meeyoo, V., Kitiyanan, B., Rangsunvigit, P., Risksomboon, T. Catalytic oxidation of volatile organic compounds over transition metal oxide doped CeO₂-ZrO₂ catalysis. in preparation.
4. Bampenrat, A., Meeyoo, V., Kitiyanan, B., Rangsunvigit, P., Risksomboon, T., Schwank, J. Steam reforming of toluene as a model compound of tar derived

from biomass gasification: The effect of transition metal oxide doping. in preparation.

Proceedings:

1. Bampenrat, A., Meeyoo, V., Kitiyanan, B., Rangsunvigit, P., Risksomboon, T. (2009, November 16-21) Naphthalene Steam Reforming over Ni/Ce_{0.75}Zr_{0.25-x}Mn_xO₂ (x = 0, 0.10, 0.20 and 0.25) Mixed Oxide Catalysts. Proceedings of the AIChE annual meeting 2004, Philadelphia, United States of America.

Presentations:

1. Bampenrat, A., Meeyoo, V., Kitiyanan, B., Rangsunvigit, P., Risksomboon, T. (2008, April 4-6) Catalytic Oxidation of Naphthalene over Ceria-Zirconia Mixed Oxide Catalysts. Oral presented at RGJ Ph.D. congress, Chonburi, Thailand.
2. Bampenrat, A., Meeyoo, V., Kitiyanan, B., Rangsunvigit, P., Risksomboon, T. (2008, July 13-18) Catalytic Oxidation of Naphthalene over Ceria-Zirconia Catalysts. Poster presented at 14th ICC, Seoul, Korea.
3. Bampenrat, A., Meeyoo, V., Kitiyanan, B., Rangsunvigit, P., Risksomboon, T., Schwank, J. (2009, May 12) Catalytic Tar Reforming over Mn-doped Ni/CeO₂-ZrO₂. Poster presented at 31st MCS, Ann Arbor, Michigan, United States of America.