

REFERENCES

- Acosta, E.J. (2008). The HLD–NAC equation of state for microemulsions formulated with nonionic alcohol ethoxylate and alkylphenol ethoxylate surfactants. Colloids and Surfaces A: Physicochemical and Engineering Aspects, In Press.
- Chai, J., Li, G., Zhang, G., Lu, J., and Wang, Z. (2003). Studies on the phase behavior of the system APG/alcohol/alkane/H₂O with fishlike diagrams. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 231, 173–180.
- Chai, J., Zhao, J., Gao, Y., Yang, X., and Wu, C. (2007). Studies on the phase behavior of the microemulsions formed by sodium dodecyl sulfonate, sodium dodecyl sulfate and sodium dodecyl benzene sulfonate with a novel fishlike phase diagram. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 302, 31-35.
- Chavadej, S., Phoochinda, W., Yanatatsaneejit, U., and Scamehorn, J.F. (2004) Clean-up of Oily Wastewater by Froth Flotation: Effect of Microemulsion Formation III: Use of Anionic/Nonionic Surfactant Mixtures and Effect of Relative Volumes of Dissimilar Phases. Separation Science and Technology, 39, 3021-3036.
- Chavadej, S., Ratanarajanatam, P., Phoochinda, W., Yanatatsaneejit, U., and Scamehorn, J.F. (2004) Clean-up of Oily Wastewater by Froth Flotation: Effect of Microemulsion Formation II: Use of Anionic/Nonionic Surfactant Mixtures. Separation Science and Technology, 39, 3003-3020.
- Clarence, A.M. and Neogi, P. (1985). Interfacial Phenomena: Equilibrium and Dynamic Effects. New York: Marcel Dekker.
- Feng, D. and Aldrich, C. (2000) Removal of Diesel from Aqueous Emulsions by Flotation. Separation Science and Technology, 35, 2159-2172.
- Holmberg, K., Shah, D.O., and Schwuger, M.J. (2002). Handbook of Applied Surface and Colloid Chemistry. England: John Wiley & Sons Ltd.
- Holmberg, K., Jonsson, B., Kronberg, B., and Lindman, B. (2003). Surfactants and Polymers in Aqueous Solution. England: John Wiley & Sons Ltd.

- Lee, J. and Lim, K. (2005). Changes in two-phase emulsion morphology in temperature–amphiphile concentration or fish diagram for ternary amphiphile/oil/water systems. Journal of Colloid and Interface Science, 290, 241–249.
- Mitra, R.K. and Paul B.K. (2005). Effect of temperature and salt on the phase behavior of nonionic and mixed nonionic–ionic microemulsions with fish-tail diagrams. Journal of Colloid and Interface Science, 291, 550–559.
- Myers, D. (1999) Surfaces, Interfaces, and Colloids. New York: John Wiley & Sons, Inc.
- Phoochinda, W., Chavadej, S., and Scamehorn, J.F. (1997). Removal of Emulsified Oil from Wastewater Using Froth Flotation. M.S. Thesis in the Petrochemical Technology, The Petroleum and Petrochemical College, Chulalongkorn University.
- Piispanen, P.S., Persson, M., Claesson, P., and Norin, T. (2004). Surface properties of surfactants derived from natural products. Part 1: syntheses and structure/property relationships—solubility and emulsification. Journal of Surfactants and Detergents, 7(2), 147-159.
- Ratanarojanatam, P., Chavadej, S., and Scamehorn, J.F. (1997). Clean-Up of Oily Waste Water by Froth Flotation: Effect of Microemulsion Formation by Surfactant Mixtures. M.S. Thesis in the Petrochemical Technology, The Petroleum and Petrochemical College, Chulalongkorn University.
- Rosen, M.J. (2004). Surfactants and Interfacial Phenomena. New Jersey: John Wiley & Sons.
- Sharma, M.K. (1991). Particle Technology and Surface Phenomena. New York: Wiley.
- Schramm, L.L. (2005). Emulsions, Foams, and Suspensions Fundamentals and Applications. Germany: WILEY-VCH Verlag GmbH & Co.
- Tadros, T.F., (2005). Applied Surfactants Principles and Applications. Germany: WILEY-VCH Verlag GmbH & Co.
- Tungsubutra, T., and Miller, C.A. (1992) Equilibrium and dynamic behavior of a system containing C12E6, water, triolein and oleyl alcohol. In Friberg, S.E., and Linman, B. (Eds.). Organized Solutions. New York: Marcel Dekker.

- Winsor, P.A. (1968). Binary and multicomponent solutions of amphiphilic compounds, solubilization and the formation, structure, and theoretical significance of liquid crystalline solution. Chemical Reviews, 68(1), 1-40.
- Wu, B., Cheng, H., Childs, J.D., and Sabatani, D.A. (2000) Surfactant-enhanced removal of hydrophobic oil contamination. In Smith, J.A., and Burns, S.E. (Eds.). Physicochemical Ground Water Remediation. New York: Plenum.
- Yang, X., Li, H., Chai, J., Gao, Y., Chen, J., and Lou, A. (2008). Phase behavior studies of quaternary systems containing *N*-lauroyl-*N*-methylglucamide/alcohol/alkane/water. Journal of Colloid and Interface Science, 320, 283–289.
- Zhao, Z., Bi, C., Li, Z., Qiao, W., and Cheng, L. (2005) Interfacial tension between crude oil and decylmethylnaphthalene sulfonate surfactant alkali-free flooding Journal of Colloid and Interface Science, 276, 186-191.
- Zhu, Y., Xu, G., Gong, H., Wu, D., and Wang, Y. (2009) Production of ultra-low interfacial tension between crude oil and mixed brine solution of Triton X-100 and its oligomer Tyloxapol with cetyltrimethylammonium bromide induced by hydrolyzed polyacrylamide. Journal of Colloid and Interface Science, 332, 90-97.
- Zoller, U., (2004). Handbook of Detergents - Part B: Environmental Impact. Newyork: Marcel Dekker.

