REFERENCES

- Agbor, N.E., Petty, M.C., and Monkman, A.P. (1995) Polyaniline thin films for gas sensing. Sensors and Actuators B: Chemical, 28(3), 173-179.
- Allison, E. (2008) Methane hydrates in Letcher, T.M. (ed) Future Energy: Improved,

 <u>Sustainable Clean Option for Our Planet</u>, (pp. 277-290) Amsterdam:

 Elsevier.
- Anderson, R., Chapoy, A., and Tohidi, B. (2007) Phase relations and binary clathrate hydrate formation in the system H₂-THF-H₂O. Langmuir, 23, 3440-3444.
- Anderson, R., Tohidi, B., and Webber, J.B.W. (2009) Gas hydrate growth and dissociation in narrow pore networks: capillary inhibition and hysteresis phenomena. <u>Geological Society London Special Publications</u>, 319(1), 145-159.
- Arjang, S., Manteghian, M., and Mohammadi, A. (2013) Effect of synthesized silver nanoparticles in promoting methane hydrate formation at 4.7 MPa and 5.7 MPa. Chemical Engineering Research and Design, 91, 1050-1054.
- Auerbach, S.M., Carrado, K.A., and Dutta, P.K. (Eds.). (2003) <u>Handbook of Zeolite:</u>

 <u>Science and Technology</u>. New York: Marcel Dekker.
- Babu, P., Kumar, R., and Linga, P. (2013a) Pre-combustion capture of carbon dioxide in a fixed bed reactor using the clathrate hydrate process. <u>Energy</u>, 50, 364-373.
- Babu, P., Kumar, R., and Linga, P. (2013b) A new porous materials to enhance the kinetics of clathrate process: Application to precombustion carbon dioxide capture. <u>Environmental Science and Technology</u>, 47, 13191-13198.
- Babu, P., Yee, D., Linga, P., Palmer, A., Khoo, B.C., Tan, T.S., and Rangsunvigit, P. (2013c) Morphology of methane hydrate formation in porous media. <u>Energy</u> & Fuels, 27, 3364-3372.
- Boubel, R.W., Fox, D.L., Turner, B.R., and Stern, A.C. (Eds.). (1994) <u>Fundamentals</u> of Air Pollution. San Diego: Academic Press.
- Carroll, J.J. (2003) <u>Natural Gas Hydrates- A Guide for Engineers</u>. (pp.17-49). Amsterdam: Gulf Professional Publishing.

- Cha, S.B., Ouar, H., Wildeman, T.R., and Sloan, E.D. (1988) A third-surface effect on hydrate formation. Journal of Physical Chemistry, 92, 6492-6494.
- Chapoy, A., Anderson, R., and Tohidi, B. (2007) Low-pressure molecular hydrogen storage in semi-clathrate hydrates of quaternary ammonium compounds.

 <u>Journal of the American Chemistry Society</u>, 129, 746-747.
- Chari, V.D., Sharma, D.V.S.G.K., and Prasad, P.S.R. (2012) Methane hydrate phase stability with lower mole fractions of tetrahydrofuran (THF) and *tert*-butylamine (*t*-BuNH₂). Fluid Phase Equilibrium, 315, 126-130.
- Chari, V.D., Sharma, D.V.S.G.K., Prasad, P.S.R., and Murthy, S.R. (2013) Methane hydrates formation and dissociation in nano silica suspension. <u>Journal of Natural Gas Science and Engineering</u>, 11, 7-11.
- Chatti, I., Delahaye, A., Fournaison, L., and Petitet, J.P. (2005) Benefits and drawbacks of clathrate hydrates: a review of their areas of interest. <u>Energy</u> Conversion and Management, 46, 1333-1343.
- Clarke, M.A., Pooladi-Darvish, M., and Bishnoi, P.R. (1999) A Method to predict equilibrium conditions of gas hydrate formation in porous media. <u>Industrial</u> & Engineering Chemistry Research, 38, 2485-2490.
- Collett, T.S. (2002) Energy resource potential of natural gas hydrates. <u>American Association of Petroleum Geologists Bulletin</u>, 86(11), 1971-1992.
- Coy, P. "An Artificial Lump of Methane Hydrate Being Burned" BloomBerg. 14

 March 2013. 15 June 2015 http://www.bloomberg.com/bw/articles/2013-03-14/after-producing-methane-from-fire-ice-the-challenge-of-making-it-practical
- Dai, X.D., Liu, X.M., Zhao, G., Qian, L., Qiao, K., and Yan, Z.F. (2008) Treatment of activated carbon for methane storage. <u>Asia-Pacific Journal of Chemical Engineering</u>, 3, 292-297.
- Davy, H. (1811) The Bakerian Lecture. On some of the combinations of oxymuriatic gas and oxygene, and on the chemical relations of these principles to inflammable bodies. Philosophical Transactions of the Royal Society of London, 101, 1-35.

- Delahaye, A., Fournaison, L., Marinhas, S., Chatti, I., Petitet, J.P., Dalmazzone, D., and Furst, W. (2006) Effect of THF on equilibrium pressure and dissociation enthalpy of CO₂ hydrates applied to secondary refrigeration. Industrial & Engineering Chemistry Research, 45, 391-397.
- Demirbas, A. (2010) Methane Gas Hydrate. London: Springer.
- Deusner, C, Bigalke, N, Kossel E, and Haeckel M. (2012) Methane production from gas hydrate deposits through injection of supercritical CO₂. <u>Energies</u>, 5, 2112-2140.
- Ding, A., Yang, L., Fan, S., and Lou, X. (2013) Reversible methane storage in porous hydrogel supported clathrates. <u>Chemical Engineering Science</u>, 96, 124-130.
- Englezos, P. (1993) Clathrate hydrates. <u>Industrial & Engineering Chemistry</u>
 Research, 32, 1251-1274.
- Englezos, P. and Lee, J.D. (2005) Gas hydrates a cleaner source of energy and opportunity for innovative technologies. <u>Korean Journal of Chemical Engineering</u>, 22(5), 671-681.
- Erik, M., Selim, M.S., and Sloan, E.D., Jr. (2001) Methane hydrate film growth kinetics. Fluid Phase Equilibria, 185, 65-75.
- Fan, S., Yang, L., Wang, Y., Lang, X., Wen, Y., and Lou, X. (2014) Rapid and high capacity methane storage in clathrate hydrates using surfactant dry solution.

 <u>Chemical Engineering Science</u>, 106, 53-59.
- Fandiño, O. and Ruffine, L. (2014) Methane hydrate nucleation and growth from the bulk phase: Further insights into their mechanisms. <u>Fuel</u>, 117, Part A, 442-449.
- Florusse, L.J., Peters, C.J., Schoonman, J., Hester, H.C., Koh, C.A., Dec, S.F., Marsh, K.N., and Sloan, M.E. (2004) Stable low-pressure hydrogen clusters stored in a binary clathrate hydrate. <u>Science</u>, 306, 469-471.
- Fukumoto, K., Tobe, J., Ohmura, R., and Mori, Y.H. (2001) Hydrate formation using water spraying in a hydrophobic gas: A preliminary study. <u>AIChE Journal</u>, 47, 1899-1904.

- Ganji, H., Manteghian, M., and Mofrad, H.R. (2007a) Effect of mixed compounds on methane hydrate formation and dissociation rates and storage capacity. <u>Fuel Processing Technology</u>, 88, 891-895.
- Ganji, H., Manteghian, M., Zadeh, K.S., Omidkhah, M.R., and Mofrad, H.R. (2007b) Effect of different surfactants on methane hydrate formation rate, stability and storage capacity. Fuel, 86, 434-441.
- Gayet, P., Dicharry, C., Marion, G., Graciaa, A., Lachaise, J., and Nesterov A. (2005)

 Experimental determination of methane hydrate dissociation curve up to 55

 MPa by using a small amount of surfactant as hydrate promoter. Chemical

 Engineering Science, 60, 5751-5758.
- Gbaruko, B.C., Igwe, J.C., Gbaruko, P.N., and Nwokeoma, R.C. (2007) Gas hydrates and clathrates: flow assurance, environmental and economic perspectives and the nigerian liquified natural gas project. <u>Journal of Petroleum Science</u> and Engineering, 56, 192-198.
- Giavarini, C. and Maccioni, F. (2004) Self-preservation at low pressures of methane hydrates with various gas contents. <u>Industrial and Engineering Chemistry Research</u>, 43, 6616-6621.
- Giavarini, C., Maccioni, F., and Broggi, A. (2008, July 6-10) Formation dissociation of CO₂ and CO₂-THF hydrates compared to CH₄ and CH₄-THF hydrates. Paper presented at <u>The 6th International Conference on Gas Hydrates (ICGH 2008)</u>, Vancouver, Canada.
- Giavarini, C., Maccioni, F., Politi, M., and Santarelli, M.L. (2007) CO₂ hydrate: Formation and dissociation compared to methane hydrate. <u>Energy & Fuels</u>, 21, 3284-3291.
- Gibanel, F., López, M.C., Royo, F.M., Santafé, J., and Urieta, J.S. (1993) Solubility of nonpolar gases in tetrahydrofuran at 0 to 30 °C and 101.33 kPa partial pressure of gas. Journal of Solution Chemistry, 22, 211-217.
- Guha, A. and Panda D. (2008) Solubility of some non-polar gases in mixed solvents.

 <u>International Journal of Chemical Sciences</u>. 6, 1147-1167.

- Gopalan, A.I., Kwang, P.L., Manian, K.M.P., Santhosh, P., Kap, D.S., and Duk, D.L. (2006, July 17-20) Fabrication of functional nanofibrous ammonia sensor. Paper presented at <u>The 6th IEEE Conference on Nanotechnology (IEEE-NANO2006)</u>, Cincinnati, Ohio.
- Graue, A., Kvamme, B., Baldwin, B.A., Stevens, J., Howard, J., Ersland, G., Husebo J., and Zomes, D.R. (2006, September 24-27) Magnetic resonance imaging of methane carbon dioxide hydrate reactions in sandstone pores. Paper presented at <u>Annual Technical Conference and Exhibition (ATCE2006)</u>, San Antonio, Texas.
- Gudmundsson, J.S. and Brrehaug, A. (1996, June 2-6) Frozen hydrate for transport of natural gas. Paper presented at <u>The 2nd International Conference on Natural Gas Hydrates</u>, Toulouse, France.
- Gudmundsson, J.S., Mork, M., and Graff, O.F. (2002, May 19-23) Hydrate non-pipeline technology. Paper presented at <u>The 4th International Conference on Natural Gas Hydrates</u>, Yokohama, Japan.
- Gudmundsson, J.S., Parlaktuna, M., and Khokhar, A.A. (1994) Storing natural gas as frozen hydrates. SPE Production and Facilities, 9, 69-73.
- Guo, Y.K., Fan, S.S., Guo, K.H., and Chen, Y. (2002, May 19-23) Storage capacity of methane in hydrate using calcium hypochlorite as additive. Paper presented at The 4th International Conference on Natural Gas Hydrates, Yokohama, Japan.
- Haligva, C., Linga, P., Ripmeester, J.A., and Englezos, P. (2010) Recovery of methane from a variable-volume bed of silica sand/hydrate by depressurization. Energy & Fuels, 24, 2947-2955.
- Hammerschmidt, E.G. (1934) Formation of gas hydrates in natural gas transmission lines. Industrial & Engineering Chemistry, 26, 851-855.
- Hao, S.Q., Kim, S., Qin, Y., and Fu, X.H. (2014) Enhanced methane storage using sodium dodecyl sulfate and coal. <u>Environmental Chemistry Letters</u>, 12, 341-346.
- Haq, B.U. (1999) Natural gas deposits-methane in the deep blue sea. Science, 285 (5427), 543-544.

- House, K.Z., Schrag, D.P., Harvey, C.F., and Lackner, K.S. (2006) Permanent carbon dioxide storage in deep-sea sediments. <u>Proceedings of the National Academy of Sciences of the United States of America</u>, 103, 12291-12295.
- Iwasaki, T., Katoh, Y., Nagamori, S., and Takahashi, S. (2005, June 13-16)

 Continuous natural gas hydrate pellet production (NGHP) by process development unit (PDU). Paper presented at The 5th International Conference on Gas Hydrates, Trondheim, Norway.
- Javanmardi, J., Nasrifar, K., Najibi, S.H., and Moshfeghian, M. (2005) Economic evaluation of natural gas hydrate as an alternative for natural gas transportation. <u>Applied Thermal Engineering</u>, 25,1708-1723.
- Jiang, G., Tu, Y., Ning, F., Zhang, L., Dou, B., and Wu, X. (2008, July 6-10) Effect of SDS and THF on formation of methane-containing hydrates in pure water. Paper presented at <a href="https://dx.doi.org/10.1008/jhttps://dx.
- Jin, Y., Konno, Y., and Nagao, J. (2012) Growth of methane clathrate hydrates in porous media. Energy & Fuels, 26, 2242-2247.
- Jones, C.Y., Zhang, J.S., and Lee, J.W. (2010) Isotope effect on eutectic and hydrate melting temperatures in the water-THF system. <u>Journal of Thermodynamics</u>, 2010, 1-6.
- Kalogerakis, N., Jamaluddin, A.K.M., Dholabhai, P.D., and Bishnoi, P.R. (1993, March 2-5) Effect of surfactant on hydrate formation kinetics. Paper presented at <u>SPE International Symposium on Oilfield Chemistry</u>, New Orleans, Los Angeles, U.S.A.
- Kang, S.P. and Lee, H. (2000) Recovery of CO₂ from flue gas using gas hydrate: Thermodynamic verification through phase equilibrium measurements. <u>Environmental Science & Technology</u>, 34, 4397-4400.
- Kang, S.P. and Lee J.W. (2010) Formation characteristics of synthesized natural gas hydrates in meso- and macroporous silica gels. <u>Journal of Physical</u> Chemistry B, 114, 6973-6978.
- Karaaslan, U. and Parlaktuna, M. (2000) Surfactants as hydrate promoters? Energy & Fuels, 14, 1103-1107.

- Khokhar, A.A. and Sloan, E.D (1998) Gas storage in structure H hydrates. <u>Fluid Phase Equilibria</u>, 150-151, 383-392.
- Kim, D.Y., Park, Y., and Lee, H. (2009) Tuning clathrate hydrates: application to hydrogen storage. <u>Catalysis Today</u>, 120, 257-261.
- Kim, D.Y., Park, J., Lee, J.W., Ripmeester, J.A., and Lee, H. (2006) Critical guest concentration and complete tuning pattern appearing in the binary clathrate hydrates. Journal of the American Chemical Society, 128, 15360-15361.
- Kim, N.J., Park, S.S., Kim, H.T., and Chun, W.A. (2011) Comparative study on enhanced formation of methane hydrate using CM-95 and CM-100 MWCNTs. <u>International Communications in Heat and Mass Transfer</u>, 38, 31-36.
- Kim, N.J., Park, S.S., Shin, S.W., Hyun, J.H., and Chun, W. (2015) An experimental investigation into the effects of zeolites on the formation of methane hydrates. International Journal of Energy Research, 39, 26-32.
- Klapproth, A., Techmer, K.S., Klapp, S.A., Murshed, M.M., and Kuhs, W.F. (2006, July 23-28) Microstructure of gas hydrates in porous media. Paper presented at The 11th International Conference on the Physics and Chemistry of Ice, Bremerhaven, Germany.
- Klauda, J.B. and Sandler, S.I. (2005) Global distribution of methane hydrate in ocean sediment. Energy & Fuels, 19, 459-470.
- Kuhs, W.F., Genov, G., Satykova, D.K., and Hansen, T. (2004) Ice perfection and onset of anomalous preservation of gas hydrates. <u>Physical Chemistry</u> Chemical Physics, 6, 4917-4920.
- Kumar, A., Sakpal, T., Linga, P., and Kumar, R. (2013) Influence of contact medium and surfactants on carbon dioxide clathrate hydrate kinetics. <u>Fuel</u>, 105, 664-671.
- Koh, C.A., Sloan, E.D., Sum, A.M., and Wu, D.T. (2011) Fundamental and applications of gas hydrates. <u>Annual Review of Chemical and Biomolecular</u> Engineering, 2, 237-257.

- Kvamme, B., Graue, A., Buanes, T., Kuznetsova, T., and Ersland, G. (2007) Storage of CO₂ in natural gas hydrate reservoirs and the effect of hydrate as an extra sealing in cold aquifers. <u>International Journal of Greenhouse Gas Control</u>, 1, 236-246.
- Kvenvolden, K.A. (1993) Gas hydrates geological perspective and global change. Reviews of Geophysics, 31, 173-187.
- Kvenvolden, K.A. (1999) Potential effects of gas hydrate on human welfare.

 Proceeding of the National Academy of Science, 96, 3420-3426.
- Lee, H., Lee, J.W., Kim, D.Y., Park, J., Seo, Y.T., Zeng, H., Moudrakovski, I.L., Ratcliffe, C.I., and Ripmeester, J.A. (2005) Tuning clathrate hydrates for hydrogen storage. <u>Nature</u>, 434, 743-746.
- Lee, H., Seo, Y., Seo, Y.T., Moudrakovski, I.L., and Ripmeester, J.A. (2003)

 Recovering Methane from Solid Methane Hydrate with Carbon Dioxide.

 Angewandte Chemie International Edition, 42, 5048-5051.
- Lee, Y.J., Kawamura, T., Yamamoto, Y., and Yoon, J.H. (2012) Phase equilibrium studies of tetrahydrofuran (THF) + CH₄, THF + CO₂, CH₄ + CO₂, and THF + CO₂ + CH₄ hydrates. <u>Journal of Chemical and Engineering Data</u>, 57, 3543-3548.
- Li, L., Liu, S., and Liu, J. (2011) Surface modification of coconut shell based activated carbon for the improvement of hydrophobic VOC removal.

 Journal of Hazardous Materials, 192, 683-690.
- Li, X.S., Xu, C.G., Chen, Z.Y., and Wu H. (2010) Tetra-n-butyl ammonium bromide semi-clathrate hydrate process for post-combustion capture of carbon cioxide in the presence of dodecyl trimethyl ammonium chloride. <u>Energy</u>, 35(9), 3902-3908.
- Liang, M., Chen, G., Sun, C., Yan, L., Liu, J., and Ma, Q. (2005) Experimental and modeling study on decomposition kinetics of methane hydrates in different media. Journal of Physical Chemistry B, 109, 19034-19041.
- Lim, S.H., Riffat, S.B., Park, S.S., Oh, S.J., Chun, W., and Kim, N. (2014)

 Enhancement of methane hydrate formation using a mixture of tetrahydrofuran and oxidized multi-wall carbon nanotubes. <u>International Journal of Energy Research</u>, 38, 374-379.

- Lin, W., Chen, G.L., Sun, C.Y., Guo, X.Q., Wu, Z.K., Liang, M.Y., Chen, L.T., and Yang, L.Y. (2004) Effect of surfactant on the formation and dissociation kinetic behavior of methane hydrate. <u>Chemical Engineering Science</u>, 59, 4449-4455.
- Linga, P., Adeyemo, A., and Englezos, P. (2007) Medium-pressure clathrate hydrate/membrane hybrid process for postcombustion capture of carbon dioxide. Environmental Science & Technology, 42, 315-320.
- Linga, P., Daraboina, N., Ripmeester, J.A., and Englezos, P. (2012) Enhanced rate of gas hydrate formation in a fixed bed column filled with sand compared to a stirred vessel. Chemical Engineering Science, 68, 617-623.
- Linga, P., Haligva, C., Nam, S.C., Ripmeester J.A., and Englezos, P. (2009a) Gas hydrate formation in a variable volume bed of silica sand particles. <u>Energy</u> Fuels, 23, 5496-5507.
- Linga, P., Haligva, C., Nam, S.C., Ripmeester, J.A., and Englezos, P. (2009b)

 Recovery of methane from hydrate formed in a variable volume bed of silica sand particles. Energy & Fuels, 23, 5508-5516.
- Linga, P., Kumar, R., and Englezos, P. (2007) Gas hydrate formation from hydrogen/carbon dioxide and nitrogen/carbon dioxide gas mixtures. Chemical Engineering Science, 62, 4268-4276.
- Linga, P., Kumar, R., Lee, J.D., Ripmeester, J.A., and Englezos, P. (2010) A new apparatus to enhance the rate of gas hydrate formation: Application to capture of carbon dioxide. <u>International Journal of Greenhouse Gas Control</u>, 4(4), 630-637.
- Luo, Y.T., Zhu, J.H., Fan, S.S., and Chen, G.J. (2007) Study on the kinetics of hydrate formation in a bubble column. <u>Chemical Engineering Science</u>, 62, 1000-1009.
- Lv, Q.N., Li, X.S., Xu, C.G., and Chen, Z.Y. (2012) Experimental investigation of the formation of cyclopentane-methane hydrate in a novel and large-size bubble column reactor. <u>International Journal of Energy Research</u>, 51(17), 5967-5975.
- Makogon, Y.F. (1981) Hydrates of Natural Gas. Oklahoma: Penwell Books.

- Mandal, A. and Laik, S. (2008) Effect of the promoter on gas hydrate formation and dissociation. <u>Energy & Fuels</u>, 22, 2527-2532.
- Mazzini, A., Ivanov, M.K., Parnell. J., Stadnitskaia, A., Cronin, B.T., Poludetkina, E., Mazurenko, L., and van Weering, T.C.E. (2004) Methane-related authigenic carbonates from the Black Sea: geochemical characterization and relation to seeping fluids. Marine Geology, 212, 153-181.
- Milkov, A.V. (2004) Global estimates of hydrate-bound gas in marine sediments: How much is really out there? Earth-Science Reviews, 66, 183-197.
- Mohammadi, A.H. and Richon, D. (2009) Phase equilibria of clathrate hydrates of tetrahydrofuran + hydrogen sulfide and tetrahydrofuran + methane.

 Industrial & Engineering Chemistry Research, 48, 7838-7841.
- Mullin, J.W. (1993) Crystallisation, 3rd ed. Oxford: Butterworth-Heinemann
- Nakayama, T., Tomura, S., Ozaki, M., Ohmura, R., and Mori, Y.H. (2010) Engineering investigation of hydrogen storage in the form of clathrate hydrates: Conceptual design of hydrate production plants. <u>Energy and Fuels</u>, 24, 2576-2588.
- Nixon, M.F. and Grozic, J.L.H. (2006) A simple model for submarine slope stability analysis with gas hydrates. <u>Norwegian Journal of Geology</u>, 86, 309-316.
- Ogata, K., Tsuda, T., Amano, S., Hashimoto, S., Sugahara, T., and Ohgaki, K. (2010) Hydrogen storage in trimethylamine hydrate: thermodynamic stability and hydrogen storage capacity of hydrogen plus trimethylamine mixed semiclathrate hydrate. Chemical Engineering Science, 65, 1616-1620.
- Ohmura, R., Kashiwazaki, S., Shiota, S., Tsuji, H., and Mori, Y.H. (2002) Structure-I and structure-H hydrate formation using water spraying. Energy & Fuels, 16, 1141-1147.
- Panter, J.L., Ballard, A.L., Sum, A.K., Sloan, E.D., and Koh, C.A. (2011) Hydrate plug dissociation via nitrogen purge: experiments and Modeling. <u>Energy</u> Fuels, 25, 2572-2578.
- Park, S.S. and Kim, N.J. (2010, February 26-28) Multi-walled carbon nanotubes effects for methane hydrate formation. Paper presented at The 2nd International Conference on Computer and Automation Engineering (ICCAE), Singapore.

- Partoon, B., Malik, S.N.A., Azemi, M.H., and Sabil, K.M. (2013) Experimental investigations on the potential of SDS as low-dosage promoter for carbon dioxide hydrate formation. <u>Asia-Pacific Journal of Chemical Engineering</u>, 8, 916-921.
- Pasieka, J., Coulombe, S., and Servio, P. (2013) Investigating the effects of hydrophobic and hydrophilic multi-wall carbon nanotubes on methane hydrate growth kinetics. <u>Chemical Engineering Science</u>, 104, 998-1002.
- Popescu, I., De Batist, M., Lericolais, G., Nouzé, H., Poort, J., Panin, N., Versteeg, W., and Gillet, H. (2006) Multiple bottom-simulating reflections in the Black Sea: potential proxies of past climate conditions. <u>Marine Geology</u>, 227, 163-166.
- Prasad, P.S.R., Chari, V.D., Sharma, D.V.S.G.K., Murthy, S.R. (2012) Effect of silica particles on the stability of methane hydrates. <u>Fluid Phase Equilibria</u>, 318, 110-114.
- Prasad, P.S.R., Sowjanya, Y., and Chari, V.D. (2014) Enhancement in methane storage capacity in gas hydrate formed in hollow silica. <u>Journal of Physical Chemistry C</u>, 118, 7759-5564.
- Prasad, P.S.R., Sowjanya, Y., and Prasad, K.S. (2009) Micro-raman investigation of mixed gas hydrates. <u>Vibrational Spectroscopy</u>, 50, 319-323.
- Rehder, G., Eckl, R., Elfgen, M., Falenty, A., Hamann, R., Kähler, N., Kuhs W.F., Osterkamp, H., and Windmeier, C. (2012) Methane hydrate pellet transport using the self-preservation effect: A Techno-economic analysis. <u>Energies</u>, 5, 2499-2523.
- Ricaurte, M., Torré, J.P., Diaz, J., and Dicharry, C. (2015) In situ injection of THF to trigger gas hydrate crystallization: Application to evaluation of a kinetic hydrate promoter. <u>Chemical Engineering Research and Design</u>, 92, 1674-1680.
- Riestenberg, D., West, O., Lee, S., McCallum, S., and Phelps, T.J. (2003) Sediment surface effects on methane hydrate formation and dissociation. <u>Marine Geology</u>, 198, 181-190.
- Ripmeester, J.A., Tse, J.S., Ratcliffe, C.I., and Powell, B.M. (1987) A new clathrate structure. <u>Nature</u>, 325, 135-136.

- Rogers, R., Zhang, G., Dearman, J., and Woods, C. (2007) Investigations into surfactant/gas hydrate relationship. <u>Journal of Petroleum Science and Engineering</u>, 56, 82-8.
- Rovetto, L.R., Strobel, T.A., Koh, C.A., and Sloan, E.D. (2006) Is gas hydrate formation thermodynamically promoted by hydrotrope molecules? Fluid Phase Equilibria, 247, 84-89.
- Rowley, R.L. (1994) <u>Statistical Mechanics for Thermophysical Property</u>

 <u>Calculations</u>. Englewood Cliff, N.J.: Prentice Hall.
- Seo, Y.T., Lee, H., Moudrakovski, I., and Ripmeester, J.A. (2003) Phase behavior and structural characterization of coexisting pure and mixed clathrate hydrates. <u>A European Journal of Chemical Physics and Physical Chemistry</u>, 4, 379-382.
- Servio, P. and Englezos, P. (2003) Morphology study of structure H hydrate formation from water droplets. <u>Crystal Growth and Design</u>, 3, 61-66.
- Sharma, D.V.S.G.K., Sowjanya, Y., Chari, V.D., and Prasad, P.S.R., (2014) Methane storage in mixed hydrates with tetrahydrofuran. <u>Indian Journal of Chemical Technology</u>, 21, 114-119.
- Shen, W., Li, Z., and Liu, Y. (2008) Surface chemical functional groups modification of porous carbon. Recent Patents on Chemical Engineering, 1, 27-40.
- Shicai, S., Changling, L., Yuguang, Y., and Yufeng, L. (2014) Pore capillary pressure and saturation of methane hydrate bearing sediments. <u>Acta Oceanologica Sinica</u>, 33, 30-36.
- Shimada, W., Takeya, S., Kamata, Y., Uchida, T., Nagao, J., Ebinuma, T., and Narita, H. (2005) Texture change of ice on anomalously preserved methane clathrate hydrate. The Journal of Physical Chemistry B, 109, 5802-5807.
- Siangsai, A., Rangsunvigit, P., Kitiyanan, B., and Kulprathipanja, S. (2014) Improved methane hydrate formation rate using treated activated carbon and tetrahydrofuran. Journal of Chemical Engineering of Japan, 47(4), 352-357.

- Sloan, E.D. (2003) Fundamental principles and applications of natural gas hydrates.

 Nature, 426, 353-359.
- Sloan, E.D. and Koh, C.A. (2008) <u>Clathrate Hydrates of Natural Gases</u>, 3rd ed. Boca Raton: CRC Press.
- Smelik, E.A., and King, H.E. (1997) Crystal-growth studies of natural gas clathrate hydrates using a pressurized optical cell. American Mineralogist, 82, 88-98.
- Stern, L.A., Circone, S., Kirby, S.H., and Durham, W.B. (2001a) Anomalous preservation of pure methane hydrate at 1 atm. <u>The Journal of Physical Chemistry B</u>, 105, 1756-1762.
- Stern, L.A., Circone, S., Kirby, S.H., and Durham, W.B. (2001b) Preservation of methane hydrate at 1 atm. <u>Energy and Fuels</u>, 15, 499-501.
- Stern, L.A., Circone, S., Kirby, S.H., and Durham, W.B. (2003) Temperature, pressure, and compositional effects on anomalous or "self" preservation of gas hydrates. <u>Canadian Journal of Physics</u>, 81, 271-283.
- Stern, L.A., Kirby, S.H., and Durham, W.B. (1996) Peculiarities of methane clathrate hydrate formation and solid-state deformation, including possible superheating of water ice. Science, 273, 1843-1848.
- Strobel, T.A., Taylor, C.J., Hester, K.C., Dec, S.F., Koh, C.A., Miller, K.T., and Sloan, Jr. E.D. (2006) Molecular hydrogen storage in binary THF-H₂ Clathrate hydrates. <u>Journal of Physical Chemistry B</u>, 110, 17121-17125.
- Strobel, T.A., Koh, C.A., and Sloan, E.D. (2009) Thermodynamic predictions of various tetrahydrofuran and hydrogen clathrate hydrates. <u>Fluid Phase</u> Equilibria, 280, 61-67.
- Sugahara, T., Haag, J.C., Prasad, P.S.R., Warntjes, A.A., Sloan, E.D., Sum, A.K., and Koh, C.A. (2009) Increasing hydrogen storage capacity using tetrahydrofuran. <u>Journal of the American Chemistry Society</u>, 131, 14616-14617.
- Sun, C., Li, W., Yang, X., Li, F., Yuan, Q., Mu, L., Chen, J., Liu, B., and Chen, G. (2011) Progress in research of gas hydrate. Chinese Journal of Chemical Engineering, 19, 151-162.

- Sun, Z.G., Ma, R., Wang, R., Guo, K., and Fan, S. (2003) Experimental studying of additives effects on gas storage in hydrates. <u>Energy and Fuels</u>, 17, 1180-1185.
- Sun, Z.G., Wang, R., Ma, R., Guo, K., and Fan, S. (2013) Effect of surfactants and liquid hydrocarbons on gas hydrate formation rate and storage capacity. International Journal of Energy Research, 27, 747-756.
- Susilo, R., Alavi, S., Ripmeester, J.A., and Englezos, P. (2008) Tuning methane content in gas hydrates via thermodynamic modeling and molecular dynamics simulation. Fluid Phase Equilibria, 263, 6-17.
- Takahashi, M., Oonari, H., and Yamamoto, Y. (2002, May 19-23) A novel manufacturing method of gas hydrate using the micro-bubble technology. Paper presented at The 4th International Conference on Natural Gas Hydrates, Yokohama, Japan.
- Takaoki, T., Hirai, K., Kamei, M., and Kanda, H. (2005, June 13-16) Study of natural gas hydrate (NGH) carriers. Paper presented at The 5th International Conference on Gas Hydrates, Trondheim, Norway.
- Takaoki, T., Iwasaki, T., Katoh, Y., Arai, T., and Horiguchi, K. (2002, May 19-23)

 Use of hydrate pellets for transportation of natural gas, Advantage of pellet form of natural gas hydrate in sea transportation. Paper presented at The 4th International Conference on Natural Gas Hydrates, Yokohama, Japan.
- Takeya, S., Hori, A., Hondoh, T., and Uchida, T. (2000) Freezing-memory effect of water on nucleation of CO₂ hydrate crystals. <u>The Journal of Physical</u> <u>Chemistry B</u>, 104, 4164-4168.
- Thiessen, M. "Icelike Methane Melt" NationalGeographic. December 2012. 15 June 2015 http://ngm.nationalgeographic.com/2012/12/methane/thiessen-photography?source=podrelated#/03-icelike-methane-melts-670.jpg
- Tohidi, B., Burgass, R.W., Danesh, A., Todd, A.C., and Østergaard, K.K. (2000)

 Improving the accuracy of gas hydrate dissociation point measurements.

 Annals of the New York Academy of Sciences, 912, 924-931.
- Udachin, K.A., Ratcliffe, C.I., and Ripmeester, J.A. (2002) Single crystal diffraction studies of structure I, II and H Hydrates: structure, cage occupancy and composition. Journal of Supramolecular Chemistry, 2, 405-408.

- U.S. Geological Survey World Energy Assessment Team. (2000) U.S. geological survey world petroleum assessment 2000 Description and Results. U.S. Geological Survey Digital Data Series DDS 60.
- Veluswamy, H.P., Chen, J.Y., and Linga, P. (2015) Surfactant effect on the kinetics of mixed hydrogen/propane hydrate formation for hydrogen storage as clathrates. <u>Chemical Engineering Science</u>, 126, 488-499.
- Veluswamy, H.P., Chin, W.I., and Linga, P. (2014a) Clathrate hydrates for hydrogen storage: The impact of tetrahydrofuran, tetra-n-butylammonium bromide and cyclopentane as promoters on the macroscopic kinetics. <u>International</u> Journal of Hydrogen Energy, 39, 16234-16243.
- Veluswamy, H.P., Kumar, R., and Linga, P. (2014b) Hydrogen storage in clathrate hydrates: Current state of the art and future directions. <u>Applied Energy</u>, 122, 112-132.
- Veluswamy, H.P. and Linga, P. (2013) Macroscopic kinetics of hydrate formation of mixed hydrates of hydrogen/tetrahydrofuran for hydrogen storage.

 International Journal of Hydrogen Energy, 38, 4587-4596.
- Wu, J.Y., Chen, L.J., Chen, Y.P., and Lin, S.T. (2014) Molecular dynamics study on the equilibrium and kinetic properties of tetrahydrofuran clathrate hydrates.

 <u>Journal of Physical Chemistry C</u>, 119, 1400-1409.
- Yan, L., Chen, G., Pang, W., and Liu, J. (2005) Experimental and modeling study on hydrate formation in wet activated carbon. <u>Journal of Physical Chemistry B</u>, 109, 6025-6030.
- Yoon, J.H. (2012) A theoretical prediction of cage occupancy and heat of dissociation of THF-CH₄ hydrate. <u>Korean Journal of Chemical Engineering</u>, 29, 1670-1673.
- Yoslim, J. and Englezos P. (2008, July 6-10) The effect of surfactant on the morphology of methane/propane clathrate hydrate crystals. Paper presented at The 6th International Conference on Gas hydrates (ICGH 2008), Vancouver, Canada.

- Yoslim, J., Linga, P., and Englezos, P. (2010) Enhanced growth of methane–propane clathrate hydrate crystals with sodium dodecyl sulfate, sodium tetradecyl sulfate, and sodium hexadecyl sulfate surfactants. <u>Journal of Crystal Growth</u>, 313, 68-80.
- Zhang, Q., Chen, G.J., Huang, Q., Sun, C.Y., Guo, Z.Q., and Ma, Q.L. (2005) Hydrate formation conditions of a hydrogen + methane gas mixture in tetrahydrofuran + water. <u>Journal of Chemical Engineering Data</u>, 50, 234-236.
- Zhong, Y. and Rogers, R.E. (2000) Surfactant effects on gas hydrate formation. Chemical Engineering Science, 55, 4175-4187.

CURRICULUM VITAE

Name: Mr. Atsadawuth Siangsai

Date of Birth: August 13, 1984

Nationality: Thai

University Education:

2004–2007 Bachelor Degree of Engineering

(B.Eng. Petrochemical and Polymeric Materials),

Faculty of Engineering and Industrial Technology, Silpakorn

University, Nakorn Pathom, Thailand

2007–2009 Master Degree of Science

(M.S. Petrochemical Technology), The Petroleum and

Petrochemical College, Chulalongkorn University, Bangkok,

Thailand

Awards:

- 1. Excellence Paper Award at the 4th Asia-Pacific Forum on Renewable Energy (AFORE2014), November 17-20, 2014, Yeosu, South Korea.
- Best Presentation Award at 4th TIChE International Conference 2014, "Changes: Clean Energy, Leaner Process, Better Living", December 18-19, 2014, Chiang Mai, Thailand.

Publications:

- 1. Siangsai, A.; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2014) Improved methane hydrate formation rate using treated activated carbon and tetrahydrofuran. Journal of Chemical Engineering of Japan, 47(4), 352-357.
- Siangsai, A.; Kumpoomee, N; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2014) Comparative study of methane adsorption on activated carbon and metal organic frameworks. <u>Chemical Engineering Transactions</u>, 39, 523-528.

- 3. Siangsai, A., Rangsunvigit, P., Kitiyanan, B., and Kulprathipanja, S. (2014) Roles of activated carbon and tetrahydrofuran on methane hydrate phase equilibrium.

 <u>Chemical Engineering Transactions</u>, 39, 1195-1200.
- 4. Siangsai, A.; Rangsunvigit, P.; Kitiyanan, B.; Kulprathipanja, S.; and Linga, P. (2015) Investigation on the roles of activated carbon particle sizes on methane hydrate formation and dissociation. Chemical Engineering Science, 126, 383-389.
- 5. Siangsai, A.; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2015) Experimental investigation on methane hydrate formation kinetics in the presence of mixed hydrate promoters for gas storage application. <u>Internation Journal of Energy Research</u>, (Submitted).
- 6. Siangsai, A.; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2015) An experimental study on the effects of temperature on mixed THF-CH₄ hydrates formation and dissociation kinetics. <u>Journal of Natural Gas Science and Engineering</u>, (In preparation).

Proceeding:

1. Siangsai, A.; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2014) Effects of activated carbon particle size on methane hydrate formation/dissociation. <u>Proceedings of the 8th International Conference on Gas Hydrates</u> (ICGH8-2014), Beijing, China.

Presentations:

- Siangsai, A.; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2013 July 5-8) Enhanced Methane Adsorption Capacity through Hydrate Formation on Activated Carbon with Tetrahydrofuran (THF). Paper presented at <u>The 9th Asia Pacific Conference on Sustainable Energy & Environmental Technologies (APCSEET2013)</u>, Tokyo, Japan. (<u>Oral presentation</u>)
- Siangsai, A.; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2014, July 28-August 1) Effects of activated carbon particle size on methane hydrate formation/dissociation. Paper presented at <u>The 8th International Conference on</u> Gas Hydrates (ICGH8-2014), Beijing, China (Poster presentation)

- 3. Siangsai, A.; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2014, August 23-27) Comparative study of methane adsorption on metal organic frameworks (MOFs) and activated carbons. Paper presented at The 17th Conference on Process Integration, Modelling and Optimisation for Energy Saving and Pollution Reduction, Prague, Czech Republic. (Poster presentation)
- 4. Siangsai, A.; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2014, August 23-27) The effects of activated carbon and tetrahydrofuan (THF) on methane hydrate phase equilibrium. Paper presented at <a href="The 17th Conference on Process Integration, Modelling and Optimisation for Energy Saving and Pollution Reduction, Prague, Czech Republic. (Poster presentation)
- 5. Siangsai, A.; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2014, November 17-20) Investigation of methane hydrate formation kinetics in the presence of mixed hydrate promoters. Paper presented at The 4th Asia-Pacific Forum on Renewable Energy (AFORE2014), Yeosu, South Korea. (Oral presentation)
- 6. Siangsai, A.; Singer, C.; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2014, December 18-19) Investigation of methane hydrate formation with the presence of MES and SDS surfactants. Paper presented at The Ath TICHE International Conference 2014, "Changes: Clean Energy, Leaner Process, Better Living", Chiang Mai, Thailand. (Oral presentation)
- 7. Siangsai, A.; Rangsunvigit, P.; Kitiyanan, B.; and Kulprathipanja, S. (2014, December 18-19) Enhancement of methane hydrate formation by using tetrahydrofuran (THF). Paper presented at <a href="https://doi.org/10.1001/jhear.1001