

REFERENCES

- Ansari, M.O., Khan, M.M., Ansari, S.A., Amal, I., Lee, J., and Cho, M.H. (2014) pTSA doped conducting graphene/polyaniline nanocomposite fibers: Thermoelectric behavior and electrode analysis. Chemical Engineering Journal, 242, 155-161.
- Centinkaya, T., Ozcan, S., Uysal, M., Guler, M, O., and Akbulut, H. (2014) Free-standing flexible graphene oxide paper electrode for rechargeable Li-O₂ batteries. Journal of Power Source, 267, 140-147.
- Chen, J., Yao, B., Li, C., and Shi, G. (2013) An improved hummers method for eco-friendly synthesis of graphene oxide. Carbon, 64, 225-229.
- Decher, G. (1997) Fuzzynanoassemblies: Toward layered polymeric multicomposites. Science, 277, 1232-1237.
- Decher, G. and Schmitt, J. (1992) Fine-tuning of the film thickness of ultrathin multilayer films composed of consecutively alternating layers of anionic and cationic polyelectrolytes. Progress in Colloid and Polymer Science, 89, 160-164.
- Dreyer, D.R., Park, S., Bielawski, C.W., and Ruoff, R.S. (2010) The chemistry of graphene oxide. Chemical Society Reviews, 39, 228-240.
- Gao, Z., Yang, W., Wang, J., Yan, Yan, H., Yao, Y., Ma, J., Wang, B., Zhang, M., and Liu, L. (2013) Electrochemical synthesis of layer-by-layer reduced graphene oxide sheets/polyaniline nanofibers composite and its electrochemical performance. Electrochimica Acta, 91, 185-194.
- Gedela V.R. and Srikanth, V.V.S.S., (2014) Electrochemically active polyaniline nanofibers (PANi NFs) coated graphene nanosheets/PANi NFs composite coated on different flexible substrates. Synthetic Metals, 193, 71-76.
- Gee, C.M., Tseng, C.C., Wu, F.Y., Chang, H.P., Li, L.J., Hsieh, Y.P., Lin, C.T., and Chen, J.C. (2013) Flexible transparent electrodes made of electrochemically exfoliated graphene sheets from low-cost graphite pieces. Displays, 34, 315-319.

- Huan, W., Hong-wei, T., Xin-wei, W., Liang, Q., Shu-min, W., Xing-li, W., Wei-tao., and Yi-chun. (2011) Electrical conductivity of alkaline-reduced graphene oxide. Chemical Research, 27(5), 857-861.
- Jin, Y. and Jia, M. (2014) Preparation and electrochemical capacitive performance of polyanilinenanofiber-graphene oxide hybrids by oil-water interfacial polymerization. Synthetic Metals, 189, 47-52.
- Kuo, C-W. and Wen, T-C. (2008) Dispersible polyaniline nanoparticles in aqueous poly(styrenesulfonic acid) via the interfacial polymerization. European Polymer Journal, 44, 3393-3401.
- Li, L., Feng, L., Wei, Y., Yang, C., and Ji, H-F (2012) Effect of acidic on the size of polyaniline-poly(sodium 4-styrenesulfonate) composite particles and the stability of corresponding colloids in water. Journal of Colloid and Interface Science, 381, 11-16.
- Li, Y., Peng, H., Li, G., and Chen, K. (2012) Synthesis and electrochemical performance of sandwich-like polyaniline/graphene composite nanosheets. European Polymer Journal, 48, 1406-1412.
- Liu, F., Zhao, W., Tumbleston, J.R., Wang, C., Gu, Y., Wang, D., Briseno, A.L., Ade, H., and Russell, T.P. (2014) Understanding the morphology of PTB7:PCBM blends in organic photovoltaics. Advanced Energy Materials, 4, 1301377.
- Layek, R.K. and Nandi, A.K. (2013) A review on synthesis and properties of polymer functionalized graphene. Polymer, 54, 5087-5103.
- Moghadam, M.H.M., Sabury, S., Gudarzi, M.M., and Sharif, F. (2014) Graphene oxide-induced polymerization and crystallization to produce highly conductive polyaniline/graphene oxide composite. Journal of Polymer Science, 52, 1545-1554.
- Nekahi, A., Marashi, P.H., and Haghshenas. (2014) Transparent conductive thin film of ultra large reduced graphene oxide monolayers. Applied Surface Science, 295, 59-65.

- Ning, G., Li T., Yan, J., Xu, C., Wei, T., and Fan, Z. (2013) Three-dimensional hybrid materials of fish scale-like polyanilinenanosheet arrays on graphene oxide and carbon nanotube for high-performance ultracapacitors. Carbon, 54, 241-248.
- Oh, Y.J., Yoo, J.J., Kim, Y.I., Yoon, J.K., Yoon, H.N., Kim, J-H., and Park, S.B. (2014) Oxygen function groups and electrochemical capacitive behavior of incompletely reduced graphene oxides as a thin-film electrode of supercapacitor. Eletrochimica Acta, 116, 118-128.
- Park, J.S., Yu, L., Lee, C.S., Shin, K., and Han, J.H. (2014) Liquid-phase exfoliation of expanded graphites into graphene nanoplatelets using amphiphilic organic molecules. Journal of Colloid and Interface Science, 417, 379-384.
- Perera, S.D., Mariano, R.G., Nijem, N., Chabal, Y., Ferraris, J.P., and Balkus, K.J. (2012) Alkaline deoxygenated graphene oxide for supercapacitor applications: An effective green alternative for chemically reduced graphene. Journal of Power Source, 215, 1-10.
- Schonhof, M. (2003) Self-assembled polyelectrolyte multilayers. Current Opinion in Colloid and Interface Science, 8, 86-95.
- Tolle, F, J., Gamp, K., and Mulhaupt, R. (2014) Scale-up and purification of graphite oxide as intermediate for functionalized graphene. Carbon, 75, 432-442.
- Tung, N, T., Khai, T, V., Jeon, M., Lee, Y, J., Chung, H., Bang, J-H., and Sohn, D. (2011) Preparation and characterization of nanocomposite based on polyaniline and graphene nanosheets. Macromolecular Research, 19(2), 203-208.
- Vilian, A.T.E., Chen, S.M., Chen, Y.H., and Ali, M.A. (2014) Anelectrocatalytic oxidation and voltammetric method using a chemically reduced graphene oxide film for the determination of caffeic acid. Journal of Colloid and Interface Science, 423, 33-40.
- Wang H., Hao Q., Yang X., Lu L., and Wang X. (2010) A nanostructured graphene/polyaniline hybrid material for supercapacitors. Nanoscale, 2(10), 2164-2170.

- Zhang, D., Tong, J., and Xia, B. (2014) Humidity-sensing properties of chemically reduced graphene oxide/polymer nanocomposite film sensor based on layer-by-layer nano self-assembly. Sensor and Actuators B: Chemical, 197, 66-72.
- Zhang, Q., Li, Y., Feng, Y., and Feng, W. (2013). Electropolymerization of graphene oxide/polyaniline composite for high-performance supercapacitor. Electrochemical Acta, 90, 95-100.
- Zhong, M., Song, Y., Li, Y., Ma, C., Zhai, X., Shi, J., Guo, Q., and Liu, L. (2012). Effect of reduced graphene oxide on the properties of an activated carbon cloth/polyaniline flexible electrode for supercapacitor application. Journal of Power Sources, 217, 6-12.

CURRICULUM VITAE

Name: Ms. Suwitra Charoensuk

Date of Birth: April 5, 1991

Nationality: Thai

University Education:

2009-2012 Bachelor Degree of Science in Chemistry, Faculty of Science,
Prince of Songkla University, Hat Yai, Thailand.

Proceedings :

1. Charoensuk, S.; Dubas S.T.; and Margeat, O. (2015, April 21) Development of reduced graphene oxide/polyaniline composite Interface as Hole Transport Layers for inverted polymer solar cells, Poster presentation at The 6th Research Symposium on Petrochemical and Materials Technology and The 21th PPC Symposium on Petroleum, Petrochemicals and Polymers, Bangkok, Thailand.