

REFERENCES

- ANA, I. Vicente; Joao Campos; Joao Moura Bordado; and Rosario Febeir, M. Maleic anhydride modified ethylene-diene copolymers: Synthesis and properties. Reactive and functional polymer 68(2008): 519-526.
- Bayer, A.G. Ullman's encyclopedia of industry chemistry. Vol. A23: VCH Publishes, 1992.
- Billmayer, F.W. Textbook of polymer science. 3rd ed. Singapore: john Willey, 1984.
- Brydson, J.A. Rubber material and their compounds. Essex, England: Elsevier Ltd., 1998.
- Chaaqin Li; Yong Zhang; and Yinx Zhang. Melt grafting of maleic anhydride onto low-density polyethylene/polypropylene blends. Polymer Testing 22(2003): 191-195.
- Cor, K.; Martin Van, D.; Christophe, P.; and Robert, J. Strategies for compatibilization of polymer blends. Progress in Polymer Science 23(1998): 707-757.
- Fayt, R.; Hadjiandreor, p.; and Teyssie, P. Immiscible polymer blends[Online]. Available from: <http://www.psrc.usm.edu/macrog/iblend.htm>. [15 October 2010].
- Haiyun, M.; Zhongbin, X.; Lifang, T.; Aiguan, G.; and Zhengping, F. Studies of ABS-graft-maleic anhydride/clay nanocomposites: Morphologies, thermal stability and flammability properties. Polymer Degradation and Stability 91(2006): 2951-2959.

- Hongbo, Z.; Weibing, X.; Hanyang, G.; Zhengfa, Z.; Shijun, S.; and Qiusheng S. Preparation and characterization of PE and PE-g-MAH/montmorillonite manocomposites. European Polymer Journal 40(2004): 2539-2545.
- Larrain, R.E.; Schaefer, D.M.; and Reed, J.D. Use of digital images to estimate CIE color coordinates of beef. Food research international 41(2008): 380-385.
- Machado, A.V.; Covas, J.A.; and Duin V.M. Effect of polyolefin structure on maleic anhydride grafting. Polymer 42(2001): 3649-3655.
- Maria, B.C.; Iene, D.M.; Stefania, S.; Mauro, A.; and Francesco, C. Modified styrene-butadiene-styrene block copolymer as compatibiliser precursor in polyethylene/poly(ethylene terephthalate) blends. Polymer Degradation and Stability 90(2005): 211-223.
- Marida, M.; and Leni, A. Polyethylene blends: A correlation study between morphology and environmental resistance. Polymer Degradation and Stability 93(2008): 43-49.
- Mei Ling, X.; Yong Liang, Y.; Hoe, H.C.; John, M.R.; Kim, N.H.; and Lee J.H. Miscibility and compatibilization of poly(trimethylene terephthalate)/acrylonitrile-butadiene-styrene blends. European Polymer Journal 43(2007): 3826-3837.
- Moad, G. The synthesis of polyolefin graft copolymers by reactive extrusion. Progress in Polymer Science 24(1999): 81-142.
- Nakason, C.; Kaesaman, A.; and Supassanthitikul, P. The grafting of maleic anhydride onto natural rubber. Polymer Testing 23(2004): 35-41.
- Nikos, K.K.; Dimitrios, S.S.; and Joannis, K.K. Blend of poly(ethylene terephthalate) with unmodified and maleic anhydride grafted acrylonitrile-butadiene-styrene terpolymer. Polymer 37(1996): 3387-3395.

- Norman, D.; and Ye, P. Detecting weak glass transition (T_g) in polymer by Hyper DSC[online], Available from: www.PerkinElmer.com. [15 April 2011].
- Olabisi, O.; Roberson, L.M.; and Shaw, M.T. Polymer-polymer miscibility. New York: Academic 1997: 1-17.
- Paul, D.R.; and Newman, S. Polymer blends. New York: Academic 2(1987): 35-62.
- Picket, J.E.; Gibson, D.A.; Rice, S.T.; and Gardner, M.M. Effects of temperature on the weathering of engineering thermoplastics. Polymer Degradation and Stability 93(2008): 684-691.
- Ping, P.; Baoli, S.; Lina, J.; and Bin, L. Relationship between Hansen solubility parameters of ABS and its homopolymer components of PAN, PB, and PS. Journal of Macromolecular Science 49(2010): 864-869.
- Ramirez-Vargas, E.; Sandoval-Arellano, Z.; Hernandez-Valdez, J.S.; Martinez-Colunga, J.G.; and Sanchez-Valdes, S. Compatibility of HDPE/Postconsumer HDPE blends using compatibilizing agents. Journal of applied polymer science 100(2006): 3696-3706.
- Singh, S.K.; Tambe, S.P.; Sumui, A.B.; Raja, V.S.; and Dhirendra, K. Progress in Organic Coating 55(2006): 20-26.
- Tiganis, B.E.; Burn, L.S.; Davis, P.; and Hill, A.J. Thermal degradation of acrylonitrile-butadiene-styrene (ABS) blends. Polymer Degradation and Stability 76(2002): 425-434.
- Tjong, S.C.; and Xu, S.A. Impact and tensile properties of SEBS copolymer compatibilized PS/HDPE blends. Journal of applied polymer science 68(1998): 1099-1108.
- Utracki, L.A. Polymer alloys and blends: Thermodynamics and rheology. Munich: Hanser 1989: 147-171.

Wulin, Q.; Takashi, E.; and Takahiro, H. A novel technique for preparing of maleic anhydride grafted polyolefins. European Polymer Journal 41(2005): 1979-1984.

VITA

Mr. Charungkit Jaikaew was born on March 28, 1972 in Chiang Mai. He graduated with Bachelor's Degree of Science (Chemistry) from Raimkamhaeng University in 1996. Since then he has joined the Production of ABS plant, IRPC Public Company Limited in 1997, he was accepted as a graduate student in the M.Sc. course in Petrochemistry and Polymer Science Program, Faculty of Science, Chulalongkorn University since 2008. He has contributed a technical paper entitled "Reactive Melt Grafting of High-Density Polyethylene-g-Maleic Anhydride Compatibilizer by Twin Screw Extruder" paper no. IPD-PP-01: 416-419, presented at the first Polymer Conference of Thailand, held October 7-8, 2010 at the Convention Center, Chulabhorn Research Institute, Bangkok, Thailand.

