

## REFERENCES

- Adham N, Kao HT, Schechter LE, Bard J, Olsen M, Urquhart D, et al. Cloning of another human serotonin receptor (5-HT<sub>5F</sub>) a fifth 5-HT<sub>1</sub> receptor subtype coupled to the inhibitional adenylate cyclase. **Neurobiol** 1993; 90: 408-412.
- Alam Z, Coombes N, Waring H, Williams AC, Steventon GB. Plasma levels of neuroexcitatory amino acids in patients with migraine or tension headache. **J Neurol Sci** 1998; 156: 102-106.
- Allan W. Inheritance of migraine. **Arch Intern Med** 1928; 42: 590-599.
- Arbab MA, Wiklund L, Svendgaard NA. Origin and distribution of cerebral vascular innervation from superior cervical, trigeminal and spinal ganglion investigated with retrograde and antegrade WGA-HRP tacing in the rat. **Neuroscience** 1986; 19 : 695-708.
- Arrab MAR, Delgado T, Wiklund L, Svendgaard NA. Brainstem terminations of the trigeminal and upper spinal innervation of the cerebrovascular system: WGA-HRP transganglionic study. **J Cereb Blood Metab** 1988; 8: 54-63.
- Arregui A, Carera J, Leon-Velarde F, Paredes S, Viscara D and Arbaiza D. High prevalence of migraine in high-altitude population. **Neurology** 1991; 41: 1668-1669.
- Artico M, De Santis S, Cavallotti C. Cerebral dura mater and cephalgia: relationships between mast cells and catecholaminergic nerve fiber in the rats. **Cephalalgia** 1998; 18: 183-191.
- Artico M, Santis S, Cavallotti C. Cerebral dura mater and cephalgia: relationships between mast cells and catecholaminergic nerve fibers in the rat. **Cephalalgia** 1998; 18: 183-191.
- Arvidsson J. Somatotopic organization of vibrissae afferents in the trigeminal sensory nuclei of the rat studied by transganglionic transport of HRP. **J Comp Neurol** 1982; 211: 84-92.

- Assreuy J, Cunha FQ, Liew FY, Moncada S. Feedback inhibition of nitric oxide synthase activity by nitric oxide. **Br J Pharmacol** 1993; 108: 833-837.
- Axelsson KI, Wikberg JE, Anderson RG. Relationship between nitroglycerin, cyclic GMP and relaxation of vascular smooth muscle. **Life Sci** 1979; 24: 1779-1789.
- Ayajiki K, Okamura T, Toda N. Flunarizine, an anti-migraine agent, impairs nitroxidergic nerve function in cerebral arteries. **Eur J Pharmacol** 1997; 329: 49-53.
- Bakke M, Tfelt-Hansen P, Olesen J and Moller E. Action of some pericranial muscles during provoked attacks of common migraine. **Pain** 1982; 14: 121-135.
- Ballantonio P, Micieli G, Buzzi MG, Marcheselli S, Castellano AE, Rossi F, et al. Haemodynamic correlates of early and delayed responses to sublingual administration of isosorbide dinitrate in migraine patients: a transcranial doppler study. **Cephalalgia** 1997; 17: 183-187.
- Baxter G, Kennett G, Blaney F and Blackburn T. 5-HT<sub>2</sub> receptor subtypes: a family re-united? **TIPS** 1995; 16: 105-110.
- Beckman JS, Beckman TW, Chen J, Marshall PA, Freeman BA. Apparent hydroxyl radical injury from nitric oxide and superoxide. **Proc Natl Acad Sci** 1990; 87: 1620-1624.
- Beer MS, Middlemiss DN, McAllister G. 5-HT<sub>1-like</sub> receptors: six down and still counting. **TIPS** 1993; 14: 228-231.
- Blau JN and Dexter SL. The site of pain origin during migraine attacks. **Cephalalgia** 1981; 1: 143-147.
- Boadle-Biber MC. Regulation of serotonin synthesis. **Prog Biophys molec Biol** 1993; 60: 1-15.
- Bouloumie A, Bauersachs J, Linz W, Scholkens BA, Weimer G, Fleming I, et al. Endothelial dysfunction coincides with an enhanced nitric oxide synthase expression and superoxide anion production. **Hypertension** 1997; 30: 934-941.

- Bradley PB, Engel G, Feniuk W, Fozard JR, Humphrey PPA, Middlemiss DN, et al. Proposals for the classification and nomenclature of functional receptors for 5-hydroxytryptamine. **Neuropharmacology** 1986; 25: 563-576.
- Branchek TA, Zgombick JM, Kucharewicz SA, Gustafson EL, Durkin MM, Bard JA, et al. Molecular perspectives on serotonin receptor subtypes in experimental models. In: Clifford Rose F ed. **Towards migraine 2000**. London, Elsevier Science 1996: 247-257.
- Brandli P, Loffler BM, Bruw V, Osterwalder R, et al. Role of endothelin in mediating neurogenic plasma extravasation in rat dura mater. **Pain** 1996; 64: 315-322.
- Brewerton TD, Murphy DL, Lassen MD, Brandt HA, Jimerson DC. Headache responses following m-chlorophenylpiperazine in bulimics and controls. **Headache** 1992; 32: 217-222.
- Brewerton TD, Murphy DL, Mueller EA and Jimerson DC. Introduction of migraine like headaches by serotonin agonist m-chlorophenylpiperazine. **Clin Pharmacol Ther** 1988; 43: 605-609.
- Bruce LL, McTaffie JG, Stein BE. The organization of trigeminotectal and trigeminothalamic neurons in rodents: a double-labeling study with fluorescent dyes. **J Comp Neurol** 1987; 262: 315-330.
- Buga GM, Gold E, Fukuto JM, Ignarro LJ. Shear stress induced release of nitric oxide from endothelial cells grown on beads. **Hypertension** 1991; 17: 187-193.
- Bullitt E. Expression of *c-fos* like protein as a marker for neuronal activity following noxious stimulation in the rat. **J Comp Neurol** 1990; 296: 517-530.
- Busse R and Mulsch A. Induction of nitric oxide synthase by cytokines in vascular smooth muscle cells. **FEBS Lett** 1990; 275: 87-90.
- Buzzi MG and Moskowitz MA. The antimigraine drug, sumatriptan (GR 43175), selectively blocks neurogenic plasma extravasation in rat dura mater. **Br J Pharmacol** 1990; 99: 202-206.

- Buzzi MG, Carter WB, Shimizu T, Heath H and Moskowitz MA. Dihydroergotamine and sumatriptan attenuate levels of CGRP in plasma in rat superior sagittal sinus during electrical stimulation of the trigeminal ganglion. **Neuropharmacology** 1991; 30: 1193-1200.
- Buzzi MG, Sakas DE, Moskowitz MA. Indomethacin and acetylsalicylic acid block neurogenic plasma protein extravasation in rat dura mater. **Eur J Pharmacol** 1989; 165: 251-258.
- Carmignani M, Sicuteri F, Nicolodi M, Volpe AR. Bradykinin and cerebral circulation: selective non-receptor interaction with histamine and serotonin through the system of nitric oxide. **Int Clin Pharm Res** 1997; 2: 89-92.
- Conner HE and Beattie DT. Neuropeptide antagonists and migraine. In Clifford Rose F edi. **Towards migraine 2000**. London, Elsevier Science 1996: 279-287.
- Craig AD Jr and Burton H. Spinal and medullary lamina I projection to nucleus submedius in medial thalamus: a possible pain center. **J Neurophysiol** 1981; 45: 443-466.
- Curran DA, Hinterberger H, Lance JW. Total plasma serotonin, 5 hydroxyindoleacetic acid and 5 hydroxy-m-methoxymandelic acid excretion in normal and migrainous subjects. **Brain** 1965; 88: 997-1010.
- Cutrer FM, Garret C, Moussaoui SM, Moskowitz MA. The non-peptide neurokinin-1 antagonist, RPR 100893, decrease c-fos expression in trigeminal nucleus caudalis following noxious chemical meningeal stimulation. **Neuroscience** 1995b; 64: 741-750.
- Cutrer FM, Limmroth V, Ayata G, Moskowitz MA. Valproate reduces c-fos expression in the trigeminal nucleus caudalis (TNC) after noxious meningeal stimulation. **Cephalalgia** 1995a; 15(Suppl 14): 96.
- Cutrer FM, Schoenfeld D, Limmroth V, Panahian N, Moskowitz MA. The sumatriptan analog, CP-122.288 decrease c-fos expression in trigeminal nucleus following chemical stimulation of the meninges. **Br Pharmacol** 1995c; 114: 987-992.

- D'Andrea G, Cananzi AR, Joseph R, Milone FF, Grunfeld S, Welch KM. Platelet excitatory amino acids in migraine. **Cephalalgia** 1989; 9(suppl.10): 105-106.
- D'Andrea G, Toldo M, Cortellazzo S, Milone FF. Platelet activity in migraine. **Headache** 1982; 22: 207-212.
- Dado RJ, Giesler GJ. Afferent input to nucleus submedius in rats: retrograde labeling of neurons in the spinal cord and caudal medulla. **J Neurosci** 1990; 10: 2672-2686.
- Dahl A, Russell D, Nyberg-Hansen R, Rootwelt. Cluster headache: transcranial doppler ultrasound and rCBF studies. **Cephalalgia** 1990; 10: 87-94.
- Dahl A, Russell D, Nyberg-Hansen R and Rootwell K. Effect of nitroglycerin on cerebral circulation measured by transcranial doppler and SPECT. **Stroke** 1989; 20: 1733-1736.
- Dahlof CGH and Hargreaves RJ. Pathophysiology and pharmacology of migraine. Is there a place for antiemetics in future treatment strategies? **Cephalalgia** 1998; 18: 593-604.
- Dalessio DJ. On migraine headache: serotonin and serotonin antagonist. **JAMA** 1962; 181: 318-321.
- Dallel R, Raboisson P, Woda A, Sessle BJ. Properties of nociceptive and non-nociceptive neurons in trigeminal subnucleus oralis of the rats. **Brain Res** 1990; 521: 95-106.
- D'Andrea G, Cananzi AR, Perini F, Alecci P, Zamberlan L, Hasselmark L, et al. Decreased collagen-induced platelet aggregation and increased arginine levels in migraine: a possible link with the NO pathway. **Cephalalgia** 1994; 14: 352-357.
- Davis KD and Dostrovsky JO. Responses of feline trigeminal spinal tract nucleus neurons to stimulation of the middle meningeal artery and sagittal sinus. **J Neurophysiol** 1988; 59: 648-666.
- Dawson TM, Dawson VL, Snyder SH. A novel neuronal messenger molecule in brain: the free radical, nitric oxide. **Ann Neurol** 1992; 32: 297-311.

- Degnim AC, Morrow SE, Ku J, Nakayama DK. Nitric oxide inhibits peroxidase-mediated endothelial cell toxicity. **J Surg Res** 1998; 75: 127-134.
- De-Marinis M, Feleciani M, Janiri L, Cerbo R, Agnoli A. Increased reactivity to a met-enkephalin analog in the control of autonomic responses in migraine patients. **Clin Neuropharmacol** 1990; 13: 507-521.
- Diener HC, Haab J, Peters C, Ried S, Dichgans, Pilgrim A. Subcutaneous sumatriptan in the treatment of headache during withdrawal from drug-induced headache. **Headache** 1991; 31: 205-209.
- Dimitriadou V, Buzzi MG, Moskowitz MA, Theoharides TC. Trigeminal sensory fiber stimulation induces morphological changes reflecting secretion in rat dura mater mast cells. **Neurosci** 1991; 44: 97-112.
- Dimitriadou V, Buzzi MG, Theoharides TC, Moskowitz MA. Ultrastructural evidence for neurogenically mediated changes in blood vessels of the rat dura mater and tongue following antidromic trigeminal stimulation. **Neurosci** 1992; 48: 187-203.
- Dostrovsky JO, Davis KD, Kawakita K. Central mechanisms of vascular headaches. **Can J Physiol** 1991; 69: 652-658.
- Drummond PD and Lance JW. Extracranial vascular changes and the source of pain in migraine headache. **Ann Neurol** 1983; 13: 32-37.
- Drummond PD and Lance JW. Extracranial vascular reactivity in migraine and tension headache. **Headache** 1981; 1: 149-155.
- Drummond PD and Lance JW. Neurovascular disturbance in headache patients. **Clin Neurol** 1984; 20: 93-99.
- Durlach H. Neurological manifestations of magnesium imbalance. **Hand book of Clin Neurol** 1976; 28: 545-579.
- Eckly AE and Lugnier C. Role of phosphodiesterases III and IV in the modulation of vascular cyclic AMP content by the NO/cyclic GMP pathway. **Br J Pharmacol** 1994; 113: 445-450.

- Eide PK and Hole K. Different role of 5-HT<sub>1A</sub> and 5-HT<sub>2</sub> receptors in spinal cord in the control of nociceptive responsiveness. **Neuropharmacology** 1991; 30: 727-731.
- Eide PK and Hole K. The role of 5-hydroxytryptamine (5-HT) receptor subtypes and plasticity in the 5-HT systems in the regulation of nociceptive sensitivity. **Cephalalgia** 1993; 13: 75-85.
- Eide PK, Hole K, Berge OG. 5-HT depletion with 5,7-DHT, PCA and PCPA in mice : differential effects on the sensitivity to 5-MeODMT, 8-OH-DPAT and 5-HTP as measured by two nociceptive tests. **Brain Res** 1988; 440: 42-52.
- Eide PK, Joly MM, Hole K. The role of spinal cord 5-HT<sub>1A</sub> and 5-HT<sub>1B</sub> receptors in the modulation of a spinal nociceptive reflex. **Brain Res** 1990; 536: 195-200.
- Ekbom K. Nitroglycerin as a provocative agent in cluster headache. **Arch Neurol** 1968; 19: 487-493.
- Erspamer V. Pharmacology of indolealkylamines. **Pharmacol Rev** 1956; 6: 425-487.
- Fanciullacci M, Alessandri M, Figini M, Geppetti P, Michelacci S. Increase in plasma calcitonin gene related peptide-induced cluster headache attack. **Pain** 1995; 60: 119-123.
- Fanciullacci M, Alessandri M, Sicuteri R, Marabini S. Responsiveness of the trigeminovascular system to nitroglycerine in cluster headache patients. **Brain** 1997; 120: 283-288.
- Faraci FM and Heistad DD. Regulation of the cerebral circulation; roles of endothelium and potassium channels. **Physiol Rev** 1998; 78: 53-97.
- Feelisch M and Noack EA. Correlation between nitric oxide formation during degradation of organic nitrates and activation of guanylate cyclase. **Eur J Pharmacol** 1987; 139: 19-30.
- Feelisch M. Biotransformation to nitric oxide of organic nitrates in comparison to other nitrovasodilators. **Eur Heart J** 1993; 14 Suppl I: 123-132.

- Feindel W, Penfield W, McNaughton F. The tentorial nerves and localization of intracranial pain in man. **Neurology** 1960; 10: 555-563.
- Ferrari MD and Saxena PR. On serotonin and migraine: a clinical and pharmacological review. **Cephalalgia** 1993; 13: 151-165.
- Ferrari MD, Haan J, Terwindt GM, Ohoff RA, Frants RR. Migraine and chromosome 19. In: Clifford Rose F edi. **Towards Migraine 2000**. London, Elsevier Science 1996: 25-34.
- Ferrari MD, Odink J, Bos KD, Malessy MJA, Bruyn GW. Neuroexcitatory plasma amino acids are elevated in migraine. **Neurology** 1990; 40: 1582-1586.
- Ferrari MD, Odink J, Tapparelli C, Van Kempen GMJ, Pennings EJM, Bruyn GW. Serotonin metabolism in migraine. **Neurology** 1989; 39: 1239-1242.
- Fontes Ribeiro CA, Co Trim MD, Margadinho MT. Migraine, Serotonin and platelet 5-HT<sub>2</sub> receptors. **Cephalalgia** 1990; 10: 213-219.
- Forstermann U, Closs EI, Pollock JS, Nakane M, Schwarz P, Gath I, et al. Nitric oxide synthase isozyme: characterization, purification, molecular cloning and functions. **Hypertension** 1994; 23: 1121-1131.
- Fozard JR and Gray JA. 5-HT<sub>1C</sub> receptor activation: a key step in the initiation of migraine?. **Trends Pharmacol Sci** 1989; 10: 307-309.
- Fozard JR and Kalkman HO. 5-HT in nervous system disease and migraine. **Curr Opin Neurol Neurosurg** 1992; 5: 496-502.
- Fozard JR and Kalkman HO. 5-Hydroxytryptamine (5-HT) and the initiation of migraine: new perspectives. **Naunyn-Schmiedeberg's Arch Pharmacol** 1994; 350: 225-229.
- Fozard JR. 5-HT in migraine: evidence from 5-HT receptor antagonists for a neuronal etiology. In: Sandler M, Collins GM edi. **Migraine: a spectrum of ideas**. New York, Oxford Univ Press 1990: 128-146.



- Fozard JR. Serotonin, migraine and platelets. **Progressive Pharmacol** 1982; 474: 135-146.
- Fozard JR. The 5-hydroxytryptamine-nitric oxide connection: the key link in the initiation of migraine?. **Arch Int Pharmacodyn Ther** 1995; 329: 111-119.
- Friberg L, Olesen J, Iversen HK, Sperling B. Migraine pain associated with middle cerebral artery dilatation: reversal by sumatriptan. **Lancet** 1991; 338: 13-17.
- Friberg L. Migraine pathophysiology and its relation to cerebral hemodynamic changes. In: Clifford Rose F, ed. **Towards migraine 2000**. London, Elsevier 1996: 101-109.
- Fukui M, Qiao Y, Guo F. Cell damage and liberation of nitric oxide synthase in rat heart induced by endotoxin administration. **J Nippon Med Sch** 1995; 62: 57-69.
- Furchgott RF and Zawadzki JV. The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine. **Nature** 1980; 288: 373-376.
- Gaddum JH, Picarelli ZP. Two kinds of tryptamine receptor. **Br J Pharmacol** 1957; 12: 323-328.
- Gallai V, Floridi A, Mazzotta G, Codinin M, Tognoloni M, Valcano MR, et al. L-arginine/nitric oxide pathway activation in platelets of migraine patient with and without aura. **Acta Neurol Scand** 1996; 94: 151-160.
- Gallai V, Sarchielli P, Floridi A, Franceschini M, Codini M, Glioti G, et al. Vasoactive peptide levels in the plasma of young migraine patients with and without aura assessed both interictally and ictally. **Cephalalgia** 1995; 15: 384-390.
- Ganchrow D. Intratrigeminal and thalamic projections of nucleus caudalis in the squirrel monkey (*Saimiri sciureus*): a degeneration and autoradiographic study. **J Comp Neurol** 1978; 178: 281-312.

- Gardner-Medwin AR. Magnetometry and magnetic resonance imaging: complementary approaches to the spreading depression issue in migraine. In. Clifford Rose F edi. **Towards migrain 2000**. London, Elsevier Science 1996: 163-167.
- Garthwaite J. Glutamate, nitric oxide and cell-cell signalling in the nervous system. **Trends Neurosci** 1991; 14: 60-67.
- Geraud G, Bessou M, Fabre N, Danet B and Bes A. Heterogeneous cerebral blood flow during spontaneous attacks of migraine with and without aura: a 99 mTc-HMPAO SPECT study. **Cephalalgia** 1989 (suppl 10): 31-32.
- Glusa E, Richter M. Endothelium-dependent relaxation of porcine pulmonary arteries via 5HT<sub>1C</sub>-like receptors. **Naunyn Schmiedebergs Arch Pharmacol** 1993; 347: 471-477.
- Goadsby PJ and Edvinsson L. The trigeminovascular system and migraine: studies characterising cerebrovascular and neuropeptide changes seen in man and cat. **Ann Neurol** 1992; 33: 48-56.
- Goadsby PJ, Edvinsson L and Ekman R. Release of vasoactive peptides in the extracerebral circulation of humans and the cat during activation of the trigeminovascular system. **Ann Neurol** 1988; 23: 193-196.
- Goadsby PJ, Edvinsson L, Ekman R. Vasoactive peptid release in the extracerebral circulation of humans during migraine headache. **Ann Neurol** 1990; 28: 183-187.
- Goadsby PJ, Gundlach AL. Localization of <sup>3</sup>H-dihydroergotamine-binding sites in the cat central nervous system: relevance to migraine. **Ann Neurol** 1991; 29: 97-94.
- Goadsby PJ, Hoskin KL. Serotonin inhibits trigeminal nucleus activity evoked by craniovascular stimulation through a 5-HT<sub>1B/1D</sub> receptor: a central action in migraine ?. **Ann Neurol** 1998; 43: 711-718.

- Goadsby PJ, Hoskin KL. Inhibition of trigeminal neurons by intravenous administration of the serotonin (5-HT)<sub>1B/1D</sub> receptor agonist zolmitriptan (311C90): Are brainstem sites therapeutic target in migraine ?. *Pain* 1996; 67: 355-359.
- Gordon ML, Lipton RB, Brown S-L, Nakraseive C, Russell M, Pollack SZ, et al. Headache and cortical responses to m-chlorophenylpiperazine are highly correlated. *Cephalalgia* 1993; 13: 400-405.
- Govitrapong P, Limthavorn C, Srikiatkhachorn A. 5-HT<sub>2</sub> serotonin receptor on blood platelet of migraine patients. *Headache* 1992; 32: 480-484.
- Goy MF. cGMP: the wayward child of the cyclic nucleotide family. *Trends Neurosci* 1991; 19: 293-299.
- Graham JR and Wolff HG. Mechanism of migraine headache and action of ergotamine tartrate. *Arch Neurol Psychiat* 1938; 39: 737-763.
- Gray DW, Marshall I. Human alpha-calcitonin gene-related peptide stimulates adenylate cyclase and guanylate cyclase and relaxes rat thoracic aorta by releasing nitric oxide. *Br J Pharmacol* 1992b; 107: 691-696.
- Gray DW, Marshall I. Novel signal transduction pathway mediating endothelium-dependent beta-adrenoceptor vasorelaxation in rat thoracic aorta. *Br J Pharmacol* 1992a; 107: 684-690.
- Greene B, Pacitti AJ, Souba WW. Characterization of L-arginine transport by pulmonary artery endothelial cells. *Am J Physiol* 1993; 264: L351-L356.
- Gryglewski RJ, Palmer RMJ, Moncada S. Superoxide anion is involved in the breakdown of endothelium-derived relaxing factor. *Nature* 1986; 320: 454-456.
- Hamblin MW and Metcalf MA. Cloning of a human 5-HT<sub>1D</sub> serotonin receptor gene and its rat homolog. *Soc Neurosci Abstr* 1991; 17: 719.

- Hamel E, Fan E, Linvile D, Ting V, Villemure JG, Chia LS. Expression of mRNA for the serotonin 5-hydroxytryptamine<sub>1B/D</sub> receptor subtype in human bovine and cerebral arteries. **Mol Pharmacol** 1993; 44: 242-246.
- Harrison DG and Bates JN. The nitrovasodilators: New ideas about old drugs. **Circulation** 1993; 87: 1461-1467.
- Hartig PR, Hoyer D, Humphrey PPA, Martin GR. Alignment of receptor nomenclature with the human genome: classification of 5-HT<sub>1B</sub> and 5-HT<sub>1D</sub> receptor subtypes. **Trends Pharmacol Sci** 1996; 17: 103-107.
- Hayashi H. Morphology of terminations of small and large myelinated trigeminal primary afferent fiber in the cat. **J Comp Neurol** 1985; 240: 71-89.
- Hazama F, Amano S, Ozaki T. Pathological changes of cerebral vessel endothelial cells in spontaneously hypertensive rats, with special reference to the role of these cells in the development of hypertensive cerebrovascular lesions. **Adv Neurol** 1978; 20: 359-369.
- Headache Classification Committee of the International Headache Society. Classification and diagnostic criteria for headache disorders, cranial neuralgias and facial pain. **Cephalgia** 1988; 8 suppl 7: 1-96.
- Heuring RE and Peroutka SJ. Characterization of a novel <sup>3</sup>H-5-hydroxytryptamine binding site subtype in bovine brain membranes. **J Neurosci** 1987; 7:896-903.
- Hidaka K, Mitsuyama T, Furuno T, Tanaka T, Hara N. The role of nitric oxide in human pulmonary artery endothelial cell injury mediated by neutrophils. **Int Arch Immunol** 1997; 114: 336-342.

- Hirakawa K, Uekusa K, Sato S, Nihira M. MRI and MRS studies on acute effects of ethanol in the rat brain. *Nippon Hoigaku Zasshi* 1994;48:63-74.
- Hopf HC, Johnson EA, Gutmann L. Protective effect of serotonin on migraine attacks. *Neurology* 1992; 42: 1419.
- Hoyer D, Clarke DE, Fozard JR, Hartig PR, Martin GR, Mylecharane EJ, et al. International Union of Pharmacology Classification of receptors for 5-hydroxytryptamine (Serotonin). *Pharmacol Rev* 1994; 46: 157-203.
- Hoyer D, Palacios JM, Mengod G. 5-HT<sub>1</sub>-like Receptor distribution in the human brain: autoradiographic studies. In: Marsden CA and Heal DJ ed. **Central serotonin receptors and psychotropic drugs.** London, Oxford: Blackwell 1992: 100-125.
- Huang LYM. Origin of thalamically projection somatosensory relay neurons in the immature rat. *Brain Res* 1989; 495: 108-114.
- Huerta MF, Frankfurter A, Harting JK. Studies of the principalis sensory and spinal trigeminal nuclei of the rat: projections to the superior colliculus, inferior olive, and cerebellum. *J Comp Neurol* 1983; 220: 147-167.
- Humphrey PP, Feniuk W, Parren MJ, Conner HE, Oxford AW, Coates LH, et al. GR 43175, a selective agonist for the 5-HT<sub>1</sub>-like receptor in dog isolated saphenous vein. *Br J Pharmacol* 1988; 94: 1123-1132.
- Humphrey PP, Hartig P, Hoyer D. A Proposed new nomenclature of 5-HT receptors. *Trends Pharmacol Sci* 1993; 14: 233-238.
- Hunt SP, Pini A, Evan G. Induction of c-fos like protein in spinal cord neurons following sensory stimulation. *Nature* 1987; 328: 632-634.
- Ignarro LJ, Lipton H, Edwards JC, et al. Mechanism of vascular smooth muscle relaxation by organic nitrate, nitrite, nitroprusside and nitric oxide: evidence for the involvement of S-nitrosothiols as active intermediates. *J pharmacol Exp Ther* 1981; 218: 739-749.

- Ignarro LJ. Endothelium-derived nitric oxide: pharmacology and relationship to the actions of organic nitrate esters. **Pharmacol Res** 1989; 6: 651-659.
- Inoue T, Fukuo K, Nakahahi T, Hata S, Morimoto S, Ogihara T. cGMP upregulate nitric oxide synthase expression in vascular smooth muscle cell. **Hypertension** 1995; 25: 771-779.
- Iversen HK, Holm S, Friberg L. Intracranial hemodynamics during intravenous nitroglycerin infusion. **Cephalalgia** 1989b; 9 Suppl 10, 84-85.
- Iversen HK, Nielsen TH, Garre K, Tfelt-Hansen P, Olesen J. Dose-dependent headache response and dilatation of limb and extracranial arteries after three doses of 5-isosorbide-mononitrate. **Eur Clin Pharmacol** 1992b; 42: 31-35.
- Iversen HK, Nielsen TH, Olesen J, Tfelt-Hansen P. Arterial responses during migraine headache. **Lancet** 1990; 336: 837-839.
- Iversen HK, Nielsen TH, Tfelt-Hansen P. Lack of tolerance of headache and radial artery diameter during a 7 hour intravenous infusion of nitroglycerin. **Eur J Clin Pharmacol** 1993; 44: 47-50.
- Iversen HK, Olesen J, Tfelt-Hansen P. Intravenous nitroglycerin as an experimental model of vascular headache : Basic characteristics. **Pain** 1989a; 38: 17-24.
- Iversen HK, Olesen J. Headache induced by a nitric oxide donor (nitroglycerin) responds to sumatriptan. A human model for development of migraine drugs. **Cephalalgia** 1996; 16: 412-418.
- Iversen HK, Olesen J. Nitroglycerin-induced headache is not dependent on histamine release. Support for a direct nociceptive action of nitric oxide. **Cephalalgia** 1994; 14: 437-442.
- Iversen HK. N-acetylcysteine enhances nitroglycerin-induced headache and cranial arterial responses. **Clin Pharmacol Ther** 1992a; 52: 125-133.

- Jacquin MF, Barcia M, Rhoades RW. Structure-function relationship in rat brainstem subnucleus interpolaris: IV. Projection neurons. *J Comp Neurol* 1989; 282: 45-62.
- Jain AC, Sethi NC, Babbar PK. Clinical electroencephalographic and trace element study with special reference to zinc, copper and magnesium in serum and cerebrospinal fluid (CSF) in cases of migraine. *J Neurol* 1985; 232 (suppl): 161.
- Jensen K and Olesen J. Temporal muscle blood flow in common migraine. *Acta Neurol Scand* 1985; 72: 561-570.
- Jensen K, Pedersen-bjergaard U, Tuxen C, Jansen I, Edvinsson L, Olesen J. Nociception and pressure-pain threshold in the temporal muscle following local injection of bradykinin and serotonin. *Cephalalgia* 1985; 5 (suppl 3): 24-25.
- Joutel A, Bousser MG, Biouesse V, Labauge P, Chabriat H. A gene for familial hemiplegic migraine maps to chromosome 19. *Nature Genet* 1993; 5: 40-45.
- Kaas JH. Somatosensory system. In: Paxinos G, ed. *The human nervous system*. San Diego, Academic Press 1990: 813-844.
- Kallela M, Farkila M, Saijonmaa O, Fyhrquist F. Endothelin in migraine patients. *Cephalalgia* 1998; 18: 329-332.
- Kaube H, Keay K, Hoskin KL, Brandler R. Expression of c-fos-like immunoreactivity in the trigeminal nucleus caudalis and high cervical cord following stimulation of the sagittal sinus in the cat. *Brain Res* 1993; 629: 95.
- Kausalya S and Nath J. Interactive role of nitric oxide and superoxide anion in neutrophil-mediated endothelial cell injury. *J Leukoc Biol* 1998; 64: 185-191.
- Keith RA, Burkman AM, Sokoloski TD, Fertel RH. Vascular tolerance to nitroglycerin and cyclic GMP generation in rat aortic smooth muscle. *J Pharmacol Exp Ther* 1982; 221: 525-531.

- Kelm M, Feelisch, Grube R, Motz W, Strauer BE. Metabolism of endothelium-derived nitric oxide in human blood. In: Moncada S, Marletta MA, Hibbs JB, Higgs EA, ed. **The biology of nitric oxide**. London, Portland Press 1992: 319-322.
- Kemplay S and Webster KE. A quantitative study of the projections of the gracile, cuneate and trigeminal nuclei and of the medullary reticular formation to the thalamus in the rat. **Neuroscience** 1989; 32: 153-167.
- Kerr FWL. The divisional organization of afferent fibers of the trigeminal nerve. **Brain** 1963; 86: 721-732.
- Kiechle FL and Malinski T. Nitric oxide: Biochemistry, pathophysiology and detection. **Am J Clin Pathol** 1993; 100: 567-575.
- Kimball RW, Friedman AP, Vallejo E. Effect of serotonin in migraine patients. **Neurology** 1985; 10: 107-111.
- Knowles RG and Moncada S. Nitric oxide synthases in mammals. **Biochem J** 1994; 298: 249-258.
- Kobari M, Meyer JS, Ichijo M, Imai K, Oravez WT. Hyperperfusion of cerebral cortex, thalamus and basal ganglia during spontaneously occurring migraine headache. **Headache** 1989; 29: 282-289.
- Krabbe AE and Olesen J. Headache provocation by continuous intravenous infusion of histamine: Clinical results and receptor mechanisms. **Pain** 1980; 8: 253-259.
- Kristian T and Siesjo BK. Calcium in ischemic cell death. **Stroke** 1998; 29: 705-718.
- Kroemer G, Petit P, Zamzami N, Vayssiere JL, Mignotte B. The biochemistry of programmed cell death. **FASEB J** 1995; 9: 1277-1287.
- Kruger L and Young RF. Specialized features of the trigeminal nerve and its central connections. In: Samii M, Janetta PJ, ed. **The cranial nerve**. Berlin. Springer-Verlag 1981; 273-301.



- Kruger L, Siminoff R, Witkovsky P. Single neuron analysis of dorsal column nuclei and spinal nucleus of trigeminal in cat. *J Neurophysiol* 1961; 24: 333-349.
- Kunc Z. Significant factors pertaining to the results of trigeminal tractotomy. In: Hassler R, Walker AE, edi. **Trigeminal neuralgia**. Philadelphia, W.B. Saunders 1970: 90-98.
- Kurosawa M, Messlinger K, Pawlak M, Schmidt RF. Increase of meningeal blood flow after electrical stimulation of rat dura mater encephali: mediation by calcitonin gene-related peptide. *Br J Pharmacol* 1995; 114: 1397-1402.
- Kwan AL, Solenki NJ, Kassell NF, Lee KS. Inhibition of nitric oxide generation and lipid peroxidation attenuates hemolysate-induced injury to cerebrovascular endothelium. *Acta Neurochir* 1997; 139: 247-248.
- Lance JW. Headache. *Ann Neurol* 1981; 10: 1-10.
- Lance JW. 5-hydroxytryptamine and its role in migraine. *Eur Neurology* 1991; 31: 279-281.
- Lance JW. Current concepts of migraine pathogenesis. *Neurology* 1993; 43 (Suppl 3): s11-s15.
- Lance JW. History of involvement of 5-HT in primary headaches. In: Olesen J, Saxena PR edi. **5-hydroxytryptamine mechanisms in primary headaches**. New York. Raven Press 1992: 19-28.
- Lassen LH, Ashina M, Christiansen I, Ulrich V, Grover R, Donaldson J. Nitric oxide synthase inhibition: a new principle in the treatment of migraine attacks. *Cephalalgia* 1998; 18: 27-32.
- Lassen LH, Thomsen LL, Kruuse C, Iversen HK, Olesen J. Histamine-1 receptor blockade does not prevent nitroglycerin induced migraine: support for the NO-hypothesis of migraine. *Eur J Clin Pharmacol* 1996; 49: 335-339.
- Lassen LH, Thomsen LL, Olesen J. Histamine induces migraine via the H<sub>1</sub>-receptor: support for the NO hypothesis for migraine. *Neuroreport* 1995; 6: 1475-1479.

- Lauritzen M and Olesen J. Regional cerebral blood flow during migraine attacks by Xenon-133 inhalation and emission tomography. **Brain** 1984; 107: 447-461.
- Lauritzen M, Jorgensen MB, Diemer NH, Gjedde A, Hansen AJ. Persistent oligemia of rat cerebral cortex in the wake of spreading depression. **Ann Neurol** 1982; 12: 469-474.
- Lauritzen M. Pathophysiology of the migraine aura: The spreading depression theory. **Brain** 1994; 117: 199-210.
- Leao AAP. Spreading depression of activity in the cerebral cortex. **J Neurophysiol** 1944; 7: 359-390.
- Lembeck F. Zur fragen der zentralen Ubertragung afferenter Impulse III. Mitteilung. Das Vorkommen und die Bedeutung der Substanz Pin den dorsal en wurzeln des Ruckenmarks, **Naunyn-Schmiedeberg's Arch Exp Pathol Pharmacol** 1953; 219: 197-213.
- Leonard BE. Subtypes of serotonin receptors: biochemical changes and pharmacological consequences. **Int Clin Psychopharmacol** 1992; 7: 13-21.
- Lewis T. The nocifensor system of nerves and its reactions. **Br Med J** 1937; 194: 431-435.
- Light AR and Perl ER. Spinal termination of functionally identified primary afferent neurons with slowly conducting myelinated fibers. **J Comp Neurol** 1979; 186: 133-150.
- Limmroth V, Lee WS, Moskowitz MA. GABA<sub>A</sub> receptor-mediated effects of progesterone, its ring A-reduced metabolites and synthetic neuroactive steroids on neurogenic oedema in the rat menings. **Br J Phramacol** 1996; 117: 99-104.
- Liu-Chen L-Y, Liszczack T, King J. An immunoelectron microscopic study of substance P-containing axons in cerebral arteries. **Brain Res** 1986; 369: 12-20.

- Liu-Chen L-Y, Mayberg M, Moskowitz MA. Immunohistochemical evidence for a substance P-containing trigeminovascular pathway to pial arteries in cats. **Brain Res** 1983; 268: 162-166.
- Liveing EGD. On megrim, Sick-Headache and some allied disorders. A contribution to the pathology of nerve-stroms. **J&A** 1873.
- Longmore J, Shaw D, Smith D. Differential distribution of 5-HT<sub>1D</sub> and 5-HT<sub>1B</sub>- immunoreactivity within the human trigemino-cerebrovascular system: implication for the discover of new antimigraine drugs. **Cephalalgia** 1997; 17: 833-842.
- Lossinsky AS, Vorbrodt AW, Wisniewski HM. Scanning and transmission electron microscopic studies of microvascular pathology in the osmotically impaired blood-brain barrier. **J Neurocytol** 1995; 24: 795-806.
- Lous I and Olesen J. Evaluation of pericranial tenderness and oral function in patients with common migraine, muscle contraction headache and combination headache. **Pain** 1982; 12: 385-393.
- Lucas RN. Migraine in twins. **J Psych Res** 1977; 20: 147-156.
- Marczin N, Ryan US, Catravas JD. Methylene blue inhibits nitrovasodilator- and endothelium-derived relaxing factor induced cyclic GMP accumulation in cultured pulmonary arterial smooth muscle cells via generation of superoxide anion. **J Pharmacol Exp Ther** 1992; 263: 170-179.
- Markowitz S, Saito K and Moskowitz MA. Neurogenically mediated leakage of plasma protein occurs from blood vessels in dura mater but not brain. **J Neurosci** 1987; 7: 4129-4136.
- Markowitz S, Saito K, Moskowitz MA. Neurogenically mediated plasma extravasation in dura mater: effect of ergot alkaloids. A possible mechanism of action in vascular headache. **Cephalalgia** 1988; 8: 83-91.
- Maroteaux L, Saudou F, Amlaiky N, Boschert U, Plassat JL, Hen R. The mouse 5-HT<sub>1B</sub> serotonin receptor: cloning, functional expression and localization in motor control centers. **Proc Natl Acad Sci USA** 1992; 89: 3020-3024.

- Martin GR and Humphrey PPA. Classification review receptors for 5-hydroxytryptamine: current perspectives on classification and nomenclature. **Neuropharmacology** 1994; 33: 261-273.
- Martin GR. Pre-clinical pharmacology of zolmitriptan (Zomig; formerly 311C90), a centrally and peripherally acting 5-HT<sub>1B/1D</sub> agonist for migraine. **Cephalalgia** 1997; 17 Suppl 18: 4-14.
- Martinez F, Castillo J, Rodriguez JR, Leira R, Noya M. Neuroexcitatory amino acid levels in plasma and cerebrospinal fluid during migraine attacks. **Cephalalgia** 1993; 13: 89-93.
- Matsushita M, Ikeda M, Okada N. The cell of origin of the trigeminothalamic, trigeminospinal and trigeminocerebellar projections in the cat. **Neuroscience** 1982; 7: 1439-1454.
- Matsuyama T, Shiosaka, Wanaka A, et al. Fine structure of peptidergic and catecholaminergic nerve fibers in the anterior cerebral artery and their interrelationship: an immunoelectron microscopic study. **J Comp Neurol** 1985; 235: 268-276.
- Matthes H, Boschert U, Amlaiky N, Grailhe R, Plassat JL, Muscatelli F, et al. Mouse 5hydroxytryptamine<sub>5A</sub> and 5-hydroxytryptamine<sub>5B</sub> receptors define a new family of serotonin receptors: cloning, functional expression, and chromosomal localization. **Molecular Pharmacol** 1992; 43: 373-379.
- May A, Gysman H, Wallnofer A, Jones R, Diener H, Ferrari M. Endothelin antagonist bosentan blocks neurogenic inflammation, but is not effective in aborting migraine attacks. **Pain** 1996; 67: 375-378.
- May A, Ophoff RA, Terwindt GM, Urban C, Van Eijk R, Haan J, et al. Familial hemiplegic migraine locus on 19p13 is involved in the common forms of migraine with and without aura. **Hum Genet** 1995;96: 604-608.
- Mayberg MR, Langer RS, Zervas NT, Moskowitz MA. Perivascular meningeal projections from cat trigeminal ganglia: possible pathway for vascular headache in man. **Science** 1981; 213: 228-230.

- Mayberg MR, Zervas NT, Moskowitz MA. Trigeminal projections to supratentorial pial and dural blood vessels in cats demonstrated by horseradish peroxidase histochemistry. *J Comp Neurol* 1984; 223: 46-56.
- Mayer B. Regulation of nitric oxide synthase and soluble guanylyl cyclase. *Cell Biochem Funct* 1994; 12: 167-177.
- McCulloch J, Uddman R, Kingman T, Edvinsson L. Calcitonin gene-related peptide: functional role in cerebrovascular regulation. *Proc Natl Acad Sci USA* 1986; 83: 5731-5735.
- McHaffie JG, Ogasawara K, Stein BE. Trigeminothalamic and other trigeminofugal projections in neonatal kittens: an anatomical demonstration with horseradish peroxidase and tritiated leucine. *J Comp Neurol* 1986; 249: 411-427.
- Menetrey D and Basbaum AI. Spinal and trigeminal projections to the nucleus of the solitary tract: a possible substrate for somatovisceral and viscerovisceral reflex activation. *J Comp Neurol* 1987; 255: 439-450.
- Menetrey D, Gannon A, Levine JD, Basbaum AI. The expression of c-fos protein in presumed-nociceptive interneurons and projection neurons of the rat spinal cord: anatomical mapping of the central effects of noxious somatic, articular and visceral stimulation. *J Comp Neurol* 1989; 258: 177-195.
- Meng W, Colonna DM, Tobin JR, Busija DW. Nitric oxide and prostaglandins interact to mediate arterial dilation during cortical spreading depression. *Am J Physiol* 1995; 269: 176-181.
- Mody I, Lambert JDL, Heinemann V. Low extracellular magnesium induces epileptiform activity and spreading depression in rat hippocampal slices. *J Neurophysiol* 1987; 57: 869-888.
- Molineaux SM, Jessell TM, Axel R, Julius D. 5-HT<sub>1C</sub> receptor is a prominent serotonin receptor subtype in the central nervous system. *Proc Natl Acad Sci USA* 1989; 80: 6793-6797.

- Moncada S, Palmer RMJ, Higgs EA. Nitric oxide: physiology, pathophysiology and pharmacology. **Pharmacol Rev** 1991; 43: 109-141.
- Morgan JJ and Curran T. Role of ion flux in the control of c-fos expression. **Nature** 1986; 322: 552-555.
- Morgan JJ, Cohen DR, Hempstead JL, Curran T. Mapping pattern of c-fos expression in the central nervous system after seizure. **Science** 1987; 237: 192-197.
- Morgan JJ, Curran T. Stimulus-transcription coupling in the nervous system: involvement of the inducible proto-oncogenes *fos* and *jun*. **Ann Rev Neurosci** 1991; 14: 421-451.
- Moskowitz MA and Cutrer FM. Sumatriptan: a receptor-targeted treatment for migraine. **Ann Rev Med** 1993; 44: 145-154.
- Moskowitz MA, Brody M, Liu-Chen L-Y. *In vivo* release of immunoreactive substance P from putative afferent nerve endings in bovine pia arachnoid. **Neuroscience** 1983; 9: 809.
- Moskowitz MA, Buzzi MG, Sakas DE, Linnik MD. Pain mechanisms underlying vascular headaches. **Rev Neurol** 1989; 145: 181-193.
- Moskowitz MA, Nozaki K, Kraig RP. Neocortical spreading depression provokes the expression of c-fos protein-like immunoreactivity within trigeminal nucleus caudalis via trigeminovascular mechanism. **J Neurosci** 1993b; 13: 1167-1177.
- Moskowitz MA. Neurogenic inflammation in the pathophysiology and treatment of migraine. **Neurology** 1993a; 43 Suppl 3: S16-S20.
- Moskowitz MA. Interpreting vessel diameter changes in vascular headaches. **Cephalalgia** 1992; 12: 5-7.
- Moskowitz MA. The visceral organ brain: implications for the pathophysiology of vascular head pain. **Neurology** 1991; 41: 182-186.

- Murphy S, Simmons ML, Agullo L, Garcia A, Feinstein DL, Galea E, et al. Synthesis of nitric oxide in CNS glial cells. **TINS** 1993; 16: 323-328.
- Namaki A, Hirata Y, Ischikawa M, Moroi M, Aikawa J, Machii K. Endothelin-1 and endothelin-3 induced vasorelaxation via common generation of endothelium-derived nitric oxide. **Life Sci** 1992; 50: 677-682.
- Needleman P, Blehm DJ, Harkey AB, Johnson EM, Lang S. The metabolic pathway in the degradation of glyceryl trinitrate. **J Pharmacol Exp Ther** 1971; 179: 347-353.
- Needleman P, Jakschik B, Johnson EM. Sulfhydryl requirement for relaxation of smooth muscle. **J Pharmacol Exp Ther** 1973; 187: 324-331.
- Nichols FT, Mawad M, Mohr JP, Hilal S, Adams RJ. Focal headache during balloon inflation in the vertebral and basilar arteries. **Headache** 1993; 33: 87-89.
- Nichols FT, Mawad M, Mohr JP, Hilal S, Michelsen J. Focal headache during balloon inflation in the internal carotid and middle cerebral arteries. **Stroke** 1990; 21: 555-559.
- Nowak L, Bregestovski P, Ascher P. Magnesium gates glutamate-activated channels in mouse central neurons. **Nature** 1984; 307: 462-465.
- Nozaki K, Boccalini P, Moskowitz MA. Expression of c-fos-like immunoreactivity in brainstem after meningeal irritation by blood in the subarachnoid space. **Neuroscience** 1992; 49: 669-680.
- Nozaki K, Moskowitz MA, Maynard KI, Koketzu N, Dawson TM, Bredt DS, et al. Possible origins and distribution of immunoreactive nitric oxide synthase-containing nerve fibers in cerebral arteries. **J Cereb Blood Flow Metab** 1993; 13: 70-79.
- O'Connor TP, Van der Kooy D. Pattern of intracranial and extracranial projections of trigeminal ganglion cells. **J Neurosci** 1986; 6: 2200-2207.

- Olesen J, Friberg L, Skyhoj Olsen T, Iversen HK, Lassen NA, et al. Timing and topography of cerebral flow, aura and headache during migraine attacks. **Ann Neurol** 1990; 28: 791-799.
- Olesen J, Iversen HK, Thomsen LL. Nitric oxide supersensitivity; a possible molecular mechanism of migraine pain. **Neuroreport** 1993; 4: 1027-1030.
- Olesen J, Larsen B, Lauritzen M. Focal hyperemia followed by spreading oligemia and impaired activation of rCBF in classic migraine. **Ann Neurol** 1981a; 9: 344-352.
- Olesen J, Lauritzen M, Tfelt-Hansen P, Henriksen, Larsen B. Spreading cerebral oligemia in classic and normal cerebral blood flow in common migraine. **Headache** 1982; 22: 242-248.
- Olesen J, Tfelt-Hansen P, Henrikson L, Larsen B. The common migraine attack may not be initiated by cerebral ischemia. **Lancet** 1981b; 11: 438-440.
- Olesen J, Thomsen LL, Iversen H. Nitric oxide is a key molecule in migraine and other vascular headaches. **Trends Pharmacol Sci** 1994; 15: 149-153.
- Olesen J, Thomsen LL, Lassen LH, Jansen-Olesen I. The nitric oxide hypothesis of migraine and other vascular headaches. **Cephalalgia** 1995; 15: 94-100.
- Olsen TS, Friberg L, Lassen NA. Ischemia may be the primary cause of the neurologic deficits in classic migraine. **Arch Neurol** 1987; 44: 156-161.
- Ophoff RA, Terwindt GM, Vergouwe MN, Frants RR, Ferrari M. Involvement of a  $Ca_{2+}$  channel gene in familial hemiplegic migraine and migraine without aura. **Headache** 1997; 37: 479-485.
- Ottosen ALP, Jansen I, Langemark M, Olesen J, Edvinsson L. Histamine receptors in the isolated human middle meningeal artery. A comparison with cerebral and temporal arteries. **Cephalalgia** 1991; 11: 183-188.



- Palmer RMJ, Ferrige AG, Moncada S. Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor. *Nature* 1987; 327: 524-526.
- Panconesi A and Sicuteri R. Headache induced by serotonergic agonists-a key to the interpretation of migraine pathogenesis ?. *Cephalalgia* 1997; 17: 3-14.
- Parsons AA, Raval P, Smith MI, Read SI, Bingham S. Cortical spreading depression and migraine: a missing link ? In: Clifford Rose ed. *Towards migraine 2000*. London, Elsevier Science 1996: 153-161.
- Pascual J, Arco C, Romon T, Olmo E, Castro E, Pazos A. Autoradiographic distribution of [<sup>3</sup>H] sumatriptan-binding sites in post-mortem human brain. *Cephalalgia* 1996; 16: 317-322.
- Peatfield RC, Gawel MJ, Rose FC. The effect of infused prostacyclin in migraine and cluster headache. *Headache* 1981; 21: 190-195.
- Pelligrino DA, Koenig HM, Albrecht RF. Nitric oxide synthase and regional cerebral blood flow responses to hypercapnia and hypoxia in the rat. *J Cereb Blood flow Metab* 1993; 13: 80-87.
- Peroutka SJ and Snyder SH. Multiple serotonin receptors: differential binding of <sup>3</sup>H-5-hydroxytryptamine, <sup>3</sup>H-lysergic acid diethylamide and <sup>3</sup>H-spiroperidol. *Mol Pharmacol* 1979; 16: 687-689.
- Peroutka SJ. 5-Hydroxytryptamine receptor subtypes and the pharmacology of migraine. *Neurology* 1993a; 43: 34-38.
- Peroutka SJ. Developments in 5-hydroxytryptamine receptor pharmacology in migraine. *Neurol Clin* 1990; 8: 829-838.
- Peschanski M. Trigeminal afferents to the diencephalon in the rat. *Neuroscience* 1984; 12: 465-487.
- Peter GA. Migraine : diagnosis and treatment with emphasis on the migraine-tension headache, provocative tests and use of rectal suppository. *Proc Mayo Clin* 1953; 28: 673-686.

- Pradalier A and Launay JM. 5-hydroxytryptamine uptake by platelets from migrainous patients. **Lancet** 1982; 1: 862.
- Presley RW, Menetrey D, Levine JD, Basbaum AI. Systemic morphine suppresses noxious stimulus-evoked fos protein-like immunoreactivity in rat spinal cord. **J Neurosci** 1990; 10: 323-335.
- Raboisson P, Dallel R, Woda A. Responses of neurons in the ventrobasal complex of the thalamus to orofacial noxious stimulation after large trigeminal tractotomy. **Exp Brain Res** 1989; 77: 569-576.
- Radi R, Beckman JS, Bush KM, Freeman BA. Peroxynitrite oxidation of sulfhydryls: the cytotoxic potential of superoxide and nitric oxide. **J Biol Chem** 1991a; 266: 4244-4250.
- Radi R, Beckman JS, Bush KM, Freeman BA. Peroxynitrite-induced membrane lipid peroxidation: the cytotoxic potential of superoxide and nitric oxide. **Arch Biochem Biophys** 1991b; 288: 481-487.
- Rapport MM Green AA, Page IH. Serum vasoconstrictor (serotonin). IV. Isolation and characterization. **J Biol Chem** 1948; 176: 1243-1251.
- Raskin NH and Knittle SC. Ice cream headache and orthostatic symptoms in patients with migraine headache. **Headache** 1976; 16: 222-225.
- Raskin NH and Schwart RK. Icepick-like pain. **Neurology** 1980; 30: 203-205.
- Raskin NH. Pharmacology of migraine. **Annu Rev Pharmacol Toxicol** 1981; 21: 463-478.
- Read SJ, Smith MI, Hunter AJ, Parsons AA. Enhanced nitric oxide release during cortical spreading depression following infusion of glyceryl trinitrate in the anaesthetized cat. **Cephalalgia** 1997; 17: 159-165.

- Rebeck GW, Maynard KI, Hyman BT, Moskowitz MA. Selective 5-HT<sub>1D</sub> alpha serotonin receptor gene expression in trigeminal ganglion: implications for antimigraine drug development. *Proc Natl Acad Sci USA* 1994; 91: 3666-3669.
- Reif DW and Simmons RD. Nitric oxide mediates iron release from ferritin. *Arch Biochem Biophys* 1990; 283: 537-541.
- Reif-Lehrer L. Possible significance of adverse reaction to glutamate in human. *Fed Proc* 1976; 35: 2205-2211.
- Renehan WE, Jacquin MF, Mooney RD, Rhoades RW. Structure-function relationship in rat medullary and cervical dorsal horns. II. Medullary dorsal horn cells. *J Neurophysiol* 1986; 55: 1187-1201.
- Rengasamy A and Johns RA. Characterization of endothelium-derived relaxing factor/nitric oxide synthase from bovine cerebellum and mechanism of modulation by high and low oxygen tensions. *J Pharmacol Exp Ther* 1991; 259: 310-316.
- Rhoades RW, Belford GR, Killackey HP. Receptive-field properties of rat ventral posterior medial neurons before and after selection kainic acid lesion of the trigeminal brainstem complex. *J Neurophysiol* 1987; 57: 1577-1600.
- Rogers NF and Ignarro LJ. Constitutive nitric oxide synthase from cerebellum is reversibly inhibited by nitric oxide formed from L-arginine. *Biochem Biophys Res Commun* 1992; 189: 242-249.
- Romansky K, Stamenov B. Ultrastructural study of cerebral cortex and subcortical white matter following ligation of bridging veins in cats. *Zentralbl Neurochir.* 1995; 56: 111-116.
- Russell MB, Hilden J, Sorensen SA, Olesen J. Familial occurrence of migraine without aura and migraine with aura. *Neurology* 1993; 43: 1369-1373.
- Saito K, Greenberg S, Moskowitz MA. Trigeminal origin of beta-preprotachykinin in feline pial blood vessels. *Neurosci Lett* 1987; 76: 69-73.

- Sakai F and Meyer JS. Regional cerebral hemodynamics during migraine and cluster headache measured by the  $^{133}\text{Xe}$  inhalation method. **Headache** 1978; 18: 122-132.
- Sakas DE, Moskowitz MA, Wei EP, Kontos HA, Kano M, Olilvy C. Trigeminovascular fibers increase blood flow in the cortical gray mater by axon-dependent mechanism during acute, severe hypertension or seizures. **Proc Natl Acad SCI USA** 1987;
- Sandler M. Migraine to the year 2000. **Cephalalgia** 1995; 15: 259-264.
- Saria A, Gamse R, Lundberg JM, Hokfelt T, Theodorsson-Norheim E, Petermann J, et al. Co-existence of tachykinins and calcitonin-gene-related peptide in sensory nerves in relating to neurogenic inflammation. In. Hakanson R and Sundler F Edi. **Tachykinin antagonists**. Amsterdam, Elsevier 1985.
- Saudou F and Hen R. 5-hydroxytryptamine receptor subtypes: molecular and functional diversity. **Adv Pharmacol** 1994; 30: 327-380.
- Schmitterer L, Wolzt M, Graselli U, Findl O, Strenn K, Simak S, et al. Nitric oxide synthase inhibition in the histamine headache model. **Cephalalgia** 1997; 17: 175-182.
- Schmidt HHHW, Lohmann SM, Walter U. The nitric oxide and cGMP signal transduction system-regulation and mechanisms of action. **Biochim Biophys Acta** 1993; 1178: 153-175.
- Schmuck K, Ullmer C, Kalkman HO, Probst A and Lubbert H. Activation of meningeal 5-HT<sub>2B</sub> receptors: an early step in the generation of migraine headache ?. **Eur J Neurosci** 1996; 8: 959-967.
- Schoenen J, Sianard-Gainko J, Lenaerts M. Blood magnesium levels in migraine. **Cephalalgia** 1991; 11: 97-99.
- Selby G and Lance JW. Observations on 500 cases of migraine and allied vascular headache. **J Neurol Neurosurg Psychiat** 1960; 23: 23-32.
- Sessle BJ. Recent development in pain research: central mechanisms of orofacial pain and its control. **J Endocri** 1986; 12: 435-444.

- Shen Y, Monsma FJ, Metcalf MA, Jose PA, Hamblin MW, Sibley DR. Molecular cloning and expression of a 5-hydroxytryptamine<sub>7</sub> serotonin receptor subtype. **J Biol Chem** 1993; 268: 18200-18204.
- Shen YH, Wang XL, Wilcken DE. Nitric oxide induces and inhibits apoptosis through different pathways. **FEBS Lett** 1997; 433: 125-131.
- Shepherd SL, Williamson DJ, Williams J, Hill RG, Hargreaves RJ. Comparison of the effects of sumatriptan and the NK<sub>1</sub> antagonist CP-99,994 on plasma extravasation in the dura mater and *c-fos* mRNA expression in trigeminal nucleus caudalis of rats. **Neuropharmacology** 1995; 34: 255-261.
- Shiffman SS, Buckley CE, Sampson HA, Massey EW, Baraniuk JN, Follett JV, et al. Aspartate and susceptibility to headache. **N Engl J Med** 1987; 317: 1181-1185.
- Shigenaga Y, Nkatani Z, Nishimori T, Suemune S, Kuroda R, Matano S. The cells of origin of cat trigeminothalamic projection: especially in the caudal medulla. **Brain Res** 1983; 277: 201-222.
- Shigenaga Y, Okamoto T, Nishimori T, Suemune S, Nasution ID, Chen IC, et al. Oral and facial representation in the trigeminal principal and rostral spinal nuclei of cat. **J Comp Neurol** 1986; 24: 1-18.
- Shimizu S, Nomoto M, Naito S, Yamamoto T, Momose K. Stimulation of nitric oxide synthase during oxidative endothelial cell injury. **Biochem Pharmacol** 1998; 55: 77-83.
- Sicuteri F, Bene ED, Poggioni M, Banazzi A. Unmasking latent dynociception in healthy subject. **Headache** 1987; 27: 180-185.
- Sicuteri F, Testi A, Anselmi B. Biochemical investigations in headache: increase in hydroxyindoleacetic acid excretion during migraine attack. **Int Arch Allergy Appl Immunol** 1961; 19: 55-58.
- Silberstein SD, Fozard JR, Murphy L. Letter to the editor. **Headache** 1992; 32: 242-243.

- Silberstein SD. Serotonin (5-HT) and Migraine. **Headache** 1994; 34: 408-417.
- Sjaastad O and Stovner LJ. The IHS classification of common migraine. Is it ideal ?. **Headache** 1993; 33: 372-375.
- Sjoerdsma A, Lovenberg W, Engelman K, Carpenter Jr WT, wyatt RJ, Gessa GL. Serotonin now: clinical implications of inhibiting its synthesis with parachlorophenylalanine. **Ann Intern Med** 1970; 73: 607-629.
- Sjoqvist O. Studies on the pain conduction in the trigeminal nerve. **Acta Psychiatr Neuro Scand** 1938; 17 (suppl): 1-139.
- Sommerville BN. Platelet-bound and free serotonin levels in jugular and forearm venous blood during migraine. **Neurology** 1976; 26: 41-45.
- Srikiatkachorn A, Govitrapong P, Limthavorn C. Upregulation of 5-HT<sub>2</sub> receptor : a possible mechanism of transformed migraine. **Headache** 1994; 34: 8-11.
- Stamler JS, Simon DI, Osborne JA, Mullins ME, Jaraki O, Michel T, et al. S-nitrosylation of proteins with nitric oxide synthesis and characterization of biologically active compounds. **Proc Natl Acad Sci USA** 1992; 89: 444-448.
- Stamler JS, Single DJ, Loscalzo J. Biochemistry of nitric oxide and its redox-activated forms. **Science** 1992; 258: 1898-1902.
- Stepien A and Chalimoniuk. Level of nitric oxide-dependent cGMP in patients with migraine. **Cephalalgia** 1998; 18: 631-634.
- Stewart AG, Phan LH, Grigoriadis G. Physiological and pathophysiological roles of nitric oxide. **Microsurgery** 1994; 15: 693-702.
- Still WJS and Dennison S. The arterial endothelium of the hypertensive rat. **Arch Pathol Lab Med** 1974; 92: 337-342.

- Strassman AM, Mineta Y, Vos BP. Distribution of fos-like immunoreactivity in the medullary and upper cervical dorsal horn produced by stimulation of dura blood vessels in the rat. **J Neurosci** 1994; 14: 3725-3735.
- Suzuki N, Hardebo J-E, Owman C. Origins and pathways of cerebrovascular vasoactive intestinal polypeptide-nerves in rat. **J Cereb Blood Flow Metab** 1988; 8: 697-712.
- Thadani U. Role of nitrates in angina pectoris. **Am J Cardiol** 1992; 70: 43B-53B.
- Thomsen LL and Iversen HK. Experimental and biological variation of three dimensional transcranial doppler measurements. **J Appl Physiol** 1993b; 75: 2805-2810.
- Thomsen LL, Brennum J, Iversen HK, Olesen J. Effect of a nitric oxide donor (glyceryl trinitrate) on nociceptive thresholds in man. **Cephalalgia** 1996; 16: 169-174.
- Thomsen LL, Iversen HK, Brinck TA. Arterial supersensitivity to nitric oxide (nitroglycerin) in migraine sufferers. **Cephalalgia** 1993a; 13: 395-399.
- Thomsen LL, Kruuse C, Iversen HK, Olesen J. A nitric oxide donor (nitroglycerin) triggers genuine migraine attacks. **Eur J Neurol** 1994; 7: 73-80.
- Toda N. Mechanism underlying responses to histamine of isolated monkey and human cerebral arteries. **Am J Physiol** 1990; 258: H311-H317.
- Tomimoto H, Nishimura M, Suenaga T, Nakamura S, Akiguchi I, Wakita H, et al. Distribution of nitric oxide synthase in the human cerebral blood vessels and brain tissues. **J Cereb Blood flow Metab** 1994; 14: 930-938.
- Tunis MM and Wolff HG. Long term observations of the reactivity of the cranial arteries in subjects with vascular headache of the migraine type. **Arch Neurol Psychiat** 1953; 70: 551-557.

- Van Harreveld A, Fifkova E. Mechanisms involved in spreading depression. *J Neurobiol* 1984; 4: 375-387.
- Venturini CM, Palmer RMJ, Moncada S. Vascular smooth muscle contains a depletable store of a vasodilator which is light-activated and restored by donors of nitric oxide. *J Pharmacol Exp Ther* 1993; 266: 1497-1500.
- Wahl M, Schilling L, Parsons AA, Kaumann A. Involvement of calcitonin-gene related peptide (CGRP) and nitric oxide (NO) in the pial artery dilatation elicited by cortical spreading depression. *Brain Res* 1994; 637: 204-210.
- Wallace MN and Bisland SK. NADPH-diaphorase activity in activated astrocytes represents inducible nitric oxide synthase. *Neuroscience* 1994;59:905-919.
- Walter U. Physiological role of cGMP and cGMP-dependent protein kinase in the cardiovascular system. *Rev Physiol Biochem Pharmacol* 1989; 713: 41-88.
- Wei EP, Dietrich WD, Povlishock JT. Functional, morphological and metabolic abnormality of the cerebral microcirculation after concussive brain injury in cats. *Cir Res* 1980; 46: 37-47.
- Wei EP, Moskowitz MA, Boccalini P, Kontos HA. Calcitonin gene-related peptide mediates nitroglycerin and sodium nitroprusside-induced vasodilation in feline cerebral arterioles. *Cir Res* 1992; 70: 1313-1319.
- Welch KMA, Ramadan NM, Halvorson H, Van de-Linde A, Levine SR, Helpert JA. Low brain magnesium in migraine. *Cephalalgia* 1989; 9 (suppl 10): 51-52.
- Wennmalm A and Peterson A. Analysis of nitric oxide as a marker for endothelium-derived relaxing factor in biological fluids using electron paramagnetic resonance spectrometry. *J Cardiovasc Pharmacol* 1991; 17: s34-40.
- Wolff HG. **Headache and other Head Pain.** New York, Oxford University Press 1963



- Wolff HG. **Wolff's Headache and other Head Pain** 5<sup>th</sup> edi. New York, Oxford University Press 1987.
- Xu W, Charles IG, Moncada S, Gorman P, Sheer D, Liu L, et al. Mapping of the genes encoding human inducible and endothelial nitric oxide synthase (NOS2 and NOS3) to the pericentric region of chromosome 17 and to chromosome 7, respectively. **Genomics** 1994; 21: 419-422.
- Xu W, Gorman P, Sheer D, Bates G, Kishimoto J, Liu L, et al. Regional localization of the gene coding for human brain nitric oxide synthase (NOS1) to 12q24.-24.21 by fluorescent in situ hybridization. **Cytogene Cell Genet** 1993; 64: 62-63.
- Yeh JL, Whitney EG, Lamb S, Brophy CM. Nitric oxide is an autocrine feedback inhibitor of vascular smooth muscle contraction. **Surgery** 1996; 119: 104-109.
- Yokota T and Matsumoto N. Somatotropic distribution of trigeminal nociceptive specific neurons within the caudal somatosensory thalamus of cat. **Neurosci Lett** 1983; 39: 125-130.
- Yoshida A, Dostrovski JO, Sessle BJ, Chiang CY. Trigeminal projections to the nucleus submedius of the thalamus in the rat. **J Comp Neurol** 1991; 307: 609-625.
- Young RF and Perryman KM. Pathways for orofacial pain sensation in the trigeminal brainstem nuclear complex of the macaque monkey. **J Neurosurg** 1984; 61: 563-568.
- Zanette EM, Agnoli A, Cerbo R, Chiarotti F, Corbo R, Fieschi C. Transcranial doppler (TCD) after nitroglycerin in migraine without aura. **Headache** 1991; 31: 596-598.
- Zgombick JM, Schechter LE, Macchi M, Hartig PR, Branchek TA, Weinshank RL. Human gene, S31 encodes the pharmacologically defined serotonin 5-hydroxytryptamine<sub>1E</sub> receptor. **Molecular Pharmacol** 1992; 42: 180-185.
- Zhuo M, Hu YH, Schultz C, Kandel ER, Hawkins RD. Role of guanylyl cyclase and cGMP-dependent protein kinase in long-term potentiation. **Nature** 1994; 368: 635-639.

BIOGRAPHY

**NAME** Mrs. Thiraporn Anuntasethakul  
**DATE OF BIRTH** 1 March 1968  
**PLACE OF BIRTH** Bangkok, Thailand

**INSTUTIONS ATTENDED** Mahidol University, 1986-1990  
 Bachelor of Science (Nursing)

Mahidol University, 1990-1993  
 Master of Science (Pharmacology)

Chulalongkorn University, 1994-1999  
 Ph.D. candidate (Physiology)

**POSITION & OFFICE** 1993-1995 Drug & Poison Center  
 Faculty of Medicine  
 Ramathibodi Hospital  
 Mahidol University, Thailand.  
 Position : Scientist



สถาบันวิทยบริการ  
 จุฬาลงกรณ์มหาวิทยาลัย