

REFERENCES

- Akamine, T., Jee, W. S., Ke, H. Z., Li, X. J. and Lin, B. Y. (1992). Prostaglandin E2 prevents bone loss and adds extra bone to immobilized distal femoral metaphysis in female rats. Bone 13 (1): 11-22.
- Albrektsson, T., Branemark, P. I., Hansson, H. A. and Lindstrom, J. (1981). Osseointegrated titanium implants. Requirements for ensuring a long-lasting, direct bone-to-implant anchorage in man. Acta Orthop Scand 52 (2): 155-70.
- Antoniades, H. N. and Hunkapiller, M. W. (1983). Human platelet-derived growth factor (PDGF): amino-terminal amino acid sequence. Science 220 (4600): 963-5.
- Antoniades, H. N., Stathakos, D. and Scher, C. D. (1975). Isolation of a cationic polypeptide from human serum that stimulates proliferation of 3T3 cells. Proc Natl Acad Sci U S A 72 (7): 2635-9.
- Aspenberg, P., Jeppsson, C., Wang, J. S. and Bostrom, M. (1996). Transforming growth factor beta and bone morphogenetic protein 2 for bone ingrowth: a comparison using bone chambers in rats. Bone 19 (5): 499-503.
- Bab, I. A. and Einhorn, T. A. (1994). Polypeptide factors regulating osteogenesis and bone marrow repair. J Cell Biochem 55 (3): 358-65.
- Bautista, C. M., Mohan, S. and Baylink, D. J. (1990). Insulin-like growth factors I and II are present in the skeletal tissues of ten vertebrates. Metabolism 39 (1): 96-100.

- Bhandari, B., Grandaliano, G. and Abboud, H. E. (1994). Platelet-derived growth factor (PDGF) BB homodimer regulates PDGF A- and PDGF B-chain gene transcription in human mesangial cells. Biochem J 297 (Pt 2): 385-8.
- Bi, L. X., Simmons, D. J. and Mainous, E. (1999). Expression of BMP-2 by rat bone marrow stromal cells in culture. Calcif Tissue Int 64 (1): 63-8.
- Blumenthal, N. M. (1988). The use of collagen membranes to guide regeneration of new connective tissue attachment in dogs. J Periodontol 59 (12): 830-6.
- Boden, S. D., Hair, G., Titus, L., Racine, M., McCuaig, K., Wozney, J. M. and Nanes, M. S. (1997). Glucocorticoid-induced differentiation of fetal rat calvarial osteoblasts is mediated by bone morphogenetic protein-6. Endocrinology 138 (7): 2820-8.
- Boden, S. D., McCuaig, K., Hair, G., Racine, M., Titus, L., Wozney, J. M. and Nanes, M. S. (1996). Differential effects and glucocorticoid potentiation of bone morphogenetic protein action during rat osteoblast differentiation in vitro. Endocrinology 137 (8): 3401-7.
- Bolander, M. E. (1992). Regulation of fracture repair by growth factors. Proc Soc Exp Biol Med 200 (2): 165-70.
- Bonner, J. C. (1994). Regulation of platelet-derived growth factor (PDGF) and alveolar macrophage-derived PDGF by alpha 2-macroglobulin. Ann N Y Acad Sci 737 : 324-38.
- Bostrom, M. P., Lane, J. M., Berberian, W. S., Missri, A. A., Tomin, E., Weiland, A., Doty, S. B., Glaser, D. and Rosen, V. M. (1995). Immunolocalization and expression of bone morphogenetic proteins 2 and 4 in fracture healing. J Orthop Res 13 (3): 357-67.

- Bourque, W. T., Gross, M. and Hall, B. K. (1993). Expression of four growth factors during fracture repair. Int J Dev Biol 37 (4): 573-9.
- Branemark, P. I., Hansson, B. O., Adell, R., Breine, U., Lindstrom, J., Hallen, O. and Ohman, A. (1977). Osseointegrated implants in the treatment of the edentulous jaw. Experience from a 10-year period. Scand J Plast Reconstr Surg Suppl 16 : 1-132.
- Brown, L. J., Oliver, R. C. and Loe, H. (1989). Periodontal diseases in the U.S. in 1981: prevalence, severity, extent, and role in tooth mortality. J Periodontol 60 (7): 363-70.
- Brown, L. J., Oliver, R. C. and Loe, H. (1990). Evaluating periodontal status of US employed adults. J Am Dent Assoc 121 (2): 226-32.
- Bui, T. and Straus, D. S. (1998). Effects of cyclopentenone prostaglandins and related compounds on insulin-like growth factor-I and Waf1 gene expression. Biochim Biophys Acta 1397 (1): 31-42.
- Canalis, E., Centrella, M. and McCarthy, T. L. (1991). Regulation of insulin-like growth factor-II production in bone cultures. Endocrinology 129 (5): 2457-62.
- Canalis, E., McCarthy, T. and Centrella, M. (1988). Growth factors and the regulation of bone remodeling. J Clin Invest 81 (2): 277-81.
- Canalis, E., Varghese, S., McCarthy, T. L. and Centrella, M. (1992). Role of platelet derived growth factor in bone cell function. Growth Regul 2 (4): 151-5.
- Capilouto, M. L. and Douglass, C. W. (1988). Trends in the prevalence and severity of periodontal diseases in the US: a public health problem? J Public Health Dent 48 (4): 245-51.

- Castano, E., Bartrons, R. and Gil, J. (2000). Inhibition of Cyclooxygenase-2 Decreases DNA Synthesis Induced by Platelet-Derived Growth Factor in Swiss 3T3 Fibroblasts. J Pharmacol Exp Ther 293 (2): 509-513.
- Centrella, M., McCarthy, T. L. and Canalis, E. (1989). Platelet-derived growth factor enhances deoxyribonucleic acid and collagen synthesis in osteoblast-enriched cultures from fetal rat parietal bone. Endocrinology 125 (1): 13-9.
- Chawla, A., Schwarz, E. J., Dimaculangan, D. D. and Lazar, M. A. (1994). Peroxisome proliferator-activated receptor (PPAR) gamma: adipose-predominant expression and induction early in adipocyte differentiation. Endocrinology 135 (2): 798-800.
- Chomczynski, P. and Sacchi, N. (1987). Single-step method of RNA isolation by acid guanidinium thiocyanate- phenol-chloroform extraction. Anal Biochem 162 (1): 156-9.
- Claesson-Welsh, L. (1994). Signal transduction by the PDGF receptors. Prog Growth Factor Res 5 (1): 37-54.
- Clemmons, D. R. (1997). Insulin-like growth factor binding proteins and their role in controlling IGF actions. Cytokine Growth Factor Rev 8 (1): 45-62.
- Conaway, H. H., Diez, L. F. and Raisz, L. G. (1986). Effects of prostacyclin and prostaglandin E1 (PGE1) on bone resorption in the presence and absence of parathyroid hormone. Calcif Tissue Int 38 (3): 130-4.
- Czech, M. P. (1989). Signal transmission by the insulin-like growth factors. Cell 59 (2): 235-8.
- Dahlin, C., Sennerby, L., Lekholm, U., Linde, A. and Nyman, S. (1989). Generation of new bone around titanium implants using a membrane technique: an experimental study in rabbits. Int J Oral Maxillofac Implants 4 (1): 19-25.

- Daughaday, W. H. and Rotwein, P. (1989). Insulin-like growth factors I and II. Peptide, messenger ribonucleic acid and gene structures, serum, and tissue concentrations. Endocr Rev 10 (1): 68-91.
- Davidai, G., Lee, A., Schwartz, I. and Hazum, E. (1992). PDGF induces tyrosine phosphorylation in osteoblast-like cells: relevance to mitogenesis. Am J Physiol 263 (2 Pt 1): E205-9.
- Elima, K. (1993). Osteoinductive proteins. Ann Med 25 (4): 395-402.
- Fang, M. A., Kujubu, D. A. and Hahn, T. J. (1992). The effects of prostaglandin E₂, parathyroid hormone, and epidermal growth factor on mitogenesis, signaling, and primary response genes in UMR 106-01 osteoblast-like cells. Endocrinology 131 (5): 2113-9.
- Forman, B. M., Chen, J. and Evans, R. M. (1997). Hypolipidemic drugs, polyunsaturated fatty acids, and eicosanoids are ligands for peroxisome proliferator-activated receptors alpha and delta. Proc Natl Acad Sci U S A 94 (9): 4312-7.
- Forman, B. M., Tontonoz, P., Chen, J., Brun, R. P., Spiegelman, B. M. and Evans, R. M. (1995). 15-Deoxy-delta 12, 14-prostaglandin J₂ is a ligand for the adipocyte determination factor PPAR gamma. Cell 83 (5): 803-12.
- Forwood, M. R. (1996). Inducible cyclo-oxygenase (COX-2) mediates the induction of bone formation by mechanical loading in vivo. J Bone Miner Res 11 (11): 1688-93.
- Friedenstein, A. J. (1976). Precursor cells of mechanocytes. Int Rev Cytol 47 : 327-59.

- Fukushima, M. (1990). Prostaglandin J2--anti-tumour and anti-viral activities and the mechanisms involved [published erratum appears in *Eicosanoids* 1991;4 (2):119]. *Eicosanoids* 3 (4): 189-99.
- Fukushima, M. (1992). Biological activities and mechanisms of action of PGJ2 and related compounds: an update. *Prostaglandins Leukot Essent Fatty Acids* 47 (1): 1-12.
- Fukushima, M., Kato, T., Ota, K., Arai, Y., Narumiya, S. and Hayaishi, O. (1982). 9-deoxy-delta 9-prostaglandin D2, a prostaglandin D2 derivative with potent antineoplastic and weak smooth muscle-contracting activities. *Biochem Biophys Res Commun* 109 (3): 626-33.
- Giannobile, W. V., Hernandez, R. A., Finkelman, R. D., Ryan, S., Kiritsy, C. P., D'Andrea, M. and Lynch, S. E. (1996). Comparative effects of platelet-derived growth factor-BB and insulin-like growth factor-I, individually and in combination, on periodontal regeneration in *Macaca fascicularis*. *J Periodontal Res* 31 (5): 301-12.
- Giles, H. and Leff, P. (1988). The biology and pharmacology of PGD2. *Prostaglandins* 35 (2): 277-300.
- Gilroy, D. W., Colville-Nash, P. R., Willis, D., Chivers, J., Paul-Clark, M. J. and Willoughby, D. A. (1999). Inducible cyclooxygenase may have anti-inflammatory properties [see comments]. *Nat Med* 5 (6): 698-701.
- Gitelman, S. E., Kirk, M., Ye, J. Q., Filvaroff, E. H., Kahn, A. J. and Derynck, R. (1995). Vgr-1/BMP-6 induces osteoblastic differentiation of pluripotential mesenchymal cells. *Cell Growth Differ* 6 (7): 827-36.
- Gori, F., Thomas, T., Hicok, K. C., Spelsberg, T. C. and Riggs, B. L. (1999). Differentiation of human marrow stromal precursor cells: bone

morphogenetic protein-2 increases OSF2/CBFA1, enhances osteoblast commitment, and inhibits late adipocyte maturation. J Bone Miner Res 14 (9): 1522-35.

Gottlow, J., Nyman, S., Lindhe, J., Karring, T. and Wennstrom, J. (1986). New attachment formation in the human periodontium by guided tissue regeneration. Case reports. J Clin Periodontol 13 (6): 604-16.

Graves, D. T. and Cochran, D. L. (1990). Mesenchymal cell growth factors. Crit Rev Oral Biol Med 1 (1): 17-36.

Graves, D. T., Valentin-Opran, A., Delgado, R., Valente, A. J., Mundy, G. and Piche, J. (1989). The potential role of platelet-derived growth factor as an autocrine or paracrine factor for human bone cells. Connect Tissue Res 23 (2-3): 209-18.

Green, S. and Wahli, W. (1994). Peroxisome proliferator-activated receptors: finding the orphan a home. Mol Cell Endocrinol 100 (1-2): 149-53.

Groeneveld, E. H. and Burger, E. H. (2000). Bone morphogenetic proteins in human bone regeneration. Eur J Endocrinol 142 (1): 9-21.

Gronwald, R. G., Grant, F. J., Haldeman, B. A., Hart, C. E., O'Hara, P. J., Hagen, F. S., Ross, R., Bowen-Pope, D. F. and Murray, M. J. (1988). Cloning and expression of a cDNA coding for the human platelet-derived growth factor receptor: evidence for more than one receptor class. Proc Natl Acad Sci U S A 85 (10): 3435-9.

Hall, L. J., Kajimoto, Y., Bichell, D., Kim, S. W., James, P. L., Counts, D., Nixon, L. J., Tobin, G. and Rotwein, P. (1992). Functional analysis of the rat insulin-like growth factor I gene and identification of an IGF-I gene promoter. DNA Cell Biol 11 (4): 301-13.

- Hammerle, C. H., Schmid, J., Lang, N. P. and Olah, A. J. (1995). Temporal dynamics of healing in rabbit cranial defects using guided bone regeneration. J Oral Maxillofac Surg 53 (2): 167-74.
- Hammerle, C. H., Schmid, J., Olah, A. J. and Lang, N. P. (1996). A novel model system for the study of experimental guided bone formation in humans. Clin Oral Implants Res 7 (1): 38-47.
- Hannink, M. and Donoghue, D. J. (1989). Structure and function of platelet-derived growth factor (PDGF) and related proteins. Biochim Biophys Acta 989 (1): 1-10.
- Harsh, G. R., Keating, M. T., Escobedo, J. A. and Williams, L. T. (1990). Platelet derived growth factor (PDGF) autocrine components in human tumor cell lines. J Neurooncol 8 (1): 1-12.
- Heldin, C. H. and Westermark, B. (1999). Mechanism of action and in vivo role of platelet-derived growth factor. Physiol Rev 79 (4): 1283-316.
- High, W. B. (1987). Effects of orally administered prostaglandin E-2 on cortical bone turnover in adult dogs: a histomorphometric study. Bone 8 (6): 363-73.
- Hogan, B. L. (1996). Bone morphogenetic proteins: multifunctional regulators of vertebrate development. Genes Dev 10 (13): 1580-94.
- Hong, S. L. and Levine, L. (1976). Stimulation of prostaglandin synthesis by bradykinin and thrombin and their mechanisms of action on MC5-5 fibroblasts. J Biol Chem 251 (18): 5814-6.
- Horner, A., Bord, S., Kemp, P., Grainger, D. and Compston, J. E. (1996). Distribution of platelet-derived growth factor (PDGF) A chain mRNA, protein, and PDGF-alpha receptor in rapidly forming human bone. Bone 19 (4): 353-62.

- Howell, T. H., Fiorellini, J. P., Paquette, D. W., Offenbacher, S., Giannobile, W. V. and Lynch, S. E. (1997). A phase I/II clinical trial to evaluate a combination of recombinant human platelet-derived growth factor-BB and recombinant human insulin-like growth factor-I in patients with periodontal disease. J Periodontol 68 (12): 1186-93.
- Hughes, F. J., Aubin, J. E. and Heersche, J. N. (1992). Differential chemotactic responses of different populations of fetal rat calvaria cells to platelet-derived growth factor and transforming growth factor beta. Bone Miner 19 (1): 63-74.
- Hughes, F. J., Collyer, J., Stanfield, M. and Goodman, S. A. (1995). The effects of bone morphogenetic protein-2, -4, and -6 on differentiation of rat osteoblast cells in vitro. Endocrinology 136 (6): 2671-7.
- Inui, H., Kitami, Y., Tani, M., Kondo, T. and Inagami, T. (1994). Differences in signal transduction between platelet-derived growth factor (PDGF) alpha and beta receptors in vascular smooth muscle cells. PDGF-BB is a potent mitogen, but PDGF-AA promotes only protein synthesis without activation of DNA synthesis [published erratum appears in J Biol Chem 1995 Apr 28;270(17):10358]. J Biol Chem 269 (48): 30546-52.
- Jee, W. S., Akamine, T., Ke, H. Z., Li, X. J., Tang, L. Y. and Zeng, Q. Q. (1992). Prostaglandin E2 prevents disuse-induced cortical bone loss. Bone 13 (2): 153-9.
- Jee, W. S., Ueno, K., Deng, Y. P. and Woodbury, D. M. (1985). The effects of prostaglandin E2 in growing rats: increased metaphyseal hard tissue and cortico-endosteal bone formation. Calcif Tissue Int 37 (2): 148-57.

- Jeffcoat, M. K. (1993). Bone loss in the oral cavity. J Bone Miner Res 8 Suppl 2 : S467-73.
- Johansson, C. B. and Morberg, P. (1995). Importance of ground section thickness for reliable histomorphometrical results. Biomaterials 16 (2): 91-5.
- Joldersma, M., Burger, E. H., Semeins, C. M. and Klein-Nulend, J. (2000). Mechanical stress induces COX-2 mRNA expression in bone cells from elderly women. J Biomech 33 (1): 53-61.
- Jones, J. I. and Clemmons, D. R. (1995). Insulin-like growth factors and their binding proteins: biological actions. Endocr Rev 16 (1): 3-34.
- Kaigler, D. and Lang, B. R. (1989). The bone biopsy chamber: an improved method of collecting osseous tissue. Int J Oral Maxillofac Implants 4 (3): 183-90.
- Kalebo, P. and Jacobsson, M. (1988). Recurrent bone regeneration in titanium implants. Experimental model for determining the healing capacity of bone using quantitative microradiography. Biomaterials 9 (4): 295-301.
- Katz, J. M., Wilson, T., Skinner, S. J. and Gray, D. H. (1981). Bone resorption and prostaglandin production by mouse calvaria in vitro: response to exogenous prostaglandins and their precursor fatty acids. Prostaglandins 22 (4): 537-51.
- Kawaguchi, H., Pilbeam, C. C., Harrison, J. R. and Raisz, L. G. (1995). The role of prostaglandins in the regulation of bone metabolism. Clin Orthop (313): 36-46.
- Ke, H. Z., Li, X. J. and Jee, W. S. (1991). Partial loss of anabolic effect of prostaglandin E2 on bone after its withdrawal in rats. Bone 12 (3): 173-83.
- Kirtikara, K., Raghov, R., Laulederkind, S. J., Goorha, S., Kanekura, T. and Ballou, L. R. (2000). Transcriptional regulation of cyclooxygenase-2 in the human

microvascular endothelial cell line, HMEC-1: control by the combinatorial actions of AP2, NF-IL-6 and CRE elements. Mol Cell Biochem 203 (1-2): 41-51.

Klein-Nulend, J., Burger, E. H., Semeins, C. M., Raisz, L. G. and Pilbeam, C. C. (1997). Pulsating fluid flow stimulates prostaglandin release and inducible prostaglandin G/H synthase mRNA expression in primary mouse bone cells. J Bone Miner Res 12 (1): 45-51.

Kliwer, S. A., Lenhard, J. M., Willson, T. M., Patel, I., Morris, D. C. and Lehmann, J. M. (1995). A prostaglandin J2 metabolite binds peroxisome proliferator-activated receptor gamma and promotes adipocyte differentiation. Cell 83 (5): 813-9.

Koshihara, Y., Amano, T. and Takamori, R. (1991). Prostaglandin D2 stimulates calcification by human osteoblastic cells. Adv Prostaglandin Thromboxane Leukot Res : 847-50.

Koshihara, Y. and Kawamura, M. (1989). Prostaglandin D2 stimulates calcification of human osteoblastic cells. Biochem Biophys Res Commun 159 (3): 1206-12.

Kostopoulos, L. and Karring, T. (1994). Augmentation of the rat mandible using guided tissue regeneration. Clin Oral Implants Res 5 (2): 75-82.

Lamerigts, N., Aspenberg, P., Buma, P., Versleyen, D. and Slooff, T. J. (1997). The repeated sampling bone chamber: a new permanent titanium implant to study bone grafts in the goat. Lab Anim Sci 47 (4): 401-6.

Latruffe, N. and Vamecq, J. (1997). Peroxisome proliferators and peroxisome proliferator activated receptors (PPARs) as regulators of lipid metabolism. Biochimie 79 (2-3): 81-94.

- Lind, M., Deleuran, B., Thestrup-Pedersen, K., Soballe, K., Eriksen, E. F. and Bunker, C. (1995). Chemotaxis of human osteoblasts. Effects of osteotropic growth factors. Apmis 103 (2): 140-6.
- Linde, A., Alberius, P., Dahlin, C., Bjurstram, K. and Sundin, Y. (1993). Osteopromotion: a soft-tissue exclusion principle using a membrane for bone healing and bone neogenesis. J Periodontol 64 (11 Suppl): 1116-28.
- Linde, A., Thoren, C., Dahlin, C. and Sandberg, E. (1993). Creation of new bone by an osteopromotive membrane technique: an experimental study in rats. J Oral Maxillofac Surg 51 (8): 892-7.
- Linkhart, T. A., Mohan, S. and Baylink, D. J. (1996). Growth factors for bone growth and repair: IGF, TGF beta and BMP. Bone 19 (1 Suppl): 1S-12S.
- Long, M. W., Williams, J. L. and Mann, K. G. (1990). Expression of human bone-related proteins in the hematopoietic microenvironment. J Clin Invest 86 (5): 1387-95.
- Lundgren, D., Lundgren, A. K., Sennerby, L. and Nyman, S. (1995). Augmentation of intramembraneous bone beyond the skeletal envelope using an occlusive titanium barrier. An experimental study in the rabbit. Clin Oral Implants Res 6 (2): 67-72.
- Lynch, S. E., de Castilla, G. R., Williams, R. C., Kiritsy, C. P., Howell, T. H., Reddy, M. S. and Antoniades, H. N. (1991). The effects of short-term application of a combination of platelet-derived and insulin-like growth factors on periodontal wound healing. J Periodontol 62 (7): 458-67.
- Marks, S. C., Jr. and Miller, S. C. (1994). Local delivery of prostaglandin E1 induces periodontal regeneration in adult dogs. J Periodontal Res 29 (2): 103-8.

- McCarthy, T. L., Centrella, M. and Canalis, E. (1989). Insulin-like growth factor (IGF) and bone. Connect Tissue Res 20 (1-4): 277-82.
- McCarthy, T. L., Centrella, M. and Canalis, E. (1990). Cortisol inhibits the synthesis of insulin-like growth factor-I in skeletal cells. Endocrinology 126 (3): 1569-75.
- Meade, E. A., McIntyre, T. M., Zimmerman, G. A. and Prescott, S. M. (1999). Peroxisome proliferators enhance cyclooxygenase-2 expression in epithelial cells. J Biol Chem 274 (12): 8328-34.
- Meraw, S. J. and Reeve, C. M. (1999). Qualitative analysis of peripheral peri-implant bone and influence of alendronate sodium on early bone regeneration. J Periodontol 70 (10): 1228-33.
- Mitlak, B. H., Finkelman, R. D., Hill, E. L., Li, J., Martin, B., Smith, T., D'Andrea, M., Antoniades, H. N. and Lynch, S. E. (1996). The effect of systemically administered PDGF-BB on the rodent skeleton. J Bone Miner Res 11 (2): 238-47.
- Miyazaki, H., Pilot, T., Leclercq, M. H. and Barmes, D. E. (1991). Profiles of periodontal conditions in adults measured by CPITN. Int Dent J 41 (2): 74-80.
- Mohan, S. (1993). Insulin-like growth factor binding proteins in bone cell regulation. Growth Regul 3 (1): 67-70.
- Mori, S., Jee, W. S. and Li, X. J. (1992). Production of new trabecular bone in osteopenic ovariectomized rats by prostaglandin E2. Calcif Tissue Int 50 (1): 80-7.
- Morone, M. A., Boden, S. D., Hair, G., Martin, G. J., Jr., Racine, M., Titus, L. and Hutton, W. C. (1998). The Marshall R. Urist Young Investigator Award.

- Gene expression during autograft lumbar spine fusion and the effect of bone morphogenetic protein 2. Clin Orthop (351): 252-65.
- Mundy, G. R. (1993). Factors which stimulate bone growth in vivo. Growth Regul 3 (2): 124-8.
- Narumiya, S. and Fukushima, M. (1985). delta 12-Prostaglandin J2, an ultimate metabolite of prostaglandin D2 exerting cell growth inhibition. Biochem Biophys Res Commun 127 (3): 739-45.
- Narumiya, S., Ohno, K., Fujiwara, M. and Fukushima, M. (1986). Site and mechanism of growth inhibition by prostaglandins. II. Temperature-dependent transfer of a cyclopentenone prostaglandin to nuclei. J Pharmacol Exp Ther 239 (2): 506-11.
- Narumiya, S., Ohno, K., Fukushima, M. and Fujiwara, M. (1987). Site and mechanism of growth inhibition by prostaglandins. III. Distribution and binding of prostaglandin A2 and delta 12-prostaglandin J2 in nuclei. J Pharmacol Exp Ther 242 (1): 306-11.
- Nash, T. J., Howlett, C. R., Martin, C., Steele, J., Johnson, K. A. and Hicklin, D. J. (1994). Effect of platelet-derived growth factor on tibial osteotomies in rabbits. Bone 15 (2): 203-8.
- Nijweide, P. J., Burger, E. H. and Feyen, J. H. (1986). Cells of bone: proliferation, differentiation, and hormonal regulation. Physiol Rev 66 (4): 855-86.
- Norrdin, R. W., Jee, W. S. and High, W. B. (1990). The role of prostaglandins in bone in vivo. Prostaglandins Leukot Essent Fatty Acids 41 (3): 139-49.
- Oates, T. W. and Cochran, D. L. (1996). Bone cell interactions and regulation by inflammatory mediators. Curr Opin Periodontol 3 : 34-44.

- Odani, N., Negishi, M., Takahashi, S. and Ichikawa, A. (1996). Induction of protein disulfide isomerase mRNA by delta 12-prostaglandin J2. Biochem Biophys Res Commun 220 (2): 264-8.
- Oliver, R. C., Brown, L. J. and Loe, H. (1989). An estimate of periodontal treatment needs in the U.S. based on epidemiologic data. J Periodontol 60 (7): 371-80.
- Oliver, R. C., Brown, L. J. and Loe, H. (1998). Periodontal diseases in the United States population. J Periodontol 69 (2): 269-78.
- Oreffo, R. O., Kusec, V., Romberg, S. and Triffitt, J. T. (1999). Human bone marrow osteoprogenitors express estrogen receptor-alpha and bone morphogenetic proteins 2 and 4 mRNA during osteoblastic differentiation. J Cell Biochem 75 (3): 382-392.
- Owen, M. (1970). The origin of bone cells. Int Rev Cytol 28 : 213-38.
- Pfeilschifter, J., Oechsner, M., Naumann, A., Gronwald, R. G., Minne, H. W. and Ziegler, R. (1990). Stimulation of bone matrix apposition in vitro by local growth factors: a comparison between insulin-like growth factor I, platelet-derived growth factor, and transforming growth factor beta. Endocrinology 127 (1): 69-75.
- Quintero, G., Mellonig, J. T., Gambill, V. M. and Pelleu, G. B., Jr. (1982). A six-month clinical evaluation of decalcified freeze-dried bone allografts in periodontal osseous defects. J Periodontol 53 (12): 726-30.
- Raisz, L. G., Alander, C. B. and Simmons, H. A. (1989). Effects of prostaglandin E3 and eicosapentaenoic acid on rat bone in organ culture. Prostaglandins 37 (5): 615-25.

- Raisz, L. G., Pilbeam, C. C. and Fall, P. M. (1993). Prostaglandins: mechanisms of action and regulation of production in bone. Osteoporos Int 3 (Suppl 1): 136-40.
- Raisz, L. G. and Woodiel, F. N. (1989). Effect of alterations in the cyclopentane ring on bone resorptive activity of prostaglandin. Prostaglandins 37 (2): 229-35.
- Rangachari, P. K. (1992). Concerning prostaglandin D2: forgotten, promiscuous, capricious. Ann N Y Acad Sci 664 : 248-59.
- Rawlinson, S. C., el-Haj, A. J., Minter, S. L., Tavares, I. A., Bennett, A. and Lanyon, L. E. (1991). Loading-related increases in prostaglandin production in cores of adult canine cancellous bone in vitro: a role for prostacyclin in adaptive bone remodeling? J Bone Miner Res 6 (12): 1345-51.
- Reddi, A. H. (1998). Role of morphogenetic proteins in skeletal tissue engineering and regeneration. Nat Biotechnol 16 (3): 247-52.
- Rickard, D. J., Sullivan, T. A., Shenker, B. J., Leboy, P. S. and Kazhdan, I. (1994). Induction of rapid osteoblast differentiation in rat bone marrow stromal cell cultures by dexamethasone and BMP-2. Dev Biol 161 (1): 218-28.
- Rosen, C. J., Donahue, L. R. and Hunter, S. J. (1994). Insulin-like growth factors and bone: the osteoporosis connection. Proc Soc Exp Biol Med 206 (2): 83-102.
- Ross, R., Raines, E. W. and Bowen-Pope, D. F. (1986). The biology of platelet-derived growth factor. Cell 46 (2): 155-69.
- Ross, R. and Vogel, A. (1978). The platelet-derived growth factor. Cell 14 (2): 203-10.
- Rubini, M., Werner, H., Gandini, E., Roberts, C. T., Jr., LeRoith, D. and Baserga, R. (1994). Platelet-derived growth factor increases the activity of the promoter

- of the insulin-like growth factor-1 (IGF-1) receptor gene. Exp Cell Res 211 (2): 374-9.
- Rydziel, S. and Canalis, E. (1996). Expression and growth factor regulation of platelet-derived growth factor B transcripts in primary osteoblast cell cultures. Endocrinology 137 (10): 4115-9.
- Rydziel, S., Shaikh, S. and Canalis, E. (1994). Platelet-derived growth factor-AA and -BB (PDGF-AA and -BB) enhance the synthesis of PDGF-AA in bone cell cultures. Endocrinology 134 (6): 2541-6.
- Saino, H., Matsuyama, T., Takada, J., Kaku, T. and Ishii, S. (1997). Long-term treatment of indomethacin reduces vertebral bone mass and strength in ovariectomized rats. J Bone Miner Res 12 (11): 1844-50.
- Sakou, T. (1998). Bone morphogenetic proteins: from basic studies to clinical approaches. Bone 22 (6): 591-603.
- Sampath, T. K., Coughlin, J. E., Whetstone, R. M., Banach, D., Corbett, C., Ridge, R. J., Ozkaynak, E., Oppermann, H. and Rueger, D. C. (1990). Bovine osteogenic protein is composed of dimers of OP-1 and BMP-2A, two members of the transforming growth factor-beta superfamily. J Biol Chem 265 (22): 13198-205.
- Samuelsson, B., Granstrom, E., Green, K., Hamberg, M. and Hammarstrom, S. (1975). Prostaglandins. Annu Rev Biochem 44 : 669-95.
- Sato, M., Ochi, T., Nakase, T., Hirota, S., Kitamura, Y., Nomura, S. and Yasui, N. (1999). Mechanical tension-stress induces expression of bone morphogenetic protein (BMP)-2 and BMP-4, but not BMP-6, BMP-7, and GDF-5 mRNA, during distraction osteogenesis. J Bone Miner Res 14 (7): 1084-95.

- Schenk, R. K., Buser, D., Hardwick, W. R. and Dahlin, C. (1994). Healing pattern of bone regeneration in membrane-protected defects: a histologic study in the canine mandible. Int J Oral Maxillofac Implants 9 (1): 13-29.
- Schmid, J., Hammerle, C. H., Fluckiger, L., Winkler, J. R., Olah, A. J., Gogolewski, S. and Lang, N. P. (1997). Blood-filled spaces with and without filler materials in guided bone regeneration. A comparative experimental study in the rabbit using bioresorbable membranes. Clin Oral Implants Res 8 (2): 75-81.
- Schmid, J., Hammerle, C. H., Olah, A. J. and Lang, N. P. (1994). Membrane permeability is unnecessary for guided generation of new bone. An experimental study in the rabbit. Clin Oral Implants Res 5 (3): 125-30.
- Scutt, A. and Bertram, P. (1995). Bone marrow cells are targets for the anabolic actions of prostaglandin E2 on bone: induction of a transition from nonadherent to adherent osteoblast precursors. J Bone Miner Res 10 (3): 474-87.
- Siegbahn, A., Hammacher, A., Westermark, B. and Heldin, C. H. (1990). Differential effects of the various isoforms of platelet-derived growth factor on chemotaxis of fibroblasts, monocytes, and granulocytes. J Clin Invest 85 (3): 916-20.
- Smith, W. L. (1992). Prostanoid biosynthesis and mechanisms of action. Am J Physiol 263 (2 Pt 2): F181-91.
- Solheim, E. (1998). Growth factors in bone. Int Orthop 22 (6): 410-6.
- Steinbrech, D. S., Mehrara, B. J., Rowe, N. M., Dudziak, M. E., Saadeh, P. B., Gittes, G. K. and Longaker, M. T. (1999). Gene expression of insulin-like growth

- factors I and II in rat membranous osteotomy healing. Ann Plast Surg 42 (5): 481-7.
- Takagi, T., Yamamoto, T., Asano, S. and Tamaki, H. (1993). Effect of prostaglandin D2 on the femoral bone mineral density in ovariectomized rats. Calcif Tissue Int 52 (6): 442-6.
- Takimoto, Y., Wang, Z. Y., Kobler, K. and Deuel, T. F. (1991). Promoter region of the human platelet-derived growth factor A-chain gene. Proc Natl Acad Sci U S A 88 (5): 1686-90.
- Tanaka, H. and Liang, C. T. (1995). Effect of platelet-derived growth factor on DNA synthesis and gene expression in bone marrow stromal cells derived from adult and old rats. J Cell Physiol 164 (2): 367-75.
- Tasaki, Y., Takamori, R. and Koshihara, Y. (1991). Prostaglandin D2 metabolite stimulates collagen synthesis by human osteoblasts during calcification. Prostaglandins 41 (4): 303-13.
- Thomas, M. J., Umayahara, Y., Shu, H., Centrella, M., Rotwein, P. and McCarthy, T. L. (1996). Identification of the cAMP response element that controls transcriptional activation of the insulin-like growth factor-I gene by prostaglandin E2 in osteoblasts. J Biol Chem 271 (36): 21835-41.
- Tiesman, J. and Hart, C. E. (1993). Identification of a soluble receptor for platelet-derived growth factor in cell-conditioned medium and human plasma. J Biol Chem 268 (13): 9621-8.
- Tontonoz, P., Hu, E. and Spiegelman, B. M. (1994). Stimulation of adipogenesis in fibroblasts by PPAR gamma 2, a lipid- activated transcription factor [published erratum appears in Cell 1995 Mar 24;80(6):following 957]. Cell 79 (7): 1147-56.


- Tsukamoto, T., Matsui, T., Fukase, M. and Fujita, T. (1991). Platelet-derived growth factor B chain homodimer enhances chemotaxis and DNA synthesis in normal osteoblast-like cells (MC3T3-E1). Biochem Biophys Res Commun 175 (3): 745-51.
- Tsushita, K., Kozawa, O., Tokuda, H., Oiso, Y. and Saito, H. (1992). Proliferative effect of PGD₂ on osteoblast-like cells; independent activation of pertussis toxin-sensitive GTP-binding protein from PGE₂ or PGF₂ alpha. Prostaglandins Leukot Essent Fatty Acids 45 (4): 267-74.
- Tugwood, J. D., Issemann, I., Anderson, R. G., Bundell, K. R., McPheat, W. L. and Green, S. (1992). The mouse peroxisome proliferator activated receptor recognizes a response element in the 5' flanking sequence of the rat acyl CoA oxidase gene. Embo J 11 (2): 433-9.
- Ujihara, M., Urade, Y., Eguchi, N., Hayashi, H., Ikai, K. and Hayaishi, O. (1988). Prostaglandin D₂ formation and characterization of its synthetases in various tissues of adult rats. Arch Biochem Biophys 260 (2): 521-31.
- Vikjaer, D., Blom, S., Hjorting-Hansen, E. and Pinholt, E. M. (1997). Effect of platelet-derived growth factor-BB on bone formation in calvarial defects: an experimental study in rabbits. Eur J Oral Sci 105 (1): 59-66.
- Wadleigh, D. J. and Herschman, H. R. (1999). Transcriptional regulation of the cyclooxygenase-2 gene by diverse ligands in murine osteoblasts. Biochem Biophys Res Commun 264 (3): 865-70.
- Wakisaka, A., Tanaka, H., Barnes, J. and Liang, C. T. (1998). Effect of locally infused IGF-I on femoral gene expression and bone turnover activity in old rats. J Bone Miner Res 13 (1): 13-9.

- Wang, W., Zhuang, H., Levitz, C. L., Fan, H., Seldes, R. M., Tahernia, A. D. and Brighton, C. T. (1997). The increased level of PDGF-A contributes to the increased proliferation induced by mechanical stimulation in osteoblastic cells. Biochem Mol Biol Int 43 (2): 339-46.
- Wikesjo, U. M., Claffey, N., Christersson, L. A., Franzetti, L. C., Genco, R. J., Terranova, V. P. and Egelberg, J. (1988). Repair of periodontal furcation defects in beagle dogs following reconstructive surgery including root surface demineralization with tetracycline hydrochloride and topical fibronectin application. J Clin Periodontol 15 (1): 73-80.
- Willemse, F., Nap, M., de Kok, L. B. and Eggink, H. F. (1993). Image analysis in immunohistochemistry. Factors with a possible influence on the performance of VIDAS version 2.0, a commercially available true color image analysis system. Anal Quant Cytol Histol 15 (2): 136-43.
- Wong, R. W. and Rabie, A. B. (1999). A quantitative assessment of the healing of intramembranous and endochondral autogenous bone grafts. Eur J Orthod 21 (2): 119-26.
- Wozney, J. M. (1992). The bone morphogenetic protein family and osteogenesis. Mol Reprod Dev 32 (2): 160-7.
- Wozney, J. M. and Rosen, V. (1998). Bone morphogenetic protein and bone morphogenetic protein gene family in bone formation and repair. Clin Orthop (346): 26-37.
- Yamaguchi, A., Ishizuya, T., Kintou, N., Wada, Y., Katagiri, T., Wozney, J. M., Rosen, V. and Yoshiki, S. (1996). Effects of BMP-2, BMP-4, and BMP-6 on osteoblastic differentiation of bone marrow-derived stromal cell lines,

ST2 and MC3T3-G2/PA6. Biochem Biophys Res Commun 220 (2): 366-71.

Yu, X., Hsieh, S. C., Bao, W. and Graves, D. T. (1997). Temporal expression of PDGF receptors and PDGF regulatory effects on osteoblastic cells in mineralizing cultures. Am J Physiol 272 (5 Pt 1): C1709-16.

Zhou, H., Choong, P. F., Henderson, S., Chou, S. T., Aspenberg, P., Martin, T. J. and Ng, K. W. (1995). Marrow development and its relationship to bone formation in vivo: a histological study using an implantable titanium device in rabbits. Bone 17 (4): 407-15.



สถาบันวิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย

VITA

Damrong Damrongsri was born in Bangkok, Thailand on February 15, 1968. He grew up in Bangkok with his sister and three brothers. He received a Doctor of Dental Surgery from Faculty of Dentistry, Chulalongkorn University in 1993. He then worked as an instructor in Department of Anatomy, faculty of Dentistry, Chulalongkorn University. In October 1994, he enrolled in a Ph. D. program in Faculty of Dentistry, Chulalongkorn University. After completed the course work in Thailand, he went to Dental Research Center, University of North Carolina at Chapel Hill and conducted most of the research work there. He anticipates receiving his doctorate degree in Oral Biology in July, 2000.



สถาบันวิทยบริการ
จุฬาลงกรณ์มหาวิทยาลัย