

## REFERENCES

- Bagnasco, S., Balaban, R., Fales, H. M., Yang, YM., and Burg, M. 1986. Predominant osmoltically active organic solutes in rat and rabbit renal medullas. *J. Biol. Chem.* 261(No. 13): 5872-5877.
- Barnett, D. K., and Bavister, B. D. 1992. Hypotaurine requirement for *in vitro* development of golden hamster one-cell embryos into morulae and blastocysts, and production of term offspring from *in vitro*-fertilized ova. *Biol. Reprod.* 47: 297-304.
- Bavister, B. D., Leibfried, M. L., and Lieberman, G. 1983. Development of preimplantation embryos of golden hamster in a defined culture medium. *Biol. Reprod.* 28: 235-247.
- Bavister, B. D., and Arlotto, T. 1990. Influence of single amino acids on the development of hamster one-cell embryos *in vitro*. *Mol. Reprod. Dev.* 25: 45-51.
- Bavister, B. D. 1995. Culture of preimplantation embryo: facts and artifacts. *Hum. Reprod. Update.* 1(2): 91-148.
- Biggers, J. D., Lawitts, J. A., and Lechene, C. P. 1993. The protective action of betaine on the deleterious effects of NaCl on preimplantation embryos *in vitro*. *Mol. Reprod. Dev.* 34: 380-390.
- Borland, R. M., Hazra, S., Biggers, J. D., and Lechene, C. P. 1977. The elemental composition of the environments of the gametes and preimplantation embryo during the initiation of pregnancy. *Biol. Reprod.* 16: 147-157.
- Borland, R. M., Biggers, J. D., Lechene, C. P., and Taymori, M. L. 1980. Elemental composition of fluid in the human fallopian tube. *J. Reprod. Fert.* 58: 479-482.

- Borowitzka, L. J., Kessly, D. S., and Brown, A. D. 1977. The salt relations of *Dunaliela*. Further observations on glycerol production and its regulation. *Arch. Microbiol.* 13: 131-138.
- Brinster, R. L. 1965. Studies on the development of mouse embryos *in vitro*: the effect of osmolarity and hydrogen ion concentration. *J. Exp. Zool.* 158: 49-58.
- Burg, M. B. 1994. Molecular Basis for osmoregulation of organic osmolytes in renal medullary cells. *J. Exp. Zool.* 268: 171-175.
- Burg, M. B. 1995. Molecular basis of osmotic regulation. *Am. J. Physiol.* 268: F983-F996.
- Carney, E. W., and Bavister, B. D. 1987. Stimulatory and inhibitory effects of amino acids on the development of hamster eight-cell embryos *in vitro*. *J. In Vitro. Fertil. Embryo. Transf.* 4 (No.3): 162-167.
- Clark, M. E. 1987. Non-donnan effects of organic osmolytes in cell volume changes. *Curr. Top. Membr. Transp.* 30: 251-271.
- Dawson, K. M., and Baltz, J. M. 1997. Organic osmolyte and embryos: substrates of Gly and  $\beta$  transport systems protect mouse zygotes against the effects of raised osmolarity. *Biol. Reprod.* 56: 1550 -1558.
- Dawson, K. M., Collins, J. L., and Baltz, J. M. 1998. Osmolarity-dependent glycine as an osmolyte in early preimplantation mouse embryos. *Biol. Reprod.* 59: 225-232.
- Devreker, F., Winston, R. M., and Hardy, K. 1998. Gutamine improves human preimplantation development *in vitro*. *Fertil. Steril.* 69(2): 293-299.
- Dumoulin, J. C. M., Van Wissen, L. C. P., Menheere, P. P. C. A., Michiels, A. H. J. C., Geraets, J. P. M., and Evers, J. L. H. 1997. Taurine acts as osmolyte in human and mouse oocytes and embryos. *Biol. Reprod.* 56: 739-744.

- Eagle, H. 1955. Nutrient needs of mammalian cells in tissue culture.  
*Nature (London)*. 122: 501-504.
- Freshney, R. L. 2000. *Culture of Animal Cells: a Manual of Basic Technique*. 4<sup>th</sup> ed.  
 USA: Wiley-Less.
- Garcia-Perez, A., and Burg, M. B. 1991 a. Role of organic osmolytes in adaptation of renal cells to high osmolarity. *J. Membr. Biol.* 119: 1-13.
- Garcia-Perez, A., and Burg, M. B. 1991 b. Renal medullary organic osmolytes. *Physiol. Rev.* 71 (No.4): 1081-1115.
- Gardner, D. K., and Leese, H. J. 1990. Concentrations of nutrients in mouse oviduct fluid and their effects on embryo development and metabolism *in vitro*. *J. Reprod. Fert.* 88: 361-368.
- Greenway, H., and Osmond, C. B. 1972. Salt response of enzymes from species differing in salt tolerance. *Plant. Physiol.* 49: 256-259.
- Gwatkin, R. B. L., and Haidri, A. A. 1973. Requirements for the maturation of hamster oocytes *in vitro*. *Exp. Cell. Res.* 76: 1-7.
- Haidri, A. A., and Gwatkin, R. B. L. 1973. Requirements for the maturation of hamster oocytes from preovulatory follicles. *J. Reprod. Fert.* 35: 173-176.
- Hallows, K. R., and Knauf, P. 1994. Principles of cell volume regulation. In Strange, K. (ed.), *Cellular and Molecular Physiology of Cell Volume Regulation*, pp. 82-109. Boca Raton: CRC Press.
- Hammer, M. A., Kolajova, M., Leveille, M. C., Claman, P., and Baltz, J. M. 2000. Glycine transport by single human and mouse embryos. *Hum. Reprod.* 15(2): 419-426.
- Handler, J. S., and Kwon, H. M. 1993. Regulation of renal cell organic osmolyte transport by tonicity. *Am. J. Physiol.* 265 (34): C1449-C1455.
- Handler, J. S., and Kwon, H. M. 2001. Cell and molecular biology of organic osmolyte accumulation in hypertonic renal cells. *Nephron*. 87(2): 106-110.

- Hobbs, J. G., and Kaye, P. L. 1985. Glycine transport in mouse eggs and preimplantation embryos. *J. Reprod. Fert.* 74: 77-86.
- Hobbs, J. G., and Kaye, P. L. 1986. Glycine and Na<sup>+</sup> transport in preimplantation mouse embryos. *J. Reprod. Fert.* 77: 61-66.
- Hoffmann, E. K., and Mills, J. M. 1999. Membrane events involved in volume regulation. *Curr. Top. Membr. Transp.* 48: 123-186.
- Juetten, J., and Bavister, B. D. 1983. The effects of amino acids, cumulus cells, and bovine serum albumin on *in vitro* fertilization and first cleavage of hamster eggs. *J. Exp. Zool.* 227: 487-490.
- Kane, M. T., Carney, E. D., and Bavister, B. D. 1986. Vitamins and amino acids stimulate hamster blastocysts to hatch *in vitro*. *J. Exp. Zool.* 239: 429-432.
- Kane, M. T., and Bavister, B. D. 1988. Protein-free culture medium containing polyvinylalcohol, vitamins, and amino acids supports development of eight-cell hamster embryos to hatching blastocysts. *J. Exp. Zool.* 247: 183-187.
- Kinne, R. J. H. 1993. The role of organic osmolytes in osmoregulation: from bacteria to mammals. *J. Exp. Zool.* 265: 346-355.
- Kolajova, M., and Baltz, J. M. 1999. Volume-regulation anion and organic osmolyte channel in mouse zygotes. *Biol. Reprod.* 60: 964-972.
- Kwon, H. M., and Handler, J. S. 1995. Cell volume regulated transporters of compatible osmolytes. *Curr. Opin. Cell. Biol.* 7: 465-471.
- Lane, M., Boatman, D. E., Albrecht, R. M., and Bavister, B. D. 1998. Intracellular divalent cation homeostasis and developmental competence in the hamster preimplantation embryo. *Mol. Reprod. Dev.* 50: 443-450.
- Lang, F., Busch, G. L., Ritter, M., Volkl, H., Waldegger, S., Gulbins, E., and Haussinger, D. 1998. Functional significance of cell volume regulatory mechanism. *Physiol. Rev.* 78(7): 247-306.
- Law, R. O. 1991. Amino acids volume-regulatory osmolarities in mammalian cells. *Comp. Biochem. Physiol.* 100(No.3): 263-277.

- Lawitts, J. A., and Biggers, J. D. 1992. Joint effects of sodium chloride, glutamine, and glucose in mouse, preimplantation embryo culture media. *Mol. Reprod. Dev.* 31: 189–194.
- Leibfried, M. L., and Bavister, B. D. 1982. Effects of epinephrine and hypotaurine on *in vitro* fertilization in the golden hamster. *J. Reprod. Fertil.* 66: 87-93.
- McKiernan, S. H., and Bavister, B. D. 1990. Environmental variables influencing *in vitro* development of hamster 2-cell embryos to the blastocyst stage. *Biol. Reprod.* 43: 404–443.
- McKiernan, S. H., Bavister, B. D., and Tasca, R. J. 1991. Energy substrate requirements for *in vitro* development of hamster 1- and 2-cell embryos to the blastocyst stage. *Hum. Reprod.* 6(no.1): 64-75.
- McKiernan, S. H., Clayton, M. K., and Bavister, B. D. 1995. Analysis of stimulatory and inhibitory amino acids for development of hamster one-cell embryos. *Mol. Reprod. Dev.* 42: 188–199.
- Miller, J. G. O., and Schultz, G. A. 1987. Amino acid content of preimplantation rabbit embryos and fluids of the reproductive tract. *Biol. Reprod.* 36: 125-129.
- Miller, K. J., and Wood, J. M. 1996. Osmoadaptation by rhizosphere bacteria. *Annu. Rev. Microbiol.* 50: 101-136.
- Miller, T. J., Hanson, R. D., and Yancey, P. H. 2000. Developmental changes in organic osmolytes in prenatal and postnatal rat tissues. *Comp. Biochem. Physiol. A Mol. Integr. Physiol.* 125(1): 45– 56.
- Miyamoshi, K. Abeydeera, L. R. Okadu, K. and Niwa, K. 1995. Effects of osmolarity and amino acids in a chemically defined medium on development of rat one-cell embryos. *J. Reprod. Fertil.* 103(1): 27-32.
- Molyle, P. B., and Ceek, J. J. 2000. *Fishes: an Introduction to Ichthyology*. 4<sup>th</sup> ed. USA. Prentice – Hall.

- Na, G. C., and Timasheff, S. N. 1981. Interaction of calf brain tubulin with glycerol. *J. Mol. Biol.* 151: 165-178.
- Nakayama, H., Yoshida, K., Ono, H., Murooka, Y., and Shinmyo, A. 2000. Ectoine, the compatible solute of *Halomonas elongata*, confers hyperosmotic tolerance in cultured tobacco cells. *Plant. Physiol.* 122: 1239-1247.
- Rafferty, K., A., JR. 1970. *Methods in Experimental Embryology of the Mouse*. 1<sup>st</sup> ed. USA: The John Hopkins Press.
- Reitzer, L. J., Wice, B. M., and Kennell, D. 1979. Evidence that glutamine, not sugar, is the major energy source for cultured hela cells. *J. Biol. Chem.* 254(8): 2669-2676
- Staniz, J., Wice, B., M., and Kennell, D., E. 1983. Comparative energy metabolism in cultured heart muscle and hela cells. *J. Cell. Physiol.* 115: 320-330.
- Semero, G. N. 1986. Protons, osmolytes, and fitness of internal milieu for proton function. *Am. J. Physiol.* 251: R197-R213.
- Spolarics, Z., Lang, C. H., Bagby, G. J., and Spitzer, J. J. 1991. Glutamine and fatty acid oxidation are the main sources of energy for kupffer and endothelial cells. *Am. J. Physiol.* 261(24): G185-G190.
- Trump, B. F., and Berezesky, I. K. 1995. Calcium-mediated cell injury and cell death. *FASEB J.* 9: 219-288.
- Van Winkle, L. J., Haghightat, N., Campione, A. L., and Gorman, J. M. 1988. Glycine transport in mouse eggs and preimplantation conceptuses. *Biochim. Biophys. Acta.* 941(12): 241-256.
- Van Winkle, L. J., Haghightat, N., and Campione, A. L. 1990. Glycine protect preimplantation mouse conceptuse from a detrimental effect on development of the inorganic ions in oviductal fluid. *J. Exp. Zool.* 253: 215-219.

- Van Winkle, L. J., and Dickinsons, H. R. 1995. Differences in amino acids content of preimplantation mouse embryos that develop *in vitro* versus *in vivo*: *in vitro* effects of five amino acids that are abundant in oviductal secretions. *Biol. Reprod.* 52: 96-104
- Voet, D., Voet, J. G., and Pratt, C. W. 1999. *Fundamentals of Biochemistry*. 1<sup>st</sup> ed. USA: John Wiley & Son.
- Withers, P. C. 1992. *Comparative Animal Physiology*. International Edition. USA: Saunders Colleage.
- Yancey, P. H. 1994. Compatible and Counteracting Solutes. In Strange, K. (ed.), *Cellular and Molecular Physiology of Cell Volume Regulation*, pp. 82-109. Boca Raton: CRC Press.
- Yancey, P. H., Clack, M. E., Hand, S. C., Bowlus, R. D., and Semero, G. N. 1982. Living with water stress: evolution of osmolyte system. *Science*. 217(24): 1214-1222.
- Zielke, H. R., Ozand, P. T., Tildon, J. T., Sevdalian, D. A. and Marvin, C. 1976. Growth of human diploid fibroblasts in the absence of glucose utilization. *Proc. Natl. Acad. Sci.* 73(11): 4110-4114.

## BIOGRAPHY

Miss Wannasiri Wannarat was born on April 2, 1978 in Pattanee Province, Thailand. She finished her secondary school level at Suratthanee School in 1995 in Suratthanee Province. She graduated with Bachelor's degree in Biology from Faculty of Science, Chulalongkorn University in 1999. She has studied for a Master Degree in Zoology, Department of Biology, Faculty of Science, Chulalongkorn University since 2000.



ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย