

REFERENCES

- Adams, R. D., Victor, M., and Ropper, A. H. 1997. Epilepsy and other seizure disorder. In R. D. Adams, M. Victor, and A. H. Ropper (eds.), Principles of Neurology. 6th ed., pp. 313-343. New York: McGraw-Hill.
- Barrett, A. G. M. and Graboski, G. G. 1986. Conjugated Nitroalkenes: Versatile intermediates in organic synthesis. Chem. Rev. 86: 751-762
- Bruice, P. Y. 1998. Organic chemistry. 2nd ed. New Jersey: Prentice-Hall.
- Carey, F. A. and Sunberg, R. J. 1993. Advanced Organic Chemistry: Part B, Reaction and Synthesis. 3rd ed. New York: Plenum Press.
- Clark, C. R., Wells, M. J. M., Sansom, R. T., Norris, G. N., Dockens, R. C., and Ravis W. R. 1984. Anticonvulsant activity of some 4-aminobenzamides. J. Med. Chem. 27: 779-782.
- Clark, C. R., Sansom, R. T., Lin, C., and Norris, G. N. 1985. Anticonvulsant activity of some 4-aminobenzanilides. J. Med. Chem. 28: 1259-1262.
- Clark, C. R., Lin, C., and Sansom, R. T. 1986. Anticonvulsant activity of 2- and 3-aminobenzanilides. J. Med. Chem. 29: 1534-1537.
- Clark, C. R. and Davenport, T. W. 1987. Anticonvulsant activity of some 4-aminophenylacetamides. J. Pharm. Sci. 76 (1): 18-20.
- Clark, C. R. 1988. Comparative anticonvulsant activity and neurotoxicity of 4-amino-*N*-(2,6-dimethylphenyl)benzamide and prototype antiepileptic drugs in mice and rat. Epilepsia 29 (2): 198-203.
- Cosford, N. D. P., McDonald, I. A., and Schweiger, E. J. 1998. Chapter 7 Recent progress in antiepileptic drug research. Annual Reports in Medicinal Chemistry 33: 61-70.
- Dhillon, S. and Sander, J. W. A. S. 1999. Epilepsy. In R. Walker, and C. Edwards (eds.), Clinical Pharmacy and Therapeutics. 2nd ed., pp. 435-451. Edinburgh:

Churchill Livingstone.

- Duke, N.E.C. and Coddling P. W. 1992. Molecular modeling and crystallographic studies of 4-amino-*N*-phenylbenzamide anticonvulsants. J. Med. Chem. 35: 1806-1812.
- Edafiogho, I. O., and Scott, K. R. 1996. Chapter thirty-nine: Anticonvulsants. In M. E. Wolff (ed.), Burger's Medicinal Chemistry and Drug Discovery. vol. 3. 5th ed., pp. 175-260. New York: John Wiley & Sons.
- Furniss, B. S., Hannaford, A. J., Smith, P. W. G., and Tatchell, A. R. 1991. Vogel's Textbook of Practical Organic Chemistry. 5th ed., pp. 1188. England: Bath Press.
- Graves, N. M., and Garnett, W. R. 2002. Epilepsy. In J. T. Dipiro, R. L. Talbert, G. C. Yee, G. R. Matzke, B. G. Wells, and L. M. Posey (eds.), Pharmacotherapy: A Pathophysiologic Approach. 5th ed., pp.1031-1075. New York: McGraw-Hill.
- Grunewald, G. L. et al. 1996. Effect of ring size or an additional heteroatom on the potency and selectivity of bicyclic benzylamine-type inhibitors of phenylethanolamine N-methyltransferase. J. Med. Chem. 39: 3539-3546.
- House, H. O. 1972. Modern Synthetic Reaction. California: W.A. Benjamin.
- Mcnamara, J. O. 2001. Goodman & Gilman's The Pharmacological Basis of Therapeutics. 10th ed., pp. 521-547. New York: McGraw-Hill.
- Joule, J. A., Mills, K., and Smith G. F. 1995. Heterocyclic Chemistry. 3rd ed. London: Chapman & Hall.
- Kadir, Z. A. and Chadwick, D. W. 1999. Principles of treatment of epilepsy. Drugs on Today 35 (1): 35-41.
- Kanyonyo, M. R., Poupaert, J. H., and Lambert, D. M. 1998. Anticonvulsant profile of 4-amino-(2-methyl-4-aminophenyl)benzamide in mice and rats. Pharmacology & Toxicology 82: 47-50.

- Leander, J. D., et al. 1988. Pharmacological effects of enantiomer of 4-amino-*N*-(α -methylbenzyl)benzamide, a chemically novel anticonvulsant. *Epilepsia*. 29 (1): 83-90.
- Leander, J. D. 1992. Interaction of the anticonvulsant ameltolide with standard anticonvulsants. *Epilepsia* 33 (4): 705-711.
- Leander, J. D., Parli, C. J., Potts, B., and Lodge, D. 1992. Relation of plasma and brain concentrations of the anticonvulsant ameltolide to its pharmacologic effects. *Epilepsia* 33(4): 696-704.
- March, J. 1968. Advanced Organic Chemistry: Reaction, Mechanisms, and Structure. International student ed. New York: McGraw-Hill.
- McNamara, J. O. 1996. Chapter 20: Drugs effective in the therapy of the epilepsies. In J. G. Hardman, and L. E. Limbird (eds.), Goodman & Gilman's: The Pharmacological Basis of Therapeutics. 9th ed., pp. 461-486. New York: McGraw-Hill.
- Meldrum, B. S. 1996. Update on the mechanism of action of antiepileptic drugs. *Epilepsia* 37 (Suppl. 6): s4-s11.
- Morrison, R. T. and Boyd, R. N. 1987. Organic Chemistry. 5th ed. Boston: Allyn and Bacon.
- Nagabundi, S. and Fodor, G. 1980. The Mechanism of the Bischler-Napieralski reaction. *J. Heterocyclic Chem.* 17: 1457-1463.
- Potts, B. D., Gabriel, S., and Parli, C. J. 1989. Metabolism, disposition and pharmacokinetics of a potent anticonvulsant 4-amino-*N*-(2,6-dimethylphenyl)-benzamide (LY201116) in rats. *Drug Metab. Dispos.* 17 (6): 656-661.
- Potapav, V. M., et. al. 1967. Stereochemical investigations XXIII. Rotary dispersion of some 3,4-dihydro- and 1,2,3,4-tetrahydroisoquinolines. *J. Gen. Chem. USSR (Engl. Transl.)* 37: 2550-2555.

- Robertson, D. W., et. al. 1987. Discovery and anticonvulsant activity of the potent metabolic inhibitor 4-amino-*N*-(2,6-dimethylphenyl)-3,5-dimethylbenzamide. J. Med. Chem. 30: 1742-1746.
- Robertson, D. W., Lawson, R. R., Rathbun, R. C., and Leander, J. D. 1988. Pharmacology of LY201409, a potent benzamide anticonvulsant. Epilepsia 29 (6): 760-769.
- Robertson, D. W., et. al. 1991. Synthesis and pharmacological evaluation of a major metabolite of ameltolide, a potent anticonvulsant. J. Med. Chem. 34: 1253-1257.
- Sabers, A., and Gram, L. 1996. Drug treatment of epilepsy in the 1990s. Drugs 52 (4): 483-493.
- Sathit Niratisai. 1994. Synthesis of N-(*p*-aminobenzoyl)-1,2,3,4-tetrahydro-4,8-dimethylquinoline. Master's Thesis, Department of Pharmaceutical Chemistry, The Faculty of Pharmaceutical Science, Graduate School, Chulalongkorn University.
- Smith, M.B. 2002. Organic Synthesis. 2nd ed. Newyork:McGraw-Hill
- Vamecq, J., Lambert, D., Poupaert, J. H., Masereel, B., and Stables, J. P. 1998. Anticonvulsant activity and interactions with neuronal voltage-dependent sodium channel of analogues of ameltolide. J. Med. Chem. 41: 3307-3313.
- Whaley, W. M. and Hartung, W. H. 1949. Synthesis of isoquinoline derivatives. J. Org. Chem. 14: 650.
- Whaley, W. M. and Govindachari, T. R. 1951. The preparation of 3,4-dihydroisoquinolines and related compounds by the Bischler-Napieralski reaction. Organic Reaction. 6: 74-149.
- Whaley, W. M. and Govindachari, T. R. 1951. The Pictet-Spengler synthesis of tetrahydroisoquinolines and related compounds. Organic Reaction. 6: 151-190.

White, H. S. 1997. Clinical significance of animal seizure models and mechanism of action studies of potential antiepileptic drugs. *Epilepsia* 38 (Suppl. 1): s9-s17.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

VITA

Mr. Taweesak Dhramaraj was born on 23 April, 1977 in Nan, Thailand. He received her Bachelor of Science in Pharmacy in 2000 from the Faculty of Pharmaceutical Sciences, Chiang Mai University, Thailand. Since his graduation, he has become a member of the Faculty of Pharmacy and Health Sciences, Mahasarakham University, Mahasarakham, Thailand.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย